

## Desktop Console

1/1/14 12:09:50.048 AM loginwindow[588]: Preferred Localizations total: 1  
contents (

English

)

1/1/14 12:09:50.048 AM loginwindow[588]: Preferred Localizations total: 1  
contents (

English

)

1/1/14 12:12:04.582 AM com.apple.WebKit.Networking[653]:  
NSURLConnection/CFURLConnection HTTP load failed  
(kCFStreamErrorDomainSSL, -9843)

1/1/14 12:12:41.619 AM com.apple.WebKit.Networking[653]:  
NSURLConnection/CFURLConnection HTTP load failed  
(kCFStreamErrorDomainSSL, -9843)

1/1/14 12:13:59.802 AM com.apple.WebKit.Networking[653]:  
NSURLConnection/CFURLConnection HTTP load failed  
(kCFStreamErrorDomainSSL, -9843)

1/1/14 12:14:39.453 AM com.apple.WebKit.Networking[653]:  
NSURLConnection/CFURLConnection HTTP load failed  
(kCFStreamErrorDomainSSL, -9843)

1/1/14 12:15:18.812 AM com.apple.WebKit.Networking[653]:  
NSURLConnection/CFURLConnection HTTP load failed  
(kCFStreamErrorDomainSSL, -9843)

1/1/14 12:16:26.835 AM com.apple.WebKit.Networking[653]:  
NSURLConnection/CFURLConnection HTTP load failed  
(kCFStreamErrorDomainSSL, -9843)

1/1/14 12:17:06.611 AM com.apple.WebKit.Networking[653]:  
NSURLConnection/CFURLConnection HTTP load failed  
(kCFStreamErrorDomainSSL, -9843)

1/1/14 12:17:41.435 AM com.apple.WebKit.Networking[653]:  
NSURLConnection/CFURLConnection HTTP load failed  
(kCFStreamErrorDomainSSL, -9843)

1/1/14 12:19:30.406 AM com.apple.WebKit.Networking[653]:  
NSURLConnection/CFURLConnection HTTP load failed  
(kCFStreamErrorDomainSSL, -9843)

1/1/14 12:21:23.407 AM com.apple.WebKit.Networking[653]:  
NSURLConnection/CFURLConnection HTTP load failed  
(kCFStreamErrorDomainSSL, -9843)

1/1/14 12:22:03.112 AM com.apple.WebKit.Networking[653]:  
NSURLConnection/CFURLConnection HTTP load failed  
(kCFStreamErrorDomainSSL, -9843)

1/1/14 12:22:41.717 AM com.apple.WebKit.Networking[653]:  
NSURLConnection/CFURLConnection HTTP load failed  
(kCFStreamErrorDomainSSL, -9843)

1/1/14 12:23:21.515 AM com.apple.WebKit.Networking[653]:  
NSURLConnection/CFURLConnection HTTP load failed  
(kCFStreamErrorDomainSSL, -9843)  
1/1/14 12:25:17.715 AM com.apple.WebKit.Networking[653]:  
NSURLConnection/CFURLConnection HTTP load failed  
(kCFStreamErrorDomainSSL, -9843)  
1/1/14 12:26:31.120 AM com.apple.WebKit.Networking[653]:  
NSURLConnection/CFURLConnection HTTP load failed  
(kCFStreamErrorDomainSSL, -9843)  
1/1/14 12:27:01.536 AM com.apple.WebKit.Networking[653]:  
NSURLConnection/CFURLConnection HTTP load failed  
(kCFStreamErrorDomainSSL, -9843)  
1/1/14 12:29:36.357 AM com.apple.WebKit.Networking[653]:  
NSURLConnection/CFURLConnection HTTP load failed  
(kCFStreamErrorDomainSSL, -9843)  
1/1/14 12:30:16.636 AM com.apple.WebKit.Networking[653]:  
NSURLConnection/CFURLConnection HTTP load failed  
(kCFStreamErrorDomainSSL, -9843)  
1/1/14 12:30:55.865 AM com.apple.WebKit.Networking[653]:  
NSURLConnection/CFURLConnection HTTP load failed  
(kCFStreamErrorDomainSSL, -9843)  
1/1/14 12:31:58.592 AM com.apple.WebKit.Networking[653]:  
NSURLConnection/CFURLConnection HTTP load failed  
(kCFStreamErrorDomainSSL, -9843)  
1/1/14 12:32:29.310 AM com.apple.WebKit.Networking[653]:  
NSURLConnection/CFURLConnection HTTP load failed  
(kCFStreamErrorDomainSSL, -9843)  
1/1/14 12:33:08.674 AM com.apple.WebKit.Networking[653]:  
NSURLConnection/CFURLConnection HTTP load failed  
(kCFStreamErrorDomainSSL, -9843)  
1/1/14 12:33:42.284 AM com.apple.WebKit.Networking[653]:  
NSURLConnection/CFURLConnection HTTP load failed  
(kCFStreamErrorDomainSSL, -9843)  
1/1/14 12:35:26.649 AM com.apple.WebKit.Networking[653]:  
NSURLConnection/CFURLConnection HTTP load failed  
(kCFStreamErrorDomainSSL, -9843)  
1/1/14 12:36:06.430 AM com.apple.WebKit.Networking[653]:  
NSURLConnection/CFURLConnection HTTP load failed  
(kCFStreamErrorDomainSSL, -9843)  
1/1/14 12:36:45.213 AM com.apple.WebKit.Networking[653]:  
NSURLConnection/CFURLConnection HTTP load failed  
(kCFStreamErrorDomainSSL, -9843)  
1/1/14 12:37:24.081 AM com.apple.WebKit.Networking[653]:  
NSURLConnection/CFURLConnection HTTP load failed  
(kCFStreamErrorDomainSSL, -9843)

1/1/14 12:38:03.639 AM com.apple.WebKit.Networking[653]:  
NSURLConnection/CFURLConnection HTTP load failed  
(kCFStreamErrorDomainSSL, -9843)  
1/1/14 12:38:43.442 AM com.apple.WebKit.Networking[653]:  
NSURLConnection/CFURLConnection HTTP load failed  
(kCFStreamErrorDomainSSL, -9843)  
1/1/14 12:40:43.922 AM com.apple.WebKit.Networking[653]:  
NSURLConnection/CFURLConnection HTTP load failed  
(kCFStreamErrorDomainSSL, -9843)  
1/1/14 12:41:21.377 AM com.apple.WebKit.Networking[653]:  
NSURLConnection/CFURLConnection HTTP load failed  
(kCFStreamErrorDomainSSL, -9843)  
1/1/14 12:41:52.645 AM com.apple.WebKit.Networking[653]:  
NSURLConnection/CFURLConnection HTTP load failed  
(kCFStreamErrorDomainSSL, -9843)  
1/1/14 12:43:31.372 AM com.apple.WebKit.Networking[653]:  
NSURLConnection/CFURLConnection HTTP load failed  
(kCFStreamErrorDomainSSL, -9843)  
1/1/14 12:44:02.329 AM com.apple.WebKit.Networking[653]:  
NSURLConnection/CFURLConnection HTTP load failed  
(kCFStreamErrorDomainSSL, -9843)  
1/1/14 12:44:35.757 AM com.apple.WebKit.Networking[653]:  
NSURLConnection/CFURLConnection HTTP load failed  
(kCFStreamErrorDomainSSL, -9843)  
1/1/14 12:46:26.849 AM com.apple.WebKit.Networking[653]:  
NSURLConnection/CFURLConnection HTTP load failed  
(kCFStreamErrorDomainSSL, -9843)  
1/1/14 12:47:37.150 AM PluginProcess[779]: CoreText performance note: Client  
called CTFontCreateWithName() using name "Times New Roman" and got font with  
PostScript name "TimesNewRomanPSMT". For best performance, only use  
PostScript names when calling this API.  
1/1/14 12:49:20.791 AM com.apple.WebKit.Networking[653]:  
NSURLConnection/CFURLConnection HTTP load failed  
(kCFStreamErrorDomainSSL, -9843)  
1/1/14 12:50:00.611 AM com.apple.WebKit.Networking[653]:  
NSURLConnection/CFURLConnection HTTP load failed  
(kCFStreamErrorDomainSSL, -9843)  
1/1/14 12:50:40.414 AM com.apple.WebKit.Networking[653]:  
NSURLConnection/CFURLConnection HTTP load failed  
(kCFStreamErrorDomainSSL, -9843)  
1/1/14 12:51:20.535 AM com.apple.WebKit.Networking[653]:  
NSURLConnection/CFURLConnection HTTP load failed  
(kCFStreamErrorDomainSSL, -9843)  
1/1/14 12:52:37.523 AM com.apple.WebKit.Networking[653]:  
NSURLConnection/CFURLConnection HTTP load failed  
(kCFStreamErrorDomainSSL, -9843)

1/1/14 12:52:38.024 AM PluginProcess[1152]: CoreText performance note: Client called CTFontCreateWithName() using name "Times Roman" and got font with PostScript name "Times-Roman". For best performance, only use PostScript names when calling this API.

1/1/14 12:52:38.024 AM PluginProcess[1152]: CoreText performance note: Set a breakpoint on CTFontLogSuboptimalRequest to debug.

1/1/14 12:54:16.803 AM com.apple.WebKit.Networking[653]:  
NSURLConnection/CFURLConnection HTTP load failed  
(kCFStreamErrorDomainSSL, -9843)

1/1/14 12:55:06.730 AM com.apple.WebKit.Networking[653]:  
NSURLConnection/CFURLConnection HTTP load failed  
(kCFStreamErrorDomainSSL, -9843)

1/1/14 12:57:02.692 AM com.apple.WebKit.Networking[653]:  
NSURLConnection/CFURLConnection HTTP load failed  
(kCFStreamErrorDomainSSL, -9843)

1/1/14 12:57:16.030 AM PluginProcess[779]: CoreText performance note: Client called CTFontCreateWithName() using name "Helvetica Neue Light" and got font with PostScript name "HelveticaNeue-Light". For best performance, only use PostScript names when calling this API.

1/1/14 12:57:36.383 AM com.apple.WebKit.Networking[653]:  
NSURLConnection/CFURLConnection HTTP load failed  
(kCFStreamErrorDomainSSL, -9843)

1/1/14 12:59:22.602 AM com.apple.WebKit.Networking[653]:  
NSURLConnection/CFURLConnection HTTP load failed  
(kCFStreamErrorDomainSSL, -9843)

1/1/14 1:00:02.413 AM com.apple.WebKit.Networking[653]:  
NSURLConnection/CFURLConnection HTTP load failed  
(kCFStreamErrorDomainSSL, -9843)

1/1/14 1:01:53.001 AM com.apple.WebKit.Networking[653]:  
NSURLConnection/CFURLConnection HTTP load failed  
(kCFStreamErrorDomainSSL, -9843)

1/1/14 1:02:58.033 AM com.apple.WebKit.Networking[653]:  
NSURLConnection/CFURLConnection HTTP load failed  
(kCFStreamErrorDomainSSL, -9843)

1/1/14 1:03:15.589 AM PluginProcess[1160]: CoreText performance note: Client called CTFontCreateWithName() using name "Times Roman" and got font with PostScript name "Times-Roman". For best performance, only use PostScript names when calling this API.

1/1/14 1:03:15.589 AM PluginProcess[1160]: CoreText performance note: Set a breakpoint on CTFontLogSuboptimalRequest to debug.

1/1/14 1:03:16.006 AM PluginProcess[1160]: CoreText performance note: Client called CTFontCreateWithName() using name "Arial" and got font with PostScript name "ArialMT". For best performance, only use PostScript names when calling this API.

1/1/14 1:03:16.340 AM PluginProcess[1160]: CoreText performance note: Client called CTFontCreateWithName() using name "Arial Unicode MS" and got font with

PostScript name "ArialUnicodeMS". For best performance, only use PostScript names when calling this API.

1/1/14 1:03:27.603 AM com.apple.WebKit.Networking[653]:

NSURLConnection/CFURLConnection HTTP load failed

(kCFStreamErrorDomainSSL, -9843)

1/1/14 1:03:34.700 AM PluginProcess[1160]: CoreText performance note: Client called CTFontCreateWithName() using name "Arial Unicode MS" and got font with PostScript name "ArialUnicodeMS". For best performance, only use PostScript names when calling this API.

1/1/14 1:03:34.709 AM PluginProcess[1160]: CoreText performance note: Client called CTFontCreateWithName() using name "Times Roman" and got font with PostScript name "Times-Roman". For best performance, only use PostScript names when calling this API.

1/1/14 1:05:11.362 AM PluginProcess[1169]: CoreText performance note: Client called CTFontCreateWithName() using name "Arial Unicode MS" and got font with PostScript name "ArialUnicodeMS". For best performance, only use PostScript names when calling this API.

1/1/14 1:05:11.362 AM PluginProcess[1169]: CoreText performance note: Set a breakpoint on CTFontLogSuboptimalRequest to debug.

1/1/14 1:05:11.759 AM PluginProcess[1169]: CoreText performance note: Client called CTFontCreateWithName() using name "Times Roman" and got font with PostScript name "Times-Roman". For best performance, only use PostScript names when calling this API.

1/1/14 1:05:11.817 AM com.apple.WebKit.Networking[653]:

NSURLConnection/CFURLConnection HTTP load failed

(kCFStreamErrorDomainSSL, -9843)

1/1/14 1:05:12.081 AM PluginProcess[1169]: CoreText performance note: Client called CTFontCreateWithName() using name "Arial" and got font with PostScript name "ArialMT". For best performance, only use PostScript names when calling this API.

1/1/14 1:05:23.385 AM PluginProcess[779]: CoreText performance note: Client called CTFontCreateWithName() using name "Arial Bold" and got font with PostScript name "Arial-BoldMT". For best performance, only use PostScript names when calling this API.

1/1/14 1:05:39.948 AM PluginProcess[1169]: CoreText performance note: Client called CTFontCreateWithName() using name "Arial Unicode MS" and got font with PostScript name "ArialUnicodeMS". For best performance, only use PostScript names when calling this API.

1/1/14 1:05:39.958 AM PluginProcess[1169]: CoreText performance note: Client called CTFontCreateWithName() using name "Times Roman" and got font with PostScript name "Times-Roman". For best performance, only use PostScript names when calling this API.

1/1/14 1:05:40.587 AM PluginProcess[1169]: CoreText performance note: Client called CTFontCreateWithName() using name "Arial" and got font with PostScript name "ArialMT". For best performance, only use PostScript names when calling this API.

1/1/14 1:05:50.580 AM com.apple.WebKit.Networking[653]:  
NSURLConnection/CFURLConnection HTTP load failed  
(kCFStreamErrorDomainSSL, -9843)

1/1/14 1:06:20.176 AM PluginProcess[1170]: CoreText performance note: Client called CTFontCreateWithName() using name "Arial Unicode MS" and got font with PostScript name "ArialUnicodeMS". For best performance, only use PostScript names when calling this API.

1/1/14 1:06:20.176 AM PluginProcess[1170]: CoreText performance note: Set a breakpoint on CTFontLogSuboptimalRequest to debug.

1/1/14 1:06:20.566 AM PluginProcess[1170]: CoreText performance note: Client called CTFontCreateWithName() using name "Times Roman" and got font with PostScript name "Times-Roman". For best performance, only use PostScript names when calling this API.

1/1/14 1:06:23.101 AM PluginProcess[1170]: CoreText performance note: Client called CTFontCreateWithName() using name "Arial Unicode MS" and got font with PostScript name "ArialUnicodeMS". For best performance, only use PostScript names when calling this API.

1/1/14 1:06:23.110 AM PluginProcess[1170]: CoreText performance note: Client called CTFontCreateWithName() using name "Times Roman" and got font with PostScript name "Times-Roman". For best performance, only use PostScript names when calling this API.

1/1/14 1:07:01.980 AM PluginProcess[1170]: CoreText performance note: Client called CTFontCreateWithName() using name "Arial Unicode MS" and got font with PostScript name "ArialUnicodeMS". For best performance, only use PostScript names when calling this API.

1/1/14 1:07:01.989 AM PluginProcess[1170]: CoreText performance note: Client called CTFontCreateWithName() using name "Times Roman" and got font with PostScript name "Times-Roman". For best performance, only use PostScript names when calling this API.

1/1/14 1:07:05.342 AM PluginProcess[1170]: CoreText performance note: Client called CTFontCreateWithName() using name "Arial Unicode MS" and got font with PostScript name "ArialUnicodeMS". For best performance, only use PostScript names when calling this API.

1/1/14 1:07:05.351 AM PluginProcess[1170]: CoreText performance note: Client called CTFontCreateWithName() using name "Times Roman" and got font with PostScript name "Times-Roman". For best performance, only use PostScript names when calling this API.

1/1/14 1:07:27.144 AM PluginProcess[1171]: CoreText performance note: Client called CTFontCreateWithName() using name "Arial Unicode MS" and got font with PostScript name "ArialUnicodeMS". For best performance, only use PostScript names when calling this API.

1/1/14 1:07:27.145 AM PluginProcess[1171]: CoreText performance note: Set a breakpoint on CTFontLogSuboptimalRequest to debug.

1/1/14 1:07:27.530 AM PluginProcess[1171]: CoreText performance note: Client called CTFontCreateWithName() using name "Times Roman" and got font with

PostScript name "Times-Roman". For best performance, only use PostScript names when calling this API.

1/1/14 1:07:32.879 AM com.apple.WebKit.Networking[653]:

NSURLConnection/CFURLConnection HTTP load failed

(kCFStreamErrorDomainSSL, -9843)

1/1/14 1:07:33.274 AM PluginProcess[1171]: CoreText performance note: Client called CTFontCreateWithName() using name "Arial Unicode MS" and got font with PostScript name "ArialUnicodeMS". For best performance, only use PostScript names when calling this API.

1/1/14 1:07:33.284 AM PluginProcess[1171]: CoreText performance note: Client called CTFontCreateWithName() using name "Times Roman" and got font with PostScript name "Times-Roman". For best performance, only use PostScript names when calling this API.

1/1/14 1:07:55.074 AM PluginProcess[1171]: CoreText performance note: Client called CTFontCreateWithName() using name "Arial Unicode MS" and got font with PostScript name "ArialUnicodeMS". For best performance, only use PostScript names when calling this API.

1/1/14 1:07:55.083 AM PluginProcess[1171]: CoreText performance note: Client called CTFontCreateWithName() using name "Times Roman" and got font with PostScript name "Times-Roman". For best performance, only use PostScript names when calling this API.

1/1/14 1:08:07.357 AM com.apple.WebKit.Networking[653]:

NSURLConnection/CFURLConnection HTTP load failed

(kCFStreamErrorDomainSSL, -9843)

1/1/14 1:08:16.598 AM PluginProcess[1171]: CoreText performance note: Client called CTFontCreateWithName() using name "Arial Unicode MS" and got font with PostScript name "ArialUnicodeMS". For best performance, only use PostScript names when calling this API.

1/1/14 1:08:16.607 AM PluginProcess[1171]: CoreText performance note: Client called CTFontCreateWithName() using name "Times Roman" and got font with PostScript name "Times-Roman". For best performance, only use PostScript names when calling this API.

1/1/14 1:08:46.255 AM com.apple.WebKit.Networking[653]:

NSURLConnection/CFURLConnection HTTP load failed

(kCFStreamErrorDomainSSL, -9843)

1/1/14 1:08:58.490 AM PluginProcess[1171]: CoreText performance note: Client called CTFontCreateWithName() using name "Arial Unicode MS" and got font with PostScript name "ArialUnicodeMS". For best performance, only use PostScript names when calling this API.

1/1/14 1:08:58.498 AM PluginProcess[1171]: CoreText performance note: Client called CTFontCreateWithName() using name "Times Roman" and got font with PostScript name "Times-Roman". For best performance, only use PostScript names when calling this API.

1/1/14 1:09:11.589 AM PluginProcess[1171]: CoreText performance note: Client called CTFontCreateWithName() using name "Arial Unicode MS" and got font with

PostScript name "ArialUnicodeMS". For best performance, only use PostScript names when calling this API.

1/1/14 1:09:11.598 AM PluginProcess[1171]: CoreText performance note: Client called CTFontCreateWithName() using name "Times Roman" and got font with PostScript name "Times-Roman". For best performance, only use PostScript names when calling this API.

1/1/14 1:09:50.873 AM PluginProcess[1172]: CoreText performance note: Client called CTFontCreateWithName() using name "Arial Unicode MS" and got font with PostScript name "ArialUnicodeMS". For best performance, only use PostScript names when calling this API.

1/1/14 1:09:50.874 AM PluginProcess[1172]: CoreText performance note: Set a breakpoint on CTFontLogSuboptimalRequest to debug.

1/1/14 1:09:51.261 AM PluginProcess[1172]: CoreText performance note: Client called CTFontCreateWithName() using name "Times Roman" and got font with PostScript name "Times-Roman". For best performance, only use PostScript names when calling this API.

1/1/14 1:10:02.359 AM com.apple.WebKit.Networking[653]:  
NSURLConnection/CFURLConnection HTTP load failed  
(kCFStreamErrorDomainSSL, -9843)

1/1/14 1:10:25.674 AM PluginProcess[1172]: CoreText performance note: Client called CTFontCreateWithName() using name "Arial Unicode MS" and got font with PostScript name "ArialUnicodeMS". For best performance, only use PostScript names when calling this API.

1/1/14 1:10:25.683 AM PluginProcess[1172]: CoreText performance note: Client called CTFontCreateWithName() using name "Times Roman" and got font with PostScript name "Times-Roman". For best performance, only use PostScript names when calling this API.

1/1/14 1:11:14.411 AM com.apple.WebKit.Networking[653]:  
NSURLConnection/CFURLConnection HTTP load failed  
(kCFStreamErrorDomainSSL, -9843)

1/1/14 1:11:52.458 AM com.apple.WebKit.Networking[653]:  
NSURLConnection/CFURLConnection HTTP load failed  
(kCFStreamErrorDomainSSL, -9843)

1/1/14 1:12:24.503 AM com.apple.WebKit.Networking[653]:  
NSURLConnection/CFURLConnection HTTP load failed  
(kCFStreamErrorDomainSSL, -9843)

1/1/14 1:12:44.694 AM Preview[1178]: It does not make sense to draw an image when [NSGraphicsContext currentContext] is nil. This is a programming error. Break on void \_NSWarnForDrawingImageWithNoCurrentContext() to debug. This will be logged only once. This may break in the future.

1/1/14 1:12:56.347 AM com.apple.WebKit.Networking[653]:  
NSURLConnection/CFURLConnection HTTP load failed  
(kCFStreamErrorDomainSSL, -9843)

1/1/14 1:21:05.153 AM com.apple.launchd.peruser.505[615]: ([0x0-0x132132].com.apple.Preview[1178]) Exited: Killed: 9



1/1/14 1:21:05.267 AM com.apple.launchd.peruser.505[615]:  
(com.apple.EscrowSecurityAlert[806]) Exited: Killed: 9  
1/1/14 1:21:05.278 AM com.apple.launchd.peruser.505[615]: ([0x0-  
0x7c07c].com.apple.AppleSpell[710]) Exited: Killed: 9  
1/1/14 2:25:17.843 AM com.apple.launchd.peruser.505[615]: Background: Aqua:  
Registering new GUI session.  
1/1/14 2:25:17.860 AM com.apple.launchd.peruser.505[615]:  
(com.logmein.logmeingui) Unknown key for boolean: UseLMILaunchAgentFixer  
1/1/14 2:25:17.861 AM com.apple.launchd.peruser.505[615]:  
(com.apple.cmfsyncagent) Ignored this key: UserName  
1/1/14 2:25:17.861 AM com.apple.launchd.peruser.505[615]:  
(com.apple.EscrowSecurityAlert) Unknown key: seatbelt-profiles  
1/1/14 2:25:17.862 AM com.apple.launchd.peruser.505[615]:  
(com.apple.ReportCrash) Falling back to default Mach exception handler. Could not  
find: com.apple.ReportCrash.Self  
1/1/14 2:25:18.782 AM SystemUIServer[1238]: Cannot find executable for  
CFBundle 0x7ff319d6e7a0 </System/Library/CoreServices/Menu  
Extras/Clock.menu> (not loaded)  
1/1/14 2:25:18.796 AM SystemUIServer[1238]: Cannot find executable for  
CFBundle 0x7ff319d70170 </System/Library/CoreServices/Menu  
Extras/Volume.menu> (not loaded)  
1/1/14 2:25:20.249 AM com.apple.quicklook.satellite[1268]: [QL]  
com.apple.webarchive set by CFBundle/CFPlugIn 0x7fb75860cb00  
</System/Library/QuickLook/Web.qlgenerator> (bundle, loaded) is not a  
supported content type for  
QLThumbnailRequestSetThumbnailWithURLRepresentation()  
1/1/14 2:25:20.486 AM Preview[1233]: It does not make sense to draw an image  
when [NSGraphicsContext currentContext] is nil. This is a programming error.  
Break on void \_NSWarnForDrawingImageWithNoCurrentContext() to debug. This  
will be logged only once. This may break in the future.  
1/1/14 2:25:20.648 AM com.apple.launchd.peruser.505[615]:  
(com.codeweavers.crossover CD helper.37696[1284]) Spawned and waiting for the  
debugger to attach before continuing..  
1/1/14 2:25:20.668 AM com.apple.launchd.peruser.505[615]:  
(com.vmware.fusionDaemon.37872[1285]) Spawned and waiting for the debugger  
to attach before continuing..  
1/1/14 2:25:20.688 AM LogMeInGUI[1281]: LogMeIn GUI started  
1/1/14 2:25:20.790 AM LogMeInGUI[1281]: Config watcher thread started  
1/1/14 2:25:20.907 AM WiFiKeychainProxy[1271]: [NO client logger] <Aug 30  
2013 23:40:46> WIFICLOUDSYNC WiFiCloudSyncEngineCreate: created..  
1/1/14 2:25:20.907 AM WiFiKeychainProxy[1271]: [NO client logger] <Aug 30  
2013 23:40:46> WIFICLOUDSYNC WiFiCloudSyncEngineRegisterCallbacks:  
WiFiCloudSyncEngineCallbacks version - 0, bundle id -  
com.apple.wifi.WiFiKeychainProxy  
1/1/14 2:25:21.928 AM Preview[1233]:  
\*\*\*\*\* AESendMessage [async] returned: -1712 [loc:0]

1/1/14 2:25:22.200 AM soagent[1261]: No active accounts, killing soagent in 10 seconds  
1/1/14 2:25:22.202 AM soagent[1261]: No active accounts, killing soagent in 10 seconds  
1/1/14 2:25:22.604 AM soagent[1261]: No active accounts, killing soagent in 10 seconds  
1/1/14 2:25:27.017 AM CoreServicesUIAgent[1297]: Saving rejection record:  
Rejected  
URL=file:///Users/Brett/Library/Caches/Cleanup%20At%20Startup/CrossOver%20CD%20Helper.app/  
App  
URL=file:///Users/Brett/Library/Caches/Cleanup%20At%20Startup/CrossOver%20CD%20Helper.app/  
1/1/14 2:25:27.017 AM CoreServicesUIAgent[1297]: App URL discarded  
1/1/14 2:25:27.018 AM com.apple.launchd.peruser.505[615]: ([0x0-0x150150].com.codeweavers.crossover CD helper[1296]) Exited: Killed: 9  
1/1/14 2:25:33.199 AM soagent[1261]: Killing soagent.  
1/1/14 2:25:33.199 AM NotificationCenter[1258]: SOHelperCenter main connection interrupted  
1/1/14 2:25:33.199 AM NotificationCenter[1258]: SOHelperCenter main connection interrupted  
1/1/14 2:25:33.200 AM com.apple.dock.extra[1266]: SOHelperCenter main connection interrupted  
1/1/14 2:26:16.545 AM com.apple.WebKit.Networking[1251]: ERROR: unable to get the receiver data from the DB!  
1/1/14 2:26:44.072 AM PluginProcess[1321]: CoreText performance note: Client called CTFontCreateWithName() using name "Times Roman" and got font with PostScript name "Times-Roman". For best performance, only use PostScript names when calling this API.  
1/1/14 2:26:44.072 AM PluginProcess[1321]: CoreText performance note: Set a breakpoint on CTFontLogSuboptimalRequest to debug.  
1/1/14 2:27:08.801 AM PluginProcess[1319]: CoreText performance note: Client called CTFontCreateWithName() using name "Times Roman" and got font with PostScript name "Times-Roman". For best performance, only use PostScript names when calling this API.  
1/1/14 2:27:08.801 AM PluginProcess[1319]: CoreText performance note: Set a breakpoint on CTFontLogSuboptimalRequest to debug.  
1/1/14 2:27:17.923 AM loginwindow[1198]: Preferred Localizations total: 1  
contents (  
    English  
)  
1/1/14 2:27:17.923 AM loginwindow[1198]: Preferred Localizations total: 1  
contents (  
    English  
)

1/1/14 2:27:25.611 AM PluginProcess[1321]: CoreText performance note: Client called CTFontCreateWithName() using name "Times Roman" and got font with PostScript name "Times-Roman". For best performance, only use PostScript names when calling this API.

1/1/14 2:27:27.276 AM PluginProcess[1321]: CoreText performance note: Client called CTFontCreateWithName() using name "Lucida Grande" and got font with PostScript name "LucidaGrande". For best performance, only use PostScript names when calling this API.

1/1/14 2:28:10.661 AM PluginProcess[1319]: CoreText performance note: Client called CTFontCreateWithName() using name "Arial Unicode MS" and got font with PostScript name "ArialUnicodeMS". For best performance, only use PostScript names when calling this API.

1/1/14 2:28:10.673 AM PluginProcess[1319]: CoreText performance note: Client called CTFontCreateWithName() using name "Times Roman" and got font with PostScript name "Times-Roman". For best performance, only use PostScript names when calling this API.

1/1/14 2:28:11.113 AM PluginProcess[1319]: CoreText performance note: Client called CTFontCreateWithName() using name "Arial" and got font with PostScript name "ArialMT". For best performance, only use PostScript names when calling this API.

1/1/14 2:30:48.012 AM PluginProcess[1319]: CoreText performance note: Client called CTFontCreateWithName() using name "Times Roman" and got font with PostScript name "Times-Roman". For best performance, only use PostScript names when calling this API.

1/1/14 2:30:54.859 AM PluginProcess[1349]: CoreText performance note: Client called CTFontCreateWithName() using name "Times Roman" and got font with PostScript name "Times-Roman". For best performance, only use PostScript names when calling this API.

1/1/14 2:30:54.859 AM PluginProcess[1349]: CoreText performance note: Set a breakpoint on CTFontLogSuboptimalRequest to debug.

1/1/14 2:31:48.220 AM PluginProcess[1319]: CoreText performance note: Client called CTFontCreateWithName() using name "Lucida Grande" and got font with PostScript name "LucidaGrande". For best performance, only use PostScript names when calling this API.

1/1/14 4:11:47.998 AM com.apple.launchd.peruser.505[615]: (com.apple.PackageKit.InstallStatus) Throttling respawn: Will start in 8 seconds

1/1/14 4:11:48.088 AM com.apple.launchd.peruser.505[615]: ([0x0-0x14e14e].com.apple.ImageCaptureExtension2[1291]) Exited: Killed: 9

1/1/14 4:11:48.094 AM com.apple.launchd.peruser.505[615]: ([0x0-0x152152].com.apple.AppleSpell[1311]) Exited: Killed: 9

1/1/14 4:11:48.101 AM com.apple.launchd.peruser.505[615]: ([0x0-0x13c13c].com.apple.Preview[1233]) Exited: Killed: 9

1/1/14 1:52:59.070 PM com.apple.launchd.peruser.505[862]: Background: Aqua: Registering new GUI session.

1/1/14 1:52:59.087 PM com.apple.launchd.peruser.505[862]: (com.logmein.logmeingui) Unknown key for boolean: UseLMILaunchAgentFixer

1/1/14 1:52:59.087 PM com.apple.launchd.peruser.505[862]:  
(com.apple.cmfsyncagent) Ignored this key: UserName  
1/1/14 1:52:59.088 PM com.apple.launchd.peruser.505[862]:  
(com.apple.EscrowSecurityAlert) Unknown key: seatbelt-profiles  
1/1/14 1:52:59.089 PM com.apple.launchd.peruser.505[862]:  
(com.apple.ReportCrash) Falling back to default Mach exception handler. Could not  
find: com.apple.ReportCrash.Self  
1/1/14 1:52:59.102 PM distnoted[866]: # distnote server agent absolute time:  
8484.274129703 civil time: Wed Jan 1 13:52:59 2014 pid: 866 uid: 505 root: no  
1/1/14 1:53:00.666 PM SystemUIServer[877]: Cannot find executable for CFBundle  
0x7f94226355d0 </System/Library/CoreServices/Menu Extras/Clock.menu> (not  
loaded)  
1/1/14 1:53:01.992 PM SystemUIServer[877]: Cannot find executable for CFBundle  
0x7f94226373e0 </System/Library/CoreServices/Menu Extras/Volume.menu>  
(not loaded)  
1/1/14 1:53:02.001 PM com.apple.WebKit.Networking[891]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/01461A2E-5E3D-  
4713-AF78-B4C624E5BE35 failed. Errno=2  
1/1/14 1:53:02.006 PM com.apple.WebKit.Networking[891]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/01BE619F-73DF-  
40E9-B7AE-5B5AB9E27703 failed. Errno=2  
1/1/14 1:53:02.028 PM com.apple.WebKit.Networking[891]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/021480F0-5C79-  
4378-9139-9CECB1F3BCB5 failed. Errno=2  
1/1/14 1:53:02.028 PM com.apple.WebKit.Networking[891]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/02E42343-C4ED-  
40C2-A6A8-A1A663E3972B failed. Errno=2  
1/1/14 1:53:02.029 PM com.apple.WebKit.Networking[891]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/02F51357-2066-  
4548-980A-B2A6E425C88E failed. Errno=2  
1/1/14 1:53:02.031 PM com.apple.WebKit.Networking[891]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/03D78371-3E91-  
4A21-9A37-E65FD148B3D4 failed. Errno=2  
1/1/14 1:53:02.032 PM com.apple.WebKit.Networking[891]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/06F64CAB-B3D9-  
482F-91D8-8BF4C06E9FCF failed. Errno=2  
1/1/14 1:53:02.032 PM com.apple.WebKit.Networking[891]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/083EAD9B-C396-  
456A-9B91-3D7B6130B8B1 failed. Errno=2  
1/1/14 1:53:02.032 PM com.apple.WebKit.Networking[891]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/0ADD88F3-14A4-  
4BCF-AD0C-0EF6C6E029ED failed. Errno=2  
1/1/14 1:53:02.033 PM com.apple.WebKit.Networking[891]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/0E89FEC0-C71C-  
406D-B3B6-D08785E7C247 failed. Errno=2

1/1/14 1:53:02.034 PM com.apple.WebKit.Networking[891]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/0F2BF148-81CA-  
4713-8CE5-D59A082E2F8C failed. Errno=2

1/1/14 1:53:02.034 PM com.apple.WebKit.Networking[891]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/0F31D7A8-3FB5-  
42CA-B5E1-C3D818673778 failed. Errno=2

1/1/14 1:53:02.034 PM com.apple.WebKit.Networking[891]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/0FC34085-E10B-  
447C-9827-25A7A9E4D9A8 failed. Errno=2

1/1/14 1:53:02.035 PM com.apple.WebKit.Networking[891]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/10B7007A-9460-  
48EB-8E32-231BC61B98A8 failed. Errno=2

1/1/14 1:53:02.035 PM com.apple.WebKit.Networking[891]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/12CA1FFC-97F7-  
4685-8F3B-FAAD77E10258 failed. Errno=2

1/1/14 1:53:02.035 PM com.apple.WebKit.Networking[891]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/1325F294-58BB-  
46C1-BF57-A1370575612E failed. Errno=2

1/1/14 1:53:02.035 PM com.apple.WebKit.Networking[891]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/14667520-51B4-  
4526-927B-26A05ADDD6D5 failed. Errno=2

1/1/14 1:53:02.036 PM com.apple.WebKit.Networking[891]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/14EA6DCE-CACF-  
436D-B9BE-11DC43B58EE3 failed. Errno=2

1/1/14 1:53:02.036 PM com.apple.WebKit.Networking[891]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/1540A4F3-1919-  
4CD4-9B04-4EDAFF4118A1 failed. Errno=2

1/1/14 1:53:02.036 PM com.apple.WebKit.Networking[891]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/1696145C-BA84-  
420C-AAA1-DBD9A453EE83 failed. Errno=2

1/1/14 1:53:02.036 PM com.apple.WebKit.Networking[891]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/179A91C1-F3A2-  
4359-BDEB-531155B08FF7 failed. Errno=2

1/1/14 1:53:02.039 PM com.apple.WebKit.Networking[891]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/188BF20C-9382-  
4AD6-A857-4949324A225B failed. Errno=2

1/1/14 1:53:02.039 PM com.apple.WebKit.Networking[891]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/1A48C2C4-F587-  
4900-8DC1-5F1FDE2307B6 failed. Errno=2

1/1/14 1:53:02.039 PM com.apple.WebKit.Networking[891]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/1B108755-05E1-  
4361-8246-6D8B150D96DE failed. Errno=2

1/1/14 1:53:02.040 PM com.apple.WebKit.Networking[891]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/1BA07E11-60BC-  
44BF-9C10-1FC32C2F8351 failed. Errno=2

1/1/14 1:53:02.040 PM com.apple.WebKit.Networking[891]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/1C77C6C2-5DB3-  
4A5B-9E10-1E2920285D2D failed. Errno=2

1/1/14 1:53:02.041 PM com.apple.WebKit.Networking[891]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/1C934643-F104-  
4EE4-AC6B-975315A75B6A failed. Errno=2

1/1/14 1:53:02.041 PM com.apple.WebKit.Networking[891]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/1E735754-CD25-  
4568-941F-B214C10380CB failed. Errno=2

1/1/14 1:53:02.041 PM com.apple.WebKit.Networking[891]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/1F143703-A322-  
4B4F-9124-89FB9A4D3ABC failed. Errno=2

1/1/14 1:53:02.041 PM com.apple.WebKit.Networking[891]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/205AE178-1EF4-  
44CA-BAB2-46BAF225A88B failed. Errno=2

1/1/14 1:53:02.042 PM com.apple.WebKit.Networking[891]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/21058171-4508-  
4604-8EA5-EB068F901B33 failed. Errno=2

1/1/14 1:53:02.042 PM com.apple.WebKit.Networking[891]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/21317D94-F1F7-  
4E55-BF10-60A918515C15 failed. Errno=2

1/1/14 1:53:02.045 PM com.apple.WebKit.Networking[891]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/215C576F-4DA3-  
43B2-A350-C000171BA9B0 failed. Errno=2

1/1/14 1:53:02.045 PM com.apple.WebKit.Networking[891]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/2201F178-8B91-  
4D8F-A523-5E0C65669AFF failed. Errno=2

1/1/14 1:53:02.045 PM com.apple.WebKit.Networking[891]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/22A8B23B-7C85-  
4F5B-9227-62726F53A34B failed. Errno=2

1/1/14 1:53:02.046 PM com.apple.WebKit.Networking[891]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/236D0F8E-2DF1-  
4C80-9D63-F888A24BBB26 failed. Errno=2

1/1/14 1:53:02.046 PM com.apple.WebKit.Networking[891]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/25CA2B45-1184-  
4E1F-B9F7-BEA971AB79FB failed. Errno=2

1/1/14 1:53:02.046 PM com.apple.WebKit.Networking[891]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/27450496-BF8A-  
4F95-8D85-DEDD526FC785 failed. Errno=2

1/1/14 1:53:02.046 PM com.apple.WebKit.Networking[891]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/27B2E16F-3B04-  
471D-9BC7-DF17529CE66E failed. Errno=2

1/1/14 1:53:02.046 PM com.apple.WebKit.Networking[891]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/28E4297E-7283-  
4B14-9F48-3FA0BDE53CBF failed. Errno=2

1/1/14 1:53:02.047 PM com.apple.WebKit.Networking[891]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/2B1031B9-CB8D-  
4F6C-B3F8-4205D3E471E2 failed. Errno=2

1/1/14 1:53:02.047 PM com.apple.WebKit.Networking[891]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/2B3540A2-E8D3-  
4070-962B-EC43F84C10CD failed. Errno=2

1/1/14 1:53:02.047 PM com.apple.WebKit.Networking[891]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/2C2BCD07-F0EF-  
46F9-8CA4-9911A7401248 failed. Errno=2

1/1/14 1:53:02.047 PM com.apple.WebKit.Networking[891]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/2E6E74A2-3451-  
4326-B0EF-D532FA9E915A failed. Errno=2

1/1/14 1:53:02.047 PM com.apple.WebKit.Networking[891]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/2F348B96-8AAF-  
4C23-B416-8A131F17EEA1 failed. Errno=2

1/1/14 1:53:02.048 PM com.apple.WebKit.Networking[891]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/2F5A0C6A-145F-  
498A-BF94-19B04BAA4536 failed. Errno=2

1/1/14 1:53:02.048 PM com.apple.WebKit.Networking[891]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/30242CF6-422B-  
4CBC-A87B-A3DC853EB7AB failed. Errno=2

1/1/14 1:53:02.048 PM com.apple.WebKit.Networking[891]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/31B12357-F2F7-  
4722-9BCC-7EE090085E88 failed. Errno=2

1/1/14 1:53:02.048 PM com.apple.WebKit.Networking[891]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/31D405D7-CAFA-  
4D9C-9BF3-39C90D7F07E4 failed. Errno=2

1/1/14 1:53:02.048 PM com.apple.WebKit.Networking[891]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/32411F22-947D-  
4DD3-B428-F0856BC2743C failed. Errno=2

1/1/14 1:53:02.049 PM com.apple.WebKit.Networking[891]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/32D27CF6-B3A5-  
4016-BDDE-7A7538153356 failed. Errno=2

1/1/14 1:53:02.049 PM com.apple.WebKit.Networking[891]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/332F8BF5-59EE-  
4991-99DE-45235DD26532 failed. Errno=2

1/1/14 1:53:02.049 PM com.apple.WebKit.Networking[891]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/33B24857-642F-  
4C5E-85AB-9F20683CBA09 failed. Errno=2

1/1/14 1:53:02.049 PM com.apple.WebKit.Networking[891]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/344C07B2-F74F-  
434A-90E0-F099D9C05219 failed. Errno=2

1/1/14 1:53:02.049 PM com.apple.WebKit.Networking[891]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/371435A6-37A3-  
4A1A-ACA9-9B35B460C329 failed. Errno=2

1/1/14 1:53:02.050 PM com.apple.WebKit.Networking[891]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/373577DD-6D88-  
4DAA-ADB2-3252D49E53F2 failed. Errno=2

1/1/14 1:53:02.050 PM com.apple.WebKit.Networking[891]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/37D6E48B-7FB7-  
44C8-8AD7-340D870ED459 failed. Errno=2

1/1/14 1:53:02.050 PM com.apple.WebKit.Networking[891]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/384883B3-44DB-  
46EF-BE28-07159CBAAAD6 failed. Errno=2

1/1/14 1:53:02.050 PM com.apple.WebKit.Networking[891]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/39489EB2-FA0F-  
46B5-AB18-780F9253138B failed. Errno=2

1/1/14 1:53:02.050 PM com.apple.WebKit.Networking[891]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/3CDDE256-1C21-  
43AE-A120-514BE6E55A6F failed. Errno=2

1/1/14 1:53:02.050 PM com.apple.WebKit.Networking[891]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/3DEEE9C9-7A62-  
401B-9EEB-63029D6DBD29 failed. Errno=2

1/1/14 1:53:02.051 PM com.apple.WebKit.Networking[891]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/3EEB3674-0ACF-  
4D2B-9D4D-BD772CBF252E failed. Errno=2

1/1/14 1:53:02.051 PM com.apple.WebKit.Networking[891]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/3FA2ECA5-FD4C-  
47BC-8CE0-D9E058A6CAF3 failed. Errno=2

1/1/14 1:53:02.051 PM com.apple.WebKit.Networking[891]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/4160E12B-51B3-  
4F8E-8AC8-3E94D1A082D7 failed. Errno=2

1/1/14 1:53:02.051 PM com.apple.WebKit.Networking[891]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/416A3846-4FCD-  
4363-B4C9-6DF4D7B8747C failed. Errno=2

1/1/14 1:53:02.051 PM com.apple.WebKit.Networking[891]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/4286E783-7D18-  
4425-940B-9168599646FE failed. Errno=2

1/1/14 1:53:02.052 PM com.apple.WebKit.Networking[891]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/43D99553-E53D-  
4334-891F-8ABBBF375075 failed. Errno=2

1/1/14 1:53:02.052 PM com.apple.WebKit.Networking[891]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/44B8FD46-DA2C-  
43D0-8CD9-B80E3B953CE1 failed. Errno=2

1/1/14 1:53:02.052 PM com.apple.WebKit.Networking[891]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/45713ABD-CFDC-  
41B0-9AED-0718F21D67E7 failed. Errno=2

1/1/14 1:53:02.052 PM com.apple.WebKit.Networking[891]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/46678CE9-6DE3-  
4975-8B8A-3B8044264689 failed. Errno=2



1/1/14 1:53:02.053 PM com.apple.WebKit.Networking[891]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/4777A81B-2726-  
489E-898C-614AF10B01CA failed. Errno=2

1/1/14 1:53:02.053 PM com.apple.WebKit.Networking[891]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/48E339F0-4B67-  
480B-8A5B-A483DFD0D315 failed. Errno=2

1/1/14 1:53:02.053 PM com.apple.WebKit.Networking[891]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/4AC4F6FC-BA9D-  
4D51-97FF-1EF86966D3A9 failed. Errno=2

1/1/14 1:53:02.055 PM com.apple.WebKit.Networking[891]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/4AFA833D-F5CD-  
41FD-A55C-F0797CF1D33A failed. Errno=2

1/1/14 1:53:02.055 PM com.apple.WebKit.Networking[891]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/4B08B0F8-5477-  
48F1-877F-7B14EE13BB9B failed. Errno=2

1/1/14 1:53:02.055 PM com.apple.WebKit.Networking[891]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/4BF80695-62BB-  
4161-8FD5-9D82C922605B failed. Errno=2

1/1/14 1:53:02.055 PM com.apple.WebKit.Networking[891]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/4C11C6CE-EEB7-  
4D6E-B00F-D4366F686B58 failed. Errno=2

1/1/14 1:53:02.055 PM com.apple.WebKit.Networking[891]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/4EA88773-8265-  
427D-8E75-E75863931885 failed. Errno=2

1/1/14 1:53:02.056 PM com.apple.WebKit.Networking[891]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/4FEB0F9C-7862-  
42EA-ADC4-4779C0F33D82 failed. Errno=2

1/1/14 1:53:02.056 PM com.apple.WebKit.Networking[891]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/4FFF884A-C97F-  
4F65-A373-FCC2FBBD654F failed. Errno=2

1/1/14 1:53:02.056 PM com.apple.WebKit.Networking[891]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/50C3BAD0-0EA4-  
4998-86DC-D236FF5DDD23 failed. Errno=2

1/1/14 1:53:02.056 PM com.apple.WebKit.Networking[891]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/517EE7FD-0D41-  
4210-A5EB-2EF8A49AB31D failed. Errno=2

1/1/14 1:53:02.056 PM com.apple.WebKit.Networking[891]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/51C27BC7-2E66-  
488B-9B18-4490DC8A412A failed. Errno=2

1/1/14 1:53:02.057 PM com.apple.WebKit.Networking[891]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/51F2E11F-4301-  
4FE8-8F6F-4F252251A249 failed. Errno=2

1/1/14 1:53:02.057 PM com.apple.WebKit.Networking[891]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/51FE56B7-E4FB-  
4FF5-8914-EE69A8B0EA53 failed. Errno=2

1/1/14 1:53:02.057 PM com.apple.WebKit.Networking[891]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/52988AA0-7916-  
4971-8F02-B2FF412AFA4C failed. Errno=2

1/1/14 1:53:02.057 PM com.apple.WebKit.Networking[891]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/52D74CA6-6EBA-  
493D-8DC1-4E9C13F35874 failed. Errno=2

1/1/14 1:53:02.057 PM com.apple.WebKit.Networking[891]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/531CD698-FC8B-  
421F-BE0A-7B9DEEAC1FDB failed. Errno=2

1/1/14 1:53:02.058 PM com.apple.WebKit.Networking[891]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/54353338-E35E-  
4C1D-BCFA-C2AED3BE9DF0 failed. Errno=2

1/1/14 1:53:02.059 PM com.apple.WebKit.Networking[891]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/550B0D5A-552F-  
4ACA-986D-2410DD44F8CD failed. Errno=2

1/1/14 1:53:02.059 PM com.apple.WebKit.Networking[891]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/5542BEF3-93A3-  
49C3-AD52-618C573C7285 failed. Errno=2

1/1/14 1:53:02.059 PM com.apple.WebKit.Networking[891]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/55E216E8-E5E3-  
4382-B9F0-AD258DCCAF24 failed. Errno=2

1/1/14 1:53:02.059 PM com.apple.WebKit.Networking[891]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/56A3D13C-4826-  
4192-834C-0367241E8A26 failed. Errno=2

1/1/14 1:53:02.059 PM com.apple.WebKit.Networking[891]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/56CDEE9C-9C6F-  
44FB-9392-BFEC83D54B36 failed. Errno=2

1/1/14 1:53:02.060 PM com.apple.WebKit.Networking[891]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/575BEC68-96C8-  
4E1F-A718-459422262C45 failed. Errno=2

1/1/14 1:53:02.060 PM com.apple.WebKit.Networking[891]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/576BB91B-D299-  
41FC-8105-519BBA10A721 failed. Errno=2

1/1/14 1:53:02.060 PM com.apple.WebKit.Networking[891]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/583BB447-A272-  
4677-849F-A15171F7D408 failed. Errno=2

1/1/14 1:53:02.060 PM com.apple.WebKit.Networking[891]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/5849F553-8D74-  
42BA-AFD6-C3BE326CEECD failed. Errno=2

1/1/14 1:53:02.060 PM com.apple.WebKit.Networking[891]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/5A765383-DEC1-  
44E0-A2CB-422CA8C17D27 failed. Errno=2

1/1/14 1:53:02.061 PM com.apple.WebKit.Networking[891]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/5A965F7B-83EE-  
4067-81CF-355F049D1CD7 failed. Errno=2

1/1/14 1:53:02.061 PM com.apple.WebKit.Networking[891]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/5CFDF2F2-C423-  
42D6-89AD-4D1B7D20CF47 failed. Errno=2

1/1/14 1:53:02.061 PM com.apple.WebKit.Networking[891]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/5D2BAC61-E96F-  
405E-A312-DE662AC614D8 failed. Errno=2

1/1/14 1:53:02.061 PM com.apple.WebKit.Networking[891]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/5D80916E-1BAA-  
4F6E-99EF-AC5EB37D93B3 failed. Errno=2

1/1/14 1:53:02.061 PM com.apple.WebKit.Networking[891]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/5EEA9B4D-DEC3-  
49B5-A6E6-EB830C2A6D28 failed. Errno=2

1/1/14 1:53:02.062 PM com.apple.WebKit.Networking[891]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/5F09FEE3-1B57-  
4BC9-A554-41A011200363 failed. Errno=2

1/1/14 1:53:02.062 PM com.apple.WebKit.Networking[891]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/5F3550DC-70BD-  
4C71-BCFA-228EFBC4C13C failed. Errno=2

1/1/14 1:53:02.062 PM com.apple.WebKit.Networking[891]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/5F4B55B7-C4BC-  
453D-9E36-B0B9ABFDB125 failed. Errno=2

1/1/14 1:53:02.062 PM com.apple.WebKit.Networking[891]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/6127F93D-1295-  
4928-B008-097C3A8FAD4A failed. Errno=2

1/1/14 1:53:02.062 PM com.apple.WebKit.Networking[891]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/6239E26B-5BBE-  
4DFD-9A39-5665E256F124 failed. Errno=2

1/1/14 1:53:02.063 PM com.apple.WebKit.Networking[891]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/624D4D91-2842-  
4F9A-B2C2-FB1E41505044 failed. Errno=2

1/1/14 1:53:02.063 PM com.apple.WebKit.Networking[891]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/6383BA5A-1C31-  
4E7D-83AA-CB393A36282B failed. Errno=2

1/1/14 1:53:02.063 PM com.apple.WebKit.Networking[891]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/63E41B98-ACBC-  
4C2C-9300-0D5521299D0A failed. Errno=2

1/1/14 1:53:02.063 PM com.apple.WebKit.Networking[891]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/64B086A7-6C9F-  
4FC3-BA44-39409A13DEEA failed. Errno=2

1/1/14 1:53:02.063 PM com.apple.WebKit.Networking[891]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/651206F0-CC83-  
4912-8214-611973F66939 failed. Errno=2

1/1/14 1:53:02.064 PM com.apple.WebKit.Networking[891]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/652D8FCD-E27B-  
4E46-B60B-60A3B28BD87D failed. Errno=2

1/1/14 1:53:02.064 PM com.apple.WebKit.Networking[891]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/65EDD720-04AC-  
4B15-A8DE-6276CB70B8BF failed. Errno=2

1/1/14 1:53:02.064 PM com.apple.WebKit.Networking[891]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/681E9CDF-597B-  
4646-8DA2-9BC4F025539D failed. Errno=2

1/1/14 1:53:02.064 PM com.apple.WebKit.Networking[891]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/68D82CAC-C2C1-  
424D-A925-2D1E9AF31EAD failed. Errno=2

1/1/14 1:53:02.064 PM com.apple.WebKit.Networking[891]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/6B072E7D-B8E9-  
45A7-A118-C1B44CA34AEA failed. Errno=2

1/1/14 1:53:02.066 PM com.apple.WebKit.Networking[891]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/6B9E63F2-D390-  
42DD-9112-8B1D4B7DE12B failed. Errno=2

1/1/14 1:53:02.066 PM com.apple.WebKit.Networking[891]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/6C15A2BE-6493-  
49EB-8276-2E799C9A89D8 failed. Errno=2

1/1/14 1:53:02.066 PM com.apple.WebKit.Networking[891]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/6C72A1BF-098B-  
4867-B892-550CCC8CC428 failed. Errno=2

1/1/14 1:53:02.066 PM com.apple.WebKit.Networking[891]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/6C8A7923-14D5-  
4B13-AAC5-DF9B480EDE65 failed. Errno=2

1/1/14 1:53:02.066 PM com.apple.WebKit.Networking[891]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/6D9A6C73-949F-  
4E4E-8B3F-6E2448433B3E failed. Errno=2

1/1/14 1:53:02.066 PM com.apple.WebKit.Networking[891]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/6E3E329D-B9D9-  
4AFB-9691-DB0091A02FCF failed. Errno=2

1/1/14 1:53:02.067 PM com.apple.WebKit.Networking[891]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/6E4F550E-61A3-  
4D13-B89B-21FF0B6E3173 failed. Errno=2

1/1/14 1:53:02.067 PM com.apple.WebKit.Networking[891]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/6FCF5FBB-CB41-  
42D9-9E97-C82A3F72FC20 failed. Errno=2

1/1/14 1:53:02.068 PM com.apple.WebKit.Networking[891]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/70931227-DA9B-  
43E3-A3F6-972D0CC61E59 failed. Errno=2

1/1/14 1:53:02.068 PM com.apple.WebKit.Networking[891]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/73E0A369-FAEE-  
4C46-A85C-6D74474FEEE2 failed. Errno=2

1/1/14 1:53:02.068 PM com.apple.WebKit.Networking[891]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/74B21237-1349-  
4639-9A27-A061903B2955 failed. Errno=2

1/1/14 1:53:02.068 PM com.apple.WebKit.Networking[891]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/74D17CD8-7E50-  
4EB4-9B55-2B51E552A9E1 failed. Errno=2

1/1/14 1:53:02.068 PM com.apple.WebKit.Networking[891]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/74FB6A81-6C12-  
4D2A-9DA7-AF3BF4E68BDF failed. Errno=2

1/1/14 1:53:02.071 PM com.apple.WebKit.Networking[891]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/76AE8CBC-BD7F-  
43E6-A5CF-F900CBF33C59 failed. Errno=2

1/1/14 1:53:02.071 PM com.apple.WebKit.Networking[891]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/771BE956-0939-  
460C-ABD3-70DFCAF42F8D failed. Errno=2

1/1/14 1:53:02.071 PM com.apple.WebKit.Networking[891]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/77AE9BA9-FAAF-  
43F6-9942-FFDD5B4441D7 failed. Errno=2

1/1/14 1:53:02.072 PM com.apple.WebKit.Networking[891]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/77B8B632-7111-  
49E2-A106-310C6C2A580C failed. Errno=2

1/1/14 1:53:02.072 PM com.apple.WebKit.Networking[891]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/795E196C-EEFF-  
4C04-9217-DFC743FD090F failed. Errno=2

1/1/14 1:53:02.072 PM com.apple.WebKit.Networking[891]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/7E7C58BA-3105-  
49CF-B9D5-E74A070BB719 failed. Errno=2

1/1/14 1:53:02.072 PM com.apple.WebKit.Networking[891]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/7F2B55FA-C68A-  
4D07-86E0-D89D6C5B2141 failed. Errno=2

1/1/14 1:53:02.073 PM com.apple.WebKit.Networking[891]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/7F5CC027-E4C7-  
41F4-AC6F-4E1A1676568F failed. Errno=2

1/1/14 1:53:02.073 PM com.apple.WebKit.Networking[891]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/800DD285-C2F8-  
4B90-8C10-F69FB396E0F1 failed. Errno=2

1/1/14 1:53:02.073 PM com.apple.WebKit.Networking[891]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/840A477A-1E90-  
406D-9AB8-888EE7B2FD08 failed. Errno=2

1/1/14 1:53:02.073 PM com.apple.WebKit.Networking[891]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/84F156D5-B29B-  
4D14-A30F-3570C33AF502 failed. Errno=2

1/1/14 1:53:02.073 PM com.apple.WebKit.Networking[891]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/85E0F322-4093-  
4A6F-A301-ACAEDB52D2FF failed. Errno=2

1/1/14 1:53:02.074 PM com.apple.WebKit.Networking[891]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/85F62BD6-7B13-  
4E7D-88C2-1A37C298CE3A failed. Errno=2

1/1/14 1:53:02.074 PM com.apple.WebKit.Networking[891]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/860C9082-8DF6-  
4572-92FC-6385B8C64089 failed. Errno=2

1/1/14 1:53:02.074 PM com.apple.WebKit.Networking[891]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/87687303-33B3-  
4075-9465-7F83ABD4AB43 failed. Errno=2

1/1/14 1:53:02.074 PM com.apple.WebKit.Networking[891]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/88C5A541-0F25-  
427B-818F-E68A747EC475 failed. Errno=2

1/1/14 1:53:02.075 PM com.apple.WebKit.Networking[891]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/8B8932AF-2450-  
4441-8FA6-801F805E4394 failed. Errno=2

1/1/14 1:53:02.075 PM com.apple.WebKit.Networking[891]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/8BAE37F5-CF7A-  
4867-A2BD-731F3D6C3C4A failed. Errno=2

1/1/14 1:53:02.075 PM com.apple.WebKit.Networking[891]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/8D8AF585-4CDD-  
4524-9B44-1B1AB205E921 failed. Errno=2

1/1/14 1:53:02.075 PM com.apple.WebKit.Networking[891]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/8D957D92-EC3A-  
4929-A26A-52139C9A8358 failed. Errno=2

1/1/14 1:53:02.075 PM com.apple.WebKit.Networking[891]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/8DE38ABC-0087-  
451D-8CF6-8751AFF259B9 failed. Errno=2

1/1/14 1:53:02.076 PM com.apple.WebKit.Networking[891]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/8DFC1DED-7159-  
4CDC-AAEE-9F86C31BD9DB failed. Errno=2

1/1/14 1:53:02.076 PM com.apple.WebKit.Networking[891]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/8F8394A3-67EB-  
48E3-A3D6-A3294F852E21 failed. Errno=2

1/1/14 1:53:02.076 PM com.apple.WebKit.Networking[891]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/90A5EEDC-4E8B-  
4C12-857D-7DF3AEABB0CC failed. Errno=2

1/1/14 1:53:02.076 PM com.apple.WebKit.Networking[891]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/9121DB10-972F-  
415E-9B28-B45D50134C40 failed. Errno=2

1/1/14 1:53:02.077 PM com.apple.WebKit.Networking[891]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/913D9D85-E5F4-  
4889-A859-615ED6148827 failed. Errno=2

1/1/14 1:53:02.077 PM com.apple.WebKit.Networking[891]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/91980467-C94E-  
4D70-BCD9-748745126D62 failed. Errno=2

1/1/14 1:53:02.077 PM com.apple.WebKit.Networking[891]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/91D94695-AFC8-  
4369-8AEC-43B668FCF6B6 failed. Errno=2

1/1/14 1:53:02.077 PM com.apple.WebKit.Networking[891]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/9235ED20-4746-  
47F2-8542-AE5023049F14 failed. Errno=2

1/1/14 1:53:02.077 PM com.apple.WebKit.Networking[891]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/932D4BA0-3360-  
4503-AA83-5F7740991F1C failed. Errno=2

1/1/14 1:53:02.078 PM com.apple.WebKit.Networking[891]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/9342310E-5721-  
465D-ADEC-7BB9BB1E857C failed. Errno=2

1/1/14 1:53:02.078 PM com.apple.WebKit.Networking[891]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/934B9825-2D42-  
40D0-ABEC-4340AB4B7DA0 failed. Errno=2

1/1/14 1:53:02.078 PM com.apple.WebKit.Networking[891]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/93BD2B51-B2B6-  
4F81-83D8-E4331D004C17 failed. Errno=2

1/1/14 1:53:02.078 PM com.apple.WebKit.Networking[891]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/93F267AB-7E2E-  
4B84-A6F5-C3841A0BCC36 failed. Errno=2

1/1/14 1:53:02.078 PM com.apple.WebKit.Networking[891]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/944D0C93-094C-  
4121-AC8F-8C5B85745BE3 failed. Errno=2

1/1/14 1:53:02.079 PM com.apple.WebKit.Networking[891]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/94C024F0-FBF9-  
40AC-80BF-623DCF6B76C0 failed. Errno=2

1/1/14 1:53:02.079 PM com.apple.WebKit.Networking[891]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/953D12DB-06D5-  
4D11-B9E6-9353A5C43353 failed. Errno=2

1/1/14 1:53:02.079 PM com.apple.WebKit.Networking[891]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/95435A62-0960-  
41C5-B28B-01BC81F63045 failed. Errno=2

1/1/14 1:53:02.079 PM com.apple.WebKit.Networking[891]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/9591BCB4-898E-  
417C-AA9B-AB758B032688 failed. Errno=2

1/1/14 1:53:02.079 PM com.apple.WebKit.Networking[891]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/95D682FF-50FF-  
4CAE-B136-A268E89365DC failed. Errno=2

1/1/14 1:53:02.080 PM com.apple.WebKit.Networking[891]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/9664AC2C-3790-  
4DD8-982F-2D548C95541B failed. Errno=2

1/1/14 1:53:02.080 PM com.apple.WebKit.Networking[891]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/9684A886-426B-  
4595-99CE-2D72C207C09E failed. Errno=2

1/1/14 1:53:02.080 PM com.apple.WebKit.Networking[891]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/979FEB47-0729-  
44E9-9C30-5995B0025F78 failed. Errno=2

1/1/14 1:53:02.080 PM com.apple.WebKit.Networking[891]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/9A2EFD12-74BD-  
4169-BA1E-1BCAE24B48EB failed. Errno=2

1/1/14 1:53:02.080 PM com.apple.WebKit.Networking[891]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/9A657DDE-5322-  
4059-9E42-960BA4EE566B failed. Errno=2

1/1/14 1:53:02.081 PM com.apple.WebKit.Networking[891]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/9D72380A-E3AB-  
4596-92C7-5AD586550035 failed. Errno=2

1/1/14 1:53:02.081 PM com.apple.WebKit.Networking[891]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/9F7D6E56-5BE2-  
483D-960B-8C0461A1B894 failed. Errno=2

1/1/14 1:53:02.081 PM com.apple.WebKit.Networking[891]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/A25E0CAE-4E33-  
466C-8D9A-C19A153DCF61 failed. Errno=2

1/1/14 1:53:02.081 PM com.apple.WebKit.Networking[891]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/A2C7034F-F707-  
48A5-BF4F-2AA179AB7629 failed. Errno=2

1/1/14 1:53:02.081 PM com.apple.WebKit.Networking[891]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/A34B2228-B5FE-  
4E23-B35E-6640C430B01F failed. Errno=2

1/1/14 1:53:02.082 PM com.apple.WebKit.Networking[891]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/A46D1C05-AF3F-  
4504-8533-88F314D89C8D failed. Errno=2

1/1/14 1:53:02.082 PM com.apple.WebKit.Networking[891]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/A514ED53-C96A-  
4E67-80F1-5DE7DB17337F failed. Errno=2

1/1/14 1:53:02.082 PM com.apple.WebKit.Networking[891]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/A722FF00-7F79-  
49FD-BC40-509682D6FE49 failed. Errno=2

1/1/14 1:53:02.082 PM com.apple.WebKit.Networking[891]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/A845A50F-E10C-  
4386-912A-DEDEA28533AE failed. Errno=2

1/1/14 1:53:02.082 PM com.apple.WebKit.Networking[891]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/A9D475FD-D9E9-  
415D-A11F-2838215CC5E3 failed. Errno=2

1/1/14 1:53:02.082 PM com.apple.WebKit.Networking[891]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/AC4FE35E-0BA4-  
4F4D-A5AE-6B2E064B06C7 failed. Errno=2

1/1/14 1:53:02.083 PM com.apple.WebKit.Networking[891]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/ACDC6AE7-4B45-  
4CAC-964D-EFA6D804C1AA failed. Errno=2

1/1/14 1:53:02.083 PM com.apple.WebKit.Networking[891]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/AE326EE5-B5BC-  
4A17-A78A-334F3B44C8F8 failed. Errno=2



1/1/14 1:53:02.083 PM com.apple.WebKit.Networking[891]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/AE4BB5EB-E61F-  
4738-8889-161AF3CF0961 failed. Errno=2

1/1/14 1:53:02.083 PM com.apple.WebKit.Networking[891]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/AEEF12CA-31FC-  
4983-86FD-13A952151341 failed. Errno=2

1/1/14 1:53:02.083 PM com.apple.WebKit.Networking[891]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/AF20AD7F-B41E-  
4D23-9D87-B0E26B9BB82F failed. Errno=2

1/1/14 1:53:02.084 PM com.apple.WebKit.Networking[891]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/AFAF55B5-0DE1-  
4557-9D47-89C3AE641921 failed. Errno=2

1/1/14 1:53:02.084 PM com.apple.WebKit.Networking[891]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/B003E161-F3B8-  
4701-9C81-6750F23D3EBD failed. Errno=2

1/1/14 1:53:02.084 PM com.apple.WebKit.Networking[891]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/B0D1233A-9D62-  
46FE-B876-18D60731057F failed. Errno=2

1/1/14 1:53:02.084 PM com.apple.WebKit.Networking[891]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/B1C7EDA6-D138-  
4BCD-9E03-1BEBB25E9030 failed. Errno=2

1/1/14 1:53:02.085 PM com.apple.WebKit.Networking[891]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/B2EC4D89-4631-  
419D-A8EF-2A9AC002D2AC failed. Errno=2

1/1/14 1:53:02.085 PM com.apple.WebKit.Networking[891]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/B3CBABCF-4E5D-  
484A-9299-CE75F7419592 failed. Errno=2

1/1/14 1:53:02.085 PM com.apple.WebKit.Networking[891]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/B3D20522-14D0-  
4C72-B4CD-35D8BF49F4B8 failed. Errno=2

1/1/14 1:53:02.085 PM com.apple.WebKit.Networking[891]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/B6380FC1-766F-  
4110-8A6C-8AEAE7080386 failed. Errno=2

1/1/14 1:53:02.086 PM com.apple.WebKit.Networking[891]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/B709EF56-A670-  
4AA8-8B71-E9A49C3E2157 failed. Errno=2

1/1/14 1:53:02.086 PM com.apple.WebKit.Networking[891]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/B764C44B-56C3-  
481A-84DA-1F2E5AD8FEF6 failed. Errno=2

1/1/14 1:53:02.086 PM com.apple.WebKit.Networking[891]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/B94EF994-E71E-  
417E-9513-3F8DD3BF6365 failed. Errno=2

1/1/14 1:53:02.086 PM com.apple.WebKit.Networking[891]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/BA510716-2BF5-  
4A36-A079-B08737C56BC8 failed. Errno=2

1/1/14 1:53:02.086 PM com.apple.WebKit.Networking[891]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/BB3DE5BE-FB17-  
4B3F-BE1A-778CE55810D8 failed. Errno=2

1/1/14 1:53:02.087 PM com.apple.WebKit.Networking[891]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/BCF8A4D4-33FF-  
4B21-B84F-5234047A86BA failed. Errno=2

1/1/14 1:53:02.087 PM com.apple.WebKit.Networking[891]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/BD2E415E-0647-  
4803-B9AD-A4E496E58967 failed. Errno=2

1/1/14 1:53:02.087 PM com.apple.WebKit.Networking[891]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/BD374B2D-0FB5-  
4270-9DD7-3C884FD51799 failed. Errno=2

1/1/14 1:53:02.087 PM com.apple.WebKit.Networking[891]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/BE8577D6-4446-  
43A6-9A27-AACFC4BCAD08 failed. Errno=2

1/1/14 1:53:02.087 PM com.apple.WebKit.Networking[891]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/BEDB550F-89C1-  
4589-B102-F76BDBE9D589 failed. Errno=2

1/1/14 1:53:02.088 PM com.apple.WebKit.Networking[891]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/BFAA3E27-35C4-  
4A56-ADD8-FD11EFB994C3 failed. Errno=2

1/1/14 1:53:02.088 PM com.apple.WebKit.Networking[891]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/C03C0919-27A7-  
4EFF-BB25-975A098BBEBF failed. Errno=2

1/1/14 1:53:02.088 PM com.apple.WebKit.Networking[891]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/C1274152-3931-  
4447-8AD4-D012FABC4570 failed. Errno=2

1/1/14 1:53:02.088 PM com.apple.WebKit.Networking[891]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/C1D7B1A5-E492-  
45C2-B502-B83EC2CED077 failed. Errno=2

1/1/14 1:53:02.088 PM com.apple.WebKit.Networking[891]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/C23429D6-BE08-  
4771-96E3-83FF5640B56F failed. Errno=2

1/1/14 1:53:02.089 PM com.apple.WebKit.Networking[891]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/C29333A4-45B6-  
4B70-96A7-0016B3A90A1D failed. Errno=2

1/1/14 1:53:02.089 PM com.apple.WebKit.Networking[891]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/C2A3A316-A70B-  
49A9-B9CE-FAA8C620899C failed. Errno=2

1/1/14 1:53:02.089 PM com.apple.WebKit.Networking[891]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/C341DD29-03D1-  
4F77-8A24-117C1CA6927F failed. Errno=2

1/1/14 1:53:02.089 PM com.apple.WebKit.Networking[891]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/C3987521-749B-  
4599-B228-51BABA8707C9 failed. Errno=2

1/1/14 1:53:02.129 PM com.apple.WebKit.Networking[891]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/C3CBA234-B13D-  
4994-880D-3C49EEEE1155 failed. Errno=2

1/1/14 1:53:02.129 PM com.apple.WebKit.Networking[891]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/C416BAF8-A9FB-  
4763-BBEB-96692A4FDDE4 failed. Errno=2

1/1/14 1:53:02.130 PM com.apple.WebKit.Networking[891]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/C431B467-D6A4-  
46AA-AF3F-45338A847A40 failed. Errno=2

1/1/14 1:53:02.130 PM com.apple.WebKit.Networking[891]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/C4FE74BB-1197-  
40CF-8F1A-D82A17ADB513 failed. Errno=2

1/1/14 1:53:02.130 PM com.apple.WebKit.Networking[891]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/C54CF009-DD3A-  
4AB1-86CC-EEC3FA1F3DE5 failed. Errno=2

1/1/14 1:53:02.130 PM com.apple.WebKit.Networking[891]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/C5F18FCC-B9DD-  
49EB-B9CE-05E156F7A39A failed. Errno=2

1/1/14 1:53:02.130 PM com.apple.WebKit.Networking[891]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/C6DDE05E-865A-  
4A72-890D-CFED2AB56370 failed. Errno=2

1/1/14 1:53:02.131 PM com.apple.WebKit.Networking[891]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/C70A92FA-5963-  
4F5E-912F-51A6C07AF375 failed. Errno=2

1/1/14 1:53:02.131 PM com.apple.WebKit.Networking[891]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/C72443AF-C9E5-  
435D-AE19-255325A2CD8C failed. Errno=2

1/1/14 1:53:02.131 PM com.apple.WebKit.Networking[891]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/C80179F3-8407-  
4D0B-A1D2-2FA14B464573 failed. Errno=2

1/1/14 1:53:02.131 PM com.apple.WebKit.Networking[891]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/C9900022-5569-  
4F13-8455-AB0028976E74 failed. Errno=2

1/1/14 1:53:02.131 PM com.apple.WebKit.Networking[891]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/CABA6539-BA53-  
4B1B-A9AA-0EE9502E236A failed. Errno=2

1/1/14 1:53:02.132 PM com.apple.WebKit.Networking[891]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/CB5C1F92-E88D-  
48C5-ABD4-F85157C56E37 failed. Errno=2

1/1/14 1:53:02.132 PM com.apple.WebKit.Networking[891]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/CEDCDDFE-6B8E-  
4FEE-A8F5-CE30DB80423D failed. Errno=2

1/1/14 1:53:02.132 PM com.apple.WebKit.Networking[891]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/CF178E60-CF60-  
4B70-B0F6-A96D377728A0 failed. Errno=2

1/1/14 1:53:02.132 PM com.apple.WebKit.Networking[891]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/CF3D679D-11BB-  
4FEF-891E-77BA2CF19783 failed. Errno=2

1/1/14 1:53:02.132 PM com.apple.WebKit.Networking[891]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/D04A8A58-ADD7-  
4A20-AEF1-FA0C69962D6B failed. Errno=2

1/1/14 1:53:02.133 PM com.apple.WebKit.Networking[891]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/D1E34583-2908-  
40B5-A07E-38C7AA5A3A49 failed. Errno=2

1/1/14 1:53:02.133 PM com.apple.WebKit.Networking[891]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/D25BEA74-96A8-  
405F-BB7F-6180A18E7F87 failed. Errno=2

1/1/14 1:53:02.133 PM com.apple.WebKit.Networking[891]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/D2743CAB-EE2B-  
4117-84C4-331C6AD96F95 failed. Errno=2

1/1/14 1:53:02.134 PM com.apple.WebKit.Networking[891]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/D27D3C22-CD02-  
4744-A742-C814A36B0CF0 failed. Errno=2

1/1/14 1:53:02.134 PM com.apple.WebKit.Networking[891]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/D301BF3D-C78C-  
4053-B4D7-7510DF1D803B failed. Errno=2

1/1/14 1:53:02.134 PM com.apple.WebKit.Networking[891]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/D3FC76F4-683B-  
4009-9D5F-90036EA904A3 failed. Errno=2

1/1/14 1:53:02.135 PM com.apple.WebKit.Networking[891]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/D46A61C6-7833-  
4CA9-A088-4F64F2F08303 failed. Errno=2

1/1/14 1:53:02.135 PM com.apple.WebKit.Networking[891]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/D548E366-5251-  
477E-82FE-72793CFA0870 failed. Errno=2

1/1/14 1:53:02.135 PM com.apple.WebKit.Networking[891]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/D59F0028-39A9-  
4109-ABB3-AB4F92CAE5E3 failed. Errno=2

1/1/14 1:53:02.135 PM com.apple.WebKit.Networking[891]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/D5B4A006-F707-  
4D68-8F69-5CAFD9814E98 failed. Errno=2

1/1/14 1:53:02.135 PM com.apple.WebKit.Networking[891]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/D8BD8F45-33FE-  
4DD1-98E0-6E96199D9B40 failed. Errno=2

1/1/14 1:53:02.136 PM com.apple.WebKit.Networking[891]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/D9B995F1-FD2A-  
4DB8-AE49-43C8EE39A85C failed. Errno=2

1/1/14 1:53:02.136 PM com.apple.WebKit.Networking[891]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/D9D54F6E-86A6-  
4304-A976-D109793B1BBA failed. Errno=2

1/1/14 1:53:02.136 PM com.apple.WebKit.Networking[891]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/DA41DE29-FFC8-  
4241-B156-E0F3397694E3 failed. Errno=2

1/1/14 1:53:02.136 PM com.apple.WebKit.Networking[891]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/DB86A7E7-906A-  
4031-893C-421C21DEE412 failed. Errno=2

1/1/14 1:53:02.136 PM com.apple.WebKit.Networking[891]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/DBC4597D-A62D-  
432A-AE4B-9A0DF20E2AF5 failed. Errno=2

1/1/14 1:53:02.137 PM com.apple.WebKit.Networking[891]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/E0374180-C9CD-  
402F-9517-06673CD41B3A failed. Errno=2

1/1/14 1:53:02.139 PM com.apple.WebKit.Networking[891]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/E0E36019-7A88-  
44BB-ABAB-A1ADD4AF3B72 failed. Errno=2

1/1/14 1:53:02.139 PM com.apple.WebKit.Networking[891]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/E114E62A-942F-  
424A-B252-01C36BDFE8CB failed. Errno=2

1/1/14 1:53:02.139 PM com.apple.WebKit.Networking[891]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/E12EC768-6A79-  
4FC4-89D3-F3DC9B92BBD6 failed. Errno=2

1/1/14 1:53:02.139 PM com.apple.WebKit.Networking[891]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/E1AF5E49-8D57-  
4646-8B5B-A11898D6D574 failed. Errno=2

1/1/14 1:53:02.140 PM com.apple.WebKit.Networking[891]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/E1D13574-DE41-  
4B0D-A5B3-D358A9FA8BCB failed. Errno=2

1/1/14 1:53:02.140 PM com.apple.WebKit.Networking[891]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/E2698DD0-B3DA-  
44BA-B167-3E97018EB71D failed. Errno=2

1/1/14 1:53:02.141 PM com.apple.WebKit.Networking[891]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/E4A13A51-FF01-  
444E-A5B4-197D7546672E failed. Errno=2

1/1/14 1:53:02.141 PM com.apple.WebKit.Networking[891]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/E4B1B5A6-C225-  
45B3-A44C-6DCFD97EDBB failed. Errno=2

1/1/14 1:53:02.141 PM com.apple.WebKit.Networking[891]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/E5774793-B34B-  
483F-B272-BD2D31F2F142 failed. Errno=2

1/1/14 1:53:02.141 PM com.apple.WebKit.Networking[891]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/E7EDBC93-7789-  
4ABD-835B-C4F1FC7C2BA8 failed. Errno=2

1/1/14 1:53:02.141 PM com.apple.WebKit.Networking[891]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/ED9DF30A-407D-  
4FB6-A869-C7639702A487 failed. Errno=2

1/1/14 1:53:02.142 PM com.apple.WebKit.Networking[891]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/EF2AA6A8-0376-  
4EFB-8FE0-7DA9120EED8C failed. Errno=2

1/1/14 1:53:02.142 PM com.apple.WebKit.Networking[891]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/EF70EC22-F3DE-  
459E-9592-79137A99AC31 failed. Errno=2

1/1/14 1:53:02.143 PM com.apple.WebKit.Networking[891]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/F1438412-FD9C-  
4EF4-B79F-2BEB47C30FD6 failed. Errno=2

1/1/14 1:53:02.143 PM com.apple.WebKit.Networking[891]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/F192F149-981E-  
405F-A5A4-0D88B66218BE failed. Errno=2

1/1/14 1:53:02.143 PM com.apple.WebKit.Networking[891]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/F42361B2-96AD-  
49B3-8DE5-D54A3664141A failed. Errno=2

1/1/14 1:53:02.143 PM com.apple.WebKit.Networking[891]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/F598B479-BA7C-  
4F98-9D1F-E0EDB040399E failed. Errno=2

1/1/14 1:53:02.144 PM com.apple.WebKit.Networking[891]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/F5B1BA6A-6418-  
4964-9D01-D8CA0418C246 failed. Errno=2

1/1/14 1:53:02.144 PM com.apple.WebKit.Networking[891]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/F61F7F0B-4B92-  
41CD-BD62-32E40F1C6368 failed. Errno=2

1/1/14 1:53:02.144 PM com.apple.WebKit.Networking[891]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/F63986E0-500E-  
45C7-9891-B7BC016F7895 failed. Errno=2

1/1/14 1:53:02.145 PM com.apple.WebKit.Networking[891]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/F65FD9B5-38D0-  
4724-91FE-07179D221A4A failed. Errno=2

1/1/14 1:53:02.145 PM com.apple.WebKit.Networking[891]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/F6CB7814-E559-  
4453-82F6-5D13543FCDEC failed. Errno=2

1/1/14 1:53:02.145 PM com.apple.WebKit.Networking[891]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/F71C33E2-50AB-  
41BD-BF1D-868D70FFE2C3 failed. Errno=2

1/1/14 1:53:02.145 PM com.apple.WebKit.Networking[891]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/F8F653F7-D1F9-  
43CD-B5BC-3ABC812375BB failed. Errno=2

1/1/14 1:53:02.146 PM com.apple.WebKit.Networking[891]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/F8F7B93A-BC38-  
47CC-BBB2-9F530230927A failed. Errno=2

1/1/14 1:53:02.146 PM com.apple.WebKit.Networking[891]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/F944C7C4-8B31-  
4756-94DC-10C3A8EE790E failed. Errno=2

1/1/14 1:53:02.146 PM com.apple.WebKit.Networking[891]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/FA950890-E4BB-  
428A-892D-10B1B89055C9 failed. Errno=2

1/1/14 1:53:02.146 PM com.apple.WebKit.Networking[891]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/FD058A95-63B8-  
4BE7-A3D1-01FAC755A499 failed. Errno=2

1/1/14 1:53:02.147 PM com.apple.WebKit.Networking[891]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/FD6A119B-4D31-  
4E0E-8BD4-249D98FDCD82 failed. Errno=2

1/1/14 1:53:02.147 PM com.apple.WebKit.Networking[891]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/FF7CC684-050B-  
49BE-BF5B-0E42CB8459C5 failed. Errno=2

1/1/14 1:53:02.221 PM com.apple.launchd.peruser.505[862]:  
(com.codeweavers.crossover CD helper.37696[914]) Spawned and waiting for the  
debugger to attach before continuing...

1/1/14 1:53:02.229 PM LogMeInGUI[911]: LogMeIn GUI started

1/1/14 1:53:02.235 PM com.apple.launchd.peruser.505[862]:  
(com.vmware.fusionDaemon.37872[916]) Spawned and waiting for the debugger to  
attach before continuing...

1/1/14 1:53:02.686 PM WiFiKeychainProxy[897]: [NO client logger] <Aug 30 2013  
23:40:46> WIFICLOUDSYNC WiFiCloudSyncEngineCreate: created...

1/1/14 1:53:02.686 PM WiFiKeychainProxy[897]: [NO client logger] <Aug 30 2013  
23:40:46> WIFICLOUDSYNC WiFiCloudSyncEngineRegisterCallbacks:  
WiFiCloudSyncEngineCallbacks version - 0, bundle id -  
com.apple.wifi.WiFiKeychainProxy

1/1/14 1:53:03.426 PM LogMeInGUI[911]: Config watcher thread started

1/1/14 1:53:07.032 PM soagent[899]: No active accounts, killing soagent in 10  
seconds

1/1/14 1:53:07.034 PM soagent[899]: No active accounts, killing soagent in 10  
seconds

1/1/14 1:53:07.436 PM soagent[899]: No active accounts, killing soagent in 10  
seconds

1/1/14 1:53:08.410 PM com.apple.dock.extra[929]: No endpoint returned trying to  
load UnreadCountController.bundle, suspending

1/1/14 1:53:09.519 PM com.apple.quicklook.satellite[942]: [QL]  
com.apple.webarchive set by CFBundle/CFPlugIn 0x7fd15bd04730  
</System/Library/QuickLook/Web.qlgenerator> (bundle, loaded) is not a  
supported content type for  
QLThumbnailRequestSetThumbnailWithURLRepresentation()

1/1/14 1:53:18.015 PM CoreServicesUIAgent[950]: Saving rejection record:  
Rejected  
URL=file:///Users/Brett/Library/Caches/Cleanup%20At%20Startup/CrossOver%  
20CD%20Helper.app/  
App  
URL=file:///Users/Brett/Library/Caches/Cleanup%20At%20Startup/CrossOver%  
20CD%20Helper.app/

1/1/14 1:53:18.015 PM CoreServicesUIAgent[950]: App URL discarded  
1/1/14 1:53:18.016 PM com.apple.launchd.peruser.505[862]: ([0x0-0xa70a7].com.codeweavers.crossover CD helper[949]) Exited: Killed: 9  
1/1/14 1:53:18.029 PM soagent[899]: Killing soagent.  
1/1/14 1:53:18.030 PM NotificationCenter[895]: SOHelperCenter main connection interrupted  
1/1/14 1:53:18.030 PM com.apple.dock.extra[929]: SOHelperCenter main connection interrupted  
1/1/14 1:53:18.030 PM com.apple.dock.extra[929]: SOHelperCenter main connection interrupted  
1/1/14 1:53:18.030 PM NotificationCenter[895]: SOHelperCenter main connection interrupted  
1/1/14 1:53:34.349 PM loginwindow[837]: Preferred Localizations total: 1 contents  
(  
    English  
)  
1/1/14 1:53:34.350 PM loginwindow[837]: Preferred Localizations total: 1 contents  
(  
    English  
)  
1/1/14 1:53:34.350 PM loginwindow[837]: Preferred Localizations total: 1 contents  
(  
    English  
)  
1/1/14 1:53:48.950 PM PluginProcess[962]: CoreText performance note: Client called CTFontCreateWithName() using name "Times Roman" and got font with PostScript name "Times-Roman". For best performance, only use PostScript names when calling this API.  
1/1/14 1:53:48.950 PM PluginProcess[962]: CoreText performance note: Set a breakpoint on CTFontLogSuboptimalRequest to debug.  
1/1/14 1:53:48.953 PM PluginProcess[962]: CoreText performance note: Client called CTFontCreateWithName() using name "Times New Roman" and got font with PostScript name "TimesNewRomanPSMT". For best performance, only use PostScript names when calling this API.  
1/1/14 1:53:48.958 PM PluginProcess[962]: CoreText performance note: Client called CTFontCreateWithName() using name "Arial" and got font with PostScript name "ArialMT". For best performance, only use PostScript names when calling this API.  
1/1/14 1:53:59.793 PM PluginProcess[962]: CoreText performance note: Client called CTFontCreateWithName() using name "Arial Unicode MS" and got font with PostScript name "ArialUnicodeMS". For best performance, only use PostScript names when calling this API.  
1/1/14 1:53:59.805 PM PluginProcess[962]: CoreText performance note: Client called CTFontCreateWithName() using name "Times Roman" and got font with PostScript name "Times-Roman". For best performance, only use PostScript names when calling this API.



1/1/14 1:54:00.362 PM PluginProcess[961]: CoreText performance note: Client called CTFontCreateWithName() using name "Arial Unicode MS" and got font with PostScript name "ArialUnicodeMS". For best performance, only use PostScript names when calling this API.

1/1/14 1:54:00.362 PM PluginProcess[961]: CoreText performance note: Set a breakpoint on CTFontLogSuboptimalRequest to debug.

1/1/14 1:54:00.759 PM PluginProcess[961]: CoreText performance note: Client called CTFontCreateWithName() using name "Times Roman" and got font with PostScript name "Times-Roman". For best performance, only use PostScript names when calling this API.

1/1/14 1:54:01.570 PM PluginProcess[961]: CoreText performance note: Client called CTFontCreateWithName() using name "Arial" and got font with PostScript name "ArialMT". For best performance, only use PostScript names when calling this API.

1/1/14 1:54:12.379 PM PluginProcess[961]: CoreText performance note: Client called CTFontCreateWithName() using name "Lucida Grande" and got font with PostScript name "LucidaGrande". For best performance, only use PostScript names when calling this API.

1/1/14 1:54:59.692 PM loginwindow[837]: Preferred Localizations total: 1 contents  
(  
    English  
)

1/1/14 1:54:59.692 PM loginwindow[837]: Preferred Localizations total: 1 contents  
(  
    English  
)

1/1/14 1:54:59.693 PM loginwindow[837]: Preferred Localizations total: 1 contents  
(  
    English  
)

1/1/14 1:55:52.562 PM PluginProcess[969]: CoreText performance note: Client called CTFontCreateWithName() using name "Arial Unicode MS" and got font with PostScript name "ArialUnicodeMS". For best performance, only use PostScript names when calling this API.

1/1/14 1:55:52.562 PM PluginProcess[969]: CoreText performance note: Set a breakpoint on CTFontLogSuboptimalRequest to debug.

1/1/14 1:55:52.958 PM PluginProcess[969]: CoreText performance note: Client called CTFontCreateWithName() using name "Times Roman" and got font with PostScript name "Times-Roman". For best performance, only use PostScript names when calling this API.

1/1/14 1:58:21.488 PM PluginProcess[970]: CoreText performance note: Client called CTFontCreateWithName() using name "Arial Unicode MS" and got font with PostScript name "ArialUnicodeMS". For best performance, only use PostScript names when calling this API.

1/1/14 1:58:21.488 PM PluginProcess[970]: CoreText performance note: Set a breakpoint on CTFontLogSuboptimalRequest to debug.

1/1/14 1:58:21.867 PM PluginProcess[970]: CoreText performance note: Client called CTFontCreateWithName() using name "Times Roman" and got font with PostScript name "Times-Roman". For best performance, only use PostScript names when calling this API.

1/1/14 2:12:34.014 PM PluginProcess[984]: CoreText performance note: Client called CTFontCreateWithName() using name "Trebuchet MS" and got font with PostScript name "TrebuchetMS". For best performance, only use PostScript names when calling this API.

1/1/14 2:12:34.014 PM PluginProcess[984]: CoreText performance note: Set a breakpoint on CTFontLogSuboptimalRequest to debug.

1/1/14 2:16:24.815 PM PluginProcess[984]: CoreText performance note: Client called CTFontCreateWithName() using name "Trebuchet MS" and got font with PostScript name "TrebuchetMS". For best performance, only use PostScript names when calling this API.

1/1/14 2:17:01.114 PM PluginProcess[984]: CoreText performance note: Client called CTFontCreateWithName() using name "Trebuchet MS" and got font with PostScript name "TrebuchetMS". For best performance, only use PostScript names when calling this API.

1/1/14 2:21:31.863 PM PluginProcess[984]: CoreText performance note: Client called CTFontCreateWithName() using name "Trebuchet MS" and got font with PostScript name "TrebuchetMS". For best performance, only use PostScript names when calling this API.

1/1/14 2:21:42.646 PM PluginProcess[984]: CoreText performance note: Client called CTFontCreateWithName() using name "Trebuchet MS" and got font with PostScript name "TrebuchetMS". For best performance, only use PostScript names when calling this API.

1/1/14 2:21:51.198 PM PluginProcess[984]: CoreText performance note: Client called CTFontCreateWithName() using name "Trebuchet MS" and got font with PostScript name "TrebuchetMS". For best performance, only use PostScript names when calling this API.

1/1/14 2:22:00.763 PM PluginProcess[984]: CoreText performance note: Client called CTFontCreateWithName() using name "Trebuchet MS" and got font with PostScript name "TrebuchetMS". For best performance, only use PostScript names when calling this API.

1/1/14 2:22:10.045 PM PluginProcess[984]: CoreText performance note: Client called CTFontCreateWithName() using name "Trebuchet MS" and got font with PostScript name "TrebuchetMS". For best performance, only use PostScript names when calling this API.

1/1/14 2:22:17.947 PM PluginProcess[984]: CoreText performance note: Client called CTFontCreateWithName() using name "Trebuchet MS" and got font with PostScript name "TrebuchetMS". For best performance, only use PostScript names when calling this API.

1/1/14 2:22:26.411 PM PluginProcess[984]: CoreText performance note: Client called CTFontCreateWithName() using name "Trebuchet MS" and got font with PostScript name "TrebuchetMS". For best performance, only use PostScript names when calling this API.

1/1/14 2:22:34.628 PM PluginProcess[984]: CoreText performance note: Client called CTFontCreateWithName() using name "Trebuchet MS" and got font with PostScript name "TrebuchetMS". For best performance, only use PostScript names when calling this API.

1/1/14 2:22:44.229 PM PluginProcess[984]: CoreText performance note: Client called CTFontCreateWithName() using name "Trebuchet MS" and got font with PostScript name "TrebuchetMS". For best performance, only use PostScript names when calling this API.

1/1/14 2:22:52.629 PM PluginProcess[984]: CoreText performance note: Client called CTFontCreateWithName() using name "Trebuchet MS" and got font with PostScript name "TrebuchetMS". For best performance, only use PostScript names when calling this API.

1/1/14 2:23:00.611 PM PluginProcess[984]: CoreText performance note: Client called CTFontCreateWithName() using name "Trebuchet MS" and got font with PostScript name "TrebuchetMS". For best performance, only use PostScript names when calling this API.

1/1/14 2:23:09.476 PM PluginProcess[984]: CoreText performance note: Client called CTFontCreateWithName() using name "Trebuchet MS" and got font with PostScript name "TrebuchetMS". For best performance, only use PostScript names when calling this API.

1/1/14 2:23:17.810 PM PluginProcess[984]: CoreText performance note: Client called CTFontCreateWithName() using name "Trebuchet MS" and got font with PostScript name "TrebuchetMS". For best performance, only use PostScript names when calling this API.

1/1/14 2:23:26.026 PM PluginProcess[984]: CoreText performance note: Client called CTFontCreateWithName() using name "Trebuchet MS" and got font with PostScript name "TrebuchetMS". For best performance, only use PostScript names when calling this API.

1/1/14 2:23:34.578 PM PluginProcess[984]: CoreText performance note: Client called CTFontCreateWithName() using name "Trebuchet MS" and got font with PostScript name "TrebuchetMS". For best performance, only use PostScript names when calling this API.

1/1/14 2:23:51.894 PM PluginProcess[984]: CoreText performance note: Client called CTFontCreateWithName() using name "Trebuchet MS" and got font with PostScript name "TrebuchetMS". For best performance, only use PostScript names when calling this API.

1/1/14 2:24:32.026 PM PluginProcess[984]: CoreText performance note: Client called CTFontCreateWithName() using name "Trebuchet MS" and got font with PostScript name "TrebuchetMS". For best performance, only use PostScript names when calling this API.

1/1/14 2:24:40.241 PM PluginProcess[984]: CoreText performance note: Client called CTFontCreateWithName() using name "Trebuchet MS" and got font with PostScript name "TrebuchetMS". For best performance, only use PostScript names when calling this API.

1/1/14 2:24:54.557 PM PluginProcess[984]: CoreText performance note: Client called CTFontCreateWithName() using name "Trebuchet MS" and got font with

PostScript name "TrebuchetMS". For best performance, only use PostScript names when calling this API.

1/1/14 2:25:19.640 PM PluginProcess[984]: CoreText performance note: Client called CTFontCreateWithName() using name "Trebuchet MS" and got font with PostScript name "TrebuchetMS". For best performance, only use PostScript names when calling this API.

1/1/14 2:25:27.956 PM PluginProcess[984]: CoreText performance note: Client called CTFontCreateWithName() using name "Trebuchet MS" and got font with PostScript name "TrebuchetMS". For best performance, only use PostScript names when calling this API.

1/1/14 2:25:37.807 PM PluginProcess[984]: CoreText performance note: Client called CTFontCreateWithName() using name "Trebuchet MS" and got font with PostScript name "TrebuchetMS". For best performance, only use PostScript names when calling this API.

1/1/14 2:25:46.058 PM PluginProcess[984]: CoreText performance note: Client called CTFontCreateWithName() using name "Trebuchet MS" and got font with PostScript name "TrebuchetMS". For best performance, only use PostScript names when calling this API.

1/1/14 2:25:55.305 PM PluginProcess[984]: CoreText performance note: Client called CTFontCreateWithName() using name "Trebuchet MS" and got font with PostScript name "TrebuchetMS". For best performance, only use PostScript names when calling this API.

1/1/14 2:26:04.124 PM PluginProcess[984]: CoreText performance note: Client called CTFontCreateWithName() using name "Trebuchet MS" and got font with PostScript name "TrebuchetMS". For best performance, only use PostScript names when calling this API.

1/1/14 2:30:41.259 PM PluginProcess[984]: CoreText performance note: Client called CTFontCreateWithName() using name "Times Roman" and got font with PostScript name "Times-Roman". For best performance, only use PostScript names when calling this API.

1/1/14 3:08:06.868 PM PluginProcess[1002]: CoreText performance note: Client called CTFontCreateWithName() using name "Arial Unicode MS" and got font with PostScript name "ArialUnicodeMS". For best performance, only use PostScript names when calling this API.

1/1/14 3:08:06.868 PM PluginProcess[1002]: CoreText performance note: Set a breakpoint on CTFontLogSuboptimalRequest to debug.

1/1/14 3:08:07.258 PM PluginProcess[1002]: CoreText performance note: Client called CTFontCreateWithName() using name "Times Roman" and got font with PostScript name "Times-Roman". For best performance, only use PostScript names when calling this API.

1/1/14 3:42:53.402 PM loginwindow[837]: Preferred Localizations total: 1 contents ( English )

1/1/14 3:42:53.403 PM loginwindow[837]: Preferred Localizations total: 1 contents (

```
    English
)
1/1/14 3:42:53.403 PM loginwindow[837]: Preferred Localizations total: 1 contents
(
    English
)
1/1/14 4:38:30.747 PM PluginProcess[1043]: CoreText performance note: Client
called CTFontCreateWithName() using name "Arial Unicode MS" and got font with
PostScript name "ArialUnicodeMS". For best performance, only use PostScript
names when calling this API.
1/1/14 4:38:30.747 PM PluginProcess[1043]: CoreText performance note: Set a
breakpoint on CTFontLogSuboptimalRequest to debug.
1/1/14 4:38:31.137 PM PluginProcess[1043]: CoreText performance note: Client
called CTFontCreateWithName() using name "Times Roman" and got font with
PostScript name "Times-Roman". For best performance, only use PostScript names
when calling this API.
1/1/14 4:41:42.435 PM PluginProcess[984]: CoreText performance note: Client
called CTFontCreateWithName() using name "Arial Unicode MS" and got font with
PostScript name "ArialUnicodeMS". For best performance, only use PostScript
names when calling this API.
1/1/14 4:41:45.875 PM PluginProcess[984]: CoreText performance note: Client
called CTFontCreateWithName() using name "Lucida Grande" and got font with
PostScript name "LucidaGrande". For best performance, only use PostScript names
when calling this API.
1/1/14 4:59:00.802 PM PluginProcess[984]: CoreText performance note: Client
called CTFontCreateWithName() using name "Helvetica Neue Light" and got font
with PostScript name "HelveticaNeue-Light". For best performance, only use
PostScript names when calling this API.
1/1/14 4:59:01.085 PM PluginProcess[984]: CoreText performance note: Client
called CTFontCreateWithName() using name "Arial" and got font with PostScript
name "ArialMT". For best performance, only use PostScript names when calling this
API.
1/1/14 5:30:49.372 PM loginwindow[837]: Preferred Localizations total: 1 contents
(
    English
)
1/1/14 5:30:49.373 PM loginwindow[837]: Preferred Localizations total: 1 contents
(
    English
)
1/1/14 5:30:49.373 PM loginwindow[837]: Preferred Localizations total: 1 contents
(
    English
)
1/1/14 5:31:49.322 PM loginwindow[837]: Preferred Localizations total: 1 contents
(
```

```
    English
)
1/1/14 5:31:49.322 PM loginwindow[837]: Preferred Localizations total: 1 contents
(
    English
)
1/1/14 5:31:49.323 PM loginwindow[837]: Preferred Localizations total: 1 contents
(
    English
)
1/1/14 6:23:22.927 PM PluginProcess[1094]: CoreText performance note: Client
called CTFontCreateWithName() using name "Times Roman" and got font with
PostScript name "Times-Roman". For best performance, only use PostScript names
when calling this API.
1/1/14 6:23:22.927 PM PluginProcess[1094]: CoreText performance note: Set a
breakpoint on CTFontLogSuboptimalRequest to debug.
1/1/14 6:23:23.303 PM PluginProcess[1094]: CoreText performance note: Client
called CTFontCreateWithName() using name "Arial" and got font with PostScript
name "ArialMT". For best performance, only use PostScript names when calling this
API.
1/1/14 6:23:25.112 PM PluginProcess[1094]: CoreText performance note: Client
called CTFontCreateWithName() using name "Arial Unicode MS" and got font with
PostScript name "ArialUnicodeMS". For best performance, only use PostScript
names when calling this API.
1/1/14 6:23:25.123 PM PluginProcess[1094]: CoreText performance note: Client
called CTFontCreateWithName() using name "Times Roman" and got font with
PostScript name "Times-Roman". For best performance, only use PostScript names
when calling this API.
1/1/14 6:55:10.931 PM PluginProcess[984]: CoreText performance note: Client
called CTFontCreateWithName() using name "Arial Bold" and got font with
PostScript name "Arial-BoldMT". For best performance, only use PostScript names
when calling this API.
1/1/14 7:44:48.869 PM loginwindow[837]: Preferred Localizations total: 1 contents
(
    English
)
1/1/14 7:44:48.870 PM loginwindow[837]: Preferred Localizations total: 1 contents
(
    English
)
1/1/14 7:44:48.870 PM loginwindow[837]: Preferred Localizations total: 1 contents
(
    English
)
1/1/14 7:46:05.661 PM loginwindow[837]: Preferred Localizations total: 1 contents
(
```

English  
)  
1/1/14 7:46:05.661 PM loginwindow[837]: Preferred Localizations total: 1 contents  
(  
English  
)  
1/1/14 7:46:05.662 PM loginwindow[837]: Preferred Localizations total: 1 contents  
(  
English  
)  
1/1/14 10:22:41.330 PM loginwindow[837]: Preferred Localizations total: 1  
contents (  
English  
)  
1/1/14 10:22:41.331 PM loginwindow[837]: Preferred Localizations total: 1  
contents (  
English  
)  
1/1/14 10:22:41.331 PM loginwindow[837]: Preferred Localizations total: 1  
contents (  
English  
)  
1/1/14 10:26:01.671 PM System Preferences[1389]:  
[BluetoothHIDDevice][initWithHIDDevice] Unable to get Object ID from IORegistry  
1/1/14 10:26:01.673 PM System Preferences[1389]:  
[BluetoothHIDDevice][initWithHIDDevice] Unable to get Object ID from IORegistry  
1/1/14 10:26:49.226 PM System Preferences[1397]:  
[BluetoothHIDDevice][initWithHIDDevice] Unable to get Object ID from IORegistry  
1/1/14 10:26:49.228 PM System Preferences[1397]:  
[BluetoothHIDDevice][initWithHIDDevice] Unable to get Object ID from IORegistry  
1/1/14 10:36:21.375 PM PluginProcess[1412]: CoreText performance note: Client  
called CTFontCreateWithName() using name "Times Roman" and got font with  
PostScript name "Times-Roman". For best performance, only use PostScript names  
when calling this API.  
1/1/14 10:36:21.375 PM PluginProcess[1412]: CoreText performance note: Set a  
breakpoint on CTFontLogSuboptimalRequest to debug.  
1/1/14 10:36:30.482 PM PluginProcess[1412]: CoreText performance note: Client  
called CTFontCreateWithName() using name "Times Roman" and got font with  
PostScript name "Times-Roman". For best performance, only use PostScript names  
when calling this API.  
1/1/14 10:37:30.830 PM PluginProcess[1415]: CoreText performance note: Client  
called CTFontCreateWithName() using name "Times Roman" and got font with  
PostScript name "Times-Roman". For best performance, only use PostScript names  
when calling this API.  
1/1/14 10:37:30.830 PM PluginProcess[1415]: CoreText performance note: Set a  
breakpoint on CTFontLogSuboptimalRequest to debug.

1/1/14 10:37:38.653 PM PluginProcess[1415]: CoreText performance note: Client called CTFontCreateWithName() using name "Times Roman" and got font with PostScript name "Times-Roman". For best performance, only use PostScript names when calling this API.

1/1/14 10:39:20.464 PM PluginProcess[1424]: CoreText performance note: Client called CTFontCreateWithName() using name "Times Roman" and got font with PostScript name "Times-Roman". For best performance, only use PostScript names when calling this API.

1/1/14 10:39:20.465 PM PluginProcess[1424]: CoreText performance note: Set a breakpoint on CTFontLogSuboptimalRequest to debug.

1/1/14 10:39:35.056 PM PluginProcess[1424]: CoreText performance note: Client called CTFontCreateWithName() using name "Times Roman" and got font with PostScript name "Times-Roman". For best performance, only use PostScript names when calling this API.

1/1/14 10:39:35.088 PM PluginProcess[1424]: CoreText performance note: Client called CTFontCreateWithName() using name "Arial" and got font with PostScript name "ArialMT". For best performance, only use PostScript names when calling this API.

1/1/14 10:39:36.863 PM loginwindow[837]: Preferred Localizations total: 1  
contents (  
    English  
)

1/1/14 10:39:40.224 PM loginwindow[837]: Preferred Localizations total: 1  
contents (  
    English  
)

1/1/14 10:39:40.266 PM loginwindow[837]: Preferred Localizations total: 1  
contents (  
    English  
)

1/1/14 10:39:40.266 PM loginwindow[837]: Preferred Localizations total: 1  
contents (  
    English  
)

1/1/14 10:39:40.266 PM loginwindow[837]: Preferred Localizations total: 1  
contents (  
    English  
)

1/1/14 10:40:40.710 PM loginwindow[837]: Preferred Localizations total: 1  
contents (  
    English  
)

1/1/14 10:40:40.711 PM loginwindow[837]: Preferred Localizations total: 1  
contents (  
    English  
)



1/1/14 10:40:40.711 PM loginwindow[837]: Preferred Localizations total: 1  
contents (  
    English  
)  
1/1/14 10:43:20.269 PM PluginProcess[984]: CoreText performance note: Client  
called CTFontCreateWithName() using name "Arial Unicode MS" and got font with  
PostScript name "ArialUnicodeMS". For best performance, only use PostScript  
names when calling this API.  
1/1/14 10:43:20.278 PM PluginProcess[984]: CoreText performance note: Client  
called CTFontCreateWithName() using name "Times Roman" and got font with  
PostScript name "Times-Roman". For best performance, only use PostScript names  
when calling this API.  
1/1/14 10:43:21.403 PM PluginProcess[984]: CoreText performance note: Client  
called CTFontCreateWithName() using name "Arial Bold" and got font with  
PostScript name "Arial-BoldMT". For best performance, only use PostScript names  
when calling this API.  
1/1/14 10:43:21.404 PM PluginProcess[984]: CoreText performance note: Client  
called CTFontCreateWithName() using name "Arial" and got font with PostScript  
name "ArialMT". For best performance, only use PostScript names when calling this  
API.  
1/1/14 10:44:30.723 PM com.apple.launchd.peruser.505[862]:  
(com.apple.EscrowSecurityAlert[1009]) Exited: Killed: 9  
1/1/14 10:44:30.738 PM com.apple.launchd.peruser.505[862]: ([0x0-  
0xa60a6].com.apple.AppleSpell[946]) Exited: Killed: 9  
1/1/14 10:45:40.332 PM com.apple.launchd.peruser.505[155]: Background: Aqua:  
Registering new GUI session.  
1/1/14 10:45:40.350 PM com.apple.launchd.peruser.505[155]:  
(com.logmein.logmeingui) Unknown key for boolean: UseLMILaunchAgentFixer  
1/1/14 10:45:40.350 PM com.apple.launchd.peruser.505[155]:  
(com.apple.cmfsyncagent) Ignored this key: UserName  
1/1/14 10:45:40.351 PM com.apple.launchd.peruser.505[155]:  
(com.apple.EscrowSecurityAlert) Unknown key: seatbelt-profiles  
1/1/14 10:45:40.352 PM com.apple.launchd.peruser.505[155]:  
(com.apple.ReportCrash) Falling back to default Mach exception handler. Could not  
find: com.apple.ReportCrash.Self  
1/1/14 10:45:40.365 PM distnoted[159]: # distnote server agent absolute time:  
49.465381896 civil time: Wed Jan 1 22:45:40 2014 pid: 159 uid: 505 root: no  
1/1/14 10:45:42.479 PM SystemUIServer[169]: Cannot find executable for  
CFBundle 0x7f9828f19800 </System/Library/CoreServices/Menu  
Extras/Clock.menu> (not loaded)  
1/1/14 10:45:42.942 PM com.apple.WebKit.WebContent[191]: ERROR:  
\_\_CFURLCache:CreateTablesAndIndexes version create - database is locked.  
ErrCode: 5.  
1/1/14 10:45:42.943 PM com.apple.WebKit.WebContent[191]:  
\_\_CFURLCache:RecreateEmptyPersistentStoreOnDiskAndOpen: create tables and  
index failed.

1/1/14 10:45:43.159 PM com.apple.WebKit.Networking[190]: ERROR:  
\_CFURLCache:CreateTablesAndIndexes version create - database is locked.  
ErrCode: 5.  
1/1/14 10:45:43.159 PM com.apple.WebKit.Networking[190]:  
\_CFURLCache:RecreateEmptyPersistentStoreOnDiskAndOpen: create tables and  
index failed.  
1/1/14 10:45:43.629 PM SystemUIServer[169]: Cannot find executable for  
CFBundle 0x7f9828f31760 </System/Library/CoreServices/Menu  
Extras/Volume.menu> (not loaded)  
1/1/14 10:45:43.824 PM com.apple.launchd.peruser.505[155]:  
(com.codeweavers.crossover CD helper.37696[215]) Spawned and waiting for the  
debugger to attach before continuing..  
1/1/14 10:45:44.077 PM com.apple.launchd.peruser.505[155]:  
(com.vmware.fusionDaemon.37872[222]) Spawned and waiting for the debugger to  
attach before continuing..  
1/1/14 10:45:44.183 PM LogMeInGUI[212]: LogMeIn GUI started  
1/1/14 10:45:44.476 PM WiFiKeychainProxy[198]: [NO client logger] <Aug 30 2013  
23:40:46> WIFICLOUDSYNC WiFiCloudSyncEngineCreate: created..  
1/1/14 10:45:44.476 PM WiFiKeychainProxy[198]: [NO client logger] <Aug 30 2013  
23:40:46> WIFICLOUDSYNC WiFiCloudSyncEngineRegisterCallbacks:  
WiFiCloudSyncEngineCallbacks version - 0, bundle id -  
com.apple.wifi.WiFiKeychainProxy  
1/1/14 10:45:45.238 PM LogMeInGUI[212]: Config watcher thread started  
1/1/14 10:45:47.270 PM soagent[200]: No active accounts, killing soagent in 10  
seconds  
1/1/14 10:45:47.271 PM soagent[200]: No active accounts, killing soagent in 10  
seconds  
1/1/14 10:45:47.679 PM soagent[200]: No active accounts, killing soagent in 10  
seconds  
1/1/14 10:45:49.609 PM com.apple.dock.extra[228]: No endpoint returned trying  
to load UnreadCountController.bundle, suspending  
1/1/14 10:45:49.727 PM com.apple.quicklook.satellite[232]: [QL]  
com.apple.webarchive set by CFBundle/CFPlugIn 0x7f84e2510690  
</System/Library/QuickLook/Web.qlgenerator> (bundle, loaded) is not a  
supported content type for  
QLThumbnailRequestSetThumbnailWithURLRepresentation()  
1/1/14 10:45:51.366 PM CoreServicesUIAgent[230]: Saving rejection record:  
Rejected  
URL=file:///Users/Brett/Library/Caches/Cleanup%20At%20Startup/CrossOver%  
20CD%20Helper.app/  
App  
URL=file:///Users/Brett/Library/Caches/Cleanup%20At%20Startup/CrossOver%  
20CD%20Helper.app/  
1/1/14 10:45:51.366 PM CoreServicesUIAgent[230]: App URL discarded  
1/1/14 10:45:51.570 PM com.apple.launchd.peruser.505[155]: ([0x0-  
0x17017].com.codeweavers.crossover CD helper[229]) Exited: Killed: 9

1/1/14 10:45:58.221 PM soagent[200]: Killing soagent.  
1/1/14 10:45:58.221 PM NotificationCenter[195]: SOHelperCenter main connection interrupted  
1/1/14 10:45:58.222 PM com.apple.dock.extra[228]: SOHelperCenter main connection interrupted  
1/1/14 10:45:58.222 PM NotificationCenter[195]: SOHelperCenter main connection interrupted  
1/1/14 10:45:58.222 PM com.apple.dock.extra[228]: SOHelperCenter main connection interrupted  
1/1/14 10:46:21.943 PM loginwindow[43]: Preferred Localizations total: 1 contents  
(  
    English  
)  
1/1/14 10:46:21.943 PM loginwindow[43]: Preferred Localizations total: 1 contents  
(  
    English  
)  
1/1/14 10:46:21.944 PM loginwindow[43]: Preferred Localizations total: 1 contents  
(  
    English  
)  
1/1/14 10:47:06.034 PM PluginProcess[266]: CoreText performance note: Client called CTFontCreateWithName() using name "Arial Unicode MS" and got font with PostScript name "ArialUnicodeMS". For best performance, only use PostScript names when calling this API.  
1/1/14 10:47:06.034 PM PluginProcess[266]: CoreText performance note: Set a breakpoint on CTFontLogSuboptimalRequest to debug.  
1/1/14 10:47:06.566 PM PluginProcess[266]: CoreText performance note: Client called CTFontCreateWithName() using name "Times Roman" and got font with PostScript name "Times-Roman". For best performance, only use PostScript names when calling this API.  
1/1/14 10:47:27.867 PM PluginProcess[255]: CoreText performance note: Client called CTFontCreateWithName() using name "Arial Unicode MS" and got font with PostScript name "ArialUnicodeMS". For best performance, only use PostScript names when calling this API.  
1/1/14 10:47:27.867 PM PluginProcess[255]: CoreText performance note: Set a breakpoint on CTFontLogSuboptimalRequest to debug.  
1/1/14 10:47:28.255 PM PluginProcess[255]: CoreText performance note: Client called CTFontCreateWithName() using name "Times Roman" and got font with PostScript name "Times-Roman". For best performance, only use PostScript names when calling this API.  
1/1/14 10:47:35.408 PM PluginProcess[255]: CoreText performance note: Client called CTFontCreateWithName() using name "Lucida Grande" and got font with PostScript name "LucidaGrande". For best performance, only use PostScript names when calling this API.

1/1/14 10:47:41.047 PM loginwindow[43]: Preferred Localizations total: 1 contents  
(  
    English  
)  
1/1/14 10:47:41.047 PM loginwindow[43]: Preferred Localizations total: 1 contents  
(  
    English  
)  
1/1/14 10:47:41.048 PM loginwindow[43]: Preferred Localizations total: 1 contents  
(  
    English  
)  
1/1/14 10:48:07.157 PM PluginProcess[255]: CoreText performance note: Client called CTFontCreateWithName() using name "Arial Unicode MS" and got font with PostScript name "ArialUnicodeMS". For best performance, only use PostScript names when calling this API.  
1/1/14 10:48:07.172 PM PluginProcess[255]: CoreText performance note: Client called CTFontCreateWithName() using name "Times Roman" and got font with PostScript name "Times-Roman". For best performance, only use PostScript names when calling this API.  
1/1/14 10:48:19.355 PM PluginProcess[255]: CoreText performance note: Client called CTFontCreateWithName() using name "Lucida Grande" and got font with PostScript name "LucidaGrande". For best performance, only use PostScript names when calling this API.  
1/1/14 10:48:40.049 PM PluginProcess[255]: CoreText performance note: Client called CTFontCreateWithName() using name "Arial Unicode MS" and got font with PostScript name "ArialUnicodeMS". For best performance, only use PostScript names when calling this API.  
1/1/14 10:48:40.063 PM PluginProcess[255]: CoreText performance note: Client called CTFontCreateWithName() using name "Times Roman" and got font with PostScript name "Times-Roman". For best performance, only use PostScript names when calling this API.  
1/1/14 10:48:56.068 PM PluginProcess[255]: CoreText performance note: Client called CTFontCreateWithName() using name "Lucida Grande" and got font with PostScript name "LucidaGrande". For best performance, only use PostScript names when calling this API.  
1/1/14 11:00:48.076 PM PluginProcess[290]: CoreText performance note: Client called CTFontCreateWithName() using name "Arial Unicode MS" and got font with PostScript name "ArialUnicodeMS". For best performance, only use PostScript names when calling this API.  
1/1/14 11:00:48.076 PM PluginProcess[290]: CoreText performance note: Set a breakpoint on CTFontLogSuboptimalRequest to debug.  
1/1/14 11:00:48.457 PM PluginProcess[290]: CoreText performance note: Client called CTFontCreateWithName() using name "Times Roman" and got font with PostScript name "Times-Roman". For best performance, only use PostScript names when calling this API.

1/1/14 11:00:53.927 PM PluginProcess[290]: CoreText performance note: Client called CTFontCreateWithName() using name "Arial Unicode MS" and got font with PostScript name "ArialUnicodeMS". For best performance, only use PostScript names when calling this API.

1/1/14 11:00:53.937 PM PluginProcess[290]: CoreText performance note: Client called CTFontCreateWithName() using name "Times Roman" and got font with PostScript name "Times-Roman". For best performance, only use PostScript names when calling this API.

1/1/14 11:00:56.945 PM PluginProcess[290]: CoreText performance note: Client called CTFontCreateWithName() using name "Arial Unicode MS" and got font with PostScript name "ArialUnicodeMS". For best performance, only use PostScript names when calling this API.

1/1/14 11:00:56.954 PM PluginProcess[290]: CoreText performance note: Client called CTFontCreateWithName() using name "Times Roman" and got font with PostScript name "Times-Roman". For best performance, only use PostScript names when calling this API.

1/1/14 11:01:08.417 PM PluginProcess[292]: CoreText performance note: Client called CTFontCreateWithName() using name "Arial Unicode MS" and got font with PostScript name "ArialUnicodeMS". For best performance, only use PostScript names when calling this API.

1/1/14 11:01:08.418 PM PluginProcess[292]: CoreText performance note: Set a breakpoint on CTFontLogSuboptimalRequest to debug.

1/1/14 11:01:08.809 PM PluginProcess[292]: CoreText performance note: Client called CTFontCreateWithName() using name "Times Roman" and got font with PostScript name "Times-Roman". For best performance, only use PostScript names when calling this API.

1/1/14 11:01:09.933 PM PluginProcess[292]: CoreText performance note: Client called CTFontCreateWithName() using name "Arial" and got font with PostScript name "ArialMT". For best performance, only use PostScript names when calling this API.

1/1/14 11:01:10.235 PM PluginProcess[292]: CoreText performance note: Client called CTFontCreateWithName() using name "Arial Bold" and got font with PostScript name "Arial-BoldMT". For best performance, only use PostScript names when calling this API.

1/1/14 11:06:19.846 PM loginwindow[43]: Preferred Localizations total: 1 contents  
(  
    English  
)

1/1/14 11:06:23.524 PM loginwindow[43]: Preferred Localizations total: 1 contents  
(  
    English  
)

1/1/14 11:06:23.550 PM loginwindow[43]: Preferred Localizations total: 1 contents  
(  
    English  
)

1/1/14 11:06:23.551 PM loginwindow[43]: Preferred Localizations total: 1 contents  
(  
    English  
)  
1/1/14 11:06:23.551 PM loginwindow[43]: Preferred Localizations total: 1 contents  
(  
    English  
)  
1/1/14 11:07:23.647 PM loginwindow[43]: Preferred Localizations total: 1 contents  
(  
    English  
)  
1/1/14 11:07:23.647 PM loginwindow[43]: Preferred Localizations total: 1 contents  
(  
    English  
)  
1/1/14 11:07:23.647 PM loginwindow[43]: Preferred Localizations total: 1 contents  
(  
    English  
)  
1/1/14 11:10:20.467 PM loginwindow[43]: Preferred Localizations total: 1 contents  
(  
    English  
)  
1/1/14 11:10:22.499 PM loginwindow[43]: Preferred Localizations total: 1 contents  
(  
    English  
)  
1/1/14 11:10:22.535 PM loginwindow[43]: Preferred Localizations total: 1 contents  
(  
    English  
)  
1/1/14 11:10:22.535 PM loginwindow[43]: Preferred Localizations total: 1 contents  
(  
    English  
)  
1/1/14 11:10:22.535 PM loginwindow[43]: Preferred Localizations total: 1 contents  
(  
    English  
)  
1/1/14 11:11:22.945 PM loginwindow[43]: Preferred Localizations total: 1 contents  
(  
    English  
)  
1/1/14 11:11:22.946 PM loginwindow[43]: Preferred Localizations total: 1 contents  
(

```
    English
)
1/1/14 11:11:22.946 PM loginwindow[43]: Preferred Localizations total: 1 contents
(
    English
)
1/1/14 11:33:42.312 PM loginwindow[43]: Preferred Localizations total: 1 contents
(
    English
)
1/1/14 11:33:42.313 PM loginwindow[43]: Preferred Localizations total: 1 contents
(
    English
)
1/1/14 11:33:42.313 PM loginwindow[43]: Preferred Localizations total: 1 contents
(
    English
)
1/1/14 11:41:51.456 PM loginwindow[43]: Preferred Localizations total: 1 contents
(
    English
)
1/1/14 11:41:53.629 PM loginwindow[43]: Preferred Localizations total: 1 contents
(
    English
)
1/1/14 11:41:53.667 PM loginwindow[43]: Preferred Localizations total: 1 contents
(
    English
)
1/1/14 11:41:53.667 PM loginwindow[43]: Preferred Localizations total: 1 contents
(
    English
)
1/1/14 11:41:53.668 PM loginwindow[43]: Preferred Localizations total: 1 contents
(
    English
)
1/1/14 11:42:53.673 PM loginwindow[43]: Preferred Localizations total: 1 contents
(
    English
)
1/1/14 11:42:53.674 PM loginwindow[43]: Preferred Localizations total: 1 contents
(
    English
)
```

1/1/14 11:42:53.674 PM loginwindow[43]: Preferred Localizations total: 1 contents  
(  
    English  
)

1/1/14 11:51:05.026 PM PluginProcess[292]: CoreText performance note: Client called CTFontCreateWithName() using name "Lucida Grande" and got font with PostScript name "LucidaGrande". For best performance, only use PostScript names when calling this API.

1/1/14 11:53:47.699 PM loginwindow[43]: Preferred Localizations total: 1 contents  
(  
    English  
)

1/1/14 11:53:49.680 PM loginwindow[43]: Preferred Localizations total: 1 contents  
(  
    English  
)

1/1/14 11:53:49.697 PM loginwindow[43]: Preferred Localizations total: 1 contents  
(  
    English  
)

1/1/14 11:53:49.698 PM loginwindow[43]: Preferred Localizations total: 1 contents  
(  
    English  
)

1/1/14 11:53:49.698 PM loginwindow[43]: Preferred Localizations total: 1 contents  
(  
    English  
)

1/1/14 11:54:49.659 PM loginwindow[43]: Preferred Localizations total: 1 contents  
(  
    English  
)

1/1/14 11:54:49.659 PM loginwindow[43]: Preferred Localizations total: 1 contents  
(  
    English  
)

1/1/14 11:54:49.660 PM loginwindow[43]: Preferred Localizations total: 1 contents  
(  
    English  
)

1/2/14 12:03:27.067 AM loginwindow[43]: Preferred Localizations total: 1 contents  
(  
    English  
)

1/2/14 12:03:29.299 AM loginwindow[43]: Preferred Localizations total: 1 contents  
(



English  
)  
1/2/14 12:03:29.324 AM loginwindow[43]: Preferred Localizations total: 1  
contents (  
English  
)  
1/2/14 12:03:29.325 AM loginwindow[43]: Preferred Localizations total: 1  
contents (  
English  
)  
1/2/14 12:03:29.325 AM loginwindow[43]: Preferred Localizations total: 1  
contents (  
English  
)  
1/2/14 12:04:29.533 AM loginwindow[43]: Preferred Localizations total: 1  
contents (  
English  
)  
1/2/14 12:04:29.533 AM loginwindow[43]: Preferred Localizations total: 1  
contents (  
English  
)  
1/2/14 12:04:29.533 AM loginwindow[43]: Preferred Localizations total: 1  
contents (  
English  
)  
1/2/14 12:07:07.934 AM PluginProcess[358]: CoreText performance note: Client called CTFontCreateWithName() using name "Arial Unicode MS" and got font with PostScript name "ArialUnicodeMS". For best performance, only use PostScript names when calling this API.  
1/2/14 12:07:07.934 AM PluginProcess[358]: CoreText performance note: Set a breakpoint on CTFontLogSuboptimalRequest to debug.  
1/2/14 12:07:08.359 AM PluginProcess[358]: CoreText performance note: Client called CTFontCreateWithName() using name "Times Roman" and got font with PostScript name "Times-Roman". For best performance, only use PostScript names when calling this API.  
1/2/14 12:07:44.810 AM PluginProcess[358]: CoreText performance note: Client called CTFontCreateWithName() using name "Arial Unicode MS" and got font with PostScript name "ArialUnicodeMS". For best performance, only use PostScript names when calling this API.  
1/2/14 12:07:44.819 AM PluginProcess[358]: CoreText performance note: Client called CTFontCreateWithName() using name "Times Roman" and got font with PostScript name "Times-Roman". For best performance, only use PostScript names when calling this API.  
1/2/14 12:08:14.464 AM PluginProcess[358]: CoreText performance note: Client called CTFontCreateWithName() using name "Arial Unicode MS" and got font with

PostScript name "ArialUnicodeMS". For best performance, only use PostScript names when calling this API.

1/2/14 12:08:14.473 AM PluginProcess[358]: CoreText performance note: Client called CTFontCreateWithName() using name "Times Roman" and got font with PostScript name "Times-Roman". For best performance, only use PostScript names when calling this API.

1/2/14 12:08:51.611 AM PluginProcess[358]: CoreText performance note: Client called CTFontCreateWithName() using name "Arial Unicode MS" and got font with PostScript name "ArialUnicodeMS". For best performance, only use PostScript names when calling this API.

1/2/14 12:08:51.620 AM PluginProcess[358]: CoreText performance note: Client called CTFontCreateWithName() using name "Times Roman" and got font with PostScript name "Times-Roman". For best performance, only use PostScript names when calling this API.

1/2/14 12:09:17.691 AM loginwindow[43]: Preferred Localizations total: 1  
contents (

English

)

1/2/14 12:09:20.181 AM loginwindow[43]: Preferred Localizations total: 1  
contents (

English

)

1/2/14 12:09:20.207 AM loginwindow[43]: Preferred Localizations total: 1  
contents (

English

)

1/2/14 12:09:20.207 AM loginwindow[43]: Preferred Localizations total: 1  
contents (

English

)

1/2/14 12:09:20.208 AM loginwindow[43]: Preferred Localizations total: 1  
contents (

English

)

1/2/14 12:10:20.270 AM loginwindow[43]: Preferred Localizations total: 1  
contents (

English

)

1/2/14 12:10:20.270 AM loginwindow[43]: Preferred Localizations total: 1  
contents (

English

)

1/2/14 12:10:20.270 AM loginwindow[43]: Preferred Localizations total: 1  
contents (

English

)

1/2/14 1:04:45.252 AM loginwindow[43]: Preferred Localizations total: 1 contents  
(  
    English  
)  
1/2/14 1:04:45.252 AM loginwindow[43]: Preferred Localizations total: 1 contents  
(  
    English  
)  
1/2/14 1:04:45.252 AM loginwindow[43]: Preferred Localizations total: 1 contents  
(  
    English  
)  
1/2/14 1:21:45.755 AM loginwindow[43]: Preferred Localizations total: 1 contents  
(  
    English  
)  
1/2/14 1:21:49.908 AM loginwindow[43]: Preferred Localizations total: 1 contents  
(  
    English  
)  
1/2/14 1:21:49.934 AM loginwindow[43]: Preferred Localizations total: 1 contents  
(  
    English  
)  
1/2/14 1:21:49.934 AM loginwindow[43]: Preferred Localizations total: 1 contents  
(  
    English  
)  
1/2/14 1:21:49.935 AM loginwindow[43]: Preferred Localizations total: 1 contents  
(  
    English  
)  
1/2/14 1:22:50.143 AM loginwindow[43]: Preferred Localizations total: 1 contents  
(  
    English  
)  
1/2/14 1:22:50.144 AM loginwindow[43]: Preferred Localizations total: 1 contents  
(  
    English  
)  
1/2/14 1:22:50.144 AM loginwindow[43]: Preferred Localizations total: 1 contents  
(  
    English  
)  
1/2/14 1:35:35.453 AM PluginProcess[292]: CoreText performance note: Client  
called CTFontCreateWithName() using name "Times Roman" and got font with

PostScript name "Times-Roman". For best performance, only use PostScript names when calling this API.

1/2/14 1:35:35.453 AM PluginProcess[292]: CoreText performance note: Client called CTFontCreateWithName() using name "Lucida Grande" and got font with PostScript name "LucidaGrande". For best performance, only use PostScript names when calling this API.

1/2/14 1:35:56.371 AM loginwindow[43]: Preferred Localizations total: 1 contents  
(  
    English  
)

1/2/14 1:35:58.634 AM loginwindow[43]: Preferred Localizations total: 1 contents  
(  
    English  
)

1/2/14 1:35:58.635 AM loginwindow[43]: Preferred Localizations total: 1 contents  
(  
    English  
)

1/2/14 1:35:58.635 AM loginwindow[43]: Preferred Localizations total: 1 contents  
(  
    English  
)

1/2/14 1:35:58.639 AM loginwindow[43]: Preferred Localizations total: 1 contents  
(  
    English  
)

1/2/14 1:36:15.120 AM loginwindow[43]: Preferred Localizations total: 1 contents  
(  
    English  
)

1/2/14 1:36:18.489 AM loginwindow[43]: Preferred Localizations total: 1 contents  
(  
    English  
)

1/2/14 1:36:18.513 AM loginwindow[43]: Preferred Localizations total: 1 contents  
(  
    English  
)

1/2/14 1:36:18.513 AM loginwindow[43]: Preferred Localizations total: 1 contents  
(  
    English  
)

1/2/14 1:36:18.514 AM loginwindow[43]: Preferred Localizations total: 1 contents  
(  
    English  
)

1/2/14 1:36:45.746 AM loginwindow[43]: Preferred Localizations total: 1 contents  
(  
    English  
)  
1/2/14 1:37:24.126 AM loginwindow[43]: Preferred Localizations total: 1 contents  
(  
    English  
)  
1/2/14 1:37:24.168 AM loginwindow[43]: Preferred Localizations total: 1 contents  
(  
    English  
)  
1/2/14 1:37:24.168 AM loginwindow[43]: Preferred Localizations total: 1 contents  
(  
    English  
)  
1/2/14 1:37:57.621 AM loginwindow[43]: Preferred Localizations total: 1 contents  
(  
    English  
)  
1/2/14 3:33:10.494 AM loginwindow[43]: Preferred Localizations total: 1 contents  
(  
    English  
)  
1/2/14 3:33:10.537 AM loginwindow[43]: Preferred Localizations total: 1 contents  
(  
    English  
)  
1/2/14 3:33:10.537 AM loginwindow[43]: Preferred Localizations total: 1 contents  
(  
    English  
)  
1/2/14 3:33:43.578 AM com.apple.launchd.peruser.505[155]:  
(com.apple.PackageKit.InstallStatus) Throttling respawn: Will start in 9 seconds  
1/2/14 3:33:43.895 AM com.apple.launchd.peruser.505[155]: ([0x0-  
0x19019].com.apple.AppleSpell[243]) Exited: Killed: 9  
1/2/14 5:33:36.057 PM com.apple.launchd.peruser.505[653]: Background: Aqua:  
Registering new GUI session.  
1/2/14 5:33:36.077 PM com.apple.launchd.peruser.505[653]:  
(com.logmein.logmeingui) Unknown key for boolean: UseLMILaunchAgentFixer  
1/2/14 5:33:36.078 PM com.apple.launchd.peruser.505[653]:  
(com.apple.cmfsyncagent) Ignored this key: UserName  
1/2/14 5:33:36.078 PM com.apple.launchd.peruser.505[653]:  
(com.apple.EscrowSecurityAlert) Unknown key: seatbelt-profiles

1/2/14 5:33:36.079 PM com.apple.launchd.peruser.505[653]:  
(com.apple.ReportCrash) Falling back to default Mach exception handler. Could not  
find: com.apple.ReportCrash.Self  
1/2/14 5:33:36.130 PM distnoted[657]: # distnote server agent absolute time:  
4314.585547162 civil time: Thu Jan 2 17:33:36 2014 pid: 657 uid: 505 root: no  
1/2/14 5:33:37.785 PM SystemUIServer[668]: Cannot find executable for CFBundle  
0x7fca73623b90 </System/Library/CoreServices/Menu Extras/Clock.menu> (not  
loaded)  
1/2/14 5:33:37.949 PM SystemUIServer[668]: Cannot find executable for CFBundle  
0x7fca73626150 </System/Library/CoreServices/Menu Extras/Volume.menu>  
(not loaded)  
1/2/14 5:33:41.206 PM soagent[687]: No active accounts, killing soagent in 10  
seconds  
1/2/14 5:33:41.208 PM soagent[687]: No active accounts, killing soagent in 10  
seconds  
1/2/14 5:33:41.506 PM soagent[687]: No active accounts, killing soagent in 10  
seconds  
1/2/14 5:33:41.532 PM LogMeInGUI[715]: LogMeIn GUI started  
1/2/14 5:33:41.852 PM com.apple.launchd.peruser.505[653]:  
(com.codeweavers.crossover CD helper.37696[720]) Spawned and waiting for the  
debugger to attach before continuing..  
1/2/14 5:33:41.873 PM WiFiKeychainProxy[705]: [NO client logger] <Aug 30 2013  
23:40:46> WIFICLOUDSYNC WiFiCloudSyncEngineCreate: created..  
1/2/14 5:33:41.874 PM WiFiKeychainProxy[705]: [NO client logger] <Aug 30 2013  
23:40:46> WIFICLOUDSYNC WiFiCloudSyncEngineRegisterCallbacks:  
WiFiCloudSyncEngineCallbacks version - 0, bundle id -  
com.apple.wifi.WiFiKeychainProxy  
1/2/14 5:33:41.916 PM com.apple.launchd.peruser.505[653]:  
(com.vmware.fusionDaemon.37872[722]) Spawned and waiting for the debugger to  
attach before continuing..  
1/2/14 5:33:41.924 PM LogMeInGUI[715]: Config watcher thread started  
1/2/14 5:33:48.132 PM com.apple.quicklook.satellite[702]: [QL]  
com.apple.webarchive set by CFBundle/CFPlugIn 0x7fbce9700510  
</System/Library/QuickLook/Web.qlgenerator> (bundle, loaded) is not a  
supported content type for  
QLThumbnailRequestSetThumbnailWithURLRepresentation()  
1/2/14 5:33:51.751 PM soagent[687]: Killing soagent.  
1/2/14 5:33:51.751 PM NotificationCenter[683]: SOHelperCenter main connection  
interrupted  
1/2/14 5:33:51.751 PM com.apple.dock.extra[688]: SOHelperCenter main  
connection interrupted  
1/2/14 5:33:51.752 PM com.apple.dock.extra[688]: SOHelperCenter main  
connection interrupted  
1/2/14 5:33:51.752 PM NotificationCenter[683]: SOHelperCenter main connection  
interrupted  
1/2/14 5:33:56.885 PM CoreServicesUIAgent[742]: Saving rejection record:

Rejected

URL=file:///Users/Brett/Library/Caches/Cleanup%20At%20Startup/CrossOver%20CD%20Helper.app/

App

URL=file:///Users/Brett/Library/Caches/Cleanup%20At%20Startup/CrossOver%20CD%20Helper.app/

1/2/14 5:33:56.885 PM CoreServicesUIAgent[742]: App URL discarded

1/2/14 5:33:56.886 PM com.apple.launchd.peruser.505[653]: ([0x0-0x73073].com.codeweavers.crossover CD helper[741]) Exited: Killed: 9

1/2/14 5:34:22.350 PM loginwindow[503]: Preferred Localizations total: 1 contents

(  
English

)  
1/2/14 5:34:22.351 PM loginwindow[503]: Preferred Localizations total: 1 contents

(  
English

)  
1/2/14 5:34:22.351 PM loginwindow[503]: Preferred Localizations total: 1 contents

(  
English

)  
1/2/14 5:35:22.800 PM PluginProcess[755]: CoreText performance note: Client called CTFontCreateWithName() using name "Times Roman" and got font with PostScript name "Times-Roman". For best performance, only use PostScript names when calling this API.

1/2/14 5:35:22.800 PM PluginProcess[755]: CoreText performance note: Set a breakpoint on CTFontLogSuboptimalRequest to debug.

1/2/14 5:35:23.359 PM PluginProcess[755]: CoreText performance note: Client called CTFontCreateWithName() using name "Arial" and got font with PostScript name "ArialMT". For best performance, only use PostScript names when calling this API.

1/2/14 5:35:23.364 PM PluginProcess[755]: CoreText performance note: Client called CTFontCreateWithName() using name "Microsoft Sans Serif" and got font with PostScript name "MicrosoftSansSerif". For best performance, only use PostScript names when calling this API.

1/2/14 5:35:36.724 PM loginwindow[503]: Preferred Localizations total: 1 contents

(  
English

)  
1/2/14 5:35:36.724 PM loginwindow[503]: Preferred Localizations total: 1 contents

(  
English

)  
1/2/14 5:35:36.724 PM loginwindow[503]: Preferred Localizations total: 1 contents

(  
English

```
)
1/2/14 7:01:32.500 PM loginwindow[503]: Preferred Localizations total: 1 contents
(
    English
)
1/2/14 7:01:32.500 PM loginwindow[503]: Preferred Localizations total: 1 contents
(
    English
)
1/2/14 7:01:32.501 PM loginwindow[503]: Preferred Localizations total: 1 contents
(
    English
)
1/2/14 7:24:07.666 PM PluginProcess[933]: CoreText performance note: Client
called CTFontCreateWithName() using name "Arial" and got font with PostScript
name "ArialMT". For best performance, only use PostScript names when calling this
API.
1/2/14 7:24:07.667 PM PluginProcess[933]: CoreText performance note: Set a
breakpoint on CTFontLogSuboptimalRequest to debug.
1/2/14 7:34:35.791 PM loginwindow[503]: Preferred Localizations total: 1 contents
(
    English
)
1/2/14 7:34:35.821 PM loginwindow[503]: Preferred Localizations total: 1 contents
(
    English
)
1/2/14 7:34:35.821 PM loginwindow[503]: Preferred Localizations total: 1 contents
(
    English
)
1/2/14 7:54:06.066 PM loginwindow[503]: Preferred Localizations total: 1 contents
(
    English
)
1/2/14 7:54:08.982 PM loginwindow[503]: Preferred Localizations total: 1 contents
(
    English
)
1/2/14 7:54:08.996 PM loginwindow[503]: Preferred Localizations total: 1 contents
(
    English
)
1/2/14 7:54:08.997 PM loginwindow[503]: Preferred Localizations total: 1 contents
(
    English
```



```
)
1/2/14 7:54:08.997 PM loginwindow[503]: Preferred Localizations total: 1 contents
(
    English
)
1/2/14 7:55:08.946 PM loginwindow[503]: Preferred Localizations total: 1 contents
(
    English
)
1/2/14 7:55:08.946 PM loginwindow[503]: Preferred Localizations total: 1 contents
(
    English
)
1/2/14 7:55:08.946 PM loginwindow[503]: Preferred Localizations total: 1 contents
(
    English
)
1/2/14 8:33:51.607 PM loginwindow[503]: Preferred Localizations total: 1 contents
(
    English
)
1/2/14 8:33:51.607 PM loginwindow[503]: Preferred Localizations total: 1 contents
(
    English
)
1/2/14 8:33:51.608 PM loginwindow[503]: Preferred Localizations total: 1 contents
(
    English
)
1/2/14 8:48:56.621 PM PluginProcess[1237]: CoreText performance note: Client
called CTFontCreateWithName() using name "Arial" and got font with PostScript
name "ArialMT". For best performance, only use PostScript names when calling this
API.
1/2/14 8:48:56.621 PM PluginProcess[1237]: CoreText performance note: Set a
breakpoint on CTFontLogSuboptimalRequest to debug.
1/2/14 8:55:03.895 PM PluginProcess[1237]: CoreText performance note: Client
called CTFontCreateWithName() using name "Arial" and got font with PostScript
name "ArialMT". For best performance, only use PostScript names when calling this
API.
1/2/14 8:55:42.065 PM PluginProcess[1237]: CoreText performance note: Client
called CTFontCreateWithName() using name "Arial" and got font with PostScript
name "ArialMT". For best performance, only use PostScript names when calling this
API.
1/2/14 8:57:40.512 PM com.apple.WebKit.Networking[695]:
NSURLConnection/CFURLConnection HTTP load failed
(kCFStreamErrorDomainSSL, -9843)
```

1/2/14 8:59:32.902 PM PluginProcess[1245]: CoreText performance note: Client called CTFontCreateWithName() using name "Times Roman" and got font with PostScript name "Times-Roman". For best performance, only use PostScript names when calling this API.

1/2/14 8:59:32.902 PM PluginProcess[1245]: CoreText performance note: Set a breakpoint on CTFontLogSuboptimalRequest to debug.

1/2/14 8:59:33.293 PM PluginProcess[1245]: CoreText performance note: Client called CTFontCreateWithName() using name "Helvetica Neue Light" and got font with PostScript name "HelveticaNeue-Light". For best performance, only use PostScript names when calling this API.

1/2/14 8:59:33.457 PM PluginProcess[1245]: CoreText performance note: Client called CTFontCreateWithName() using name "Arial" and got font with PostScript name "ArialMT". For best performance, only use PostScript names when calling this API.

1/2/14 9:03:08.531 PM PluginProcess[1248]: CoreText performance note: Client called CTFontCreateWithName() using name "Arial" and got font with PostScript name "ArialMT". For best performance, only use PostScript names when calling this API.

1/2/14 9:03:08.532 PM PluginProcess[1248]: CoreText performance note: Set a breakpoint on CTFontLogSuboptimalRequest to debug.

1/2/14 9:33:17.091 PM com.apple.preference.network.remoteservice[1280]: Could not find image named 'InvalidDataIcon'.

1/2/14 9:33:17.251 PM com.apple.preference.network.remoteservice[1280]: \*\*\*  
WARNING: -[NSImage compositeToPoint:operation:fraction:] is deprecated in MacOSX 10.8 and later. Please use -[NSImage drawAtPoint:fromRect:operation:fraction:] instead.

1/2/14 9:33:17.251 PM com.apple.preference.network.remoteservice[1280]: \*\*\*  
WARNING: -[NSImage compositeToPoint:fromRect:operation:fraction:] is deprecated in MacOSX 10.8 and later. Please use -[NSImage drawAtPoint:fromRect:operation:fraction:] instead.

1/2/14 9:33:56.944 PM com.apple.preference.network.remoteservice[1280]: \*\*\*  
Assertion failure in void assertCGError(CGError, const char \*()),  
/SourceCache/ViewBridge/ViewBridge-46/ViewBridgeUtilities.m:346

1/2/14 9:33:57.090 PM com.apple.preference.network.remoteservice[1280]:  
CGSGetWindowOwner (checking) failed due to CGError 1001

1/2/14 9:33:57.090 PM com.apple.preference.network.remoteservice[1280]: (  
0 CoreFoundation 0x00007fff8c10041c \_\_exceptionPreprocess +  
172  
1 libobjc.A.dylib 0x00007fff85e3de75 objc\_exception\_throw + 43  
2 CoreFoundation 0x00007fff8c1001f8 +[NSException  
raise:format:arguments:] + 104  
3 Foundation 0x00007fff83022d26 -[NSAssertionHandler  
handleFailureInFunction:file:lineNumber:description:] + 169  
4 ViewBridge 0x00007fff86a144c5 assertCGError + 146  
5 ViewBridge 0x00007fff869e9b5d -[NSViewServiceMarshal  
assertPosessionOfOwnerRight:] + 194

```

        6 ViewBridge      0x00007fff869e9e92 -[NSViewServiceMarshal
invalidateWindowRights] + 703
        7 ViewBridge      0x00007fff869ea732 -[NSViewServiceMarshal
invalidate:] + 370
        8 ViewBridge      0x00007fff869e88eb -
[NSWindow(ViewBridgeSwizzle) swizzledEndSheet:returnCode:] + 61
        9 AppKit          0x00007fff881ac598 -[NSAlert buttonPressed:] +
358
       10 AppKit          0x00007fff880713d0 -[NSApplication
sendAction:to:from:] + 327
       11 AppKit          0x00007fff8807124e -[NSControl sendAction:to:]
+ 86
       12 AppKit          0x00007fff880bdd7d -[NSCell _sendActionFrom:]
+ 128
       13 AppKit          0x00007fff880d7715 -[NSCell
trackMouse:inRect:ofView:untilMouseUp:] + 2316
       14 AppKit          0x00007fff880d6ae7 -[NSButtonCell
trackMouse:inRect:ofView:untilMouseUp:] + 487
       15 AppKit          0x00007fff880d61fd -[NSControl mouseDown:] +
706
       16 AppKit          0x00007fff88057d08 -[NSWindow sendEvent:] +
11296
       17 AppKit          0x00007fff87ff6744 -[NSApplication sendEvent:] +
2021
       18 ViewBridge      0x00007fff869e46aa -
[NSViewServiceApplication sendEventWithoutCatch:withForwarding:] + 1350
       19 ViewBridge      0x00007fff869e48b2 -
[NSViewServiceApplication sendEvent:withForwarding:] + 33
       20 AppKit          0x00007fff87e46a29 -[NSApplication run] + 646
       21 AppKit          0x00007fff87e31803 NSApplicationMain + 940
       22 XPCService       0x00007fff8aa7bc0f _xpc_main + 385
       23 libxpc.dylib      0x00007fff84534b2e xpc_main + 399
       24 ViewBridge      0x00007fff86a1901a
xpc_service_connection_handler + 0
       25 ViewBridge      0x00007fff869e72f8
NSViewServiceApplicationMain + 2717
       26 PreferencePanels 0x00007fff8d016756 PreferencePaneMain +
171
       27 com.apple.preference.network.remoteservice 0x000000010c093d77
main + 37
       28 libdyld.dylib      0x00007fff860325fd start + 1
       29 ???              0x0000000000000001 0x0 + 1
)

```

```

1/2/14 9:34:59.425 PM loginwindow[503]: Preferred Localizations total: 1 contents
(
    English

```

```
)
1/2/14 9:35:02.042 PM loginwindow[503]: Preferred Localizations total: 1 contents
(
    English
)
1/2/14 9:35:02.075 PM loginwindow[503]: Preferred Localizations total: 1 contents
(
    English
)
1/2/14 9:35:02.076 PM loginwindow[503]: Preferred Localizations total: 1 contents
(
    English
)
1/2/14 9:35:02.076 PM loginwindow[503]: Preferred Localizations total: 1 contents
(
    English
)
1/2/14 9:36:02.329 PM loginwindow[503]: Preferred Localizations total: 1 contents
(
    English
)
1/2/14 9:36:02.329 PM loginwindow[503]: Preferred Localizations total: 1 contents
(
    English
)
1/2/14 9:36:02.330 PM loginwindow[503]: Preferred Localizations total: 1 contents
(
    English
)
1/2/14 9:45:03.426 PM com.apple.internetaccounts[1318]: *** Entitlement
com.apple.private.iaaccounts is missing.
1/2/14 9:45:03.453 PM Finder[669]: *** remoteObjectProxyWithErrorHandler
failed: Error Domain=NSCocoaErrorDomain Code=4097 "Couldn't communicate
with a helper application."; {
}
1/2/14 9:45:13.448 PM Finder[669]: [QL] After retry, preview was from a different
type for <QLPreview 0x7ff238f905c0 83515
file:///Users/Brett/Documents/Home%20Work%20Excel.docx>
1/2/14 9:45:19.629 PM com.apple.quicklook.satellite[1319]: [QL]
com.apple.webarchive set by CFBundle/CFPlugIn 0x7f8308f35380
</System/Library/QuickLook/Web.qlgenerator> (bundle, loaded) is not a
supported content type for
QLThumbnailRequestSetThumbnailWithURLRepresentation()
1/2/14 9:52:56.915 PM loginwindow[503]: Preferred Localizations total: 1 contents
(
    English
```

```
)
1/2/14 9:52:58.805 PM loginwindow[503]: Preferred Localizations total: 1 contents
(
  English
)
1/2/14 9:52:58.844 PM loginwindow[503]: Preferred Localizations total: 1 contents
(
  English
)
1/2/14 9:52:58.845 PM loginwindow[503]: Preferred Localizations total: 1 contents
(
  English
)
1/2/14 9:52:58.845 PM loginwindow[503]: Preferred Localizations total: 1 contents
(
  English
)
1/2/14 9:53:58.986 PM loginwindow[503]: Preferred Localizations total: 1 contents
(
  English
)
1/2/14 9:53:58.986 PM loginwindow[503]: Preferred Localizations total: 1 contents
(
  English
)
1/2/14 9:53:58.986 PM loginwindow[503]: Preferred Localizations total: 1 contents
(
  English
)
1/2/14 10:00:54.409 PM loginwindow[503]: Preferred Localizations total: 1
contents (
  English
)
1/2/14 10:00:56.384 PM loginwindow[503]: Preferred Localizations total: 1
contents (
  English
)
1/2/14 10:00:56.400 PM loginwindow[503]: Preferred Localizations total: 1
contents (
  English
)
1/2/14 10:00:56.401 PM loginwindow[503]: Preferred Localizations total: 1
contents (
  English
)
)
```

1/2/14 10:00:56.401 PM loginwindow[503]: Preferred Localizations total: 1  
contents (  
    English  
)  
1/2/14 10:01:56.576 PM loginwindow[503]: Preferred Localizations total: 1  
contents (  
    English  
)  
1/2/14 10:01:56.576 PM loginwindow[503]: Preferred Localizations total: 1  
contents (  
    English  
)  
1/2/14 10:01:56.576 PM loginwindow[503]: Preferred Localizations total: 1  
contents (  
    English  
)  
1/2/14 10:10:26.281 PM loginwindow[503]: Preferred Localizations total: 1  
contents (  
    English  
)  
1/2/14 10:10:31.706 PM loginwindow[503]: Preferred Localizations total: 1  
contents (  
    English  
)  
1/2/14 10:10:31.763 PM loginwindow[503]: Preferred Localizations total: 1  
contents (  
    English  
)  
1/2/14 10:10:31.763 PM loginwindow[503]: Preferred Localizations total: 1  
contents (  
    English  
)  
1/2/14 10:10:31.764 PM loginwindow[503]: Preferred Localizations total: 1  
contents (  
    English  
)  
1/2/14 10:11:31.691 PM loginwindow[503]: Preferred Localizations total: 1  
contents (  
    English  
)  
1/2/14 10:11:31.691 PM loginwindow[503]: Preferred Localizations total: 1  
contents (  
    English  
)  
1/2/14 10:11:31.691 PM loginwindow[503]: Preferred Localizations total: 1  
contents (  
    English  
)

English  
)  
1/2/14 10:16:46.276 PM loginwindow[503]: Preferred Localizations total: 1  
contents (  
English  
)  
1/2/14 10:16:49.287 PM loginwindow[503]: Preferred Localizations total: 1  
contents (  
English  
)  
1/2/14 10:16:49.287 PM loginwindow[503]: Preferred Localizations total: 1  
contents (  
English  
)  
1/2/14 10:16:49.288 PM loginwindow[503]: Preferred Localizations total: 1  
contents (  
English  
)  
1/2/14 10:16:49.291 PM loginwindow[503]: Preferred Localizations total: 1  
contents (  
English  
)  
1/2/14 10:17:49.405 PM loginwindow[503]: Preferred Localizations total: 1  
contents (  
English  
)  
1/2/14 10:17:49.405 PM loginwindow[503]: Preferred Localizations total: 1  
contents (  
English  
)  
1/2/14 10:17:49.405 PM loginwindow[503]: Preferred Localizations total: 1  
contents (  
English  
)  
1/2/14 10:24:28.772 PM loginwindow[503]: Preferred Localizations total: 1  
contents (  
English  
)  
1/2/14 10:24:31.955 PM loginwindow[503]: Preferred Localizations total: 1  
contents (  
English  
)  
1/2/14 10:24:31.992 PM loginwindow[503]: Preferred Localizations total: 1  
contents (  
English  
)  
)

1/2/14 10:24:31.993 PM loginwindow[503]: Preferred Localizations total: 1  
contents (  
    English  
)  
1/2/14 10:24:31.993 PM loginwindow[503]: Preferred Localizations total: 1  
contents (  
    English  
)  
1/2/14 10:25:32.303 PM loginwindow[503]: Preferred Localizations total: 1  
contents (  
    English  
)  
1/2/14 10:25:32.303 PM loginwindow[503]: Preferred Localizations total: 1  
contents (  
    English  
)  
1/2/14 10:25:32.303 PM loginwindow[503]: Preferred Localizations total: 1  
contents (  
    English  
)  
1/2/14 10:29:59.372 PM System Preferences[1388]: Attempted search for modules  
of unknown type (4)  
1/2/14 10:56:49.715 PM PluginProcess[1430]: CoreText performance note: Client  
called CTFontCreateWithName() using name "Arial Unicode MS" and got font with  
PostScript name "ArialUnicodeMS". For best performance, only use PostScript  
names when calling this API.  
1/2/14 10:56:49.715 PM PluginProcess[1430]: CoreText performance note: Set a  
breakpoint on CTFontLogSuboptimalRequest to debug.  
1/2/14 10:56:50.240 PM PluginProcess[1430]: CoreText performance note: Client  
called CTFontCreateWithName() using name "Times Roman" and got font with  
PostScript name "Times-Roman". For best performance, only use PostScript names  
when calling this API.  
1/2/14 10:57:55.689 PM PluginProcess[1430]: CoreText performance note: Client  
called CTFontCreateWithName() using name "Arial Unicode MS" and got font with  
PostScript name "ArialUnicodeMS". For best performance, only use PostScript  
names when calling this API.  
1/2/14 10:57:55.705 PM PluginProcess[1430]: CoreText performance note: Client  
called CTFontCreateWithName() using name "Times Roman" and got font with  
PostScript name "Times-Roman". For best performance, only use PostScript names  
when calling this API.  
1/2/14 10:58:02.997 PM PluginProcess[1430]: CoreText performance note: Client  
called CTFontCreateWithName() using name "Arial Unicode MS" and got font with  
PostScript name "ArialUnicodeMS". For best performance, only use PostScript  
names when calling this API.  
1/2/14 10:58:03.007 PM PluginProcess[1430]: CoreText performance note: Client  
called CTFontCreateWithName() using name "Times Roman" and got font with



PostScript name "Times-Roman". For best performance, only use PostScript names when calling this API.

1/2/14 11:13:22.819 PM PluginProcess[1452]: CoreText performance note: Client called CTFontCreateWithName() using name "Arial Unicode MS" and got font with PostScript name "ArialUnicodeMS". For best performance, only use PostScript names when calling this API.

1/2/14 11:13:22.819 PM PluginProcess[1452]: CoreText performance note: Set a breakpoint on CTFontLogSuboptimalRequest to debug.

1/2/14 11:13:23.212 PM PluginProcess[1452]: CoreText performance note: Client called CTFontCreateWithName() using name "Times Roman" and got font with PostScript name "Times-Roman". For best performance, only use PostScript names when calling this API.

1/2/14 11:13:33.065 PM PluginProcess[1452]: CoreText performance note: Client called CTFontCreateWithName() using name "Arial Unicode MS" and got font with PostScript name "ArialUnicodeMS". For best performance, only use PostScript names when calling this API.

1/2/14 11:13:33.074 PM PluginProcess[1452]: CoreText performance note: Client called CTFontCreateWithName() using name "Times Roman" and got font with PostScript name "Times-Roman". For best performance, only use PostScript names when calling this API.

1/2/14 11:13:35.459 PM PluginProcess[1452]: CoreText performance note: Client called CTFontCreateWithName() using name "Arial Unicode MS" and got font with PostScript name "ArialUnicodeMS". For best performance, only use PostScript names when calling this API.

1/2/14 11:13:35.468 PM PluginProcess[1452]: CoreText performance note: Client called CTFontCreateWithName() using name "Times Roman" and got font with PostScript name "Times-Roman". For best performance, only use PostScript names when calling this API.

1/2/14 11:13:35.847 PM PluginProcess[1452]: CoreText performance note: Client called CTFontCreateWithName() using name "Arial" and got font with PostScript name "ArialMT". For best performance, only use PostScript names when calling this API.

1/2/14 11:13:51.364 PM PluginProcess[1454]: CoreText performance note: Client called CTFontCreateWithName() using name "Arial Unicode MS" and got font with PostScript name "ArialUnicodeMS". For best performance, only use PostScript names when calling this API.

1/2/14 11:13:51.364 PM PluginProcess[1454]: CoreText performance note: Set a breakpoint on CTFontLogSuboptimalRequest to debug.

1/2/14 11:13:51.750 PM PluginProcess[1454]: CoreText performance note: Client called CTFontCreateWithName() using name "Times Roman" and got font with PostScript name "Times-Roman". For best performance, only use PostScript names when calling this API.

1/2/14 11:13:52.934 PM PluginProcess[1454]: CoreText performance note: Client called CTFontCreateWithName() using name "Arial" and got font with PostScript name "ArialMT". For best performance, only use PostScript names when calling this API.

1/2/14 11:13:53.671 PM PluginProcess[1454]: CoreText performance note: Client called CTFontCreateWithName() using name "Arial Bold" and got font with PostScript name "Arial-BoldMT". For best performance, only use PostScript names when calling this API.

1/2/14 11:14:15.532 PM PluginProcess[1454]: CoreText performance note: Client called CTFontCreateWithName() using name "Arial Unicode MS" and got font with PostScript name "ArialUnicodeMS". For best performance, only use PostScript names when calling this API.

1/2/14 11:14:15.541 PM PluginProcess[1454]: CoreText performance note: Client called CTFontCreateWithName() using name "Times Roman" and got font with PostScript name "Times-Roman". For best performance, only use PostScript names when calling this API.

1/2/14 11:14:16.580 PM PluginProcess[1454]: CoreText performance note: Client called CTFontCreateWithName() using name "Arial" and got font with PostScript name "ArialMT". For best performance, only use PostScript names when calling this API.

1/2/14 11:14:37.709 PM PluginProcess[1455]: CoreText performance note: Client called CTFontCreateWithName() using name "Arial Unicode MS" and got font with PostScript name "ArialUnicodeMS". For best performance, only use PostScript names when calling this API.

1/2/14 11:14:37.709 PM PluginProcess[1455]: CoreText performance note: Set a breakpoint on CTFontLogSuboptimalRequest to debug.

1/2/14 11:14:38.091 PM PluginProcess[1455]: CoreText performance note: Client called CTFontCreateWithName() using name "Times Roman" and got font with PostScript name "Times-Roman". For best performance, only use PostScript names when calling this API.

1/2/14 11:14:40.446 PM PluginProcess[1454]: CoreText performance note: Client called CTFontCreateWithName() using name "Arial Unicode MS" and got font with PostScript name "ArialUnicodeMS". For best performance, only use PostScript names when calling this API.

1/2/14 11:14:40.455 PM PluginProcess[1454]: CoreText performance note: Client called CTFontCreateWithName() using name "Times Roman" and got font with PostScript name "Times-Roman". For best performance, only use PostScript names when calling this API.

1/2/14 11:14:41.448 PM PluginProcess[1454]: CoreText performance note: Client called CTFontCreateWithName() using name "Arial" and got font with PostScript name "ArialMT". For best performance, only use PostScript names when calling this API.

1/2/14 11:14:42.312 PM PluginProcess[1454]: CoreText performance note: Client called CTFontCreateWithName() using name "Arial Bold" and got font with PostScript name "Arial-BoldMT". For best performance, only use PostScript names when calling this API.

1/2/14 11:15:02.492 PM PluginProcess[1459]: CoreText performance note: Client called CTFontCreateWithName() using name "Arial Unicode MS" and got font with PostScript name "ArialUnicodeMS". For best performance, only use PostScript names when calling this API.

1/2/14 11:15:02.493 PM PluginProcess[1459]: CoreText performance note: Set a breakpoint on CTFontLogSuboptimalRequest to debug.

1/2/14 11:15:02.877 PM PluginProcess[1459]: CoreText performance note: Client called CTFontCreateWithName() using name "Times Roman" and got font with PostScript name "Times-Roman". For best performance, only use PostScript names when calling this API.

1/2/14 11:15:10.713 PM PluginProcess[1459]: CoreText performance note: Client called CTFontCreateWithName() using name "Arial Unicode MS" and got font with PostScript name "ArialUnicodeMS". For best performance, only use PostScript names when calling this API.

1/2/14 11:15:10.723 PM PluginProcess[1459]: CoreText performance note: Client called CTFontCreateWithName() using name "Times Roman" and got font with PostScript name "Times-Roman". For best performance, only use PostScript names when calling this API.

1/2/14 11:15:13.366 PM PluginProcess[1459]: CoreText performance note: Client called CTFontCreateWithName() using name "Arial Unicode MS" and got font with PostScript name "ArialUnicodeMS". For best performance, only use PostScript names when calling this API.

1/2/14 11:15:13.375 PM PluginProcess[1459]: CoreText performance note: Client called CTFontCreateWithName() using name "Times Roman" and got font with PostScript name "Times-Roman". For best performance, only use PostScript names when calling this API.

1/2/14 11:15:20.315 PM PluginProcess[1459]: CoreText performance note: Client called CTFontCreateWithName() using name "Arial Unicode MS" and got font with PostScript name "ArialUnicodeMS". For best performance, only use PostScript names when calling this API.

1/2/14 11:15:20.323 PM PluginProcess[1459]: CoreText performance note: Client called CTFontCreateWithName() using name "Times Roman" and got font with PostScript name "Times-Roman". For best performance, only use PostScript names when calling this API.

1/2/14 11:15:24.790 PM PluginProcess[1459]: CoreText performance note: Client called CTFontCreateWithName() using name "Arial Unicode MS" and got font with PostScript name "ArialUnicodeMS". For best performance, only use PostScript names when calling this API.

1/2/14 11:15:24.799 PM PluginProcess[1459]: CoreText performance note: Client called CTFontCreateWithName() using name "Times Roman" and got font with PostScript name "Times-Roman". For best performance, only use PostScript names when calling this API.

1/2/14 11:15:46.318 PM PluginProcess[1459]: CoreText performance note: Client called CTFontCreateWithName() using name "Arial Unicode MS" and got font with PostScript name "ArialUnicodeMS". For best performance, only use PostScript names when calling this API.

1/2/14 11:15:46.326 PM PluginProcess[1459]: CoreText performance note: Client called CTFontCreateWithName() using name "Times Roman" and got font with PostScript name "Times-Roman". For best performance, only use PostScript names when calling this API.

1/2/14 11:15:54.263 PM PluginProcess[1459]: CoreText performance note: Client called CTFontCreateWithName() using name "Arial Unicode MS" and got font with PostScript name "ArialUnicodeMS". For best performance, only use PostScript names when calling this API.

1/2/14 11:15:54.271 PM PluginProcess[1459]: CoreText performance note: Client called CTFontCreateWithName() using name "Times Roman" and got font with PostScript name "Times-Roman". For best performance, only use PostScript names when calling this API.

1/2/14 11:16:08.371 PM PluginProcess[1459]: CoreText performance note: Client called CTFontCreateWithName() using name "Arial Unicode MS" and got font with PostScript name "ArialUnicodeMS". For best performance, only use PostScript names when calling this API.

1/2/14 11:16:08.381 PM PluginProcess[1459]: CoreText performance note: Client called CTFontCreateWithName() using name "Times Roman" and got font with PostScript name "Times-Roman". For best performance, only use PostScript names when calling this API.

1/2/14 11:16:16.735 PM PluginProcess[1459]: CoreText performance note: Client called CTFontCreateWithName() using name "Arial Unicode MS" and got font with PostScript name "ArialUnicodeMS". For best performance, only use PostScript names when calling this API.

1/2/14 11:16:16.743 PM PluginProcess[1459]: CoreText performance note: Client called CTFontCreateWithName() using name "Times Roman" and got font with PostScript name "Times-Roman". For best performance, only use PostScript names when calling this API.

1/2/14 11:16:58.346 PM PluginProcess[1464]: CoreText performance note: Client called CTFontCreateWithName() using name "Arial Unicode MS" and got font with PostScript name "ArialUnicodeMS". For best performance, only use PostScript names when calling this API.

1/2/14 11:16:58.346 PM PluginProcess[1464]: CoreText performance note: Set a breakpoint on CTFontLogSuboptimalRequest to debug.

1/2/14 11:16:58.736 PM PluginProcess[1464]: CoreText performance note: Client called CTFontCreateWithName() using name "Times Roman" and got font with PostScript name "Times-Roman". For best performance, only use PostScript names when calling this API.

1/2/14 11:17:44.981 PM PluginProcess[1465]: CoreText performance note: Client called CTFontCreateWithName() using name "Arial Unicode MS" and got font with PostScript name "ArialUnicodeMS". For best performance, only use PostScript names when calling this API.

1/2/14 11:17:44.982 PM PluginProcess[1465]: CoreText performance note: Set a breakpoint on CTFontLogSuboptimalRequest to debug.

1/2/14 11:17:45.379 PM PluginProcess[1465]: CoreText performance note: Client called CTFontCreateWithName() using name "Times Roman" and got font with PostScript name "Times-Roman". For best performance, only use PostScript names when calling this API.

1/2/14 11:18:35.021 PM PluginProcess[1466]: CoreText performance note: Client called CTFontCreateWithName() using name "Arial Unicode MS" and got font with

PostScript name "ArialUnicodeMS". For best performance, only use PostScript names when calling this API.

1/2/14 11:18:35.021 PM PluginProcess[1466]: CoreText performance note: Set a breakpoint on CTFontLogSuboptimalRequest to debug.

1/2/14 11:18:35.416 PM PluginProcess[1466]: CoreText performance note: Client called CTFontCreateWithName() using name "Times Roman" and got font with PostScript name "Times-Roman". For best performance, only use PostScript names when calling this API.

1/2/14 11:18:45.201 PM PluginProcess[1466]: CoreText performance note: Client called CTFontCreateWithName() using name "Arial Unicode MS" and got font with PostScript name "ArialUnicodeMS". For best performance, only use PostScript names when calling this API.

1/2/14 11:18:45.211 PM PluginProcess[1466]: CoreText performance note: Client called CTFontCreateWithName() using name "Times Roman" and got font with PostScript name "Times-Roman". For best performance, only use PostScript names when calling this API.

1/2/14 11:18:52.811 PM PluginProcess[1466]: CoreText performance note: Client called CTFontCreateWithName() using name "Arial Unicode MS" and got font with PostScript name "ArialUnicodeMS". For best performance, only use PostScript names when calling this API.

1/2/14 11:18:52.820 PM PluginProcess[1466]: CoreText performance note: Client called CTFontCreateWithName() using name "Times Roman" and got font with PostScript name "Times-Roman". For best performance, only use PostScript names when calling this API.

1/2/14 11:19:28.047 PM PluginProcess[1466]: CoreText performance note: Client called CTFontCreateWithName() using name "Arial Unicode MS" and got font with PostScript name "ArialUnicodeMS". For best performance, only use PostScript names when calling this API.

1/2/14 11:19:28.057 PM PluginProcess[1466]: CoreText performance note: Client called CTFontCreateWithName() using name "Times Roman" and got font with PostScript name "Times-Roman". For best performance, only use PostScript names when calling this API.

1/2/14 11:19:39.521 PM PluginProcess[1466]: CoreText performance note: Client called CTFontCreateWithName() using name "Arial Unicode MS" and got font with PostScript name "ArialUnicodeMS". For best performance, only use PostScript names when calling this API.

1/2/14 11:19:39.529 PM PluginProcess[1466]: CoreText performance note: Client called CTFontCreateWithName() using name "Times Roman" and got font with PostScript name "Times-Roman". For best performance, only use PostScript names when calling this API.

1/2/14 11:19:53.211 PM PluginProcess[1466]: CoreText performance note: Client called CTFontCreateWithName() using name "Arial Unicode MS" and got font with PostScript name "ArialUnicodeMS". For best performance, only use PostScript names when calling this API.

1/2/14 11:19:53.221 PM PluginProcess[1466]: CoreText performance note: Client called CTFontCreateWithName() using name "Times Roman" and got font with

PostScript name "Times-Roman". For best performance, only use PostScript names when calling this API.

1/2/14 11:20:05.301 PM PluginProcess[1466]: CoreText performance note: Client called CTFontCreateWithName() using name "Arial Unicode MS" and got font with PostScript name "ArialUnicodeMS". For best performance, only use PostScript names when calling this API.

1/2/14 11:20:05.310 PM PluginProcess[1466]: CoreText performance note: Client called CTFontCreateWithName() using name "Times Roman" and got font with PostScript name "Times-Roman". For best performance, only use PostScript names when calling this API.

1/2/14 11:20:22.599 PM PluginProcess[1466]: CoreText performance note: Client called CTFontCreateWithName() using name "Arial Unicode MS" and got font with PostScript name "ArialUnicodeMS". For best performance, only use PostScript names when calling this API.

1/2/14 11:20:22.608 PM PluginProcess[1466]: CoreText performance note: Client called CTFontCreateWithName() using name "Times Roman" and got font with PostScript name "Times-Roman". For best performance, only use PostScript names when calling this API.

1/2/14 11:20:39.830 PM PluginProcess[1466]: CoreText performance note: Client called CTFontCreateWithName() using name "Arial Unicode MS" and got font with PostScript name "ArialUnicodeMS". For best performance, only use PostScript names when calling this API.

1/2/14 11:20:39.838 PM PluginProcess[1466]: CoreText performance note: Client called CTFontCreateWithName() using name "Times Roman" and got font with PostScript name "Times-Roman". For best performance, only use PostScript names when calling this API.

1/2/14 11:20:53.242 PM PluginProcess[1466]: CoreText performance note: Client called CTFontCreateWithName() using name "Arial Unicode MS" and got font with PostScript name "ArialUnicodeMS". For best performance, only use PostScript names when calling this API.

1/2/14 11:20:53.251 PM PluginProcess[1466]: CoreText performance note: Client called CTFontCreateWithName() using name "Times Roman" and got font with PostScript name "Times-Roman". For best performance, only use PostScript names when calling this API.

1/2/14 11:21:27.280 PM PluginProcess[1466]: CoreText performance note: Client called CTFontCreateWithName() using name "Arial Unicode MS" and got font with PostScript name "ArialUnicodeMS". For best performance, only use PostScript names when calling this API.

1/2/14 11:21:27.289 PM PluginProcess[1466]: CoreText performance note: Client called CTFontCreateWithName() using name "Times Roman" and got font with PostScript name "Times-Roman". For best performance, only use PostScript names when calling this API.

1/2/14 11:21:58.856 PM PluginProcess[1466]: CoreText performance note: Client called CTFontCreateWithName() using name "Arial Unicode MS" and got font with PostScript name "ArialUnicodeMS". For best performance, only use PostScript names when calling this API.

1/2/14 11:21:58.864 PM PluginProcess[1466]: CoreText performance note: Client called CTFontCreateWithName() using name "Times Roman" and got font with PostScript name "Times-Roman". For best performance, only use PostScript names when calling this API.

1/2/14 11:22:14.096 PM PluginProcess[1466]: CoreText performance note: Client called CTFontCreateWithName() using name "Arial Unicode MS" and got font with PostScript name "ArialUnicodeMS". For best performance, only use PostScript names when calling this API.

1/2/14 11:22:14.104 PM PluginProcess[1466]: CoreText performance note: Client called CTFontCreateWithName() using name "Times Roman" and got font with PostScript name "Times-Roman". For best performance, only use PostScript names when calling this API.

1/2/14 11:22:24.016 PM PluginProcess[1466]: CoreText performance note: Client called CTFontCreateWithName() using name "Arial Unicode MS" and got font with PostScript name "ArialUnicodeMS". For best performance, only use PostScript names when calling this API.

1/2/14 11:22:24.025 PM PluginProcess[1466]: CoreText performance note: Client called CTFontCreateWithName() using name "Times Roman" and got font with PostScript name "Times-Roman". For best performance, only use PostScript names when calling this API.

1/2/14 11:22:29.480 PM PluginProcess[1466]: CoreText performance note: Client called CTFontCreateWithName() using name "Arial Unicode MS" and got font with PostScript name "ArialUnicodeMS". For best performance, only use PostScript names when calling this API.

1/2/14 11:22:29.489 PM PluginProcess[1466]: CoreText performance note: Client called CTFontCreateWithName() using name "Times Roman" and got font with PostScript name "Times-Roman". For best performance, only use PostScript names when calling this API.

1/2/14 11:23:08.896 PM PluginProcess[1472]: CoreText performance note: Client called CTFontCreateWithName() using name "Arial Unicode MS" and got font with PostScript name "ArialUnicodeMS". For best performance, only use PostScript names when calling this API.

1/2/14 11:23:08.896 PM PluginProcess[1472]: CoreText performance note: Set a breakpoint on CTFontLogSuboptimalRequest to debug.

1/2/14 11:23:09.282 PM PluginProcess[1472]: CoreText performance note: Client called CTFontCreateWithName() using name "Times Roman" and got font with PostScript name "Times-Roman". For best performance, only use PostScript names when calling this API.

1/2/14 11:23:23.770 PM PluginProcess[1472]: CoreText performance note: Client called CTFontCreateWithName() using name "Arial Unicode MS" and got font with PostScript name "ArialUnicodeMS". For best performance, only use PostScript names when calling this API.

1/2/14 11:23:23.779 PM PluginProcess[1472]: CoreText performance note: Client called CTFontCreateWithName() using name "Times Roman" and got font with PostScript name "Times-Roman". For best performance, only use PostScript names when calling this API.

1/2/14 11:23:40.766 PM PluginProcess[1472]: CoreText performance note: Client called CTFontCreateWithName() using name "Arial Unicode MS" and got font with PostScript name "ArialUnicodeMS". For best performance, only use PostScript names when calling this API.

1/2/14 11:23:40.775 PM PluginProcess[1472]: CoreText performance note: Client called CTFontCreateWithName() using name "Times Roman" and got font with PostScript name "Times-Roman". For best performance, only use PostScript names when calling this API.

1/2/14 11:23:47.018 PM PluginProcess[1472]: CoreText performance note: Client called CTFontCreateWithName() using name "Arial Unicode MS" and got font with PostScript name "ArialUnicodeMS". For best performance, only use PostScript names when calling this API.

1/2/14 11:23:47.027 PM PluginProcess[1472]: CoreText performance note: Client called CTFontCreateWithName() using name "Times Roman" and got font with PostScript name "Times-Roman". For best performance, only use PostScript names when calling this API.

1/2/14 11:24:08.732 PM PluginProcess[1472]: CoreText performance note: Client called CTFontCreateWithName() using name "Arial Unicode MS" and got font with PostScript name "ArialUnicodeMS". For best performance, only use PostScript names when calling this API.

1/2/14 11:24:08.741 PM PluginProcess[1472]: CoreText performance note: Client called CTFontCreateWithName() using name "Times Roman" and got font with PostScript name "Times-Roman". For best performance, only use PostScript names when calling this API.

1/2/14 11:54:41.631 PM loginwindow[503]: Preferred Localizations total: 1  
contents (  
    English  
)

1/2/14 11:54:41.631 PM loginwindow[503]: Preferred Localizations total: 1  
contents (  
    English  
)

1/2/14 11:54:41.632 PM loginwindow[503]: Preferred Localizations total: 1  
contents (  
    English  
)

1/2/14 11:55:11.958 PM PluginProcess[1454]: CoreText performance note: Client called CTFontCreateWithName() using name "Lucida Grande" and got font with PostScript name "LucidaGrande". For best performance, only use PostScript names when calling this API.

1/3/14 12:04:02.739 AM PluginProcess[1454]: CoreText performance note: Client called CTFontCreateWithName() using name "Arial Unicode MS" and got font with PostScript name "ArialUnicodeMS". For best performance, only use PostScript names when calling this API.

1/3/14 12:04:02.748 AM PluginProcess[1454]: CoreText performance note: Client called CTFontCreateWithName() using name "Times Roman" and got font with



PostScript name "Times-Roman". For best performance, only use PostScript names when calling this API.

1/3/14 12:04:03.606 AM PluginProcess[1454]: CoreText performance note: Client called CTFontCreateWithName() using name "Arial" and got font with PostScript name "ArialMT". For best performance, only use PostScript names when calling this API.

1/3/14 12:04:25.774 AM PluginProcess[1454]: CoreText performance note: Client called CTFontCreateWithName() using name "Arial Unicode MS" and got font with PostScript name "ArialUnicodeMS". For best performance, only use PostScript names when calling this API.

1/3/14 12:04:25.784 AM PluginProcess[1454]: CoreText performance note: Client called CTFontCreateWithName() using name "Times Roman" and got font with PostScript name "Times-Roman". For best performance, only use PostScript names when calling this API.

1/3/14 12:04:33.760 AM PluginProcess[1454]: CoreText performance note: Client called CTFontCreateWithName() using name "Lucida Grande" and got font with PostScript name "LucidaGrande". For best performance, only use PostScript names when calling this API.

1/3/14 12:08:48.283 AM PluginProcess[1454]: CoreText performance note: Client called CTFontCreateWithName() using name "Arial Unicode MS" and got font with PostScript name "ArialUnicodeMS". For best performance, only use PostScript names when calling this API.

1/3/14 12:08:48.293 AM PluginProcess[1454]: CoreText performance note: Client called CTFontCreateWithName() using name "Times Roman" and got font with PostScript name "Times-Roman". For best performance, only use PostScript names when calling this API.

1/3/14 12:09:02.637 AM PluginProcess[1507]: CoreText performance note: Client called CTFontCreateWithName() using name "Arial Unicode MS" and got font with PostScript name "ArialUnicodeMS". For best performance, only use PostScript names when calling this API.

1/3/14 12:09:02.637 AM PluginProcess[1507]: CoreText performance note: Set a breakpoint on CTFontLogSuboptimalRequest to debug.

1/3/14 12:09:03.036 AM PluginProcess[1507]: CoreText performance note: Client called CTFontCreateWithName() using name "Times Roman" and got font with PostScript name "Times-Roman". For best performance, only use PostScript names when calling this API.

1/3/14 12:09:10.047 AM PluginProcess[1454]: CoreText performance note: Client called CTFontCreateWithName() using name "Arial Unicode MS" and got font with PostScript name "ArialUnicodeMS". For best performance, only use PostScript names when calling this API.

1/3/14 12:09:10.056 AM PluginProcess[1454]: CoreText performance note: Client called CTFontCreateWithName() using name "Times Roman" and got font with PostScript name "Times-Roman". For best performance, only use PostScript names when calling this API.

1/3/14 12:09:11.035 AM PluginProcess[1454]: CoreText performance note: Client called CTFontCreateWithName() using name "Arial" and got font with PostScript

name "ArialMT". For best performance, only use PostScript names when calling this API.

1/3/14 12:09:17.703 AM PluginProcess[1454]: CoreText performance note: Client called CTFontCreateWithName() using name "Arial Unicode MS" and got font with PostScript name "ArialUnicodeMS". For best performance, only use PostScript names when calling this API.

1/3/14 12:09:17.717 AM PluginProcess[1454]: CoreText performance note: Client called CTFontCreateWithName() using name "Times Roman" and got font with PostScript name "Times-Roman". For best performance, only use PostScript names when calling this API.

1/3/14 12:09:39.953 AM PluginProcess[1454]: CoreText performance note: Client called CTFontCreateWithName() using name "Arial Unicode MS" and got font with PostScript name "ArialUnicodeMS". For best performance, only use PostScript names when calling this API.

1/3/14 12:09:39.966 AM PluginProcess[1454]: CoreText performance note: Client called CTFontCreateWithName() using name "Times Roman" and got font with PostScript name "Times-Roman". For best performance, only use PostScript names when calling this API.

1/3/14 12:10:01.960 AM PluginProcess[1454]: CoreText performance note: Client called CTFontCreateWithName() using name "Lucida Grande" and got font with PostScript name "LucidaGrande". For best performance, only use PostScript names when calling this API.

1/3/14 1:07:30.260 AM loginwindow[503]: Preferred Localizations total: 1  
contents (  
    English  
)

1/3/14 1:07:30.260 AM loginwindow[503]: Preferred Localizations total: 1  
contents (  
    English  
)

1/3/14 1:07:30.260 AM loginwindow[503]: Preferred Localizations total: 1  
contents (  
    English  
)

1/3/14 1:08:06.298 AM PluginProcess[1454]: CoreText performance note: Client called CTFontCreateWithName() using name "Arial Unicode MS" and got font with PostScript name "ArialUnicodeMS". For best performance, only use PostScript names when calling this API.

1/3/14 1:08:06.308 AM PluginProcess[1454]: CoreText performance note: Client called CTFontCreateWithName() using name "Times Roman" and got font with PostScript name "Times-Roman". For best performance, only use PostScript names when calling this API.

1/3/14 1:10:57.435 AM PluginProcess[1454]: CoreText performance note: Client called CTFontCreateWithName() using name "Lucida Grande" and got font with PostScript name "LucidaGrande". For best performance, only use PostScript names when calling this API.

1/3/14 1:16:56.513 AM PluginProcess[1454]: CoreText performance note: Client called CTFontCreateWithName() using name "Arial" and got font with PostScript name "ArialMT". For best performance, only use PostScript names when calling this API.

1/3/14 1:25:45.641 AM PluginProcess[1454]: CoreText performance note: Client called CTFontCreateWithName() using name "Arial Unicode MS" and got font with PostScript name "ArialUnicodeMS". For best performance, only use PostScript names when calling this API.

1/3/14 1:25:45.650 AM PluginProcess[1454]: CoreText performance note: Client called CTFontCreateWithName() using name "Times Roman" and got font with PostScript name "Times-Roman". For best performance, only use PostScript names when calling this API.

1/3/14 1:26:03.865 AM loginwindow[503]: Preferred Localizations total: 1  
contents (  
    English  
)

1/3/14 1:26:08.390 AM loginwindow[503]: Preferred Localizations total: 1  
contents (  
    English  
)

1/3/14 1:26:08.442 AM loginwindow[503]: Preferred Localizations total: 1  
contents (  
    English  
)

1/3/14 1:26:08.442 AM loginwindow[503]: Preferred Localizations total: 1  
contents (  
    English  
)

1/3/14 1:26:08.442 AM loginwindow[503]: Preferred Localizations total: 1  
contents (  
    English  
)

1/3/14 1:26:17.734 AM PluginProcess[1454]: CoreText performance note: Client called CTFontCreateWithName() using name "Lucida Grande" and got font with PostScript name "LucidaGrande". For best performance, only use PostScript names when calling this API.

1/3/14 1:27:08.481 AM loginwindow[503]: Preferred Localizations total: 1  
contents (  
    English  
)

1/3/14 1:27:08.482 AM loginwindow[503]: Preferred Localizations total: 1  
contents (  
    English  
)

1/3/14 1:27:08.482 AM loginwindow[503]: Preferred Localizations total: 1  
contents (  
    English  
)

English

)

1/3/14 2:02:55.192 AM PluginProcess[1454]: CoreText performance note: Client called CTFontCreateWithName() using name "Arial Unicode MS" and got font with PostScript name "ArialUnicodeMS". For best performance, only use PostScript names when calling this API.

1/3/14 2:02:55.200 AM PluginProcess[1454]: CoreText performance note: Client called CTFontCreateWithName() using name "Times Roman" and got font with PostScript name "Times-Roman". For best performance, only use PostScript names when calling this API.

1/3/14 2:02:56.193 AM PluginProcess[1454]: CoreText performance note: Client called CTFontCreateWithName() using name "Arial" and got font with PostScript name "ArialMT". For best performance, only use PostScript names when calling this API.

1/3/14 2:02:56.998 AM PluginProcess[1454]: CoreText performance note: Client called CTFontCreateWithName() using name "Arial Bold" and got font with PostScript name "Arial-BoldMT". For best performance, only use PostScript names when calling this API.

1/3/14 2:03:02.361 AM PluginProcess[1454]: CoreText performance note: Client called CTFontCreateWithName() using name "Arial Unicode MS" and got font with PostScript name "ArialUnicodeMS". For best performance, only use PostScript names when calling this API.

1/3/14 2:03:02.373 AM PluginProcess[1454]: CoreText performance note: Client called CTFontCreateWithName() using name "Times Roman" and got font with PostScript name "Times-Roman". For best performance, only use PostScript names when calling this API.

1/3/14 2:03:38.099 AM PluginProcess[1454]: CoreText performance note: Client called CTFontCreateWithName() using name "Lucida Grande" and got font with PostScript name "LucidaGrande". For best performance, only use PostScript names when calling this API.

1/3/14 3:07:33.629 AM com.apple.dock.extra[688]: <NSXPCCConnection: 0x7fdb7bc13d10>: received an undecodable message (no exported object to receive message). Dropping message.

1/3/14 3:07:39.056 AM CalendarAgent[680]:

[com.apple.calendar.store.log.subscription] [Failed to refresh

<CalManagedSubscriptionInfo: 0x7fde38639240> (entity: SubscriptionInfo; id: 0x4000ab <x-coredata://B24227C6-D539-4411-8CAF-

5A897118A42C/SubscriptionInfo/p1> ; data: {

calendar = "0x100006b <x-coredata://B24227C6-D539-4411-8CAF-

5A897118A42C/SubscriptionCalendar/p4>";

hasAlarmFilter = 1;

hasAttachmentFilter = 1;

hasTaskFilter = 1;

isAutoProvisioned = 1;

isAutoRefreshed = 1;

languageCode = en;

```

    lastError = "0x24001ab <x-coredata://B24227C6-D539-4411-8CAF-
5A897118A42C/SubscriptionError/p9>";
    locationCode = US;
    needsRefresh = 0;
    refreshDate = "2013-12-30 20:33:30 +0000";
    refreshInterval = 604800;
    subscriptionID = nil;
    subscriptionNotes = nil;
    subscriptionTitle = "US Holidays";
    subscriptionURL = "(...not nil.)";
    subscriptionURLString = "https://p04-calendars.icloud.com/holiday/US_en.ics";
}) with error Error Domain=NSURLErrorDomain Code=-1004 "Could not connect to
the server." UserInfo=0x7fde3a880e10 {NSUnderlyingError=0x7fde38733140
"Could not connect to the server.", NSErrorFailingURLStringKey=https://p04-
calendars.icloud.com/holiday/US_en.ics, NSErrorFailingURLKey=https://p04-
calendars.icloud.com/holiday/US_en.ics, NSLocalizedDescription=Could not connect
to the server.}]
1/3/14 3:08:16.947 AM loginwindow[503]: Preferred Localizations total: 1
contents (
    English
)
1/3/14 3:08:16.948 AM loginwindow[503]: Preferred Localizations total: 1
contents (
    English
)
1/3/14 3:08:16.948 AM loginwindow[503]: Preferred Localizations total: 1
contents (
    English
)
1/3/14 3:09:58.884 AM CalendarAgent[680]:
[com.apple.calendar.store.log.subscription] [Failed to refresh
<CalManagedSubscriptionInfo: 0x7fde38731200> (entity: SubscriptionInfo; id:
0x4000ab <x-coredata://B24227C6-D539-4411-8CAF-
5A897118A42C/SubscriptionInfo/p1> ; data: {
    calendar = "0x100006b <x-coredata://B24227C6-D539-4411-8CAF-
5A897118A42C/SubscriptionCalendar/p4>";
    hasAlarmFilter = 1;
    hasAttachmentFilter = 1;
    hasTaskFilter = 1;
    isAutoProvisioned = 1;
    isAutoRefreshed = 1;
    languageCode = en;
    lastError = "0x2c001ab <x-coredata://B24227C6-D539-4411-8CAF-
5A897118A42C/SubscriptionError/p11>";
    locationCode = US;
    needsRefresh = 0;

```

```

refreshDate = "2013-12-30 20:33:30 +0000";
refreshInterval = 604800;
subscriptionID = nil;
subscriptionNotes = nil;
subscriptionTitle = "US Holidays";
subscriptionURL = "(...not nil.)";
subscriptionURLString = "https://p04-calendars.icloud.com/holiday/US_en.ics";
}) with error Error Domain=NSURLErrorDomain Code=-1004 "Could not connect to
the server." UserInfo=0x7fde38735340 {NSUnderlyingError=0x7fde386145a0
"Could not connect to the server.", NSErrorFailingURLStringKey=https://p04-
calendars.icloud.com/holiday/US_en.ics, NSErrorFailingURLKey=https://p04-
calendars.icloud.com/holiday/US_en.ics, NSLocalizedDescription=Could not connect
to the server.}]
1/3/14 3:12:49.762 AM com.apple.quicklook.satellite[1662]: [QL]
com.apple.webarchive set by CFBundle/CFPlugIn 0x7fab31d0f770
</System/Library/QuickLook/Web.qlgenerator> (bundle, loaded) is not a
supported content type for
QLThumbnailRequestSetThumbnailWithURLRepresentation()
1/3/14 3:12:54.296 AM com.apple.quicklook.satellite[1662]: [QL]
com.apple.webarchive set by CFBundle/CFPlugIn 0x7fab31d0f770
</System/Library/QuickLook/Web.qlgenerator> (bundle, loaded) is not a
supported content type for
QLThumbnailRequestSetThumbnailWithURLRepresentation()
1/3/14 3:16:05.073 AM com.apple.quicklook.satellite[1662]: [QL]
com.apple.webarchive set by CFBundle/CFPlugIn 0x7fab31d0f770
</System/Library/QuickLook/Web.qlgenerator> (bundle, loaded) is not a
supported content type for
QLThumbnailRequestSetThumbnailWithURLRepresentation()
1/3/14 3:16:56.145 AM com.apple.quicklook.satellite[1662]: [QL]
com.apple.webarchive set by CFBundle/CFPlugIn 0x7fab31d0f770
</System/Library/QuickLook/Web.qlgenerator> (bundle, loaded) is not a
supported content type for
QLThumbnailRequestSetThumbnailWithURLRepresentation()
1/3/14 3:16:56.632 AM com.apple.quicklook.satellite[1662]: [QL]
com.apple.webarchive set by CFBundle/CFPlugIn 0x7fab31d0f770
</System/Library/QuickLook/Web.qlgenerator> (bundle, loaded) is not a
supported content type for
QLThumbnailRequestSetThumbnailWithURLRepresentation()
1/3/14 3:17:01.397 AM com.apple.NotesMigratorService[1677]: Joined Aqua audit
session
1/3/14 3:19:04.017 AM CalendarAgent[680]:
[com.apple.calendar.store.log.subscription] [Failed to refresh
<CalManagedSubscriptionInfo: 0x7fde3a910a80> (entity: SubscriptionInfo; id:
0x4000ab <x-coredata://B24227C6-D539-4411-8CAF-
5A897118A42C/SubscriptionInfo/p1> ; data: {

```

```

calendar = "0x100006b <x-coredata://B24227C6-D539-4411-8CAF-
5A897118A42C/SubscriptionCalendar/p4>";
hasAlarmFilter = 1;
hasAttachmentFilter = 1;
hasTaskFilter = 1;
isAutoProvisioned = 1;
isAutoRefreshed = 1;
languageCode = en;
lastError = "0x34001ab <x-coredata://B24227C6-D539-4411-8CAF-
5A897118A42C/SubscriptionError/p13>";
locationCode = US;
needsRefresh = 0;
refreshDate = "2013-12-30 20:33:30 +0000";
refreshInterval = 604800;
subscriptionID = nil;
subscriptionNotes = nil;
subscriptionTitle = "US Holidays";
subscriptionURL = "(...not nil.)";
subscriptionURLString = "https://p04-calendars.icloud.com/holiday/US_en.ics";
}) with error Error Domain=NSURLErrorDomain Code=-1009 "The Internet
connection appears to be offline." UserInfo=0x7fde3aa09f70
{NSUnderlyingError=0x7fde3a891d40 "The Internet connection appears to be
offline.", NSErrorFailingURLStringKey=https://p04-
calendars.icloud.com/holiday/US_en.ics, NSErrorFailingURLKey=https://p04-
calendars.icloud.com/holiday/US_en.ics, NSLocalizedDescription=The Internet
connection appears to be offline.}]
1/3/14 3:23:07.678 AM loginwindow[503]: Preferred Localizations total: 1
contents (
    English
)
1/3/14 3:23:07.678 AM loginwindow[503]: Preferred Localizations total: 1
contents (
    English
)
1/3/14 3:23:07.679 AM loginwindow[503]: Preferred Localizations total: 1
contents (
    English
)
1/3/14 3:24:07.672 AM loginwindow[503]: Preferred Localizations total: 1
contents (
    English
)
1/3/14 3:24:07.672 AM loginwindow[503]: Preferred Localizations total: 1
contents (
    English
)

```

1/3/14 3:24:07.672 AM loginwindow[503]: Preferred Localizations total: 1  
contents (  
    English  
)  
1/3/14 3:28:11.314 AM loginwindow[503]: Preferred Localizations total: 1  
contents (  
    English  
)  
1/3/14 3:28:14.556 AM loginwindow[503]: Preferred Localizations total: 1  
contents (  
    English  
)  
1/3/14 3:28:14.584 AM loginwindow[503]: Preferred Localizations total: 1  
contents (  
    English  
)  
1/3/14 3:28:14.584 AM loginwindow[503]: Preferred Localizations total: 1  
contents (  
    English  
)  
1/3/14 3:28:14.584 AM loginwindow[503]: Preferred Localizations total: 1  
contents (  
    English  
)  
1/3/14 3:29:14.770 AM loginwindow[503]: Preferred Localizations total: 1  
contents (  
    English  
)  
1/3/14 3:29:14.771 AM loginwindow[503]: Preferred Localizations total: 1  
contents (  
    English  
)  
1/3/14 3:29:14.771 AM loginwindow[503]: Preferred Localizations total: 1  
contents (  
    English  
)  
1/3/14 3:31:34.435 AM loginwindow[503]: Preferred Localizations total: 1  
contents (  
    English  
)  
1/3/14 3:31:39.257 AM loginwindow[503]: Preferred Localizations total: 1  
contents (  
    English  
)  
1/3/14 3:31:39.276 AM loginwindow[503]: Preferred Localizations total: 1  
contents (  
    English  
)



```
    English
)
1/3/14 3:31:39.277 AM loginwindow[503]: Preferred Localizations total: 1
contents (
    English
)
1/3/14 3:31:39.277 AM loginwindow[503]: Preferred Localizations total: 1
contents (
    English
)
1/3/14 3:32:21.310 AM loginwindow[503]: Preferred Localizations total: 1
contents (
    English
)
1/3/14 3:32:23.564 AM loginwindow[503]: Preferred Localizations total: 1
contents (
    English
)
1/3/14 3:32:23.588 AM loginwindow[503]: Preferred Localizations total: 1
contents (
    English
)
1/3/14 3:32:23.589 AM loginwindow[503]: Preferred Localizations total: 1
contents (
    English
)
1/3/14 3:32:23.589 AM loginwindow[503]: Preferred Localizations total: 1
contents (
    English
)
1/3/14 3:33:23.538 AM loginwindow[503]: Preferred Localizations total: 1
contents (
    English
)
1/3/14 3:33:23.539 AM loginwindow[503]: Preferred Localizations total: 1
contents (
    English
)
1/3/14 3:33:23.539 AM loginwindow[503]: Preferred Localizations total: 1
contents (
    English
)
1/3/14 3:34:21.408 AM PluginProcess[1696]: CoreText performance note: Client
called CTFontCreateWithName() using name "Arial Unicode MS" and got font with
PostScript name "ArialUnicodeMS". For best performance, only use PostScript
names when calling this API.
```

1/3/14 3:34:21.408 AM PluginProcess[1696]: CoreText performance note: Set a breakpoint on CTFontLogSuboptimalRequest to debug.

1/3/14 3:34:21.819 AM PluginProcess[1696]: CoreText performance note: Client called CTFontCreateWithName() using name "Times Roman" and got font with PostScript name "Times-Roman". For best performance, only use PostScript names when calling this API.

1/3/14 3:35:05.683 AM loginwindow[503]: Preferred Localizations total: 1  
contents (  
    English  
)

1/3/14 3:35:07.838 AM loginwindow[503]: Preferred Localizations total: 1  
contents (  
    English  
)

1/3/14 3:35:07.838 AM loginwindow[503]: Preferred Localizations total: 1  
contents (  
    English  
)

1/3/14 3:35:07.838 AM loginwindow[503]: Preferred Localizations total: 1  
contents (  
    English  
)

1/3/14 3:35:07.842 AM loginwindow[503]: Preferred Localizations total: 1  
contents (  
    English  
)

1/3/14 3:35:51.933 AM loginwindow[503]: Preferred Localizations total: 1  
contents (  
    English  
)

1/3/14 3:35:54.219 AM loginwindow[503]: Preferred Localizations total: 1  
contents (  
    English  
)

1/3/14 3:35:54.219 AM loginwindow[503]: Preferred Localizations total: 1  
contents (  
    English  
)

1/3/14 3:35:54.220 AM loginwindow[503]: Preferred Localizations total: 1  
contents (  
    English  
)

1/3/14 3:35:54.239 AM loginwindow[503]: Preferred Localizations total: 1  
contents (  
    English  
)

1/3/14 3:36:54.473 AM loginwindow[503]: Preferred Localizations total: 1  
contents (  
    English  
)  
1/3/14 3:36:54.473 AM loginwindow[503]: Preferred Localizations total: 1  
contents (  
    English  
)  
1/3/14 3:36:54.474 AM loginwindow[503]: Preferred Localizations total: 1  
contents (  
    English  
)  
1/3/14 3:37:25.057 AM loginwindow[503]: Preferred Localizations total: 1  
contents (  
    English  
)  
1/3/14 3:37:28.225 AM loginwindow[503]: Preferred Localizations total: 1  
contents (  
    English  
)  
1/3/14 3:37:28.225 AM loginwindow[503]: Preferred Localizations total: 1  
contents (  
    English  
)  
1/3/14 3:37:28.225 AM loginwindow[503]: Preferred Localizations total: 1  
contents (  
    English  
)  
1/3/14 3:37:28.243 AM loginwindow[503]: Preferred Localizations total: 1  
contents (  
    English  
)  
1/3/14 3:38:28.207 AM loginwindow[503]: Preferred Localizations total: 1  
contents (  
    English  
)  
1/3/14 3:38:28.207 AM loginwindow[503]: Preferred Localizations total: 1  
contents (  
    English  
)  
1/3/14 3:38:28.208 AM loginwindow[503]: Preferred Localizations total: 1  
contents (  
    English  
)  
1/3/14 3:41:56.931 AM loginwindow[503]: Preferred Localizations total: 1  
contents (  
    English  
)

```
    English
  )
1/3/14 3:42:00.828 AM loginwindow[503]: Preferred Localizations total: 1
contents (
    English
  )
1/3/14 3:42:00.864 AM loginwindow[503]: Preferred Localizations total: 1
contents (
    English
  )
1/3/14 3:42:00.864 AM loginwindow[503]: Preferred Localizations total: 1
contents (
    English
  )
1/3/14 3:42:00.864 AM loginwindow[503]: Preferred Localizations total: 1
contents (
    English
  )
1/3/14 3:42:22.555 AM loginwindow[503]: Preferred Localizations total: 1
contents (
    English
  )
1/3/14 3:42:28.135 AM loginwindow[503]: Preferred Localizations total: 1
contents (
    English
  )
1/3/14 3:42:28.168 AM loginwindow[503]: Preferred Localizations total: 1
contents (
    English
  )
1/3/14 3:42:28.168 AM loginwindow[503]: Preferred Localizations total: 1
contents (
    English
  )
1/3/14 3:42:28.168 AM loginwindow[503]: Preferred Localizations total: 1
contents (
    English
  )
1/3/14 3:42:58.055 AM loginwindow[503]: Preferred Localizations total: 1
contents (
    English
  )
1/3/14 3:43:01.849 AM loginwindow[503]: Preferred Localizations total: 1
contents (
    en
  )
)
```

1/3/14 3:43:16.723 AM loginwindow[503]: Preferred Localizations total: 1  
contents (  
    en  
)  
1/3/14 3:43:30.878 AM loginwindow[503]: Preferred Localizations total: 1  
contents (  
    English  
)  
1/3/14 5:01:25.734 AM CrossOver[1823]: Could not find usable quartz-wm for i386  
architecture  
1/3/14 5:01:28.272 AM CrossOver[1823]: Could not find usable quartz-wm for i386  
architecture  
1/3/14 5:01:53.619 AM com.apple.quicklook.satellite[1821]: [QL]  
com.apple.webarchive set by CFBundle/CFPlugIn 0x7feb81606fd0  
</System/Library/QuickLook/Web.qlgenerator> (bundle, loaded) is not a  
supported content type for  
QLThumbnailRequestSetThumbnailWithURLRepresentation()  
1/3/14 5:02:46.185 AM Preview[1851]: persistentIdForFileURL:  
file:///Volumes/express-3.0/docs/express-3.0-installation.pdf failed  
1/3/14 5:02:46.311 AM Preview[1851]: persistentIdForFileURL:  
file:///Volumes/express-3.0/docs/express-3.0-installation.pdf failed  
1/3/14 5:02:46.363 AM Preview[1851]: It does not make sense to draw an image  
when [NSGraphicsContext currentContext] is nil. This is a programming error.  
Break on void \_NSWarnForDrawingImageWithNoCurrentContext() to debug. This  
will be logged only once. This may break in the future.  
1/3/14 5:02:47.704 AM Preview[1851]:  
\*\*\*\*\* AESendMessage [async] returned: -1712 [loc:0]  
1/3/14 5:02:49.747 AM Preview[1851]: persistentIdForFileURL:  
file:///Volumes/express-3.0/docs/express-3.0-installation.pdf failed  
1/3/14 5:02:51.602 AM Preview[1851]: persistentIdForFileURL:  
file:///Volumes/express-3.0/docs/express-3.0-installation.pdf failed  
1/3/14 5:02:54.560 AM Preview[1851]: persistentIdForFileURL:  
file:///Volumes/express-3.0/docs/express-3.0-installation.pdf failed  
1/3/14 5:03:10.178 AM Preview[1851]: persistentIdForFileURL:  
file:///Volumes/express-3.0/docs/express-3.0-installation.pdf failed  
1/3/14 5:03:30.567 AM Preview[1851]: persistentIdForFileURL:  
file:///Volumes/express-3.0/docs/express-3.0-installation.pdf failed  
1/3/14 5:03:54.693 AM Preview[1851]: persistentIdForFileURL:  
file:///Volumes/express-3.0/docs/express-3.0-installation.pdf failed  
1/3/14 5:04:02.662 AM Preview[1851]: persistentIdForFileURL:  
file:///Volumes/express-3.0/docs/express-3.0-installation.pdf failed  
1/3/14 5:04:22.788 AM Preview[1851]: persistentIdForFileURL:  
file:///Volumes/express-3.0/docs/express-3.0-installation.pdf failed  
1/3/14 5:04:24.006 AM Preview[1851]: persistentIdForFileURL:  
file:///Volumes/express-3.0/docs/express-3.0-installation.pdf failed

1/3/14 5:04:32.411 AM Preview[1851]: persistentIdForFileURL:  
file:///Volumes/express-3.0/docs/express-3.0-installation.pdf failed  
1/3/14 5:04:33.804 AM Preview[1851]: persistentIdForFileURL:  
file:///Volumes/express-3.0/docs/express-3.0-installation.pdf failed  
1/3/14 5:04:34.857 AM Preview[1851]: persistentIdForFileURL:  
file:///Volumes/express-3.0/docs/express-3.0-installation.pdf failed  
1/3/14 5:04:36.779 AM Preview[1851]: persistentIdForFileURL:  
file:///Volumes/express-3.0/docs/express-3.0-installation.pdf failed  
1/3/14 5:04:38.834 AM Preview[1851]: persistentIdForFileURL:  
file:///Volumes/express-3.0/docs/express-3.0-installation.pdf failed  
1/3/14 5:04:41.143 AM Preview[1851]: persistentIdForFileURL:  
file:///Volumes/express-3.0/docs/express-3.0-installation.pdf failed  
1/3/14 5:04:45.857 AM Preview[1851]: persistentIdForFileURL:  
file:///Volumes/express-3.0/docs/express-3.0-installation.pdf failed  
1/3/14 5:04:47.258 AM Preview[1851]: persistentIdForFileURL:  
file:///Volumes/express-3.0/docs/express-3.0-installation.pdf failed  
1/3/14 5:05:12.388 AM com.apple.launchd.peruser.505[653]:  
(com.apple.EscrowSecurityAlert[908]) Exited: Killed: 9  
1/3/14 5:05:12.402 AM com.apple.launchd.peruser.505[653]: ([0x0-  
0x1a51a5].com.apple.ImageCaptureExtension2[1857]) Exited: Killed: 9  
1/3/14 5:05:12.403 AM com.apple.launchd.peruser.505[653]: ([0x0-  
0x72072].com.apple.AppleSpell[734]) Exited: Killed: 9  
1/3/14 5:05:12.408 AM com.apple.launchd.peruser.505[653]: ([0x0-  
0x18c18c].com.apple.TextEdit[1761]) Exited: Killed: 9  
1/3/14 5:05:12.408 AM com.apple.launchd.peruser.505[653]: ([0x0-  
0x1a41a4].com.apple.Preview[1851]) Exited: Killed: 9  
1/3/14 5:05:21.928 AM distnoted[657]: Interruption - exiting now.  
1/3/14 1:43:27.294 PM com.apple.launchd.peruser.505[155]: Background: Aqua:  
Registering new GUI session.  
1/3/14 1:43:27.312 PM com.apple.launchd.peruser.505[155]:  
(com.logmein.logmeingui) Unknown key for boolean: UseLMILaunchAgentFixer  
1/3/14 1:43:27.313 PM com.apple.launchd.peruser.505[155]:  
(com.apple.cmfsyncagent) Ignored this key: UserName  
1/3/14 1:43:27.313 PM com.apple.launchd.peruser.505[155]:  
(com.apple.EscrowSecurityAlert) Unknown key: seatbelt-profiles  
1/3/14 1:43:27.314 PM com.apple.launchd.peruser.505[155]:  
(com.apple.ReportCrash) Falling back to default Mach exception handler. Could not  
find: com.apple.ReportCrash.Self  
1/3/14 1:43:27.348 PM distnoted[159]: # distnote server agent absolute time:  
58.761042468 civil time: Fri Jan 3 13:43:27 2014 pid: 159 uid: 505 root: no  
1/3/14 1:43:31.411 PM com.apple.launchd.peruser.505[155]:  
(com.codeweavers.crossover CD helper.37696[216]) Spawned and waiting for the  
debugger to attach before continuing..  
1/3/14 1:43:31.425 PM SystemUIServer[170]: Cannot find executable for CFBundle  
0x7fb033c291f0 </System/Library/CoreServices/Menu Extras/Clock.menu> (not  
loaded)

1/3/14 1:43:31.447 PM SystemUIServer[170]: Cannot find executable for CFBundle 0x7fb033c279d0 </System/Library/CoreServices/Menu Extras/Volume.menu> (not loaded)

1/3/14 1:43:31.465 PM com.apple.launchd.peruser.505[155]: (com.vmware.fusionDaemon.37872[219]) Spawned and waiting for the debugger to attach before continuing...

1/3/14 1:43:31.578 PM WiFiKeychainProxy[196]: [NO client logger] <Aug 30 2013 23:40:46> WIFICLOUDSYNC WiFiCloudSyncEngineCreate: created...

1/3/14 1:43:31.578 PM WiFiKeychainProxy[196]: [NO client logger] <Aug 30 2013 23:40:46> WIFICLOUDSYNC WiFiCloudSyncEngineRegisterCallbacks: WiFiCloudSyncEngineCallbacks version - 0, bundle id - com.apple.wifi.WiFiKeychainProxy

1/3/14 1:43:48.807 PM LogMeInGUI[210]: LogMeIn GUI started

1/3/14 1:43:50.744 PM com.apple.quicklook.satellite[236]: [QL] com.apple.webarchive set by CFBundle/CFPlugIn 0x7f9ff9e0b7f0 </System/Library/QuickLook/Web.qlgenerator> (bundle, loaded) is not a supported content type for QLThumbnailRequestSetThumbnailWithURLRepresentation()

1/3/14 1:43:57.249 PM soagent[198]: No active accounts, killing soagent in 10 seconds

1/3/14 1:43:57.250 PM soagent[198]: No active accounts, killing soagent in 10 seconds

1/3/14 1:43:57.507 PM com.apple.dock.extra[243]: No endpoint returned trying to load UnreadCountController.bundle, suspending

1/3/14 1:43:58.499 PM LogMeInGUI[210]: Config watcher thread started

1/3/14 1:43:58.948 PM soagent[198]: No active accounts, killing soagent in 10 seconds

1/3/14 1:43:58.949 PM soagent[198]: No active accounts, killing soagent in 10 seconds

1/3/14 1:43:58.951 PM soagent[198]: No active accounts, killing soagent in 10 seconds

1/3/14 1:44:00.105 PM Bluetooth Setup Assistant[246]: initiateDeviceSetup

1/3/14 1:44:00.108 PM Bluetooth Setup Assistant[246]: initiateDeviceSetup

1/3/14 1:44:00.681 PM Bluetooth Setup Assistant[246]: readHIDEmulationDevice: HID emulation device found: Apple Wireless Keyboard

1/3/14 1:44:00.682 PM Bluetooth Setup Assistant[246]: readHIDEmulationDevice: HID emulation device found: Jeff Wein's Mouse

1/3/14 1:44:00.682 PM Bluetooth Setup Assistant[246]: readHIDEmulationDevicesComplete: error: 0

1/3/14 1:44:05.106 PM Bluetooth Setup Assistant[246]: Connection succeeded with pre-paired device 'Jeff Wein's Mouse'

1/3/14 1:44:05.499 PM loginwindow[43]: Preferred Localizations total: 1 contents ( English )

1/3/14 1:44:07.250 PM soagent[198]: Killing soagent.

1/3/14 1:44:07.250 PM NotificationCenter[195]: SOHelperCenter main connection interrupted  
1/3/14 1:44:07.251 PM com.apple.dock.extra[243]: SOHelperCenter main connection interrupted  
1/3/14 1:44:07.251 PM NotificationCenter[195]: SOHelperCenter main connection interrupted  
1/3/14 1:51:51.613 PM CoreServicesUIAgent[252]: Saving rejection record: Rejected  
URL=file:///Users/Brett/Library/Caches/Cleanup%20At%20Startup/CrossOver%20CD%20Helper.app/  
App  
URL=file:///Users/Brett/Library/Caches/Cleanup%20At%20Startup/CrossOver%20CD%20Helper.app/  
1/3/14 1:51:51.613 PM CoreServicesUIAgent[252]: App URL discarded  
1/3/14 1:51:51.614 PM com.apple.launchd.peruser.505[155]: ([0x0-0x19019].com.codeweavers.crossover CD helper[251]) Exited: Killed: 9  
1/3/14 2:03:40.169 PM Preview[296]: It does not make sense to draw an image when [NSGraphicsContext currentContext] is nil. This is a programming error. Break on void \_NSWarnForDrawingImageWithNoCurrentContext() to debug. This will be logged only once. This may break in the future.  
1/3/14 2:03:41.082 PM Preview[296]: CoreText CopyFontsForRequest received mig IPC error (FFFFFFFFFFFFECC) from font server  
1/3/14 2:03:41.082 PM Preview[296]: CoreText CopyFontsForRequest received mig IPC error (FFFFFFFFFFFFECC) from font server  
1/3/14 2:03:41.125 PM Preview[296]: CoreText CopyFontsForRequest received mig IPC error (FFFFFFFFFFFFECC) from font server  
1/3/14 2:03:41.125 PM Preview[296]: CoreText CopyFontsForRequest received mig IPC error (FFFFFFFFFFFFECC) from font server  
1/3/14 2:06:43.516 PM Preview[296]: CoreText CopyFontsForRequest received mig IPC error (FFFFFFFFFFFFECC) from font server  
1/3/14 2:06:43.516 PM Preview[296]: CoreText CopyFontsForRequest received mig IPC error (FFFFFFFFFFFFECC) from font server  
1/3/14 2:15:27.867 PM com.apple.launchd.peruser.505[155]: (com.apple.EscrowSecurityAlert[278]) Exited: Killed: 9  
1/3/14 2:15:27.878 PM com.apple.launchd.peruser.505[155]: ([0x0-0x26026].com.apple.ImageCaptureExtension2[304]) Exited: Killed: 9  
1/3/14 2:15:27.879 PM com.apple.launchd.peruser.505[155]: ([0x0-0x1e01e].com.apple.AppleSpell[284]) Exited: Killed: 9  
1/3/14 2:15:27.885 PM com.apple.launchd.peruser.505[155]: ([0x0-0x24024].com.apple.Preview[296]) Exited: Killed: 9  
1/3/14 3:54:53.956 PM com.apple.InputMethodKit.UserDictionary[286]: - [PFUbiquitySwitchboardEntryMetadata setUseLocalStorage:](760): CoreData: Ubiquity: Brett~F15CF975-CC22-5A97-B3CF-22F4EFF83722:UserDictionary Using local storage: 1  
1/3/14 4:11:57.777 PM com.apple.launchd.peruser.505[154]: Background: Aqua: Registering new GUI session.



1/3/14 4:11:57.794 PM com.apple.launchd.peruser.505[154]:  
(com.logmein.logmeingui) Unknown key for boolean: UseLMILaunchAgentFixer  
1/3/14 4:11:57.794 PM com.apple.launchd.peruser.505[154]:  
(com.apple.cmfsyncagent) Ignored this key: UserName  
1/3/14 4:11:57.795 PM com.apple.launchd.peruser.505[154]:  
(com.apple.EscrowSecurityAlert) Unknown key: seatbelt-profiles  
1/3/14 4:11:57.796 PM com.apple.launchd.peruser.505[154]:  
(com.apple.ReportCrash) Falling back to default Mach exception handler. Could not  
find: com.apple.ReportCrash.Self  
1/3/14 4:11:57.808 PM distnoted[158]: # distnote server agent absolute time:  
40.717293931 civil time: Fri Jan 3 16:11:57 2014 pid: 158 uid: 505 root: no  
1/3/14 4:12:03.079 PM SystemUIServer[169]: Cannot find executable for CFBundle  
0x7fccd0f1cb90 </System/Library/CoreServices/Menu Extras/Clock.menu> (not  
loaded)  
1/3/14 4:12:03.326 PM SystemUIServer[169]: Cannot find executable for CFBundle  
0x7fccd0c6af50 </System/Library/CoreServices/Menu Extras/Volume.menu> (not  
loaded)  
1/3/14 4:12:10.355 PM com.apple.quicklook.satellite[209]: [QL]  
com.apple.webarchive set by CFBundle/CFPlugIn 0x7ff049608780  
</System/Library/QuickLook/Web qlgenerator> (bundle, loaded) is not a  
supported content type for  
QLThumbnailRequestSetThumbnailWithURLRepresentation()  
1/3/14 4:12:11.875 PM soagent[194]: No active accounts, killing soagent in 10  
seconds  
1/3/14 4:12:11.877 PM soagent[194]: No active accounts, killing soagent in 10  
seconds  
1/3/14 4:12:12.089 PM soagent[194]: No active accounts, killing soagent in 10  
seconds  
1/3/14 4:12:13.281 PM com.apple.launchd.peruser.505[154]:  
(com.codeweavers.crossover CD helper.37696[228]) Spawned and waiting for the  
debugger to attach before continuing...  
1/3/14 4:12:13.295 PM com.apple.launchd.peruser.505[154]:  
(com.vmware.fusionDaemon.37872[229]) Spawned and waiting for the debugger to  
attach before continuing...  
1/3/14 4:12:13.353 PM WiFiKeychainProxy[215]: [NO client logger] <Aug 30 2013  
23:40:46> WIFICLOUDSYNC WiFiCloudSyncEngineCreate: created...  
1/3/14 4:12:13.353 PM WiFiKeychainProxy[215]: [NO client logger] <Aug 30 2013  
23:40:46> WIFICLOUDSYNC WiFiCloudSyncEngineRegisterCallbacks:  
WiFiCloudSyncEngineCallbacks version - 0, bundle id -  
com.apple.wifi.WiFiKeychainProxy  
1/3/14 4:12:14.095 PM LogMeInGUI[225]: LogMeIn GUI started  
1/3/14 4:12:15.624 PM LogMeInGUI[225]: Config watcher thread started  
1/3/14 4:12:21.876 PM soagent[194]: Killing soagent.  
1/3/14 4:12:21.876 PM NotificationCenter[189]: SOHelperCenter main connection  
interrupted

1/3/14 4:12:21.877 PM com.apple.dock.extra[201]: SOHelperCenter main connection interrupted  
1/3/14 4:12:21.877 PM NotificationCenter[189]: SOHelperCenter main connection interrupted  
1/3/14 4:12:21.877 PM com.apple.dock.extra[201]: SOHelperCenter main connection interrupted  
1/3/14 4:12:32.776 PM CoreServicesUIAgent[245]: Saving rejection record: Rejected  
URL=file:///Users/Brett/Library/Caches/Cleanup%20At%20Startup/CrossOver%20CD%20Helper.app/  
App  
URL=file:///Users/Brett/Library/Caches/Cleanup%20At%20Startup/CrossOver%20CD%20Helper.app/  
1/3/14 4:12:32.776 PM CoreServicesUIAgent[245]: App URL discarded  
1/3/14 4:12:32.777 PM com.apple.launchd.peruser.505[154]: ([0x0-0x1a01a].com.codeweavers.crossover CD helper[244]) Exited: Killed: 9  
1/3/14 4:16:01.978 PM Preview[281]: It does not make sense to draw an image when [NSGraphicsContext currentContext] is nil. This is a programming error. Break on void \_NSWarnForDrawingImageWithNoCurrentContext() to debug. This will be logged only once. This may break in the future.  
1/3/14 4:16:02.749 PM Preview[281]: CoreText CopyFontsForRequest received mig IPC error (FFFFFFFFFFFFECC) from font server  
1/3/14 4:16:02.749 PM Preview[281]: CoreText CopyFontsForRequest received mig IPC error (FFFFFFFFFFFFECC) from font server  
1/3/14 4:16:02.791 PM Preview[281]: CoreText CopyFontsForRequest received mig IPC error (FFFFFFFFFFFFECC) from font server  
1/3/14 4:16:02.791 PM Preview[281]: CoreText CopyFontsForRequest received mig IPC error (FFFFFFFFFFFFECC) from font server  
1/3/14 4:16:15.889 PM Preview[281]: CoreText CopyFontsForRequest received mig IPC error (FFFFFFFFFFFFECC) from font server  
1/3/14 4:16:15.890 PM Preview[281]: CoreText CopyFontsForRequest received mig IPC error (FFFFFFFFFFFFECC) from font server  
1/3/14 4:32:46.080 PM com.apple.launchd.peruser.505[154]: (com.apple.AirPlayUIAgent[193]) Exited: Killed: 9  
1/3/14 4:32:46.088 PM com.apple.launchd.peruser.505[154]: ([0x0-0x25025].com.apple.ImageCaptureExtension2[289]) Exited: Killed: 9  
1/3/14 4:32:46.089 PM com.apple.launchd.peruser.505[154]: ([0x0-0x18018].com.apple.AppleSpell[234]) Exited: Killed: 9  
1/3/14 4:32:46.090 PM com.apple.launchd.peruser.505[154]: ([0x0-0x23023].com.apple.Preview[281]) Exited: Killed: 9  
1/3/14 6:52:03.382 PM com.apple.InputMethodKit.UserDictionary[237]: - [PFUbiquitySwitchboardEntryMetadata setUseLocalStorage:](760): CoreData: Ubiquity: Brett~F15CF975-CC22-5A97-B3CF-22F4EFF83722:UserDictionary Using local storage: 1  
1/3/14 7:58:29.195 PM com.apple.launchd.peruser.505[154]: Background: Aqua: Registering new GUI session.

1/3/14 7:58:29.213 PM com.apple.launchd.peruser.505[154]:  
(com.logmein.logmeingui) Unknown key for boolean: UseLMILaunchAgentFixer  
1/3/14 7:58:29.213 PM com.apple.launchd.peruser.505[154]:  
(com.apple.cmfsyncagent) Ignored this key: UserName  
1/3/14 7:58:29.214 PM com.apple.launchd.peruser.505[154]:  
(com.apple.EscrowSecurityAlert) Unknown key: seatbelt-profiles  
1/3/14 7:58:29.215 PM com.apple.launchd.peruser.505[154]:  
(com.apple.ReportCrash) Falling back to default Mach exception handler. Could not  
find: com.apple.ReportCrash.Self  
1/3/14 7:58:29.477 PM com.apple.InputMethodKit.UserDictionary[237]: -  
[PFUbiquitySwitchboardEntryMetadata setUseLocalStorage:](760): CoreData:  
Ubiquity: Brett~F15CF975-CC22-5A97-B3CF-22F4EFF83722:UserDictionary  
Using local storage: 1  
1/3/14 7:58:29.696 PM SystemUIServer[531]: Cannot find executable for CFBundle  
0x7ff512e40900 </System/Library/CoreServices/Menu Extras/Clock.menu> (not  
loaded)  
1/3/14 7:58:29.710 PM SystemUIServer[531]: Cannot find executable for CFBundle  
0x7ff512e42f10 </System/Library/CoreServices/Menu Extras/Volume.menu> (not  
loaded)  
1/3/14 7:58:31.858 PM com.apple.quicklook.satellite[555]: [QL]  
com.apple.webarchive set by CFBundle/CFPlugIn 0x7fe7285086c0  
</System/Library/QuickLook/Web.qlgenerator> (bundle, loaded) is not a  
supported content type for  
QLThumbnailRequestSetThumbnailWithURLRepresentation()  
1/3/14 7:58:31.860 PM com.apple.quicklook.satellite[555]: [QL]  
com.apple.webarchive set by CFBundle/CFPlugIn 0x7fe7285086c0  
</System/Library/QuickLook/Web.qlgenerator> (bundle, loaded) is not a  
supported content type for  
QLThumbnailRequestSetThumbnailWithURLRepresentation()  
1/3/14 7:58:32.088 PM soagent[545]: No active accounts, killing soagent in 10  
seconds  
1/3/14 7:58:32.090 PM com.apple.dock.extra[557]: No endpoint returned trying to  
load UnreadCountController.bundle, suspending  
1/3/14 7:58:32.162 PM soagent[545]: No active accounts, killing soagent in 10  
seconds  
1/3/14 7:58:32.215 PM com.apple.launchd.peruser.505[154]:  
(com.codeweavers.crossover CD helper.37696[576]) Spawned and waiting for the  
debugger to attach before continuing..  
1/3/14 7:58:32.244 PM com.apple.launchd.peruser.505[154]:  
(com.vmware.fusionDaemon.37872[577]) Spawned and waiting for the debugger to  
attach before continuing..  
1/3/14 7:58:32.297 PM LogMeInGUI[573]: LogMeIn GUI started  
1/3/14 7:58:32.367 PM LogMeInGUI[573]: Config watcher thread started  
1/3/14 7:58:32.427 PM WiFiKeychainProxy[563]: [NO client logger] <Aug 30 2013  
23:40:46> WIFICLOUDSYNC WiFiCloudSyncEngineCreate: created...

1/3/14 7:58:32.428 PM WiFiKeychainProxy[563]: [NO client logger] <Aug 30 2013 23:40:46> WIFICLOUDSYNC WiFiCloudSyncEngineRegisterCallbacks:  
WiFiCloudSyncEngineCallbacks version - 0, bundle id -  
com.apple.wifi.WiFiKeychainProxy  
1/3/14 7:58:36.819 PM CoreServicesUIAgent[590]: Saving rejection record:  
Rejected  
URL=file:///Users/Brett/Library/Caches/Cleanup%20At%20Startup/CrossOver%20CD%20Helper.app/  
App  
URL=file:///Users/Brett/Library/Caches/Cleanup%20At%20Startup/CrossOver%20CD%20Helper.app/  
1/3/14 7:58:36.819 PM CoreServicesUIAgent[590]: App URL discarded  
1/3/14 7:58:36.820 PM com.apple.launchd.peruser.505[154]: ([0x0-0x6c06c].com.codeweavers.crossover CD helper[589]) Exited: Killed: 9  
1/3/14 7:58:43.084 PM soagent[545]: Killing soagent.  
1/3/14 7:58:43.084 PM NotificationCenter[543]: SOHelperCenter main connection interrupted  
1/3/14 7:58:43.084 PM com.apple.dock.extra[557]: SOHelperCenter main connection interrupted  
1/3/14 7:58:43.084 PM NotificationCenter[543]: SOHelperCenter main connection interrupted  
1/3/14 8:21:37.387 PM PluginProcess[617]: CoreText performance note: Client called CTFontCreateWithName() using name "Times Roman" and got font with PostScript name "Times-Roman". For best performance, only use PostScript names when calling this API.  
1/3/14 8:21:37.388 PM PluginProcess[617]: CoreText performance note: Set a breakpoint on CTFontLogSuboptimalRequest to debug.  
1/3/14 8:21:37.848 PM PluginProcess[617]: CoreText performance note: Client called CTFontCreateWithName() using name "Helvetica Neue Light" and got font with PostScript name "HelveticaNeue-Light". For best performance, only use PostScript names when calling this API.  
1/3/14 8:21:38.114 PM PluginProcess[617]: CoreText performance note: Client called CTFontCreateWithName() using name "Arial" and got font with PostScript name "ArialMT". For best performance, only use PostScript names when calling this API.  
1/3/14 8:24:32.961 PM PluginProcess[621]: CoreText performance note: Client called CTFontCreateWithName() using name "Arial Unicode MS" and got font with PostScript name "ArialUnicodeMS". For best performance, only use PostScript names when calling this API.  
1/3/14 8:24:32.961 PM PluginProcess[621]: CoreText performance note: Set a breakpoint on CTFontLogSuboptimalRequest to debug.  
1/3/14 8:24:33.296 PM PluginProcess[617]: CoreText performance note: Client called CTFontCreateWithName() using name "Arial Unicode MS" and got font with PostScript name "ArialUnicodeMS". For best performance, only use PostScript names when calling this API.

1/3/14 8:24:33.348 PM PluginProcess[617]: CoreText performance note: Client called CTFontCreateWithName() using name "Times Roman" and got font with PostScript name "Times-Roman". For best performance, only use PostScript names when calling this API.

1/3/14 8:24:33.455 PM PluginProcess[621]: CoreText performance note: Client called CTFontCreateWithName() using name "Times Roman" and got font with PostScript name "Times-Roman". For best performance, only use PostScript names when calling this API.

1/3/14 8:25:32.549 PM PluginProcess[617]: CoreText performance note: Client called CTFontCreateWithName() using name "Arial" and got font with PostScript name "ArialMT". For best performance, only use PostScript names when calling this API.

1/3/14 8:27:54.570 PM PluginProcess[617]: CoreText performance note: Client called CTFontCreateWithName() using name "Arial Bold" and got font with PostScript name "Arial-BoldMT". For best performance, only use PostScript names when calling this API.

1/3/14 8:28:41.334 PM PluginProcess[622]: CoreText performance note: Client called CTFontCreateWithName() using name "Arial Unicode MS" and got font with PostScript name "ArialUnicodeMS". For best performance, only use PostScript names when calling this API.

1/3/14 8:28:41.334 PM PluginProcess[622]: CoreText performance note: Set a breakpoint on CTFontLogSuboptimalRequest to debug.

1/3/14 8:28:41.722 PM PluginProcess[622]: CoreText performance note: Client called CTFontCreateWithName() using name "Times Roman" and got font with PostScript name "Times-Roman". For best performance, only use PostScript names when calling this API.

1/3/14 8:29:02.327 PM PluginProcess[622]: CoreText performance note: Client called CTFontCreateWithName() using name "Arial Unicode MS" and got font with PostScript name "ArialUnicodeMS". For best performance, only use PostScript names when calling this API.

1/3/14 8:29:02.336 PM PluginProcess[622]: CoreText performance note: Client called CTFontCreateWithName() using name "Times Roman" and got font with PostScript name "Times-Roman". For best performance, only use PostScript names when calling this API.

1/3/14 8:29:22.582 PM PluginProcess[622]: CoreText performance note: Client called CTFontCreateWithName() using name "Arial Unicode MS" and got font with PostScript name "ArialUnicodeMS". For best performance, only use PostScript names when calling this API.

1/3/14 8:29:22.591 PM PluginProcess[622]: CoreText performance note: Client called CTFontCreateWithName() using name "Times Roman" and got font with PostScript name "Times-Roman". For best performance, only use PostScript names when calling this API.

1/3/14 8:29:28.278 PM PluginProcess[622]: CoreText performance note: Client called CTFontCreateWithName() using name "Arial Unicode MS" and got font with PostScript name "ArialUnicodeMS". For best performance, only use PostScript names when calling this API.

1/3/14 8:29:28.288 PM PluginProcess[622]: CoreText performance note: Client called CTFontCreateWithName() using name "Times Roman" and got font with PostScript name "Times-Roman". For best performance, only use PostScript names when calling this API.

1/3/14 8:29:28.616 PM PluginProcess[617]: CoreText performance note: Client called CTFontCreateWithName() using name "Arial Unicode MS" and got font with PostScript name "ArialUnicodeMS". For best performance, only use PostScript names when calling this API.

1/3/14 8:29:28.625 PM PluginProcess[617]: CoreText performance note: Client called CTFontCreateWithName() using name "Times Roman" and got font with PostScript name "Times-Roman". For best performance, only use PostScript names when calling this API.

1/3/14 8:29:35.883 PM PluginProcess[617]: CoreText performance note: Client called CTFontCreateWithName() using name "Arial" and got font with PostScript name "ArialMT". For best performance, only use PostScript names when calling this API.

1/3/14 8:29:58.973 PM PluginProcess[617]: CoreText performance note: Client called CTFontCreateWithName() using name "Lucida Grande" and got font with PostScript name "LucidaGrande". For best performance, only use PostScript names when calling this API.

1/3/14 8:33:30.118 PM PluginProcess[625]: CoreText performance note: Client called CTFontCreateWithName() using name "Times Roman" and got font with PostScript name "Times-Roman". For best performance, only use PostScript names when calling this API.

1/3/14 8:33:30.118 PM PluginProcess[625]: CoreText performance note: Set a breakpoint on CTFontLogSuboptimalRequest to debug.

1/3/14 8:33:30.553 PM PluginProcess[625]: CoreText performance note: Client called CTFontCreateWithName() using name "Arial" and got font with PostScript name "ArialMT". For best performance, only use PostScript names when calling this API.

1/3/14 8:33:59.089 PM com.apple.WebKit.Networking[560]:  
NSURLConnection/CFURLConnection HTTP load failed  
(kCFStreamErrorDomainSSL, -9843)

1/3/14 9:13:20.229 PM PluginProcess[641]: CoreText performance note: Client called CTFontCreateWithName() using name "Times Roman" and got font with PostScript name "Times-Roman". For best performance, only use PostScript names when calling this API.

1/3/14 9:13:20.229 PM PluginProcess[641]: CoreText performance note: Set a breakpoint on CTFontLogSuboptimalRequest to debug.

1/3/14 9:13:24.648 PM PluginProcess[641]: CoreText performance note: Client called CTFontCreateWithName() using name "Times Roman" and got font with PostScript name "Times-Roman". For best performance, only use PostScript names when calling this API.

1/3/14 10:19:35.881 PM PluginProcess[617]: CoreText performance note: Client called CTFontCreateWithName() using name "Arial Unicode MS" and got font with

PostScript name "ArialUnicodeMS". For best performance, only use PostScript names when calling this API.

1/3/14 10:19:35.894 PM PluginProcess[617]: CoreText performance note: Client called CTFontCreateWithName() using name "Times Roman" and got font with PostScript name "Times-Roman". For best performance, only use PostScript names when calling this API.

1/3/14 10:19:36.327 PM PluginProcess[617]: CoreText performance note: Client called CTFontCreateWithName() using name "Arial" and got font with PostScript name "ArialMT". For best performance, only use PostScript names when calling this API.

1/3/14 10:19:45.181 PM PluginProcess[617]: CoreText performance note: Client called CTFontCreateWithName() using name "Arial Unicode MS" and got font with PostScript name "ArialUnicodeMS". For best performance, only use PostScript names when calling this API.

1/3/14 10:19:45.195 PM PluginProcess[617]: CoreText performance note: Client called CTFontCreateWithName() using name "Times Roman" and got font with PostScript name "Times-Roman". For best performance, only use PostScript names when calling this API.

1/3/14 10:22:01.996 PM PluginProcess[678]: CoreText performance note: Client called CTFontCreateWithName() using name "Arial Unicode MS" and got font with PostScript name "ArialUnicodeMS". For best performance, only use PostScript names when calling this API.

1/3/14 10:22:01.996 PM PluginProcess[678]: CoreText performance note: Set a breakpoint on CTFontLogSuboptimalRequest to debug.

1/3/14 10:22:02.389 PM PluginProcess[678]: CoreText performance note: Client called CTFontCreateWithName() using name "Times Roman" and got font with PostScript name "Times-Roman". For best performance, only use PostScript names when calling this API.

1/3/14 10:22:05.443 PM PluginProcess[677]: CoreText performance note: Client called CTFontCreateWithName() using name "Arial Unicode MS" and got font with PostScript name "ArialUnicodeMS". For best performance, only use PostScript names when calling this API.

1/3/14 10:22:05.443 PM PluginProcess[677]: CoreText performance note: Set a breakpoint on CTFontLogSuboptimalRequest to debug.

1/3/14 10:22:05.834 PM PluginProcess[677]: CoreText performance note: Client called CTFontCreateWithName() using name "Times Roman" and got font with PostScript name "Times-Roman". For best performance, only use PostScript names when calling this API.

1/3/14 10:22:15.382 PM PluginProcess[678]: CoreText performance note: Client called CTFontCreateWithName() using name "Arial Unicode MS" and got font with PostScript name "ArialUnicodeMS". For best performance, only use PostScript names when calling this API.

1/3/14 10:22:15.391 PM PluginProcess[678]: CoreText performance note: Client called CTFontCreateWithName() using name "Times Roman" and got font with PostScript name "Times-Roman". For best performance, only use PostScript names when calling this API.

1/3/14 10:22:42.312 PM PluginProcess[678]: CoreText performance note: Client called CTFontCreateWithName() using name "Lucida Grande" and got font with PostScript name "LucidaGrande". For best performance, only use PostScript names when calling this API.

1/3/14 10:22:59.007 PM PluginProcess[678]: CoreText performance note: Client called CTFontCreateWithName() using name "Arial" and got font with PostScript name "ArialMT". For best performance, only use PostScript names when calling this API.

1/3/14 10:23:47.833 PM PluginProcess[678]: CoreText performance note: Client called CTFontCreateWithName() using name "Arial Unicode MS" and got font with PostScript name "ArialUnicodeMS". For best performance, only use PostScript names when calling this API.

1/3/14 10:23:47.847 PM PluginProcess[678]: CoreText performance note: Client called CTFontCreateWithName() using name "Times Roman" and got font with PostScript name "Times-Roman". For best performance, only use PostScript names when calling this API.

1/3/14 10:23:48.519 PM PluginProcess[678]: CoreText performance note: Client called CTFontCreateWithName() using name "Arial" and got font with PostScript name "ArialMT". For best performance, only use PostScript names when calling this API.

1/3/14 10:24:03.680 PM PluginProcess[678]: CoreText performance note: Client called CTFontCreateWithName() using name "Lucida Grande" and got font with PostScript name "LucidaGrande". For best performance, only use PostScript names when calling this API.

1/3/14 10:28:13.334 PM PluginProcess[682]: CoreText performance note: Client called CTFontCreateWithName() using name "Arial Unicode MS" and got font with PostScript name "ArialUnicodeMS". For best performance, only use PostScript names when calling this API.

1/3/14 10:28:13.334 PM PluginProcess[682]: CoreText performance note: Set a breakpoint on CTFontLogSuboptimalRequest to debug.

1/3/14 10:28:13.733 PM PluginProcess[682]: CoreText performance note: Client called CTFontCreateWithName() using name "Times Roman" and got font with PostScript name "Times-Roman". For best performance, only use PostScript names when calling this API.

1/3/14 10:28:41.984 PM PluginProcess[678]: CoreText performance note: Client called CTFontCreateWithName() using name "Arial Unicode MS" and got font with PostScript name "ArialUnicodeMS". For best performance, only use PostScript names when calling this API.

1/3/14 10:28:41.992 PM PluginProcess[678]: CoreText performance note: Client called CTFontCreateWithName() using name "Times Roman" and got font with PostScript name "Times-Roman". For best performance, only use PostScript names when calling this API.

1/3/14 10:28:42.888 PM PluginProcess[678]: CoreText performance note: Client called CTFontCreateWithName() using name "Arial" and got font with PostScript name "ArialMT". For best performance, only use PostScript names when calling this API.



1/3/14 10:28:50.825 PM PluginProcess[682]: CoreText performance note: Client called CTFontCreateWithName() using name "Arial Unicode MS" and got font with PostScript name "ArialUnicodeMS". For best performance, only use PostScript names when calling this API.

1/3/14 10:28:50.834 PM PluginProcess[682]: CoreText performance note: Client called CTFontCreateWithName() using name "Times Roman" and got font with PostScript name "Times-Roman". For best performance, only use PostScript names when calling this API.

1/3/14 10:28:56.143 PM PluginProcess[682]: CoreText performance note: Client called CTFontCreateWithName() using name "Arial Unicode MS" and got font with PostScript name "ArialUnicodeMS". For best performance, only use PostScript names when calling this API.

1/3/14 10:28:56.151 PM PluginProcess[682]: CoreText performance note: Client called CTFontCreateWithName() using name "Times Roman" and got font with PostScript name "Times-Roman". For best performance, only use PostScript names when calling this API.

1/3/14 10:29:19.259 PM PluginProcess[682]: CoreText performance note: Client called CTFontCreateWithName() using name "Arial Unicode MS" and got font with PostScript name "ArialUnicodeMS". For best performance, only use PostScript names when calling this API.

1/3/14 10:29:19.269 PM PluginProcess[682]: CoreText performance note: Client called CTFontCreateWithName() using name "Times Roman" and got font with PostScript name "Times-Roman". For best performance, only use PostScript names when calling this API.

1/3/14 10:29:23.975 PM PluginProcess[682]: CoreText performance note: Client called CTFontCreateWithName() using name "Arial Unicode MS" and got font with PostScript name "ArialUnicodeMS". For best performance, only use PostScript names when calling this API.

1/3/14 10:29:23.983 PM PluginProcess[682]: CoreText performance note: Client called CTFontCreateWithName() using name "Times Roman" and got font with PostScript name "Times-Roman". For best performance, only use PostScript names when calling this API.

1/3/14 10:29:58.179 PM PluginProcess[682]: CoreText performance note: Client called CTFontCreateWithName() using name "Arial Unicode MS" and got font with PostScript name "ArialUnicodeMS". For best performance, only use PostScript names when calling this API.

1/3/14 10:29:58.187 PM PluginProcess[682]: CoreText performance note: Client called CTFontCreateWithName() using name "Times Roman" and got font with PostScript name "Times-Roman". For best performance, only use PostScript names when calling this API.

1/3/14 10:29:58.650 PM PluginProcess[678]: CoreText performance note: Client called CTFontCreateWithName() using name "Arial Unicode MS" and got font with PostScript name "ArialUnicodeMS". For best performance, only use PostScript names when calling this API.

1/3/14 10:29:58.659 PM PluginProcess[678]: CoreText performance note: Client called CTFontCreateWithName() using name "Times Roman" and got font with

PostScript name "Times-Roman". For best performance, only use PostScript names when calling this API.

1/3/14 10:30:58.845 PM PluginProcess[678]: CoreText performance note: Client called CTFontCreateWithName() using name "Lucida Grande" and got font with PostScript name "LucidaGrande". For best performance, only use PostScript names when calling this API.

1/3/14 10:33:39.809 PM PluginProcess[688]: CoreText performance note: Client called CTFontCreateWithName() using name "Arial Unicode MS" and got font with PostScript name "ArialUnicodeMS". For best performance, only use PostScript names when calling this API.

1/3/14 10:33:39.810 PM PluginProcess[688]: CoreText performance note: Set a breakpoint on CTFontLogSuboptimalRequest to debug.

1/3/14 10:33:40.214 PM PluginProcess[688]: CoreText performance note: Client called CTFontCreateWithName() using name "Times Roman" and got font with PostScript name "Times-Roman". For best performance, only use PostScript names when calling this API.

1/3/14 10:52:45.491 PM PluginProcess[696]: CoreText performance note: Client called CTFontCreateWithName() using name "Arial Unicode MS" and got font with PostScript name "ArialUnicodeMS". For best performance, only use PostScript names when calling this API.

1/3/14 10:52:45.491 PM PluginProcess[696]: CoreText performance note: Set a breakpoint on CTFontLogSuboptimalRequest to debug.

1/3/14 10:52:45.882 PM PluginProcess[696]: CoreText performance note: Client called CTFontCreateWithName() using name "Times Roman" and got font with PostScript name "Times-Roman". For best performance, only use PostScript names when calling this API.

1/3/14 10:52:55.396 PM PluginProcess[678]: CoreText performance note: Client called CTFontCreateWithName() using name "Arial Unicode MS" and got font with PostScript name "ArialUnicodeMS". For best performance, only use PostScript names when calling this API.

1/3/14 10:52:55.405 PM PluginProcess[678]: CoreText performance note: Client called CTFontCreateWithName() using name "Times Roman" and got font with PostScript name "Times-Roman". For best performance, only use PostScript names when calling this API.

1/3/14 11:02:30.472 PM com.apple.launchd.peruser.505[154]: ([0x0-0x6e06e].com.apple.AppleSpell[611]) Exited: Killed: 9

1/4/14 12:27:29.206 AM com.apple.launchd.peruser.505[154]: Background: Aqua: Registering new GUI session.

1/4/14 12:27:29.227 AM com.apple.launchd.peruser.505[154]: (com.logmein.logmeingui) Unknown key for boolean: UseLMILaunchAgentFixer

1/4/14 12:27:29.228 AM com.apple.launchd.peruser.505[154]: (com.apple.cmfsyncagent) Ignored this key: UserName

1/4/14 12:27:29.228 AM com.apple.launchd.peruser.505[154]: (com.apple.EscrowSecurityAlert) Unknown key: seatbelt-profiles

1/4/14 12:27:29.229 AM com.apple.launchd.peruser.505[154]:  
(com.apple.ReportCrash) Falling back to default Mach exception handler. Could not  
find: com.apple.ReportCrash.Self  
1/4/14 12:27:29.719 AM SystemUIServer[736]: Cannot find executable for  
CFBundle 0x7fcb9b71c9b0 </System/Library/CoreServices/Menu  
Extras/Clock.menu> (not loaded)  
1/4/14 12:27:29.736 AM SystemUIServer[736]: Cannot find executable for  
CFBundle 0x7fcb9b723b50 </System/Library/CoreServices/Menu  
Extras/Volume.menu> (not loaded)  
1/4/14 12:27:31.330 AM com.apple.quicklook.satellite[763]: [QL]  
com.apple.webarchive set by CFBundle/CFPlugIn 0x7ff800700f70  
</System/Library/QuickLook/Web.qlgenerator> (bundle, loaded) is not a  
supported content type for  
QLThumbnailRequestSetThumbnailWithURLRepresentation()  
1/4/14 12:27:31.505 AM com.apple.launchd.peruser.505[154]:  
(com.codeweavers.crossover CD helper.37696[782]) Spawned and waiting for the  
debugger to attach before continuing...  
1/4/14 12:27:31.520 AM com.apple.launchd.peruser.505[154]:  
(com.vmware.fusionDaemon.37872[783]) Spawned and waiting for the debugger to  
attach before continuing...  
1/4/14 12:27:31.585 AM LogMeInGUI[779]: LogMeIn GUI started  
1/4/14 12:27:31.695 AM LogMeInGUI[779]: Config watcher thread started  
1/4/14 12:27:31.715 AM WiFiKeychainProxy[769]: [NO client logger] <Aug 30  
2013 23:40:46> WIFICLOUDSYNC WiFiCloudSyncEngineCreate: created...  
1/4/14 12:27:31.716 AM WiFiKeychainProxy[769]: [NO client logger] <Aug 30  
2013 23:40:46> WIFICLOUDSYNC WiFiCloudSyncEngineRegisterCallbacks:  
WiFiCloudSyncEngineCallbacks version - 0, bundle id -  
com.apple.wifi.WiFiKeychainProxy  
1/4/14 12:27:31.728 AM soagent[750]: No active accounts, killing soagent in 10  
seconds  
1/4/14 12:27:31.751 AM soagent[750]: No active accounts, killing soagent in 10  
seconds  
1/4/14 12:27:31.752 AM soagent[750]: No active accounts, killing soagent in 10  
seconds  
1/4/14 12:27:35.392 AM CoreServicesUIAgent[791]: Saving rejection record:  
Rejected  
URL=file:///Users/Brett/Library/Caches/Cleanup%20At%20Startup/CrossOver%  
20CD%20Helper.app/  
App  
URL=file:///Users/Brett/Library/Caches/Cleanup%20At%20Startup/CrossOver%  
20CD%20Helper.app/  
1/4/14 12:27:35.393 AM CoreServicesUIAgent[791]: App URL discarded  
1/4/14 12:27:35.394 AM com.apple.launchd.peruser.505[154]: ([0x0-  
0xa30a3].com.codeweavers.crossover CD helper[790]) Exited: Killed: 9  
1/4/14 12:27:41.730 AM soagent[750]: Killing soagent.

1/4/14 12:27:41.730 AM NotificationCenter[749]: SOHelperCenter main connection interrupted

1/4/14 12:27:41.730 AM com.apple.dock.extra[759]: SOHelperCenter main connection interrupted

1/4/14 12:27:41.731 AM NotificationCenter[749]: SOHelperCenter main connection interrupted

1/4/14 12:27:41.732 AM com.apple.dock.extra[759]: SOHelperCenter main connection interrupted

1/4/14 12:32:44.753 AM PluginProcess[805]: CoreText performance note: Client called CTFontCreateWithName() using name "Times Roman" and got font with PostScript name "Times-Roman". For best performance, only use PostScript names when calling this API.

1/4/14 12:32:44.753 AM PluginProcess[805]: CoreText performance note: Set a breakpoint on CTFontLogSuboptimalRequest to debug.

1/4/14 12:32:45.130 AM PluginProcess[805]: CoreText performance note: Client called CTFontCreateWithName() using name "Arial" and got font with PostScript name "ArialMT". For best performance, only use PostScript names when calling this API.

1/4/14 12:32:45.136 AM PluginProcess[805]: CoreText performance note: Client called CTFontCreateWithName() using name "Microsoft Sans Serif" and got font with PostScript name "MicrosoftSansSerif". For best performance, only use PostScript names when calling this API.

1/4/14 12:33:41.584 AM PluginProcess[811]: CoreText performance note: Client called CTFontCreateWithName() using name "Arial Unicode MS" and got font with PostScript name "ArialUnicodeMS". For best performance, only use PostScript names when calling this API.

1/4/14 12:33:41.584 AM PluginProcess[811]: CoreText performance note: Set a breakpoint on CTFontLogSuboptimalRequest to debug.

1/4/14 12:33:41.910 AM PluginProcess[805]: CoreText performance note: Client called CTFontCreateWithName() using name "Arial Unicode MS" and got font with PostScript name "ArialUnicodeMS". For best performance, only use PostScript names when calling this API.

1/4/14 12:33:41.923 AM PluginProcess[805]: CoreText performance note: Client called CTFontCreateWithName() using name "Times Roman" and got font with PostScript name "Times-Roman". For best performance, only use PostScript names when calling this API.

1/4/14 12:33:42.092 AM PluginProcess[811]: CoreText performance note: Client called CTFontCreateWithName() using name "Times Roman" and got font with PostScript name "Times-Roman". For best performance, only use PostScript names when calling this API.

1/4/14 12:33:43.099 AM PluginProcess[805]: CoreText performance note: Client called CTFontCreateWithName() using name "Arial" and got font with PostScript name "ArialMT". For best performance, only use PostScript names when calling this API.

1/4/14 12:35:25.059 AM PluginProcess[805]: CoreText performance note: Client called CTFontCreateWithName() using name "Times Roman" and got font with

PostScript name "Times-Roman". For best performance, only use PostScript names when calling this API.

1/4/14 12:35:25.061 AM PluginProcess[805]: CoreText performance note: Client called CTFontCreateWithName() using name "Times New Roman" and got font with PostScript name "TimesNewRomanPSMT". For best performance, only use PostScript names when calling this API.

1/4/14 12:37:00.895 AM PluginProcess[805]: CoreText performance note: Client called CTFontCreateWithName() using name "Times Roman" and got font with PostScript name "Times-Roman". For best performance, only use PostScript names when calling this API.

1/4/14 12:37:01.843 AM PluginProcess[805]: CoreText performance note: Client called CTFontCreateWithName() using name "Times Roman" and got font with PostScript name "Times-Roman". For best performance, only use PostScript names when calling this API.

1/4/14 12:37:49.639 AM PluginProcess[805]: CoreText performance note: Client called CTFontCreateWithName() using name "Times Roman" and got font with PostScript name "Times-Roman". For best performance, only use PostScript names when calling this API.

1/4/14 12:42:21.106 AM PluginProcess[815]: CoreText performance note: Client called CTFontCreateWithName() using name "Arial" and got font with PostScript name "ArialMT". For best performance, only use PostScript names when calling this API.

1/4/14 12:42:21.107 AM PluginProcess[815]: CoreText performance note: Set a breakpoint on CTFontLogSuboptimalRequest to debug.

1/4/14 12:53:39.802 AM PluginProcess[815]: CoreText performance note: Client called CTFontCreateWithName() using name "Arial" and got font with PostScript name "ArialMT". For best performance, only use PostScript names when calling this API.

1/4/14 12:54:24.214 AM PluginProcess[815]: CoreText performance note: Client called CTFontCreateWithName() using name "Arial Unicode MS" and got font with PostScript name "ArialUnicodeMS". For best performance, only use PostScript names when calling this API.

1/4/14 12:54:24.225 AM PluginProcess[815]: CoreText performance note: Client called CTFontCreateWithName() using name "Times Roman" and got font with PostScript name "Times-Roman". For best performance, only use PostScript names when calling this API.

1/4/14 12:54:24.738 AM PluginProcess[815]: CoreText performance note: Client called CTFontCreateWithName() using name "Arial" and got font with PostScript name "ArialMT". For best performance, only use PostScript names when calling this API.

1/4/14 12:54:28.423 AM PluginProcess[817]: CoreText performance note: Client called CTFontCreateWithName() using name "Arial Unicode MS" and got font with PostScript name "ArialUnicodeMS". For best performance, only use PostScript names when calling this API.

1/4/14 12:54:28.424 AM PluginProcess[817]: CoreText performance note: Set a breakpoint on CTFontLogSuboptimalRequest to debug.

1/4/14 12:54:28.813 AM PluginProcess[817]: CoreText performance note: Client called CTFontCreateWithName() using name "Times Roman" and got font with PostScript name "Times-Roman". For best performance, only use PostScript names when calling this API.

1/4/14 12:54:30.314 AM PluginProcess[817]: CoreText performance note: Client called CTFontCreateWithName() using name "Arial Unicode MS" and got font with PostScript name "ArialUnicodeMS". For best performance, only use PostScript names when calling this API.

1/4/14 12:54:30.324 AM PluginProcess[817]: CoreText performance note: Client called CTFontCreateWithName() using name "Times Roman" and got font with PostScript name "Times-Roman". For best performance, only use PostScript names when calling this API.

1/4/14 12:54:30.765 AM PluginProcess[817]: CoreText performance note: Client called CTFontCreateWithName() using name "Arial" and got font with PostScript name "ArialMT". For best performance, only use PostScript names when calling this API.

1/4/14 12:54:47.891 AM PluginProcess[822]: CoreText performance note: Client called CTFontCreateWithName() using name "Arial Unicode MS" and got font with PostScript name "ArialUnicodeMS". For best performance, only use PostScript names when calling this API.

1/4/14 12:54:47.891 AM PluginProcess[822]: CoreText performance note: Set a breakpoint on CTFontLogSuboptimalRequest to debug.

1/4/14 12:54:48.280 AM PluginProcess[822]: CoreText performance note: Client called CTFontCreateWithName() using name "Times Roman" and got font with PostScript name "Times-Roman". For best performance, only use PostScript names when calling this API.

1/4/14 12:54:50.671 AM PluginProcess[822]: CoreText performance note: Client called CTFontCreateWithName() using name "Arial Unicode MS" and got font with PostScript name "ArialUnicodeMS". For best performance, only use PostScript names when calling this API.

1/4/14 12:54:50.680 AM PluginProcess[822]: CoreText performance note: Client called CTFontCreateWithName() using name "Times Roman" and got font with PostScript name "Times-Roman". For best performance, only use PostScript names when calling this API.

1/4/14 12:54:59.388 AM PluginProcess[822]: CoreText performance note: Client called CTFontCreateWithName() using name "Arial Unicode MS" and got font with PostScript name "ArialUnicodeMS". For best performance, only use PostScript names when calling this API.

1/4/14 12:54:59.396 AM PluginProcess[822]: CoreText performance note: Client called CTFontCreateWithName() using name "Times Roman" and got font with PostScript name "Times-Roman". For best performance, only use PostScript names when calling this API.

1/4/14 12:55:04.907 AM PluginProcess[822]: CoreText performance note: Client called CTFontCreateWithName() using name "Arial Unicode MS" and got font with PostScript name "ArialUnicodeMS". For best performance, only use PostScript names when calling this API.

1/4/14 12:55:04.916 AM PluginProcess[822]: CoreText performance note: Client called CTFontCreateWithName() using name "Times Roman" and got font with PostScript name "Times-Roman". For best performance, only use PostScript names when calling this API.

1/4/14 12:55:12.696 AM PluginProcess[815]: CoreText performance note: Client called CTFontCreateWithName() using name "Arial Unicode MS" and got font with PostScript name "ArialUnicodeMS". For best performance, only use PostScript names when calling this API.

1/4/14 12:55:12.709 AM PluginProcess[815]: CoreText performance note: Client called CTFontCreateWithName() using name "Times Roman" and got font with PostScript name "Times-Roman". For best performance, only use PostScript names when calling this API.

1/4/14 12:55:13.648 AM PluginProcess[815]: CoreText performance note: Client called CTFontCreateWithName() using name "Arial" and got font with PostScript name "ArialMT". For best performance, only use PostScript names when calling this API.

1/4/14 12:55:50.621 AM PluginProcess[815]: CoreText performance note: Client called CTFontCreateWithName() using name "Lucida Grande" and got font with PostScript name "LucidaGrande". For best performance, only use PostScript names when calling this API.

1/4/14 12:59:26.582 AM PluginProcess[824]: CoreText performance note: Client called CTFontCreateWithName() using name "Arial Unicode MS" and got font with PostScript name "ArialUnicodeMS". For best performance, only use PostScript names when calling this API.

1/4/14 12:59:26.582 AM PluginProcess[824]: CoreText performance note: Set a breakpoint on CTFontLogSuboptimalRequest to debug.

1/4/14 12:59:26.968 AM PluginProcess[824]: CoreText performance note: Client called CTFontCreateWithName() using name "Times Roman" and got font with PostScript name "Times-Roman". For best performance, only use PostScript names when calling this API.

1/4/14 12:59:29.043 AM PluginProcess[824]: CoreText performance note: Client called CTFontCreateWithName() using name "Arial Unicode MS" and got font with PostScript name "ArialUnicodeMS". For best performance, only use PostScript names when calling this API.

1/4/14 12:59:29.052 AM PluginProcess[824]: CoreText performance note: Client called CTFontCreateWithName() using name "Times Roman" and got font with PostScript name "Times-Roman". For best performance, only use PostScript names when calling this API.

1/4/14 12:59:42.370 AM PluginProcess[815]: CoreText performance note: Client called CTFontCreateWithName() using name "Arial Unicode MS" and got font with PostScript name "ArialUnicodeMS". For best performance, only use PostScript names when calling this API.

1/4/14 12:59:42.378 AM PluginProcess[815]: CoreText performance note: Client called CTFontCreateWithName() using name "Times Roman" and got font with PostScript name "Times-Roman". For best performance, only use PostScript names when calling this API.

1/4/14 1:00:00.187 AM PluginProcess[815]: CoreText performance note: Client called CTFontCreateWithName() using name "Lucida Grande" and got font with PostScript name "LucidaGrande". For best performance, only use PostScript names when calling this API.

1/4/14 1:01:15.052 AM PluginProcess[825]: CoreText performance note: Client called CTFontCreateWithName() using name "Arial Unicode MS" and got font with PostScript name "ArialUnicodeMS". For best performance, only use PostScript names when calling this API.

1/4/14 1:01:15.052 AM PluginProcess[825]: CoreText performance note: Set a breakpoint on CTFontLogSuboptimalRequest to debug.

1/4/14 1:01:15.431 AM PluginProcess[825]: CoreText performance note: Client called CTFontCreateWithName() using name "Times Roman" and got font with PostScript name "Times-Roman". For best performance, only use PostScript names when calling this API.

1/4/14 1:02:38.930 AM PluginProcess[827]: CoreText performance note: Client called CTFontCreateWithName() using name "Arial Unicode MS" and got font with PostScript name "ArialUnicodeMS". For best performance, only use PostScript names when calling this API.

1/4/14 1:02:38.930 AM PluginProcess[827]: CoreText performance note: Set a breakpoint on CTFontLogSuboptimalRequest to debug.

1/4/14 1:02:39.318 AM PluginProcess[827]: CoreText performance note: Client called CTFontCreateWithName() using name "Times Roman" and got font with PostScript name "Times-Roman". For best performance, only use PostScript names when calling this API.

1/4/14 1:04:54.356 AM PluginProcess[828]: CoreText performance note: Client called CTFontCreateWithName() using name "Arial Unicode MS" and got font with PostScript name "ArialUnicodeMS". For best performance, only use PostScript names when calling this API.

1/4/14 1:04:54.356 AM PluginProcess[828]: CoreText performance note: Set a breakpoint on CTFontLogSuboptimalRequest to debug.

1/4/14 1:04:54.741 AM PluginProcess[828]: CoreText performance note: Client called CTFontCreateWithName() using name "Times Roman" and got font with PostScript name "Times-Roman". For best performance, only use PostScript names when calling this API.

1/4/14 1:05:27.179 AM PluginProcess[828]: CoreText performance note: Client called CTFontCreateWithName() using name "Arial Unicode MS" and got font with PostScript name "ArialUnicodeMS". For best performance, only use PostScript names when calling this API.

1/4/14 1:05:27.189 AM PluginProcess[828]: CoreText performance note: Client called CTFontCreateWithName() using name "Times Roman" and got font with PostScript name "Times-Roman". For best performance, only use PostScript names when calling this API.

1/4/14 1:38:48.135 AM PluginProcess[873]: CoreText performance note: Client called CTFontCreateWithName() using name "Arial Unicode MS" and got font with PostScript name "ArialUnicodeMS". For best performance, only use PostScript names when calling this API.



1/4/14 1:38:48.135 AM PluginProcess[873]: CoreText performance note: Set a breakpoint on CTFontLogSuboptimalRequest to debug.

1/4/14 1:38:48.556 AM PluginProcess[873]: CoreText performance note: Client called CTFontCreateWithName() using name "Times Roman" and got font with PostScript name "Times-Roman". For best performance, only use PostScript names when calling this API.

1/4/14 1:38:49.210 AM PluginProcess[867]: CoreText performance note: Client called CTFontCreateWithName() using name "Arial Unicode MS" and got font with PostScript name "ArialUnicodeMS". For best performance, only use PostScript names when calling this API.

1/4/14 1:38:49.210 AM PluginProcess[867]: CoreText performance note: Set a breakpoint on CTFontLogSuboptimalRequest to debug.

1/4/14 1:38:49.672 AM PluginProcess[867]: CoreText performance note: Client called CTFontCreateWithName() using name "Times Roman" and got font with PostScript name "Times-Roman". For best performance, only use PostScript names when calling this API.

1/4/14 1:40:44.103 AM PluginProcess[874]: CoreText performance note: Client called CTFontCreateWithName() using name "Arial Unicode MS" and got font with PostScript name "ArialUnicodeMS". For best performance, only use PostScript names when calling this API.

1/4/14 1:40:44.104 AM PluginProcess[874]: CoreText performance note: Set a breakpoint on CTFontLogSuboptimalRequest to debug.

1/4/14 1:40:44.495 AM PluginProcess[874]: CoreText performance note: Client called CTFontCreateWithName() using name "Times Roman" and got font with PostScript name "Times-Roman". For best performance, only use PostScript names when calling this API.

1/4/14 2:17:00.296 AM PluginProcess[918]: CoreText performance note: Client called CTFontCreateWithName() using name "Times Roman" and got font with PostScript name "Times-Roman". For best performance, only use PostScript names when calling this API.

1/4/14 2:17:00.296 AM PluginProcess[918]: CoreText performance note: Set a breakpoint on CTFontLogSuboptimalRequest to debug.

1/4/14 2:17:18.764 AM PluginProcess[917]: CoreText performance note: Client called CTFontCreateWithName() using name "Times Roman" and got font with PostScript name "Times-Roman". For best performance, only use PostScript names when calling this API.

1/4/14 2:17:18.764 AM PluginProcess[917]: CoreText performance note: Set a breakpoint on CTFontLogSuboptimalRequest to debug.

1/4/14 2:17:21.449 AM PluginProcess[918]: CoreText performance note: Client called CTFontCreateWithName() using name "Times Roman" and got font with PostScript name "Times-Roman". For best performance, only use PostScript names when calling this API.

1/4/14 2:17:34.188 AM PluginProcess[918]: CoreText performance note: Client called CTFontCreateWithName() using name "Times Roman" and got font with PostScript name "Times-Roman". For best performance, only use PostScript names when calling this API.

1/4/14 2:17:45.171 AM PluginProcess[918]: CoreText performance note: Client called CTFontCreateWithName() using name "Times Roman" and got font with PostScript name "Times-Roman". For best performance, only use PostScript names when calling this API.

1/4/14 2:17:45.173 AM PluginProcess[918]: CoreText performance note: Client called CTFontCreateWithName() using name "Arial Black" and got font with PostScript name "Arial-Black". For best performance, only use PostScript names when calling this API.

1/4/14 2:17:45.189 AM PluginProcess[918]: CoreText performance note: Client called CTFontCreateWithName() using name "Microsoft Sans Serif" and got font with PostScript name "MicrosoftSansSerif". For best performance, only use PostScript names when calling this API.

1/4/14 2:18:12.410 AM com.apple.launchd.peruser.505[154]: (com.apple.EscrowSecurityAlert[908]) Exited: Killed: 9

1/4/14 2:18:12.429 AM com.apple.launchd.peruser.505[154]: ([0x0-0xa50a5].com.apple.AppleSpell[794]) Exited: Killed: 9

1/4/14 2:18:23.146 AM com.apple.InputMethodKit.UserDictionary[237]: - [PFUbiquitySwitchboardEntryMetadata setUseLocalStorage:](760): CoreData: Ubiquity: Brett~F15CF975-CC22-5A97-B3CF-22F4EFF83722:UserDictionary Using local storage: 1

1/4/14 11:55:58.359 AM com.apple.launchd.peruser.505[155]: Background: Aqua: Registering new GUI session.

1/4/14 11:55:58.377 AM com.apple.launchd.peruser.505[155]: (com.logmein.logmeingui) Unknown key for boolean: UseLMILaunchAgentFixer

1/4/14 11:55:58.378 AM com.apple.launchd.peruser.505[155]: (com.apple.cmfsyncagent) Ignored this key: UserName

1/4/14 11:55:58.378 AM com.apple.launchd.peruser.505[155]: (com.apple.EscrowSecurityAlert) Unknown key: seatbelt-profiles

1/4/14 11:55:58.379 AM com.apple.launchd.peruser.505[155]: (com.apple.ReportCrash) Falling back to default Mach exception handler. Could not find: com.apple.ReportCrash.Self

1/4/14 11:55:58.391 AM distnoted[159]: # distnote server agent absolute time: 79.960609105 civil time: Sat Jan 4 11:55:58 2014 pid: 159 uid: 505 root: no

1/4/14 11:56:00.153 AM SystemUIServer[169]: Cannot find executable for CFBundle 0x7ff88143ea70 </System/Library/CoreServices/Menu Extras/Clock.menu> (not loaded)

1/4/14 11:56:00.168 AM SystemUIServer[169]: Cannot find executable for CFBundle 0x7ff8814abc80 </System/Library/CoreServices/Menu Extras/Volume.menu> (not loaded)

1/4/14 11:56:01.516 AM com.apple.launchd.peruser.505[155]: (com.codeweavers.crossover CD helper.37696[225]) Spawned and waiting for the debugger to attach before continuing...

1/4/14 11:56:01.540 AM com.apple.launchd.peruser.505[155]: (com.vmware.fusionDaemon.37872[226]) Spawned and waiting for the debugger to attach before continuing...

1/4/14 11:56:01.675 AM LogMeInGUI[222]: LogMeIn GUI started

1/4/14 11:56:01.788 AM WiFiKeychainProxy[212]: [NO client logger] <Aug 30 2013 23:40:46> WIFICLOUDSYNC WiFiCloudSyncEngineCreate: created...

1/4/14 11:56:01.789 AM WiFiKeychainProxy[212]: [NO client logger] <Aug 30 2013 23:40:46> WIFICLOUDSYNC WiFiCloudSyncEngineRegisterCallbacks: WiFiCloudSyncEngineCallbacks version - 0, bundle id - com.apple.wifi.WiFiKeychainProxy

1/4/14 11:56:01.800 AM soagent[191]: No active accounts, killing soagent in 10 seconds

1/4/14 11:56:01.803 AM soagent[191]: No active accounts, killing soagent in 10 seconds

1/4/14 11:56:01.811 AM LogMeInGUI[222]: Config watcher thread started

1/4/14 11:56:01.825 AM soagent[191]: No active accounts, killing soagent in 10 seconds

1/4/14 11:56:02.660 AM com.apple.quicklook.satellite[232]: [QL] com.apple.webarchive set by CFBundle/CFPlugIn 0x7ff518601e90 </System/Library/QuickLook/Web.qlgenerator> (bundle, loaded) is not a supported content type for QLThumbnailRequestSetThumbnailWithURLRepresentation()

1/4/14 11:56:07.966 AM CoreServicesUIAgent[241]: Saving rejection record: Rejected URL=file:///Users/Brett/Library/Caches/Cleanup%20At%20Startup/CrossOver%20CD%20Helper.app/ App URL=file:///Users/Brett/Library/Caches/Cleanup%20At%20Startup/CrossOver%20CD%20Helper.app/

1/4/14 11:56:07.967 AM CoreServicesUIAgent[241]: App URL discarded

1/4/14 11:56:08.042 AM com.apple.launchd.peruser.505[155]: ([0x0-0x18018].com.codeweavers.crossover CD helper[240]) Exited: Killed: 9

1/4/14 11:56:12.796 AM soagent[191]: Killing soagent.

1/4/14 11:56:12.797 AM NotificationCenter[184]: SOHelperCenter main connection interrupted

1/4/14 11:56:12.797 AM com.apple.dock.extra[197]: SOHelperCenter main connection interrupted

1/4/14 11:56:12.797 AM NotificationCenter[184]: SOHelperCenter main connection interrupted

1/4/14 11:57:34.824 AM com.apple.launchd.peruser.505[155]: ([0x0-0x17017].com.apple.AppleSpell[237]) Exited: Killed: 9

1/4/14 12:27:47.092 PM com.apple.launchd.peruser.505[155]: Background: Aqua: Registering new GUI session.

1/4/14 12:27:47.109 PM com.apple.launchd.peruser.505[155]: (com.logmein.logmeingui) Unknown key for boolean: UseLMILaunchAgentFixer

1/4/14 12:27:47.110 PM com.apple.launchd.peruser.505[155]: (com.apple.cmfsyncagent) Ignored this key: UserName

1/4/14 12:27:47.110 PM com.apple.launchd.peruser.505[155]: (com.apple.EscrowSecurityAlert) Unknown key: seatbelt-profiles

1/4/14 12:27:47.111 PM com.apple.launchd.peruser.505[155]:  
(com.apple.ReportCrash) Falling back to default Mach exception handler. Could not  
find: com.apple.ReportCrash.Self  
1/4/14 12:27:47.597 PM SystemUIServer[380]: Cannot find executable for  
CFBundle 0x7fad93f2a2f0 </System/Library/CoreServices/Menu  
Extras/Clock.menu> (not loaded)  
1/4/14 12:27:47.622 PM SystemUIServer[380]: Cannot find executable for  
CFBundle 0x7fad93f2cec0 </System/Library/CoreServices/Menu  
Extras/Volume.menu> (not loaded)  
1/4/14 12:27:48.399 PM com.apple.launchd.peruser.505[155]:  
(com.codeweavers.crossover CD helper.37696[421]) Spawned and waiting for the  
debugger to attach before continuing..  
1/4/14 12:27:48.438 PM com.apple.launchd.peruser.505[155]:  
(com.vmware.fusionDaemon.37872[422]) Spawned and waiting for the debugger to  
attach before continuing..  
1/4/14 12:27:48.617 PM WiFiKeychainProxy[408]: [NO client logger] <Aug 30 2013  
23:40:46> WIFICLOUDSYNC WiFiCloudSyncEngineCreate: created..  
1/4/14 12:27:48.618 PM WiFiKeychainProxy[408]: [NO client logger] <Aug 30 2013  
23:40:46> WIFICLOUDSYNC WiFiCloudSyncEngineRegisterCallbacks:  
WiFiCloudSyncEngineCallbacks version - 0, bundle id -  
com.apple.wifi.WiFiKeychainProxy  
1/4/14 12:27:48.923 PM LogMeInGUI[418]: LogMeIn GUI started  
1/4/14 12:27:49.284 PM LogMeInGUI[418]: Config watcher thread started  
1/4/14 12:27:49.456 PM com.apple.quicklook.satellite[407]: [QL]  
com.apple.webarchive set by CFBundle/CFPlugIn 0x7f92f0c07cd0  
</System/Library/QuickLook/Web.qlgenerator> (bundle, loaded) is not a  
supported content type for  
QLThumbnailRequestSetThumbnailWithURLRepresentation()  
1/4/14 12:27:49.472 PM soagent[400]: No active accounts, killing soagent in 10  
seconds  
1/4/14 12:27:49.475 PM soagent[400]: No active accounts, killing soagent in 10  
seconds  
1/4/14 12:27:49.496 PM soagent[400]: No active accounts, killing soagent in 10  
seconds  
1/4/14 12:27:53.181 PM CoreServicesUIAgent[431]: Saving rejection record:  
Rejected  
URL=file:///Users/Brett/Library/Caches/Cleanup%20At%20Startup/CrossOver%  
20CD%20Helper.app/  
App  
URL=file:///Users/Brett/Library/Caches/Cleanup%20At%20Startup/CrossOver%  
20CD%20Helper.app/  
1/4/14 12:27:53.181 PM CoreServicesUIAgent[431]: App URL discarded  
1/4/14 12:27:53.183 PM com.apple.launchd.peruser.505[155]: ([0x0-  
0x31031].com.codeweavers.crossover CD helper[430]) Exited: Killed: 9  
1/4/14 12:28:00.468 PM soagent[400]: Killing soagent.

1/4/14 12:28:00.469 PM NotificationCenter[393]: SOHelperCenter main connection interrupted

1/4/14 12:28:00.469 PM com.apple.dock.extra[399]: SOHelperCenter main connection interrupted

1/4/14 12:32:11.264 PM PluginProcess[449]: CoreText performance note: Client called CTFontCreateWithName() using name "Times Roman" and got font with PostScript name "Times-Roman". For best performance, only use PostScript names when calling this API.

1/4/14 12:32:11.265 PM PluginProcess[449]: CoreText performance note: Set a breakpoint on CTFontLogSuboptimalRequest to debug.

1/4/14 12:32:11.707 PM PluginProcess[449]: CoreText performance note: Client called CTFontCreateWithName() using name "Helvetica Neue Light" and got font with PostScript name "HelveticaNeue-Light". For best performance, only use PostScript names when calling this API.

1/4/14 12:32:11.877 PM PluginProcess[449]: CoreText performance note: Client called CTFontCreateWithName() using name "Arial" and got font with PostScript name "ArialMT". For best performance, only use PostScript names when calling this API.

1/4/14 12:42:57.413 PM PluginProcess[449]: CoreText performance note: Client called CTFontCreateWithName() using name "Times Roman" and got font with PostScript name "Times-Roman". For best performance, only use PostScript names when calling this API.

1/4/14 12:42:57.415 PM PluginProcess[449]: CoreText performance note: Client called CTFontCreateWithName() using name "Arial" and got font with PostScript name "ArialMT". For best performance, only use PostScript names when calling this API.

1/4/14 12:44:02.426 PM PluginProcess[474]: CoreText performance note: Client called CTFontCreateWithName() using name "Arial Unicode MS" and got font with PostScript name "ArialUnicodeMS". For best performance, only use PostScript names when calling this API.

1/4/14 12:44:02.426 PM PluginProcess[474]: CoreText performance note: Set a breakpoint on CTFontLogSuboptimalRequest to debug.

1/4/14 12:44:02.864 PM PluginProcess[474]: CoreText performance note: Client called CTFontCreateWithName() using name "Times Roman" and got font with PostScript name "Times-Roman". For best performance, only use PostScript names when calling this API.

1/4/14 12:44:03.474 PM PluginProcess[449]: CoreText performance note: Client called CTFontCreateWithName() using name "Arial Unicode MS" and got font with PostScript name "ArialUnicodeMS". For best performance, only use PostScript names when calling this API.

1/4/14 12:44:03.490 PM PluginProcess[449]: CoreText performance note: Client called CTFontCreateWithName() using name "Times Roman" and got font with PostScript name "Times-Roman". For best performance, only use PostScript names when calling this API.

1/4/14 12:44:03.928 PM PluginProcess[449]: CoreText performance note: Client called CTFontCreateWithName() using name "Arial" and got font with PostScript

name "ArialMT". For best performance, only use PostScript names when calling this API.

1/4/14 12:44:17.098 PM PluginProcess[474]: CoreText performance note: Client called CTFontCreateWithName() using name "Arial Unicode MS" and got font with PostScript name "ArialUnicodeMS". For best performance, only use PostScript names when calling this API.

1/4/14 12:44:17.107 PM PluginProcess[474]: CoreText performance note: Client called CTFontCreateWithName() using name "Times Roman" and got font with PostScript name "Times-Roman". For best performance, only use PostScript names when calling this API.

1/4/14 12:44:19.527 PM PluginProcess[474]: CoreText performance note: Client called CTFontCreateWithName() using name "Arial Unicode MS" and got font with PostScript name "ArialUnicodeMS". For best performance, only use PostScript names when calling this API.

1/4/14 12:44:19.535 PM PluginProcess[474]: CoreText performance note: Client called CTFontCreateWithName() using name "Times Roman" and got font with PostScript name "Times-Roman". For best performance, only use PostScript names when calling this API.

1/4/14 12:44:19.907 PM PluginProcess[474]: CoreText performance note: Client called CTFontCreateWithName() using name "Arial" and got font with PostScript name "ArialMT". For best performance, only use PostScript names when calling this API.

1/4/14 12:44:33.700 PM PluginProcess[474]: CoreText performance note: Client called CTFontCreateWithName() using name "Arial Unicode MS" and got font with PostScript name "ArialUnicodeMS". For best performance, only use PostScript names when calling this API.

1/4/14 12:44:33.709 PM PluginProcess[474]: CoreText performance note: Client called CTFontCreateWithName() using name "Times Roman" and got font with PostScript name "Times-Roman". For best performance, only use PostScript names when calling this API.

1/4/14 12:44:36.211 PM PluginProcess[474]: CoreText performance note: Client called CTFontCreateWithName() using name "Arial Unicode MS" and got font with PostScript name "ArialUnicodeMS". For best performance, only use PostScript names when calling this API.

1/4/14 12:44:36.220 PM PluginProcess[474]: CoreText performance note: Client called CTFontCreateWithName() using name "Times Roman" and got font with PostScript name "Times-Roman". For best performance, only use PostScript names when calling this API.

1/4/14 12:44:40.331 PM PluginProcess[474]: CoreText performance note: Client called CTFontCreateWithName() using name "Arial Unicode MS" and got font with PostScript name "ArialUnicodeMS". For best performance, only use PostScript names when calling this API.

1/4/14 12:44:40.340 PM PluginProcess[474]: CoreText performance note: Client called CTFontCreateWithName() using name "Times Roman" and got font with PostScript name "Times-Roman". For best performance, only use PostScript names when calling this API.

1/4/14 12:45:10.056 PM PluginProcess[474]: CoreText performance note: Client called CTFontCreateWithName() using name "Arial Unicode MS" and got font with PostScript name "ArialUnicodeMS". For best performance, only use PostScript names when calling this API.

1/4/14 12:45:10.064 PM PluginProcess[474]: CoreText performance note: Client called CTFontCreateWithName() using name "Times Roman" and got font with PostScript name "Times-Roman". For best performance, only use PostScript names when calling this API.

1/4/14 12:45:15.332 PM PluginProcess[474]: CoreText performance note: Client called CTFontCreateWithName() using name "Arial Unicode MS" and got font with PostScript name "ArialUnicodeMS". For best performance, only use PostScript names when calling this API.

1/4/14 12:45:15.341 PM PluginProcess[474]: CoreText performance note: Client called CTFontCreateWithName() using name "Times Roman" and got font with PostScript name "Times-Roman". For best performance, only use PostScript names when calling this API.

1/4/14 12:45:18.520 PM PluginProcess[474]: CoreText performance note: Client called CTFontCreateWithName() using name "Arial Unicode MS" and got font with PostScript name "ArialUnicodeMS". For best performance, only use PostScript names when calling this API.

1/4/14 12:45:18.529 PM PluginProcess[474]: CoreText performance note: Client called CTFontCreateWithName() using name "Times Roman" and got font with PostScript name "Times-Roman". For best performance, only use PostScript names when calling this API.

1/4/14 12:45:26.751 PM PluginProcess[474]: CoreText performance note: Client called CTFontCreateWithName() using name "Arial Unicode MS" and got font with PostScript name "ArialUnicodeMS". For best performance, only use PostScript names when calling this API.

1/4/14 12:45:26.759 PM PluginProcess[474]: CoreText performance note: Client called CTFontCreateWithName() using name "Times Roman" and got font with PostScript name "Times-Roman". For best performance, only use PostScript names when calling this API.

1/4/14 12:45:33.917 PM PluginProcess[474]: CoreText performance note: Client called CTFontCreateWithName() using name "Arial Unicode MS" and got font with PostScript name "ArialUnicodeMS". For best performance, only use PostScript names when calling this API.

1/4/14 12:45:33.926 PM PluginProcess[474]: CoreText performance note: Client called CTFontCreateWithName() using name "Times Roman" and got font with PostScript name "Times-Roman". For best performance, only use PostScript names when calling this API.

1/4/14 12:45:56.520 PM PluginProcess[474]: CoreText performance note: Client called CTFontCreateWithName() using name "Arial Unicode MS" and got font with PostScript name "ArialUnicodeMS". For best performance, only use PostScript names when calling this API.

1/4/14 12:45:56.528 PM PluginProcess[474]: CoreText performance note: Client called CTFontCreateWithName() using name "Times Roman" and got font with

PostScript name "Times-Roman". For best performance, only use PostScript names when calling this API.

1/4/14 12:47:03.653 PM PluginProcess[482]: CoreText performance note: Client called CTFontCreateWithName() using name "Arial Unicode MS" and got font with PostScript name "ArialUnicodeMS". For best performance, only use PostScript names when calling this API.

1/4/14 12:47:03.653 PM PluginProcess[482]: CoreText performance note: Set a breakpoint on CTFontLogSuboptimalRequest to debug.

1/4/14 12:47:04.035 PM PluginProcess[482]: CoreText performance note: Client called CTFontCreateWithName() using name "Times Roman" and got font with PostScript name "Times-Roman". For best performance, only use PostScript names when calling this API.

1/4/14 12:47:06.910 PM PluginProcess[482]: CoreText performance note: Client called CTFontCreateWithName() using name "Arial Unicode MS" and got font with PostScript name "ArialUnicodeMS". For best performance, only use PostScript names when calling this API.

1/4/14 12:47:06.919 PM PluginProcess[482]: CoreText performance note: Client called CTFontCreateWithName() using name "Times Roman" and got font with PostScript name "Times-Roman". For best performance, only use PostScript names when calling this API.

1/4/14 12:47:22.441 PM PluginProcess[482]: CoreText performance note: Client called CTFontCreateWithName() using name "Arial Unicode MS" and got font with PostScript name "ArialUnicodeMS". For best performance, only use PostScript names when calling this API.

1/4/14 12:47:22.449 PM PluginProcess[482]: CoreText performance note: Client called CTFontCreateWithName() using name "Times Roman" and got font with PostScript name "Times-Roman". For best performance, only use PostScript names when calling this API.

1/4/14 12:47:34.763 PM PluginProcess[483]: CoreText performance note: Client called CTFontCreateWithName() using name "Arial Unicode MS" and got font with PostScript name "ArialUnicodeMS". For best performance, only use PostScript names when calling this API.

1/4/14 12:47:34.763 PM PluginProcess[483]: CoreText performance note: Set a breakpoint on CTFontLogSuboptimalRequest to debug.

1/4/14 12:47:35.165 PM PluginProcess[483]: CoreText performance note: Client called CTFontCreateWithName() using name "Times Roman" and got font with PostScript name "Times-Roman". For best performance, only use PostScript names when calling this API.

1/4/14 12:47:36.895 PM PluginProcess[483]: CoreText performance note: Client called CTFontCreateWithName() using name "Arial" and got font with PostScript name "ArialMT". For best performance, only use PostScript names when calling this API.

1/4/14 12:47:57.764 PM PluginProcess[483]: CoreText performance note: Client called CTFontCreateWithName() using name "Arial Unicode MS" and got font with PostScript name "ArialUnicodeMS". For best performance, only use PostScript names when calling this API.



1/4/14 12:47:57.779 PM PluginProcess[483]: CoreText performance note: Client called CTFontCreateWithName() using name "Times Roman" and got font with PostScript name "Times-Roman". For best performance, only use PostScript names when calling this API.

1/4/14 12:47:59.680 PM PluginProcess[489]: CoreText performance note: Client called CTFontCreateWithName() using name "Arial Unicode MS" and got font with PostScript name "ArialUnicodeMS". For best performance, only use PostScript names when calling this API.

1/4/14 12:47:59.680 PM PluginProcess[489]: CoreText performance note: Set a breakpoint on CTFontLogSuboptimalRequest to debug.

1/4/14 12:48:00.078 PM PluginProcess[489]: CoreText performance note: Client called CTFontCreateWithName() using name "Times Roman" and got font with PostScript name "Times-Roman". For best performance, only use PostScript names when calling this API.

1/4/14 12:48:22.837 PM PluginProcess[489]: CoreText performance note: Client called CTFontCreateWithName() using name "Arial Unicode MS" and got font with PostScript name "ArialUnicodeMS". For best performance, only use PostScript names when calling this API.

1/4/14 12:48:22.846 PM PluginProcess[489]: CoreText performance note: Client called CTFontCreateWithName() using name "Times Roman" and got font with PostScript name "Times-Roman". For best performance, only use PostScript names when calling this API.

1/4/14 12:48:54.634 PM PluginProcess[489]: CoreText performance note: Client called CTFontCreateWithName() using name "Arial Unicode MS" and got font with PostScript name "ArialUnicodeMS". For best performance, only use PostScript names when calling this API.

1/4/14 12:48:54.642 PM PluginProcess[489]: CoreText performance note: Client called CTFontCreateWithName() using name "Times Roman" and got font with PostScript name "Times-Roman". For best performance, only use PostScript names when calling this API.

1/4/14 12:49:22.109 PM PluginProcess[489]: CoreText performance note: Client called CTFontCreateWithName() using name "Arial Unicode MS" and got font with PostScript name "ArialUnicodeMS". For best performance, only use PostScript names when calling this API.

1/4/14 12:49:22.118 PM PluginProcess[489]: CoreText performance note: Client called CTFontCreateWithName() using name "Times Roman" and got font with PostScript name "Times-Roman". For best performance, only use PostScript names when calling this API.

1/4/14 12:50:00.122 PM PluginProcess[489]: CoreText performance note: Client called CTFontCreateWithName() using name "Arial Unicode MS" and got font with PostScript name "ArialUnicodeMS". For best performance, only use PostScript names when calling this API.

1/4/14 12:50:00.131 PM PluginProcess[489]: CoreText performance note: Client called CTFontCreateWithName() using name "Times Roman" and got font with PostScript name "Times-Roman". For best performance, only use PostScript names when calling this API.

1/4/14 12:51:05.601 PM PluginProcess[492]: CoreText performance note: Client called CTFontCreateWithName() using name "Arial Unicode MS" and got font with PostScript name "ArialUnicodeMS". For best performance, only use PostScript names when calling this API.

1/4/14 12:51:05.601 PM PluginProcess[492]: CoreText performance note: Set a breakpoint on CTFontLogSuboptimalRequest to debug.

1/4/14 12:51:05.992 PM PluginProcess[492]: CoreText performance note: Client called CTFontCreateWithName() using name "Times Roman" and got font with PostScript name "Times-Roman". For best performance, only use PostScript names when calling this API.

1/4/14 12:51:09.758 PM PluginProcess[492]: CoreText performance note: Client called CTFontCreateWithName() using name "Arial Unicode MS" and got font with PostScript name "ArialUnicodeMS". For best performance, only use PostScript names when calling this API.

1/4/14 12:51:09.767 PM PluginProcess[492]: CoreText performance note: Client called CTFontCreateWithName() using name "Times Roman" and got font with PostScript name "Times-Roman". For best performance, only use PostScript names when calling this API.

1/4/14 12:51:16.710 PM PluginProcess[492]: CoreText performance note: Client called CTFontCreateWithName() using name "Arial Unicode MS" and got font with PostScript name "ArialUnicodeMS". For best performance, only use PostScript names when calling this API.

1/4/14 12:51:16.718 PM PluginProcess[492]: CoreText performance note: Client called CTFontCreateWithName() using name "Times Roman" and got font with PostScript name "Times-Roman". For best performance, only use PostScript names when calling this API.

1/4/14 12:52:13.206 PM PluginProcess[499]: CoreText performance note: Client called CTFontCreateWithName() using name "Arial Unicode MS" and got font with PostScript name "ArialUnicodeMS". For best performance, only use PostScript names when calling this API.

1/4/14 12:52:13.207 PM PluginProcess[499]: CoreText performance note: Set a breakpoint on CTFontLogSuboptimalRequest to debug.

1/4/14 12:52:13.595 PM PluginProcess[499]: CoreText performance note: Client called CTFontCreateWithName() using name "Times Roman" and got font with PostScript name "Times-Roman". For best performance, only use PostScript names when calling this API.

1/4/14 12:52:55.390 PM PluginProcess[499]: CoreText performance note: Client called CTFontCreateWithName() using name "Arial Unicode MS" and got font with PostScript name "ArialUnicodeMS". For best performance, only use PostScript names when calling this API.

1/4/14 12:52:55.399 PM PluginProcess[499]: CoreText performance note: Client called CTFontCreateWithName() using name "Times Roman" and got font with PostScript name "Times-Roman". For best performance, only use PostScript names when calling this API.

1/4/14 12:54:30.332 PM com.apple.launchd.peruser.505[155]: ([0x0-0x34034].com.apple.AppleSpell[442]) Exited: Killed: 9

1/4/14 1:11:05.879 PM com.apple.InputMethodKit.UserDictionary[239]: -  
[PFUbiquitySwitchboardEntryMetadata setUseLocalStorage:](760): CoreData:  
Ubiquity: Brett~F15CF975-CC22-5A97-B3CF-22F4EFF83722:UserDictionary  
Using local storage: 1  
1/4/14 1:11:28.481 PM com.apple.InputMethodKit.UserDictionary[239]: -  
[PFUbiquitySwitchboardEntryMetadata setUseLocalStorage:](760): CoreData:  
Ubiquity: Brett~F15CF975-CC22-5A97-B3CF-22F4EFF83722:UserDictionary  
Using local storage: 1  
1/4/14 5:07:49.591 PM com.apple.launchd.peruser.505[362]: Background: Aqua:  
Registering new GUI session.  
1/4/14 5:07:49.610 PM com.apple.launchd.peruser.505[362]:  
(com.logmein.logmeingui) Unknown key for boolean: UseLMILaunchAgentFixer  
1/4/14 5:07:49.610 PM com.apple.launchd.peruser.505[362]:  
(com.apple.cmfsyncagent) Ignored this key: UserName  
1/4/14 5:07:49.611 PM com.apple.launchd.peruser.505[362]:  
(com.apple.EscrowSecurityAlert) Unknown key: seatbelt-profiles  
1/4/14 5:07:49.612 PM com.apple.launchd.peruser.505[362]:  
(com.apple.ReportCrash) Falling back to default Mach exception handler. Could not  
find: com.apple.ReportCrash.Self  
1/4/14 5:07:49.626 PM distnoted[366]: # distnote server agent absolute time:  
1718.815428395 civil time: Sat Jan 4 17:07:49 2014 pid: 366 uid: 505 root: no  
1/4/14 5:07:50.241 PM SystemUIServer[377]: Cannot find executable for CFBundle  
0x7fa6eb730890 </System/Library/CoreServices/Menu Extras/Clock.menu> (not  
loaded)  
1/4/14 5:07:50.441 PM SystemUIServer[377]: Cannot find executable for CFBundle  
0x7fa6eb735e40 </System/Library/CoreServices/Menu Extras/Volume.menu>  
(not loaded)  
1/4/14 5:07:52.349 PM com.apple.launchd.peruser.505[362]:  
(com.codeweavers.crossover CD helper.37696[426]) Spawned and waiting for the  
debugger to attach before continuing..  
1/4/14 5:07:52.358 PM com.apple.launchd.peruser.505[362]:  
(com.vmware.fusionDaemon.37872[427]) Spawned and waiting for the debugger to  
attach before continuing..  
1/4/14 5:07:52.723 PM LogMeInGUI[422]: LogMeIn GUI started  
1/4/14 5:07:52.784 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/00378A6C-475C-  
4D7A-8942-088A26D85CE7 failed. Errno=2  
1/4/14 5:07:52.846 PM com.apple.WebKit.WebContent[407]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/00598675-0BA9-  
4928-BA25-1A97EFB903BE failed. Errno=2  
1/4/14 5:07:52.848 PM WiFiKeychainProxy[412]: [NO client logger] <Aug 30 2013  
23:40:46> WIFICLOUDSYNC WiFiCloudSyncEngineCreate: created..  
1/4/14 5:07:52.848 PM WiFiKeychainProxy[412]: [NO client logger] <Aug 30 2013  
23:40:46> WIFICLOUDSYNC WiFiCloudSyncEngineRegisterCallbacks:  
WiFiCloudSyncEngineCallbacks version - 0, bundle id -  
com.apple.wifi.WiFiKeychainProxy

1/4/14 5:07:52.880 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/00D27AEE-F8A5-  
4FF3-9011-6A530EC35D53 failed. Errno=2

1/4/14 5:07:52.933 PM com.apple.WebKit.WebContent[407]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/02C40CB1-2C4B-  
4B89-BEAD-00860243C518 failed. Errno=2

1/4/14 5:07:52.993 PM com.apple.WebKit.WebContent[407]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/0319FFE6-25CB-  
4D3A-B9DA-4565FA82BA3F failed. Errno=2

1/4/14 5:07:52.998 PM com.apple.WebKit.WebContent[407]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/031F868F-4236-  
468E-9EE5-D87810279072 failed. Errno=2

1/4/14 5:07:53.004 PM com.apple.WebKit.WebContent[407]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/03FCB4EC-2DC6-  
4C77-9161-721F71E1B51D failed. Errno=2

1/4/14 5:07:53.004 PM com.apple.WebKit.WebContent[407]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/040DDD49-5150-  
4A2C-BD02-F10C606284E0 failed. Errno=2

1/4/14 5:07:53.005 PM com.apple.WebKit.WebContent[407]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/04F7F172-F0DF-  
432B-BB20-ECB5F9319C82 failed. Errno=2

1/4/14 5:07:53.005 PM com.apple.WebKit.WebContent[407]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/05E4DD2C-6C31-  
4284-AC2E-D31184878E85 failed. Errno=2

1/4/14 5:07:53.005 PM com.apple.WebKit.WebContent[407]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/06B2C3E4-CEE9-  
4E22-A2C0-0C0CE229AAB4 failed. Errno=2

1/4/14 5:07:53.006 PM com.apple.WebKit.WebContent[407]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/06CBD4CD-6773-  
4E46-A330-B99AFA84AA15 failed. Errno=2

1/4/14 5:07:53.006 PM com.apple.WebKit.WebContent[407]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/06DB318F-68DB-  
4002-B5FE-622E913A3FFE failed. Errno=2

1/4/14 5:07:53.006 PM com.apple.WebKit.WebContent[407]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/075058C3-EC8A-  
4255-A5E6-13846F296C3A failed. Errno=2

1/4/14 5:07:53.006 PM com.apple.WebKit.WebContent[407]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/077C9A9A-A6E9-  
465B-9BA0-7061B9D4DED6 failed. Errno=2

1/4/14 5:07:53.007 PM com.apple.WebKit.WebContent[407]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/07C290CE-5C51-  
4DB0-91FF-09487FCE1B05 failed. Errno=2

1/4/14 5:07:53.007 PM com.apple.WebKit.WebContent[407]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/08554830-43B8-  
463C-92CD-4BFA88C7BED0 failed. Errno=2

1/4/14 5:07:53.007 PM com.apple.WebKit.WebContent[407]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/0862765F-AD96-  
4C16-95C7-4BEA7D4354AB failed. Errno=2

1/4/14 5:07:53.007 PM com.apple.WebKit.WebContent[407]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/086DB7E9-6D4D-  
41A0-9A3F-7C58CE3B5F1A failed. Errno=2

1/4/14 5:07:53.038 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/091BACDA-1990-  
4605-BDE5-D43E98D47466 failed. Errno=2

1/4/14 5:07:53.039 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/09A5D51E-919C-  
4919-B37B-34E99EE2DCA8 failed. Errno=2

1/4/14 5:07:53.039 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/0A78F4AC-660A-  
461B-ADB8-377E10AB09D5 failed. Errno=2

1/4/14 5:07:53.039 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/0A7E5766-2974-  
4050-A8D7-7325B2615D92 failed. Errno=2

1/4/14 5:07:53.040 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/0AC7DA7F-D611-  
4085-9510-8E2381747035 failed. Errno=2

1/4/14 5:07:53.040 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/0ADBA702-7576-  
4102-9966-3EC27D6C1411 failed. Errno=2

1/4/14 5:07:53.040 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/0BFE4BBF-EAF0-  
4C25-9688-F063D6D85385 failed. Errno=2

1/4/14 5:07:53.040 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/0C1880B5-8378-  
477F-AB91-46B7C8D18871 failed. Errno=2

1/4/14 5:07:53.041 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/0C4D1A4B-64FD-  
47D1-A21A-C00B2FD44EDB failed. Errno=2

1/4/14 5:07:53.041 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/0CBCBA71-0791-  
4D8F-9FA2-929062DC1CD9 failed. Errno=2

1/4/14 5:07:53.041 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/0D2D0CA9-BED1-  
49E0-992A-2B7F6E29A471 failed. Errno=2

1/4/14 5:07:53.041 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/0D4ADAE7-2DF1-  
41AA-9F68-C5721620629E failed. Errno=2

1/4/14 5:07:53.041 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/0D6CA0A4-B77D-  
4DC0-9638-787C050AFADD failed. Errno=2

1/4/14 5:07:53.042 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/0D7BE7AA-249C-  
4829-ACCD-6161815CE455 failed. Errno=2

1/4/14 5:07:53.042 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/0E2FD4CC-9B0E-  
464F-83A8-3E694CA0B820 failed. Errno=2

1/4/14 5:07:53.042 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/0EF8733E-CE2F-  
4C92-B9C5-1C38843DA9C4 failed. Errno=2

1/4/14 5:07:53.042 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/0F76615A-1E2C-  
4C3E-B608-62765F9FC09E failed. Errno=2

1/4/14 5:07:53.043 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/0FCED6DE-7EC9-  
47CE-B54F-E6AB61575C6C failed. Errno=2

1/4/14 5:07:53.043 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/102E7FD5-CBAB-  
44E5-B74B-CD68E8B6A947 failed. Errno=2

1/4/14 5:07:53.043 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/11A70F71-2FB9-  
4981-88C9-BEFC3E1804B failed. Errno=2

1/4/14 5:07:53.043 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/1311902D-866D-  
4AD5-BE97-2B30EC399DB0 failed. Errno=2

1/4/14 5:07:53.044 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/135235D9-246F-  
44EB-BC1A-9D1291677009 failed. Errno=2

1/4/14 5:07:53.044 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/1398CAD2-E7DF-  
4E7D-8AD9-E4B2828F132A failed. Errno=2

1/4/14 5:07:53.044 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/13BA43A5-0B46-  
47C5-BFC2-3B7364D31273 failed. Errno=2

1/4/14 5:07:53.044 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/13DBCEAB-09CC-  
42A2-9FF2-187A31C92CEE failed. Errno=2

1/4/14 5:07:53.044 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/13E5C39E-F43C-  
462D-BA38-3FCC507C8B7C failed. Errno=2

1/4/14 5:07:53.045 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/13E8BEB8-DD79-  
410B-B757-15956ECA560E failed. Errno=2

1/4/14 5:07:53.045 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/14043E16-7C81-  
4F74-BA10-E9BA323CECA4 failed. Errno=2

1/4/14 5:07:53.045 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/14450F1E-2363-  
4134-81BC-653DA3A9385A failed. Errno=2

1/4/14 5:07:53.045 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/14490B0A-2D76-  
4FE3-BE6A-B6F32DC43687 failed. Errno=2

1/4/14 5:07:53.046 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/1508E759-FF63-  
4C44-B33F-1C21F99410DA failed. Errno=2

1/4/14 5:07:53.046 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/156C0785-E85A-  
44BC-B890-4391C793CC04 failed. Errno=2

1/4/14 5:07:53.046 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/166E89B9-6B59-  
4E00-BA56-1C3884DB8E3E failed. Errno=2

1/4/14 5:07:53.046 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/174150E4-94CB-  
4915-AE07-EEBDB590007D failed. Errno=2

1/4/14 5:07:53.047 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/174DC661-8C6B-  
483B-A29F-92252C404627 failed. Errno=2

1/4/14 5:07:53.047 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/17D36958-ECB1-  
48D1-84A9-1BE0FCE72C4B failed. Errno=2

1/4/14 5:07:53.047 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/18280FD5-F256-  
4698-B151-1C9D5BC78371 failed. Errno=2

1/4/14 5:07:53.047 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/189FFB77-4317-  
4F42-A07E-97AD5B473677 failed. Errno=2

1/4/14 5:07:53.047 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/18F17C2F-D293-  
4144-9B7E-A44520B4F3AD failed. Errno=2

1/4/14 5:07:53.048 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/192045FA-7629-  
48ED-95F2-2CECC8B169EA failed. Errno=2

1/4/14 5:07:53.048 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/1937439F-E761-  
4FB5-841D-217CF8B48304 failed. Errno=2

1/4/14 5:07:53.048 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/19619D70-1381-  
469F-BD0A-318CA35B48BE failed. Errno=2

1/4/14 5:07:53.048 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/19821F0A-A93F-  
4B96-ABDF-0B923DEF8F91 failed. Errno=2

1/4/14 5:07:53.049 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/1B0FAF74-4BA4-  
42D0-81FA-C1774CDC1D5F failed. Errno=2

1/4/14 5:07:53.049 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/1BFC22BE-3E02-  
482A-BE21-C9B50E2B21C8 failed. Errno=2

1/4/14 5:07:53.049 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/1C952902-DC96-  
41AD-854B-3A94DFC435D7 failed. Errno=2

1/4/14 5:07:53.049 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/1CEA5DFB-8CBE-  
4E14-88D5-A26ED8E279DE failed. Errno=2

1/4/14 5:07:53.049 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/1D5323F4-CC1D-  
4C8E-A3E2-3B2E5134DE24 failed. Errno=2

1/4/14 5:07:53.050 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/1D5D03EE-2453-  
4273-8E36-3BE3069F2659 failed. Errno=2

1/4/14 5:07:53.050 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/1D5D3427-FDC7-  
4804-8059-FAEC5E4B5A4A failed. Errno=2

1/4/14 5:07:53.050 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/1D8D7528-9AAD-  
4FC5-ADFB-7270B2CF0C74 failed. Errno=2

1/4/14 5:07:53.050 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/1DA06BAA-67AD-  
4991-984F-F66EB6269787 failed. Errno=2

1/4/14 5:07:53.050 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/1F124A03-18A2-  
4636-9107-A64A8E70164B failed. Errno=2

1/4/14 5:07:53.051 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/1F697FF5-EBCF-  
44D4-80C8-E182AF384276 failed. Errno=2

1/4/14 5:07:53.051 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/1FA92AB8-A0FA-  
42C1-9FF1-05CDB53FAC7B failed. Errno=2

1/4/14 5:07:53.051 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/1FADCE32-E101-  
4F67-88C2-67751AEB857B failed. Errno=2

1/4/14 5:07:53.052 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/1FDA0199-6CEA-  
45C7-83B1-554CC9C4D751 failed. Errno=2

1/4/14 5:07:53.052 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/201A6214-DE4D-  
4603-ADAF-6D147E7DA8C5 failed. Errno=2



1/4/14 5:07:53.052 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/2091994A-7565-  
42A0-966A-F1AC8336A03F failed. Errno=2

1/4/14 5:07:53.052 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/20AE8FD6-48B6-  
4E26-BDB7-58AE5D6A2CB4 failed. Errno=2

1/4/14 5:07:53.053 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/20D44E41-11BD-  
45AD-BC13-87248865ABC0 failed. Errno=2

1/4/14 5:07:53.053 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/215ED95B-A5A5-  
40F7-950C-84B57A996066 failed. Errno=2

1/4/14 5:07:53.053 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/21624774-8227-  
4082-9FF5-8BC47AC439FC failed. Errno=2

1/4/14 5:07:53.054 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/2164292A-1BCE-  
4B8F-B985-22F9558FE8FD failed. Errno=2

1/4/14 5:07:53.054 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/21E89C56-6359-  
42CE-9435-50B2B7380C47 failed. Errno=2

1/4/14 5:07:53.054 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/22014FCE-19D4-  
4E9C-B19A-381320D4DBA3 failed. Errno=2

1/4/14 5:07:53.054 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/220D33C1-45E0-  
4D6D-BDC2-3F660A3AF406 failed. Errno=2

1/4/14 5:07:53.054 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/2239FD73-6827-  
4421-811B-0E2FD18B1AE1 failed. Errno=2

1/4/14 5:07:53.055 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/2276B63A-7B71-  
4012-9392-AAE4BF3178F9 failed. Errno=2

1/4/14 5:07:53.055 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/2313E585-B886-  
434F-9ADE-BDBDBED197F9 failed. Errno=2

1/4/14 5:07:53.055 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/232DB696-77FD-  
45BC-B04B-597E2E46697A failed. Errno=2

1/4/14 5:07:53.055 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/2365428F-C5D0-  
4585-A6E0-DA8F993A2C83 failed. Errno=2

1/4/14 5:07:53.056 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/23FFDED5-6380-  
4833-B126-EEEEB9068946F failed. Errno=2

1/4/14 5:07:53.056 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/2458F139-192B-  
4826-964C-18D1814C1EBB failed. Errno=2

1/4/14 5:07:53.056 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/24A0552D-A7CF-  
492C-9D56-08D66B9CC7F5 failed. Errno=2

1/4/14 5:07:53.056 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/25439478-E471-  
463A-BB04-DABFAEB48535 failed. Errno=2

1/4/14 5:07:53.056 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/258FA8D6-981A-  
4913-BBDE-9789621E9B87 failed. Errno=2

1/4/14 5:07:53.057 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/2642B320-E2BE-  
474D-946D-BA66C998F95A failed. Errno=2

1/4/14 5:07:53.057 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/26B5FFC8-5200-  
461B-B26D-1F468E0BB2E4 failed. Errno=2

1/4/14 5:07:53.057 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/26C7F0BA-B104-  
4793-82FD-5C1206A0BA9E failed. Errno=2

1/4/14 5:07:53.058 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/2703002D-E089-  
4F45-904C-B953EE60AC0A failed. Errno=2

1/4/14 5:07:53.058 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/2753935C-99D7-  
4A28-88DF-1E913BF280DF failed. Errno=2

1/4/14 5:07:53.058 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/275CCC24-8DA5-  
4D68-9E80-51949B3E9117 failed. Errno=2

1/4/14 5:07:53.058 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/27644B4A-F95D-  
4E6E-9332-3E3630316DBB failed. Errno=2

1/4/14 5:07:53.062 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/2787BD23-E215-  
4CAC-A9A1-F75974AB53B8 failed. Errno=2

1/4/14 5:07:53.062 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/279927D4-C55A-  
4DFA-B180-30F6FD7BA6FC failed. Errno=2

1/4/14 5:07:53.063 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/28A9530B-70E8-  
48AB-B86C-85BB6ECBFC7F failed. Errno=2

1/4/14 5:07:53.063 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/28CE7DF5-9610-  
472B-BEFE-9723A0885620 failed. Errno=2

1/4/14 5:07:53.063 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/290614F4-322F-  
4849-80E3-9129A5CF92E1 failed. Errno=2

1/4/14 5:07:53.063 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/29523874-C2F4-  
4609-9FDF-31D5DD991804 failed. Errno=2

1/4/14 5:07:53.063 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/29D3138F-E6B0-  
4FAB-B039-75AD365E98C6 failed. Errno=2

1/4/14 5:07:53.064 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/2A6B02E9-C084-  
480D-9103-F3313A77C590 failed. Errno=2

1/4/14 5:07:53.065 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/2A993CF1-A068-  
4CAF-9B5A-79D91C8032FF failed. Errno=2

1/4/14 5:07:53.065 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/2AB73309-E22B-  
49AB-A6BB-74460CA9D46F failed. Errno=2

1/4/14 5:07:53.065 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/2B73807B-836E-  
481C-ABAA-146191464361 failed. Errno=2

1/4/14 5:07:53.065 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/2BC63281-F2FC-  
4A97-95DE-3D488797E701 failed. Errno=2

1/4/14 5:07:53.066 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/2C9A6CB8-578E-  
4C0E-9ADD-5D747B418723 failed. Errno=2

1/4/14 5:07:53.066 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/2D36EE2E-ECB2-  
42B7-B610-F9CE871CEB6B failed. Errno=2

1/4/14 5:07:53.066 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/2D3AC0F6-16AC-  
400F-AB0A-FA3852A9AA44 failed. Errno=2

1/4/14 5:07:53.066 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/2D56C376-A8A6-  
4871-86AA-73C9E55A78D1 failed. Errno=2

1/4/14 5:07:53.066 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/2DAEA79E-EF45-  
491B-924A-53E9B1A3E29A failed. Errno=2

1/4/14 5:07:53.067 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/2DD87EFB-0C26-  
4FC6-B75B-B50AD7B1FA37 failed. Errno=2

1/4/14 5:07:53.067 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/2DE14710-A867-  
4BD4-852D-DFBB88F7850C failed. Errno=2

1/4/14 5:07:53.067 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/2E066782-AC9D-  
4EF4-A280-004B1971264D failed. Errno=2

1/4/14 5:07:53.067 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/2E6210E0-78FA-  
4054-B8CD-9A1B5A3E3AD9 failed. Errno=2

1/4/14 5:07:53.068 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/2E738D66-4C9F-  
4C0B-8A0A-F852761E0972 failed. Errno=2

1/4/14 5:07:53.068 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/2F724B90-0C23-  
4FFE-A8AB-1E03D478A934 failed. Errno=2

1/4/14 5:07:53.068 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/3009947C-3A62-  
418F-A018-FDD986FC37CB failed. Errno=2

1/4/14 5:07:53.068 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/303A2E00-F4D3-  
4169-9EC5-6C01B4C26A55 failed. Errno=2

1/4/14 5:07:53.068 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/303AA5E4-7AB9-  
4F6A-AC8A-DA2054D54731 failed. Errno=2

1/4/14 5:07:53.069 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/30934130-3C57-  
4B8B-93B3-3106C59BDDDE failed. Errno=2

1/4/14 5:07:53.069 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/30DB5415-F5B4-  
4F73-9AB5-CEDD5D9EBA94 failed. Errno=2

1/4/14 5:07:53.069 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/30DD887E-227C-  
4482-95AC-315B7D2495BF failed. Errno=2

1/4/14 5:07:53.069 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/313AADBB-15D1-  
4C8B-B01D-B5D5AFA144B4 failed. Errno=2

1/4/14 5:07:53.070 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/31483111-51FB-  
4CE8-A595-C7A1478BF5E0 failed. Errno=2

1/4/14 5:07:53.070 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/31DBEC7D-D165-  
4A33-BB32-F88A1C85AFE9 failed. Errno=2

1/4/14 5:07:53.070 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/3202278F-5DBC-  
4A2D-B1A8-033BEE5CF058 failed. Errno=2

1/4/14 5:07:53.070 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/32510AFE-F82E-  
4984-A0C4-375338934039 failed. Errno=2

1/4/14 5:07:53.070 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/327E14FB-1431-  
40E7-BAD6-BF5B68652429 failed. Errno=2

1/4/14 5:07:53.071 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/32DFC6F0-9855-  
4B0E-B968-B1B6DF5FD774 failed. Errno=2

1/4/14 5:07:53.071 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/3316997B-0E23-  
42C6-B11B-BBA0453A29C1 failed. Errno=2

1/4/14 5:07:53.072 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/3320373C-6604-  
4455-83C7-B14BF91ADCE1 failed. Errno=2

1/4/14 5:07:53.072 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/336B36D1-A62F-  
4861-9EA2-1EE78069383C failed. Errno=2

1/4/14 5:07:53.072 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/33A6DDCC-9BA5-  
4395-8295-1500F661F31B failed. Errno=2

1/4/14 5:07:53.072 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/33E13CD8-15EA-  
4444-B76D-228CE45144C2 failed. Errno=2

1/4/14 5:07:53.072 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/3405228E-D93D-  
4C53-9CEE-9A1D2D90345C failed. Errno=2

1/4/14 5:07:53.073 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/346C76D2-3333-  
4D98-896A-40FD90F8EEDA failed. Errno=2

1/4/14 5:07:53.073 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/346E6A34-1559-  
4553-8593-2884939168A9 failed. Errno=2

1/4/14 5:07:53.073 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/351E3ED2-4814-  
45EF-8588-559481E96D64 failed. Errno=2

1/4/14 5:07:53.073 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/35203CE9-FABE-  
46DD-A0B0-0AED302852BE failed. Errno=2

1/4/14 5:07:53.073 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/35A0E5AE-13AE-  
4AA4-AD0B-56DEB9F2634B failed. Errno=2

1/4/14 5:07:53.074 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/36156EC6-1758-  
4D23-B277-F9CE9F1F1A4E failed. Errno=2

1/4/14 5:07:53.074 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/364B692D-D4C1-  
4984-AE38-E28DA4758C38 failed. Errno=2

1/4/14 5:07:53.074 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/366BE384-B2E7-  
4D9A-805B-A6CC2BA10090 failed. Errno=2

1/4/14 5:07:53.074 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/393C817C-93A3-  
4F4F-AFA9-345B614F19B7 failed. Errno=2

1/4/14 5:07:53.074 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/39641BC1-5F8A-  
47D7-92F9-BE147C4BDBFF failed. Errno=2

1/4/14 5:07:53.075 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/397405B2-92BA-  
4B0A-B68F-6555C3AA233B failed. Errno=2

1/4/14 5:07:53.075 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/3975F1A9-4069-  
443E-9454-8E347259F103 failed. Errno=2

1/4/14 5:07:53.075 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/39CA79BB-9D43-  
4466-B838-29DD1F084286 failed. Errno=2

1/4/14 5:07:53.075 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/3A00E716-DE0C-  
4F41-A437-854A45C95C73 failed. Errno=2

1/4/14 5:07:53.075 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/3BBE1CD5-3F8F-  
4B7F-9817-001DE982E1BC failed. Errno=2

1/4/14 5:07:53.076 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/3C002EB7-2FC5-  
436E-9C12-FA9DE22B1AF7 failed. Errno=2

1/4/14 5:07:53.076 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/3C7A9E70-804C-  
4F44-86C9-92334FCBDE93 failed. Errno=2

1/4/14 5:07:53.076 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/3D143838-9044-  
4C40-8933-E1D09677CDB8 failed. Errno=2

1/4/14 5:07:53.076 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/3DED1E86-A32D-  
4C79-AB8F-05A2A14FA6B0 failed. Errno=2

1/4/14 5:07:53.076 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/3E09884A-F804-  
4EFB-BAAD-E469C3800B06 failed. Errno=2

1/4/14 5:07:53.077 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/3E3C556B-561A-  
4A8E-92BA-CDC39EB33AF9 failed. Errno=2

1/4/14 5:07:53.077 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/3F021E54-3506-  
4CE1-9C6A-1011EF8D19DF failed. Errno=2

1/4/14 5:07:53.077 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/3F2D60A5-05EA-  
4ED0-8B57-498D2D26CCED failed. Errno=2

1/4/14 5:07:53.077 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/3F665A09-1998-  
4B97-8073-DC3DA2F28640 failed. Errno=2

1/4/14 5:07:53.078 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/3FB05576-3022-  
4853-88D9-A3552E121D28 failed. Errno=2

1/4/14 5:07:53.078 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/3FBF20F3-0241-  
40F9-9B8E-76662BA80D4D failed. Errno=2

1/4/14 5:07:53.078 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/404F2291-5845-  
431C-931A-356A9A130C6B failed. Errno=2

1/4/14 5:07:53.078 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/40974471-0F16-  
41B9-AD7B-7C0059353E16 failed. Errno=2

1/4/14 5:07:53.079 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/40A7672D-BAFA-  
443A-9519-1A67AE475DC4 failed. Errno=2

1/4/14 5:07:53.079 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/40E5E214-DC18-  
4F4F-A599-84B365E270EB failed. Errno=2

1/4/14 5:07:53.079 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/40F00359-00DC-  
451A-A8B8-35BB9070A73A failed. Errno=2

1/4/14 5:07:53.079 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/410C0FCA-27DF-  
4996-8D6E-210A741CE700 failed. Errno=2

1/4/14 5:07:53.079 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/41302412-548D-  
41C6-9A97-F047A568D158 failed. Errno=2

1/4/14 5:07:53.080 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/431EE174-2249-  
48CA-A6DE-94713796452E failed. Errno=2

1/4/14 5:07:53.080 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/436AC21B-64A8-  
4175-A432-545490DCF77A failed. Errno=2

1/4/14 5:07:53.080 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/43D8E8B3-B1E4-  
45C9-9B84-747F7B46582F failed. Errno=2

1/4/14 5:07:53.080 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/44188734-5C64-  
4A9D-9D99-E0579C110E07 failed. Errno=2

1/4/14 5:07:53.081 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/44575722-7468-  
4CB2-A3C2-C653B8800E7E failed. Errno=2

1/4/14 5:07:53.081 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/450F89DF-EF27-  
408B-A244-68E37CA2886A failed. Errno=2

1/4/14 5:07:53.081 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/468ACDE9-C37A-  
4FF5-BB56-314B92A9DD06 failed. Errno=2

1/4/14 5:07:53.081 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/46CDE6B7-E5AF-  
4BE9-B39D-DC06FBF2F307 failed. Errno=2

1/4/14 5:07:53.081 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/47092422-32CA-  
4E02-B5A2-F72F7DEF9BA0 failed. Errno=2

1/4/14 5:07:53.082 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/47100F3E-BD4D-  
4634-97C7-30746CCDC5C8 failed. Errno=2

1/4/14 5:07:53.082 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/4792FA52-51EF-  
4A47-AD19-56D7F41019FE failed. Errno=2

1/4/14 5:07:53.082 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/479524C5-80E4-  
4EF0-945E-4118FF63F889 failed. Errno=2

1/4/14 5:07:53.082 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/484CC88A-62AD-  
4A28-8C3E-CA24E0D96075 failed. Errno=2

1/4/14 5:07:53.083 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/4866EF78-3768-  
422B-A016-A10D7C3645DE failed. Errno=2

1/4/14 5:07:53.083 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/487510A0-FF77-  
477E-942A-E68AE186BDA3 failed. Errno=2

1/4/14 5:07:53.083 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/48960CC9-9D07-  
4A15-BADA-80CBF92295ED failed. Errno=2

1/4/14 5:07:53.083 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/4926545D-6965-  
4843-BAD1-8A95FD300DE9 failed. Errno=2

1/4/14 5:07:53.083 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/4A1298AB-DFC2-  
493B-80AD-39220A5B3BA0 failed. Errno=2

1/4/14 5:07:53.084 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/4A77CEDE-F201-  
443E-A346-4976A587D64D failed. Errno=2



1/4/14 5:07:53.084 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/4A81FFBB-279A-  
4A52-82C2-B157E56B6375 failed. Errno=2

1/4/14 5:07:53.084 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/4ACFECDA-FEEB-  
4CB1-9194-B18523228483 failed. Errno=2

1/4/14 5:07:53.084 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/4C3F3157-7CA5-  
460D-B433-71F447817CF6 failed. Errno=2

1/4/14 5:07:53.084 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/4CE70742-8BA4-  
4040-924E-06571B746F9E failed. Errno=2

1/4/14 5:07:53.085 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/4CE941B9-E5C2-  
49EC-B621-041B95A78816 failed. Errno=2

1/4/14 5:07:53.085 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/4D99AC65-3F97-  
4411-B73C-DBEA7A553623 failed. Errno=2

1/4/14 5:07:53.085 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/4E22E74C-9BD3-  
4AAA-81C1-1F06CB9C7B32 failed. Errno=2

1/4/14 5:07:53.085 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/4E4B4982-0BD5-  
45E8-A7A5-F153A9D4A54D failed. Errno=2

1/4/14 5:07:53.085 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/4E8F17A8-BDE7-  
4FD1-B947-73EBA0CE1CA2 failed. Errno=2

1/4/14 5:07:53.086 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/4F38EF2A-BF04-  
40F9-9BBD-2AEFE6E51D67 failed. Errno=2

1/4/14 5:07:53.086 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/4FC8064A-4F47-  
4B4C-9982-64F598882182 failed. Errno=2

1/4/14 5:07:53.086 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/4FD2777E-0BDD-  
4C7E-9913-A4E37B7A3F66 failed. Errno=2

1/4/14 5:07:53.086 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/4FFE3D57-CE02-  
4524-8EA1-AD084BC5A18B failed. Errno=2

1/4/14 5:07:53.086 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/5022451C-5C18-  
47CB-9072-9DFCDCBEA0D9 failed. Errno=2

1/4/14 5:07:53.087 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/502BCFF0-969F-  
4EE7-ABB9-C21EF81F88A5 failed. Errno=2

1/4/14 5:07:53.087 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/508B8472-21EA-  
4DCE-9749-EB04B2569C83 failed. Errno=2

1/4/14 5:07:53.087 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/515B3610-0029-  
4D2A-B097-18F567DF2064 failed. Errno=2

1/4/14 5:07:53.087 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/5165414D-9CAC-  
4DDF-853B-A3B938770F8E failed. Errno=2

1/4/14 5:07:53.087 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/518D493F-4DB1-  
4C87-9C38-17D522056F5C failed. Errno=2

1/4/14 5:07:53.088 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/5273ECC2-CD31-  
438E-9416-D4D58FE5B178 failed. Errno=2

1/4/14 5:07:53.088 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/52EED02F-A09E-  
44AF-9EAB-7C972F41F79F failed. Errno=2

1/4/14 5:07:53.088 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/5357984D-3703-  
431E-B4D7-50EA8B52B421 failed. Errno=2

1/4/14 5:07:53.088 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/53F2C4E1-7A15-  
469D-A19A-0B96A3B2F2E2 failed. Errno=2

1/4/14 5:07:53.088 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/54D83C36-4AED-  
4F6E-81EE-A8090E7A2C8B failed. Errno=2

1/4/14 5:07:53.089 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/54EC2B92-AE2A-  
4048-8C5A-E1AF903A3335 failed. Errno=2

1/4/14 5:07:53.089 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/55C52E2B-C493-  
419E-83E7-9C70DD730B75 failed. Errno=2

1/4/14 5:07:53.089 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/560D61B5-EBBC-  
419D-B26B-ECCEC1E00899 failed. Errno=2

1/4/14 5:07:53.089 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/56C2C449-16D6-  
44EA-819E-CDCDB4C0F8F2 failed. Errno=2

1/4/14 5:07:53.089 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/56E42847-6FCB-  
40FB-B71E-329E15190828 failed. Errno=2

1/4/14 5:07:53.090 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/5703A08E-3DAC-  
4400-B4CE-89245CB500E1 failed. Errno=2

1/4/14 5:07:53.104 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/57B71887-9C36-  
487F-B211-D2E221751EE4 failed. Errno=2

1/4/14 5:07:53.104 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/58ACCAE0-401F-  
4CC7-A885-A05F2457C7B9 failed. Errno=2

1/4/14 5:07:53.105 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/58E7D2E0-FE88-  
4D4E-94B6-91D53B98FB44 failed. Errno=2

1/4/14 5:07:53.105 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/590BA6D6-8DF2-  
461C-9EB1-D8C8F2C7E397 failed. Errno=2

1/4/14 5:07:53.105 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/5A2AD730-1D4E-  
4214-A1FD-99B4B55C73CF failed. Errno=2

1/4/14 5:07:53.106 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/5B61EA2C-CB96-  
4C4B-A21B-3999707FFC18 failed. Errno=2

1/4/14 5:07:53.106 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/5C683B55-6D1A-  
424B-A73D-577854EF5CE0 failed. Errno=2

1/4/14 5:07:53.107 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/5C862D5D-2F34-  
4BE9-B8AA-6A6C5E1C24D3 failed. Errno=2

1/4/14 5:07:53.107 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/5CA5D1D3-20AF-  
4D7C-997F-AA81F8D4E1C8 failed. Errno=2

1/4/14 5:07:53.108 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/5CA968AF-32E4-  
40F1-9105-F865EE98C15A failed. Errno=2

1/4/14 5:07:53.108 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/5CBF691E-CD39-  
44CC-BDF4-D4CDE761283D failed. Errno=2

1/4/14 5:07:53.109 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/5CFE4D2C-8E41-  
4869-82B0-8151492F6AFD failed. Errno=2

1/4/14 5:07:53.109 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/5D05127E-AB1E-  
4156-B387-F54F9F1D43CA failed. Errno=2

1/4/14 5:07:53.110 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/5D1750DC-4D9D-  
4E67-9F44-0FFF967230D1 failed. Errno=2

1/4/14 5:07:53.110 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/5D2F9D36-869B-  
4F5C-8621-5D2F12FDF703 failed. Errno=2

1/4/14 5:07:53.110 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/5DE36AE5-A9BC-  
4436-AC2B-EF3408987049 failed. Errno=2

1/4/14 5:07:53.111 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/5E33B5B3-484C-  
4A67-8B92-75B400A710FF failed. Errno=2

1/4/14 5:07:53.111 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/5E6D9D18-6826-  
4361-948E-1052AF226BF2 failed. Errno=2

1/4/14 5:07:53.112 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/5F2FA0AD-A31C-  
49EC-B691-8354C03E8424 failed. Errno=2

1/4/14 5:07:53.112 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/5FF74390-09F7-  
4C0F-93CB-6EAFDB9D00A2 failed. Errno=2

1/4/14 5:07:53.113 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/6015F6FC-6C94-  
42D0-96EE-BBA665DDD300 failed. Errno=2

1/4/14 5:07:53.113 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/60A38220-46B4-  
4E74-88BF-951FD850153A failed. Errno=2

1/4/14 5:07:53.115 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/61148075-E979-  
4F76-8128-A25AD7E4D7ED failed. Errno=2

1/4/14 5:07:53.115 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/612DB266-86E1-  
42A6-824D-541E5A4F61C8 failed. Errno=2

1/4/14 5:07:53.118 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/6162C936-18E3-  
4BC2-895C-B705DB502C06 failed. Errno=2

1/4/14 5:07:53.118 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/6169BF95-7B2F-  
49F5-B27E-95FA06220364 failed. Errno=2

1/4/14 5:07:53.118 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/61DA8116-8246-  
4068-8767-C1B15C2FA653 failed. Errno=2

1/4/14 5:07:53.119 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/62B16040-FF12-  
4C5D-8F4B-28EEF7DCC815 failed. Errno=2

1/4/14 5:07:53.121 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/6347D02E-DB1F-  
43F2-91AD-611D81A870C6 failed. Errno=2

1/4/14 5:07:53.123 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/640DC476-30EE-  
4C99-958B-250281535D83 failed. Errno=2

1/4/14 5:07:53.124 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/644D6C58-FE21-  
4392-A56B-02777C0202FC failed. Errno=2

1/4/14 5:07:53.125 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/652A4042-6F17-  
4FDE-A88C-DA68DDFCF030 failed. Errno=2

1/4/14 5:07:53.125 PM LogMeInGUI[422]: Config watcher thread started

1/4/14 5:07:53.125 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/655A6138-3AC5-  
4C4E-BB73-DAB6ABEA57C9 failed. Errno=2

1/4/14 5:07:53.126 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/6651A50E-57CD-  
42E1-892D-9F6255BCD514 failed. Errno=2

1/4/14 5:07:53.126 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/66C23E13-67F4-  
47A7-94BE-C9727245C452 failed. Errno=2

1/4/14 5:07:53.126 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/67C5BD0C-ACDA-  
408B-AFD0-A508827B7DC8 failed. Errno=2

1/4/14 5:07:53.126 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/67D847AE-E497-  
4BDB-90E9-0B016459B972 failed. Errno=2

1/4/14 5:07:53.127 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/6886D448-B2A7-  
47B7-AECB-CC59FFB7BB22 failed. Errno=2

1/4/14 5:07:53.127 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/6961BCFB-2C98-  
4521-91C2-AA014A99EE32 failed. Errno=2

1/4/14 5:07:53.127 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/69656658-6FB5-  
490B-A734-003BB5167822 failed. Errno=2

1/4/14 5:07:53.127 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/698A549D-3273-  
421E-9068-D995D6AEFC32 failed. Errno=2

1/4/14 5:07:53.128 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/69DA558A-C017-  
4597-8F9F-7FD667D80FA6 failed. Errno=2

1/4/14 5:07:53.128 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/69DA704C-4F7C-  
4C3C-A501-5638C243E7ED failed. Errno=2

1/4/14 5:07:53.128 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/6ACFDCA7-DAB6-  
44DE-BC3F-722523FEC00F failed. Errno=2

1/4/14 5:07:53.128 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/6AD18171-6806-  
4E4D-972D-B3367F8E4122 failed. Errno=2

1/4/14 5:07:53.128 PM com.apple.WebKit.Networking[406]: unlink of file /Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/6AF21642-2207-4B74-8162-9F9EAE4DACA4 failed. Errno=2

1/4/14 5:07:53.129 PM com.apple.WebKit.Networking[406]: unlink of file /Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/6B3F9423-B639-4F1F-AEF0-5942849AAA85 failed. Errno=2

1/4/14 5:07:53.129 PM com.apple.WebKit.Networking[406]: unlink of file /Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/6B6EB636-20B2-4504-93FD-BCE58AA88D4C failed. Errno=2

1/4/14 5:07:53.129 PM com.apple.WebKit.Networking[406]: unlink of file /Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/6BCC3BD5-4630-44C1-A2FC-DABEAFD03357 failed. Errno=2

1/4/14 5:07:53.129 PM com.apple.WebKit.Networking[406]: unlink of file /Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/6C12B2C8-04CB-46F3-8CB9-C283C244F819 failed. Errno=2

1/4/14 5:07:53.129 PM com.apple.WebKit.Networking[406]: unlink of file /Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/6CD280AB-0441-4DAF-BCCF-41C3C1FC7222 failed. Errno=2

1/4/14 5:07:53.129 PM com.apple.WebKit.Networking[406]: unlink of file /Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/6CD2A4C4-1C49-41D9-A11B-706CD6BBBF0F failed. Errno=2

1/4/14 5:07:53.130 PM com.apple.WebKit.Networking[406]: unlink of file /Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/6D4419E3-E5AD-49FC-8C80-CBFAAEDF7AAC failed. Errno=2

1/4/14 5:07:53.130 PM com.apple.WebKit.Networking[406]: unlink of file /Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/6D66B99A-C5AC-4569-8D0F-FEA537D6559A failed. Errno=2

1/4/14 5:07:53.130 PM com.apple.WebKit.Networking[406]: unlink of file /Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/6E5ED032-AE1F-499F-B87C-1D044657E5CD failed. Errno=2

1/4/14 5:07:53.130 PM com.apple.WebKit.Networking[406]: unlink of file /Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/6EA429F4-E47E-4943-8DAD-7A01BECE70C3 failed. Errno=2

1/4/14 5:07:53.130 PM com.apple.WebKit.Networking[406]: unlink of file /Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/6EC2B8A9-19EB-44F1-8FA4-656A6EA5863B failed. Errno=2

1/4/14 5:07:53.131 PM com.apple.WebKit.Networking[406]: unlink of file /Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/6F6C5023-856D-43D9-8C48-6C210AFA82F5 failed. Errno=2

1/4/14 5:07:53.131 PM com.apple.WebKit.Networking[406]: unlink of file /Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/70268F24-E7AE-4889-A8CF-B911FE294451 failed. Errno=2

1/4/14 5:07:53.131 PM com.apple.WebKit.Networking[406]: unlink of file /Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/708F1745-7846-4454-9AD8-1CCD1178CA23 failed. Errno=2

1/4/14 5:07:53.131 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/70AED709-3F41-  
4A2B-8779-BE9CD8997598 failed. Errno=2

1/4/14 5:07:53.131 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/7184C4B7-D5E0-  
414B-9503-C000B317BF87 failed. Errno=2

1/4/14 5:07:53.132 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/71B5AD63-40DD-  
42E1-B06B-D542CC79C0FE failed. Errno=2

1/4/14 5:07:53.132 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/71ED2182-F5DF-  
40E9-B3A3-BE4693603EA9 failed. Errno=2

1/4/14 5:07:53.132 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/71FD256F-6BE1-  
4F0E-A443-20884E69CDF9 failed. Errno=2

1/4/14 5:07:53.132 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/731B7B65-C43E-  
407A-A780-DA31998490F8 failed. Errno=2

1/4/14 5:07:53.132 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/738771D9-D447-  
4A3F-A275-5DE0F317A505 failed. Errno=2

1/4/14 5:07:53.133 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/73E000D3-3247-  
43B4-B22D-A32FE8FB15AF failed. Errno=2

1/4/14 5:07:53.133 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/74120432-99CB-  
4D76-93AB-4A30BA3FA189 failed. Errno=2

1/4/14 5:07:53.133 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/7463B5D7-6FA2-  
4096-843F-5E7E55BB4D58 failed. Errno=2

1/4/14 5:07:53.133 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/74BB4C2D-687F-  
4607-9C4A-18322333AFC7 failed. Errno=2

1/4/14 5:07:53.133 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/75AF94EA-AFE3-  
412B-B76E-5079CAEABF1E failed. Errno=2

1/4/14 5:07:53.133 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/75DD8EBA-291D-  
4416-BA6C-08B24F2B3F31 failed. Errno=2

1/4/14 5:07:53.134 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/76BC0F6A-31CB-  
4188-BE46-D4CB9CCF81BE failed. Errno=2

1/4/14 5:07:53.134 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/770216A5-67E4-  
4671-B50E-13C9FEC49E2C failed. Errno=2

1/4/14 5:07:53.134 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/78AC9864-7BDC-  
4032-81BD-D5D51664FBB0 failed. Errno=2

1/4/14 5:07:53.134 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/78DC767A-D1CC-  
48E1-8D49-A2276254C7C1 failed. Errno=2

1/4/14 5:07:53.134 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/79B9BC23-C718-  
4B89-982F-1799BF5B9E93 failed. Errno=2

1/4/14 5:07:53.135 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/7B9D400C-A90B-  
4D0D-B687-859C8DF7322C failed. Errno=2

1/4/14 5:07:53.135 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/7BD3CBAC-0FAA-  
44B7-B1EE-F2A7410C8650 failed. Errno=2

1/4/14 5:07:53.135 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/7C3C2F4F-B6AD-  
460F-B94A-D10B559A578A failed. Errno=2

1/4/14 5:07:53.135 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/7C89CBB9-A59C-  
4A69-9746-91335CEDB0BC failed. Errno=2

1/4/14 5:07:53.136 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/7C8F88E6-1611-  
4D04-B462-51C11D268B5C failed. Errno=2

1/4/14 5:07:53.136 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/7C9B5E9C-8F48-  
4A25-AFA3-3CA3B07F4B1F failed. Errno=2

1/4/14 5:07:53.136 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/7D46A51E-3A87-  
4EB4-A6D9-401E690CAE7F failed. Errno=2

1/4/14 5:07:53.136 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/7D5A37BA-7444-  
4E5C-99FD-1B88367C20B0 failed. Errno=2

1/4/14 5:07:53.136 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/7D9EDBBE-46E9-  
41EA-B818-E5A54F9E1223 failed. Errno=2

1/4/14 5:07:53.136 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/7DDD7048-42B8-  
46FC-888A-AC36D102DE4B failed. Errno=2

1/4/14 5:07:53.137 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/7E14F50D-8EE4-  
4C1B-8407-DC8F74362220 failed. Errno=2

1/4/14 5:07:53.137 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/7E191C74-C737-  
40B9-A4DA-713322EED201 failed. Errno=2



1/4/14 5:07:53.137 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/7E783233-DB86-  
47DE-BB1F-52EA7CF87C02 failed. Errno=2

1/4/14 5:07:53.137 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/7EFB2E0F-DE0C-  
4321-9127-247B6FE76F5D failed. Errno=2

1/4/14 5:07:53.138 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/80B9F4E0-4E8C-  
4995-AD43-C7605D46B2C4 failed. Errno=2

1/4/14 5:07:53.138 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/81CA726C-4870-  
4873-AABA-6F5EAF966BF2 failed. Errno=2

1/4/14 5:07:53.138 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/81EED769-A020-  
4F89-BFBF-9ACAF858AE51 failed. Errno=2

1/4/14 5:07:53.138 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/83054C96-5C2B-  
4B4A-8FE5-A9438EC52A96 failed. Errno=2

1/4/14 5:07:53.139 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/833AA819-7ACC-  
41C4-8C28-EAC7145EFFF2 failed. Errno=2

1/4/14 5:07:53.139 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/83698AA4-6290-  
4BBE-A445-8E465CDFCD7C failed. Errno=2

1/4/14 5:07:53.139 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/8381579A-97FA-  
45F9-8E93-1E2C3AD2AF64 failed. Errno=2

1/4/14 5:07:53.139 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/844B9FA5-BF57-  
4D05-B239-142B67FCB83A failed. Errno=2

1/4/14 5:07:53.139 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/8457825A-7296-  
43B2-90AA-D0B22B2DFD33 failed. Errno=2

1/4/14 5:07:53.140 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/84807C02-9FEB-  
48DF-82DC-13C867B826BB failed. Errno=2

1/4/14 5:07:53.140 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/84E604A0-5CBE-  
4E7B-A2B1-188B0EDF9B2C failed. Errno=2

1/4/14 5:07:53.140 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/84F58861-63A0-  
47BE-89FB-EA9F3F0EF55F failed. Errno=2

1/4/14 5:07:53.140 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/84FF7CC1-8BAD-  
4DAF-A248-DBFFE3E21ACA failed. Errno=2

1/4/14 5:07:53.140 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/85531D16-1181-  
47EE-8557-ADD49F690BF7 failed. Errno=2

1/4/14 5:07:53.140 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/85752927-7A3D-  
49FA-B391-CC8C664642FF failed. Errno=2

1/4/14 5:07:53.141 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/85AA6475-2523-  
4D72-AF53-6A02E1375B75 failed. Errno=2

1/4/14 5:07:53.141 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/85AD5595-F6F3-  
4A4F-A0A6-16E716BAABF8 failed. Errno=2

1/4/14 5:07:53.141 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/861BA0CD-6388-  
467E-B866-C3A30631722B failed. Errno=2

1/4/14 5:07:53.141 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/867E6607-0BC9-  
410E-AF0A-2B4514B9CB32 failed. Errno=2

1/4/14 5:07:53.141 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/868ADABE-A648-  
4FDA-B82A-4D9BFF17C7F5 failed. Errno=2

1/4/14 5:07:53.142 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/86C5FD1F-6BCB-  
46AF-AEBA-7B4BB8AD8A1F failed. Errno=2

1/4/14 5:07:53.142 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/86E60E76-12BA-  
40F9-9438-F5E2BA4ED1C3 failed. Errno=2

1/4/14 5:07:53.142 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/86FC6F04-08CB-  
4C50-8F7D-4B28FF2D0AE6 failed. Errno=2

1/4/14 5:07:53.142 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/872CA05E-8AEE-  
4B61-8E0E-106CFABA5606 failed. Errno=2

1/4/14 5:07:53.142 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/87604C55-ACE5-  
4EE4-AC09-55197C3646E5 failed. Errno=2

1/4/14 5:07:53.142 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/87784F0F-2633-  
46F2-BDE4-9C3C3CD106EF failed. Errno=2

1/4/14 5:07:53.143 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/87D24F12-5B28-  
4097-AB87-5BF8F32F5A4C failed. Errno=2

1/4/14 5:07:53.143 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/896F4053-1BBA-  
4E8A-8F0B-4EE20E25829B failed. Errno=2

1/4/14 5:07:53.143 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/8B90DEAA-56EB-  
4CBF-B080-F2DE85A634F8 failed. Errno=2

1/4/14 5:07:53.143 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/8C3B7EA8-46BD-  
41BB-A8C4-60CA5AAC84AE failed. Errno=2

1/4/14 5:07:53.143 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/8C811CED-BA2E-  
4F14-8FA2-D9E339196AAD failed. Errno=2

1/4/14 5:07:53.144 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/8CA7F126-B5EE-  
4F33-AE27-6E367F146013 failed. Errno=2

1/4/14 5:07:53.144 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/8CCAC3D8-29B7-  
44C4-9D8A-1AA2950C3EE8 failed. Errno=2

1/4/14 5:07:53.144 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/8D8B1A60-1AE7-  
458D-B81A-08BC52215353 failed. Errno=2

1/4/14 5:07:53.144 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/8EA20E5F-4CEE-  
49AD-9AA0-19F420BD4925 failed. Errno=2

1/4/14 5:07:53.144 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/8EF9E5BB-9BEF-  
417D-AE13-2390DB6C4733 failed. Errno=2

1/4/14 5:07:53.144 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/8F467AA7-7128-  
470D-86A4-076AF3413265 failed. Errno=2

1/4/14 5:07:53.145 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/8F527731-643E-  
451E-A657-E826E174D53F failed. Errno=2

1/4/14 5:07:53.146 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/8FEB6F90-4DFB-  
4FA5-A79E-C788E8DD9E8B failed. Errno=2

1/4/14 5:07:53.146 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/908599A0-2F4A-  
4658-AB8A-04A06D2F3730 failed. Errno=2

1/4/14 5:07:53.146 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/90B6AA47-B57E-  
4C48-BD68-8186113B7816 failed. Errno=2

1/4/14 5:07:53.146 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/91428079-7F24-  
4217-B122-4FA3A14BE541 failed. Errno=2

1/4/14 5:07:53.146 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/9199DA07-13CA-  
4025-BC75-5B3E493F471B failed. Errno=2

1/4/14 5:07:53.147 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/922AB96F-DCCE-  
451F-89F2-E159CC55B3DB failed. Errno=2

1/4/14 5:07:53.147 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/9248616C-B993-  
4409-BE56-57BC2C4980E3 failed. Errno=2

1/4/14 5:07:53.147 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/924C48C6-2570-  
41F3-9620-538762C9FCC5 failed. Errno=2

1/4/14 5:07:53.147 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/92C96952-48E9-  
4D59-A530-24549B55D21A failed. Errno=2

1/4/14 5:07:53.149 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/92FB84B0-93FD-  
4326-8DCE-EA3BBC09F065 failed. Errno=2

1/4/14 5:07:53.149 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/93A3D855-BCBE-  
411B-89D1-9E01F98BF61B failed. Errno=2

1/4/14 5:07:53.149 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/93C3BCB7-458E-  
4807-A93E-9F1433EEFA00 failed. Errno=2

1/4/14 5:07:53.149 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/952DFF80-C707-  
4586-B3FA-4FBDD49B2364 failed. Errno=2

1/4/14 5:07:53.149 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/95967F23-F6BB-  
4F6F-BCF4-65C61CF1215C failed. Errno=2

1/4/14 5:07:53.149 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/95F1E45A-55A6-  
49E0-B4B4-FA7B02C19A1A failed. Errno=2

1/4/14 5:07:53.150 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/9651C423-32B4-  
4CEA-AA13-A6052135BD85 failed. Errno=2

1/4/14 5:07:53.150 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/96E7F1F2-2A8E-  
47A2-A300-FEC56FFA230C failed. Errno=2

1/4/14 5:07:53.150 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/96EA3995-0D44-  
47FC-B50E-C81283743642 failed. Errno=2

1/4/14 5:07:53.150 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/975759F7-C10E-  
4738-8802-4C66DCEDC2C1 failed. Errno=2

1/4/14 5:07:53.150 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/975DD62A-78D6-  
4FD1-98A0-0E1103462AB9 failed. Errno=2

1/4/14 5:07:53.151 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/98B48544-3B5B-  
44AD-A66F-00AF51083E1E failed. Errno=2

1/4/14 5:07:53.151 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/98EE241C-1811-  
42F0-8E0E-9EC3A518E7D8 failed. Errno=2

1/4/14 5:07:53.151 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/999AD752-25C2-  
45AB-8C8D-87A76495B741 failed. Errno=2

1/4/14 5:07:53.151 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/9A6E23BB-8925-  
4A09-8088-61C5E8F0AC63 failed. Errno=2

1/4/14 5:07:53.151 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/9B0C6CC0-7375-  
4138-BE79-573690559CD4 failed. Errno=2

1/4/14 5:07:53.151 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/9B55DD52-1F45-  
42CC-8D82-80A2F11396F5 failed. Errno=2

1/4/14 5:07:53.152 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/9B5D421F-1B8F-  
4330-B49F-A4008B8399C8 failed. Errno=2

1/4/14 5:07:53.152 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/9BE73C39-4EAF-  
410B-86C5-DCA860CB7297 failed. Errno=2

1/4/14 5:07:53.152 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/9BECEB2F-D251-  
4CAE-8891-873BAF1365A4 failed. Errno=2

1/4/14 5:07:53.152 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/9BEFE3ED-6B76-  
479B-8B44-53166FB7791A failed. Errno=2

1/4/14 5:07:53.152 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/9C0273CD-01EF-  
43D0-B659-FCE23C86889C failed. Errno=2

1/4/14 5:07:53.153 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/9C10D8AE-E123-  
482B-AD77-7E6F5A74CC05 failed. Errno=2

1/4/14 5:07:53.153 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/9C52E2C4-5EAE-  
44DD-BA2A-FE1EB1764DD0 failed. Errno=2

1/4/14 5:07:53.153 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/9DA874B7-4A50-  
4696-81FB-DB3D15683FDC failed. Errno=2

1/4/14 5:07:53.153 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/9E4C29C1-04B7-  
48C6-B6CF-45CD3C410C61 failed. Errno=2

1/4/14 5:07:53.153 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/9E84041B-EA36-  
40EF-B52D-E31C75FA7FA4 failed. Errno=2

1/4/14 5:07:53.153 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/9F109080-1BDB-  
40D2-BB75-E9AC72CBFAD4 failed. Errno=2

1/4/14 5:07:53.154 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/9F557253-2055-  
4928-9B44-CCF1F93D647F failed. Errno=2

1/4/14 5:07:53.154 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/9F63C386-DC42-  
4EF3-B48B-DE6614AA8E50 failed. Errno=2

1/4/14 5:07:53.154 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/9F700D37-54EE-  
4780-8B1C-91EAC201BF70 failed. Errno=2

1/4/14 5:07:53.154 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/9F91C11D-777B-  
4C60-AEE7-8512BB0AF22A failed. Errno=2

1/4/14 5:07:53.154 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/9FA2080F-1769-  
46B7-A825-3970ABCDB379 failed. Errno=2

1/4/14 5:07:53.155 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/9FBC727F-079D-  
4F61-8005-D4B144CC5327 failed. Errno=2

1/4/14 5:07:53.155 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/A01C3CD9-79BE-  
4DEE-B901-2F335E2B7622 failed. Errno=2

1/4/14 5:07:53.155 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/A078C3D2-9C86-  
4F16-AAC0-52357AEB001C failed. Errno=2

1/4/14 5:07:53.155 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/A0D9F24A-207C-  
4DB1-958B-075E37028F1B failed. Errno=2

1/4/14 5:07:53.155 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/A142D4F5-5479-  
445A-994A-598709317239 failed. Errno=2

1/4/14 5:07:53.156 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/A14764DB-FC6F-  
4208-9E37-BF18AA32441E failed. Errno=2

1/4/14 5:07:53.156 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/A23F2EF2-A93B-  
4A09-9280-8806F0630FF9 failed. Errno=2

1/4/14 5:07:53.156 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/A2A5E4B0-140D-  
425B-82A1-98F3B86B0919 failed. Errno=2

1/4/14 5:07:53.156 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/A2B72C7F-239E-  
4E0D-A0AD-00BA687F8B90 failed. Errno=2

1/4/14 5:07:53.156 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/A3062DA4-DF90-  
423C-8AD7-F0B8BFB5F23E failed. Errno=2

1/4/14 5:07:53.157 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/A34AD164-3C43-  
4DA2-A381-B84F50DB3063 failed. Errno=2

1/4/14 5:07:53.157 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/A39CCE67-6423-  
4D67-9E1D-B1A9D5C98534 failed. Errno=2

1/4/14 5:07:53.157 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/A3C28BBB-1CE7-  
4CF0-ADBA-B9D3369DEEC8 failed. Errno=2

1/4/14 5:07:53.157 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/A4D3D388-9546-  
44A1-9E90-3E6311423D89 failed. Errno=2

1/4/14 5:07:53.157 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/A4FC08CE-D628-  
4E4A-BA45-CBE2651AEA1A failed. Errno=2

1/4/14 5:07:53.157 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/A5943963-2C0C-  
4D8E-A5C1-AC224F6E0C47 failed. Errno=2

1/4/14 5:07:53.158 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/A62FE0B6-5D6B-  
4492-83C4-9ED2CA76C3AD failed. Errno=2

1/4/14 5:07:53.158 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/A6D09181-E9D4-  
4057-8323-D314E6609271 failed. Errno=2

1/4/14 5:07:53.158 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/A734997F-900F-  
4A71-8A98-7B27AF909C29 failed. Errno=2

1/4/14 5:07:53.158 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/A74591F5-0E6A-  
4B85-9A9E-CB583B586962 failed. Errno=2

1/4/14 5:07:53.158 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/A76F8C32-0F7D-  
4F87-908A-87AC59E35B59 failed. Errno=2

1/4/14 5:07:53.159 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/A7D51B2F-CA9F-  
4980-B5E6-6CDAC8C7763D failed. Errno=2

1/4/14 5:07:53.159 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/A7DAD8F9-95F1-  
4B45-9453-843A48608D86 failed. Errno=2

1/4/14 5:07:53.159 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/A80D6523-72D2-  
4141-833F-000816F6EA33 failed. Errno=2

1/4/14 5:07:53.159 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/A88C857E-BD3E-  
4276-B605-1A776963407B failed. Errno=2

1/4/14 5:07:53.160 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/A8C25EC7-5BC7-  
4134-A73E-F67F6EBE5728 failed. Errno=2

1/4/14 5:07:53.160 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/A8D59338-F759-  
49E2-827C-2D369B6EEA3B failed. Errno=2

1/4/14 5:07:53.160 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/A9148BD1-8F9B-  
4E40-AEF5-757C44931903 failed. Errno=2

1/4/14 5:07:53.160 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/A9251178-863E-  
4429-94AF-6A21BF70EDDE failed. Errno=2

1/4/14 5:07:53.160 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/A957C8F5-5B11-  
4139-BDB5-9D2DB16A2B9F failed. Errno=2

1/4/14 5:07:53.160 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/A99AD441-F4C5-  
45E6-BA0F-E653AC035020 failed. Errno=2

1/4/14 5:07:53.161 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/A9B77F67-BC4F-  
4C1F-988F-4063E3FD54DD failed. Errno=2

1/4/14 5:07:53.161 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/AA47CD09-374B-  
4E20-B5F3-BA9561E47937 failed. Errno=2

1/4/14 5:07:53.161 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/AAD0C7A7-8C79-  
41BE-BD53-9B277F122174 failed. Errno=2

1/4/14 5:07:53.161 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/AB0ADBDE-71C5-  
4DD9-B9EB-E124099821D5 failed. Errno=2

1/4/14 5:07:53.161 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/AB2A0FDC-A12D-  
4C9C-BFF3-6A192DEC5FB7 failed. Errno=2

1/4/14 5:07:53.162 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/AC5D42E0-0502-  
4097-AF30-87DB450F4CC5 failed. Errno=2

1/4/14 5:07:53.162 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/ACD5773E-1276-  
42E6-B175-FC698ECEABAC failed. Errno=2



1/4/14 5:07:53.162 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/AD24EA5A-A674-  
468A-8E3E-338F3F8ECAD6 failed. Errno=2

1/4/14 5:07:53.162 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/ADB8985D-2D14-  
4735-8F54-471BE6A5CF71 failed. Errno=2

1/4/14 5:07:53.162 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/AE66768D-DA13-  
49F5-A249-FE6E2737F0FA failed. Errno=2

1/4/14 5:07:53.163 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/AEDB89FF-2B0D-  
4C86-A51A-7FEB06CF0244 failed. Errno=2

1/4/14 5:07:53.163 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/AF208B42-91CA-  
44A7-AF25-F484CA00146D failed. Errno=2

1/4/14 5:07:53.163 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/AF5276E5-31C1-  
4B3E-B01D-04D195A3CA9A failed. Errno=2

1/4/14 5:07:53.163 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/AF7668A8-9B5A-  
4577-B075-ACB4182E8AF0 failed. Errno=2

1/4/14 5:07:53.163 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/AFBD214B-AF4C-  
4504-9128-CBAA86B82E47 failed. Errno=2

1/4/14 5:07:53.164 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/AFCF95F8-8111-  
4126-8FDB-5DDA45B24123 failed. Errno=2

1/4/14 5:07:53.164 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/B07A6364-E3B7-  
4B23-A63A-DC7484DB776C failed. Errno=2

1/4/14 5:07:53.164 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/B1EA74BA-9287-  
470F-8688-00E7F0BD407D failed. Errno=2

1/4/14 5:07:53.164 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/B21BA82A-E736-  
479A-BBD4-DC572F06D200 failed. Errno=2

1/4/14 5:07:53.164 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/B2496B1D-0295-  
4E44-97F7-62AA9D177A5A failed. Errno=2

1/4/14 5:07:53.164 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/B2E4F7BC-5BBB-  
402A-B92F-D722EFBD2178 failed. Errno=2

1/4/14 5:07:53.165 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/B3391AD1-25BF-  
4CC1-AC19-BFA13BEDE5E0 failed. Errno=2

1/4/14 5:07:53.165 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/B339B85C-8BA9-  
4EA5-A8B6-F892157CFA0A failed. Errno=2

1/4/14 5:07:53.165 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/B3BC9436-C58E-  
44CF-AD71-993D43EBECFD failed. Errno=2

1/4/14 5:07:53.165 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/B3D7ADB3-AE8E-  
4BBB-9A5A-3CFA9BCDD41D failed. Errno=2

1/4/14 5:07:53.165 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/B4139B05-96F1-  
4AB6-B6A0-8E08D521A64F failed. Errno=2

1/4/14 5:07:53.166 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/B417D5EF-46FD-  
41F1-888D-0AAC37B82003 failed. Errno=2

1/4/14 5:07:53.166 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/B4842ED8-791C-  
47E1-ABB0-7C3AE8D395C6 failed. Errno=2

1/4/14 5:07:53.166 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/B49D41FD-E6DE-  
4B15-96B4-AD85303A7DD1 failed. Errno=2

1/4/14 5:07:53.166 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/B4F407EB-412D-  
4BB3-AF30-5D6DF9CB3BB9 failed. Errno=2

1/4/14 5:07:53.166 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/B5F11D9C-E837-  
4BA0-88CD-B929FB7143A1 failed. Errno=2

1/4/14 5:07:53.166 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/B6871024-8A3F-  
4BFD-870E-E08DA2AFE9F failed. Errno=2

1/4/14 5:07:53.167 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/B6F86C67-ED4F-  
4904-84E5-F155E1D61B68 failed. Errno=2

1/4/14 5:07:53.167 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/B722785F-0B98-  
4720-92BB-5BBCE502692E failed. Errno=2

1/4/14 5:07:53.167 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/B7C7E865-7054-  
4BD3-A0E8-761634CEE59F failed. Errno=2

1/4/14 5:07:53.167 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/B8247794-9E20-  
4178-A75E-A7733A36069D failed. Errno=2

1/4/14 5:07:53.167 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/B83DB60A-CC30-  
4DC2-9B1B-D43011C7CFEF failed. Errno=2

1/4/14 5:07:53.168 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/B85C0A13-20D6-  
4E37-9CBB-4E627EAA5438 failed. Errno=2

1/4/14 5:07:53.168 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/B897DE5F-63E2-  
4DF6-AB9E-9DC4A65F14AC failed. Errno=2

1/4/14 5:07:53.168 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/BA012AE3-2CE5-  
4119-A6B2-4B267B55D1F5 failed. Errno=2

1/4/14 5:07:53.168 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/BA6CB861-1CA2-  
4E4B-9BCF-007D814EE254 failed. Errno=2

1/4/14 5:07:53.168 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/BADAF764-3539-  
4E8C-80C3-390C7FE1A166 failed. Errno=2

1/4/14 5:07:53.168 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/BAE86D0C-7F01-  
418C-AC40-958A5BBCCBF7 failed. Errno=2

1/4/14 5:07:53.169 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/BAF69E29-2338-  
43C8-B36D-174ACF321B1C failed. Errno=2

1/4/14 5:07:53.170 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/BB68B7EA-2B05-  
4256-9BAE-97E7EBD39407 failed. Errno=2

1/4/14 5:07:53.170 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/BBB57F04-58AB-  
485D-AD2E-F83793FF1AE7 failed. Errno=2

1/4/14 5:07:53.170 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/BBFA6652-3524-  
4951-B0AF-2E8391B99218 failed. Errno=2

1/4/14 5:07:53.170 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/BC1FED92-DE37-  
491A-82E6-575BD9E9D51F failed. Errno=2

1/4/14 5:07:53.170 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/BC4AA60B-7AF9-  
45DC-BEE2-418C54BDF376 failed. Errno=2

1/4/14 5:07:53.170 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/BC9C9AF9-3331-  
4FFE-99CE-6E2FFA8802EB failed. Errno=2

1/4/14 5:07:53.171 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/BD4836D9-FE4B-  
491C-AEF0-1B80EFCE9EEE failed. Errno=2

1/4/14 5:07:53.171 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/BD66FE2C-BC7A-  
42D3-9EF4-A69C508B2649 failed. Errno=2

1/4/14 5:07:53.171 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/BD93DD13-049C-  
4AAD-8F93-2B558A7B5221 failed. Errno=2

1/4/14 5:07:53.171 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/BE0E047B-F10F-  
408D-8E18-BA276267A55F failed. Errno=2

1/4/14 5:07:53.171 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/BEBF2C32-B50D-  
4D35-BB17-3DD31493BF2D failed. Errno=2

1/4/14 5:07:53.172 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/BF909543-CC16-  
488C-BFCE-4ECCEDB5267E failed. Errno=2

1/4/14 5:07:53.172 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/BFC1693B-ABDF-  
4E1D-88DA-C489AA4BD39B failed. Errno=2

1/4/14 5:07:53.172 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/BFFEA1EB-E966-  
4533-9A93-A14F4D6D4BD4 failed. Errno=2

1/4/14 5:07:53.172 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/C0953A6A-00C7-  
42FD-A4DD-3513897E9466 failed. Errno=2

1/4/14 5:07:53.172 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/C1897AF3-A752-  
45B8-867A-C81BF3C1A931 failed. Errno=2

1/4/14 5:07:53.173 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/C198E1CF-75A4-  
4824-A6C6-9246EBCE1C53 failed. Errno=2

1/4/14 5:07:53.173 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/C1BCF37A-1B55-  
4995-A01A-50C27F63B385 failed. Errno=2

1/4/14 5:07:53.173 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/C1D4CFD0-8F9E-  
4C5A-AEE3-5138B42286BC failed. Errno=2

1/4/14 5:07:53.173 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/C2D94E8B-C5AB-  
454E-AA94-9BBF77098B51 failed. Errno=2

1/4/14 5:07:53.173 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/C3882AAA-E50B-  
43B7-879E-4CD663B065CA failed. Errno=2

1/4/14 5:07:53.173 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/C4A4DFBB-EEC7-  
4999-A762-C13208BBE7EE failed. Errno=2

1/4/14 5:07:53.174 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/C4D5CD93-4147-  
4FE5-B004-81E5EC43893D failed. Errno=2

1/4/14 5:07:53.174 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/C5C334E1-0E37-  
4431-9BFC-03B4665C7BE8 failed. Errno=2

1/4/14 5:07:53.174 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/C6041078-3BB2-  
4BAD-960C-405A54E19F27 failed. Errno=2

1/4/14 5:07:53.174 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/C60EF70E-ED0A-  
413E-B28C-757E8CFC8519 failed. Errno=2

1/4/14 5:07:53.174 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/C6489A93-D2E4-  
4E93-AEF0-C25581E2CCB4 failed. Errno=2

1/4/14 5:07:53.175 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/C6E41710-F408-  
47E4-A88D-B5364CD01EC1 failed. Errno=2

1/4/14 5:07:53.175 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/C74E334B-C577-  
4782-BD94-B9C8372EBF80 failed. Errno=2

1/4/14 5:07:53.175 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/C773B71E-DDD1-  
4126-8BCF-0ECC173F213E failed. Errno=2

1/4/14 5:07:53.175 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/C849F36F-5FB7-  
488E-9FDC-50AD41E06C79 failed. Errno=2

1/4/14 5:07:53.175 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/C899E9A8-F327-  
409B-8BF5-D6522C5F3DCB failed. Errno=2

1/4/14 5:07:53.177 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/C9C51C3B-86F1-  
4B29-B41C-88D8696F4B47 failed. Errno=2

1/4/14 5:07:53.177 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/CA62DF1D-1AC7-  
4CB0-BDCD-67EA878E56D4 failed. Errno=2

1/4/14 5:07:53.177 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/CA922EE6-652B-  
4B9D-9E57-2A1600D3D015 failed. Errno=2

1/4/14 5:07:53.178 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/CB9BC421-3F78-  
4D6A-A198-279BA590791A failed. Errno=2

1/4/14 5:07:53.178 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/CBE8081E-9C95-  
43F7-BCD0-B0E028446C83 failed. Errno=2

1/4/14 5:07:53.178 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/CC304E66-A5B4-  
428C-8EE5-03421427E7A5 failed. Errno=2

1/4/14 5:07:53.178 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/CC5161D3-6D31-  
4750-8989-16C20161E70D failed. Errno=2

1/4/14 5:07:53.178 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/CC78E688-0112-  
4897-93EE-126811F0F734 failed. Errno=2

1/4/14 5:07:53.179 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/CCA8D66E-D8DA-  
4EA4-A88B-CD1B67837DAB failed. Errno=2

1/4/14 5:07:53.179 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/CD0F57E8-F6A9-  
4E10-97FA-05BD823C4BE6 failed. Errno=2

1/4/14 5:07:53.179 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/CDF6BD3D-3892-  
4B9B-A887-66FEA6BA3E44 failed. Errno=2

1/4/14 5:07:53.179 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/CE43F8B0-7B9F-  
4469-A42E-14291FD68260 failed. Errno=2

1/4/14 5:07:53.179 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/CE4497C4-3C1F-  
493A-8813-FA111D3E82A6 failed. Errno=2

1/4/14 5:07:53.180 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/CEB9666A-6EE7-  
49A9-B372-9CEF39CB4DA1 failed. Errno=2

1/4/14 5:07:53.180 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/CEDC3DC8-46A7-  
4449-8697-4630DFA548D4 failed. Errno=2

1/4/14 5:07:53.180 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/CF40D1DE-F69D-  
49EC-A166-B81C37AFD1BF failed. Errno=2

1/4/14 5:07:53.180 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/CF68701B-4F04-  
4A0C-82A1-6F8AD1D01175 failed. Errno=2

1/4/14 5:07:53.180 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/CF8E7B8B-796A-  
4C24-A931-9600FE062AB9 failed. Errno=2

1/4/14 5:07:53.181 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/CFEB29B5-47D4-  
41EC-9E53-A84D56F27A81 failed. Errno=2

1/4/14 5:07:53.181 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/D07C1D17-986B-  
4DC4-9D11-1F4451C13F95 failed. Errno=2

1/4/14 5:07:53.181 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/D08C9DBB-1DD6-  
4398-96F9-9265A2BC1EB3 failed. Errno=2

1/4/14 5:07:53.181 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/D0A6D025-DF8D-  
4DC5-A252-8702DE64C11C failed. Errno=2

1/4/14 5:07:53.181 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/D0D14A72-6BCD-  
488A-B893-91ADD2981D63 failed. Errno=2

1/4/14 5:07:53.182 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/D152196E-D351-  
41B8-BC20-669E6556987E failed. Errno=2

1/4/14 5:07:53.182 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/D17F86EE-969A-  
459C-8B53-2E3E11A29DE9 failed. Errno=2

1/4/14 5:07:53.182 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/D241448A-E5E9-  
44E7-AA61-0F87B08469A8 failed. Errno=2

1/4/14 5:07:53.182 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/D363E42E-CDD2-  
41F6-8B8B-4287177B87E4 failed. Errno=2

1/4/14 5:07:53.182 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/D36C27D3-4458-  
4B89-85D1-60DD3ED4DED9 failed. Errno=2

1/4/14 5:07:53.183 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/D383A587-21A8-  
4830-ABF7-4696A674A0F6 failed. Errno=2

1/4/14 5:07:53.183 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/D4217C99-5335-  
4A32-898A-3720E0383C48 failed. Errno=2

1/4/14 5:07:53.183 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/D460600F-8937-  
43DC-B40A-E421ABC998A7 failed. Errno=2

1/4/14 5:07:53.183 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/D4A7997F-4860-  
421B-98C2-AC3824C4581B failed. Errno=2

1/4/14 5:07:53.183 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/D50DE0B1-3C94-  
460C-951C-C7744C8BD933 failed. Errno=2

1/4/14 5:07:53.183 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/D5445D23-40F7-  
4B96-88CC-2C9C73FC6B67 failed. Errno=2

1/4/14 5:07:53.184 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/D5589717-4885-  
4F48-B28F-F1916A753A92 failed. Errno=2

1/4/14 5:07:53.184 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/D5962C81-8B6C-  
4DE1-84F0-FAF5F075A5DC failed. Errno=2

1/4/14 5:07:53.184 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/D6C1B5CF-5CE7-  
4B6C-BCA1-7E6C8BF3DCD1 failed. Errno=2

1/4/14 5:07:53.184 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/D6E7DA44-F927-  
4258-808B-615FABCC2A11 failed. Errno=2

1/4/14 5:07:53.184 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/D7D96F9A-F507-  
45C9-94B9-AFE631069554 failed. Errno=2

1/4/14 5:07:53.185 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/D86FF721-F07C-  
4F31-9C1B-0FCD30DE228A failed. Errno=2

1/4/14 5:07:53.185 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/D892B9F8-6571-  
4A91-A58D-918E76616D4E failed. Errno=2

1/4/14 5:07:53.185 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/D89D372D-89D2-  
456D-A999-3A1F3EBD1088 failed. Errno=2

1/4/14 5:07:53.185 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/D8A725E4-973A-  
48C5-ADFD-2D5643A58998 failed. Errno=2

1/4/14 5:07:53.185 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/D95DB3C9-C9CD-  
42AC-85FA-919E09B00293 failed. Errno=2

1/4/14 5:07:53.186 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/D9E0CD0F-F58A-  
43EF-B211-E63B7744BB7C failed. Errno=2

1/4/14 5:07:53.186 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/D9FE6467-9797-  
45FF-BA5A-28EFC976A608 failed. Errno=2

1/4/14 5:07:53.186 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/DAABC39C-3B6B-  
4201-B759-73D07E26EC7A failed. Errno=2

1/4/14 5:07:53.186 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/DAC858B4-526A-  
4D77-8A97-4803A4FA06CA failed. Errno=2

1/4/14 5:07:53.186 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/DADD50B0-3D2B-  
42D7-8068-2F638D0C18C3 failed. Errno=2

1/4/14 5:07:53.187 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/DB0D6473-8541-  
4C00-8666-B0437C32FECD failed. Errno=2

1/4/14 5:07:53.187 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/DB1F214A-492A-  
4882-B394-4EDF132A1C25 failed. Errno=2



1/4/14 5:07:53.187 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/DB2288FD-03CE-  
4418-926C-9B7BE5EAA4B9 failed. Errno=2

1/4/14 5:07:53.187 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/DB5888C7-D058-  
4B92-99A9-37EDE643F328 failed. Errno=2

1/4/14 5:07:53.187 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/DB63E315-6F23-  
4637-8AC5-518F617D46F3 failed. Errno=2

1/4/14 5:07:53.188 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/DBBBB71D-896E-  
4A43-A69E-CB4A12CCD408 failed. Errno=2

1/4/14 5:07:53.188 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/DC055F2B-1575-  
437B-B7F1-CFD384C15917 failed. Errno=2

1/4/14 5:07:53.188 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/DC278A53-8C30-  
4497-B579-88339B3897E3 failed. Errno=2

1/4/14 5:07:53.188 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/DC790B78-75C5-  
47E9-9AA5-9E73EA05366E failed. Errno=2

1/4/14 5:07:53.188 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/DC89E606-50AC-  
438A-9BEE-802CE2B76A77 failed. Errno=2

1/4/14 5:07:53.189 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/DD3AFC54-46C1-  
40B9-808B-F51BE55A59BA failed. Errno=2

1/4/14 5:07:53.189 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/DDA9B668-8469-  
4D86-83F5-2D86C9DB9D61 failed. Errno=2

1/4/14 5:07:53.189 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/DE6FEA61-3D2B-  
48D3-B755-6352493BB5E0 failed. Errno=2

1/4/14 5:07:53.189 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/DF3ACA2B-DE93-  
4229-8A73-DA2CF000F045 failed. Errno=2

1/4/14 5:07:53.189 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/DF65A7FB-C6B5-  
49A3-9562-81FD1800FFB3 failed. Errno=2

1/4/14 5:07:53.189 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/E0411FFA-0286-  
4417-925D-05C5D316230B failed. Errno=2

1/4/14 5:07:53.190 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/E046C484-0D53-  
4713-A639-5600B4178663 failed. Errno=2

1/4/14 5:07:53.190 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/E0663601-04E8-  
46D7-ACB8-20377BBAB15F failed. Errno=2

1/4/14 5:07:53.190 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/E07ABB0B-00FE-  
44D6-BECE-68C6B0F468AA failed. Errno=2

1/4/14 5:07:53.190 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/E0C67B55-FB4A-  
46AD-ACC4-0BEB74BD7C8B failed. Errno=2

1/4/14 5:07:53.190 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/E1E04BC0-2F71-  
48D5-B936-C3A099F30D45 failed. Errno=2

1/4/14 5:07:53.191 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/E328BAD9-3DFF-  
4E8A-9F3E-DC6B07ACC3E9 failed. Errno=2

1/4/14 5:07:53.191 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/E36683E9-1A11-  
4B0E-BEE8-D20B9BA50B1B failed. Errno=2

1/4/14 5:07:53.191 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/E3B19592-22AC-  
4A93-9F45-C62DD6C25166 failed. Errno=2

1/4/14 5:07:53.191 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/E3B98548-2F59-  
4C7E-B4FF-E366B526F539 failed. Errno=2

1/4/14 5:07:53.191 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/E4473575-957A-  
46C8-A531-81BDAD04BEBE failed. Errno=2

1/4/14 5:07:53.192 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/E5340A3A-B0B3-  
4182-8618-BD19B514A879 failed. Errno=2

1/4/14 5:07:53.192 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/E569A0DD-D075-  
4F7F-9833-B0442A611BF6 failed. Errno=2

1/4/14 5:07:53.192 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/E5D1EEAF-E616-  
47E3-A599-C2872DD066E8 failed. Errno=2

1/4/14 5:07:53.192 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/E64AA716-BA04-  
4D37-B370-492EC9BEFCEE failed. Errno=2

1/4/14 5:07:53.192 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/E6EC0BE7-14C0-  
49E2-A832-9408FF561810 failed. Errno=2

1/4/14 5:07:53.193 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/E6F6CB72-7DF1-  
439A-9A3F-120948683760 failed. Errno=2

1/4/14 5:07:53.193 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/E7B0A13D-F324-  
4804-9FF6-5F0CD0A51C24 failed. Errno=2

1/4/14 5:07:53.193 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/E7F86107-37E7-  
4F4D-B545-F1CD95A67363 failed. Errno=2

1/4/14 5:07:53.193 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/E8A35B0F-C0CB-  
4CA2-9B21-8CD4B039417D failed. Errno=2

1/4/14 5:07:53.193 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/E944F867-8EB8-  
46EC-9CE4-62C76E964C80 failed. Errno=2

1/4/14 5:07:53.193 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/E9B828B3-67B3-  
4CC1-BDF7-86B458AAE697 failed. Errno=2

1/4/14 5:07:53.194 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/E9E448F9-4A55-  
4D30-A8B1-F28F72967309 failed. Errno=2

1/4/14 5:07:53.194 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/EA55F993-056D-  
4BAC-B3D5-CDF6901AFED6 failed. Errno=2

1/4/14 5:07:53.194 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/EAD4C146-6476-  
44AF-A527-2AD1A146D760 failed. Errno=2

1/4/14 5:07:53.194 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/EAD88566-D7B9-  
41BD-80D4-BBD0B0429505 failed. Errno=2

1/4/14 5:07:53.194 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/EAF4418E-03B6-  
4FCB-B66C-1A84AC80DB61 failed. Errno=2

1/4/14 5:07:53.195 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/EB4B633A-7AC8-  
40D9-8895-5F62BE03E0A0 failed. Errno=2

1/4/14 5:07:53.195 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/EBD2F3BD-9C63-  
47BF-804C-E4FA5DEF3B95 failed. Errno=2

1/4/14 5:07:53.195 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/EC52C13F-E8B0-  
4E28-9352-C5C526E51374 failed. Errno=2

1/4/14 5:07:53.195 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/ECA14307-4FFD-  
4084-BA1D-3B46F0D11F90 failed. Errno=2

1/4/14 5:07:53.195 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/ED17ED87-C8CB-  
4409-AAF1-8F94A35E72C0 failed. Errno=2

1/4/14 5:07:53.196 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/EDAA95AD-769E-  
4B9B-8107-2D91E3C00C6F failed. Errno=2

1/4/14 5:07:53.196 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/EDE2BDAE-735E-  
490E-82C5-79413B516398 failed. Errno=2

1/4/14 5:07:53.196 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/EDF78528-8977-  
45E3-BB66-D10CC794235E failed. Errno=2

1/4/14 5:07:53.196 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/EE346551-B4AF-  
4C75-B11E-CA34693A06F9 failed. Errno=2

1/4/14 5:07:53.196 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/EE5E9E66-2AC1-  
4274-8425-21D379458397 failed. Errno=2

1/4/14 5:07:53.197 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/EF1C9E37-733E-  
4120-9044-9558DC59B098 failed. Errno=2

1/4/14 5:07:53.197 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/EF1ED4C9-EAB8-  
4011-8DCE-4DA3B6E2C13A failed. Errno=2

1/4/14 5:07:53.197 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/EFF618E4-02F7-  
438B-AE76-D907F0C70DF5 failed. Errno=2

1/4/14 5:07:53.197 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/F0014C35-EF7C-  
47BB-8B91-6ED5D42AEFEC failed. Errno=2

1/4/14 5:07:53.197 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/F1172127-444E-  
4959-888D-C689CB9A589A failed. Errno=2

1/4/14 5:07:53.198 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/F16E464E-3B2B-  
465E-8432-4320D8413DE2 failed. Errno=2

1/4/14 5:07:53.198 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/F17436DF-469E-  
4D99-B8FF-7C02862BEEE0 failed. Errno=2

1/4/14 5:07:53.198 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/F1782CE8-A4B7-  
498D-AA00-C528E991F914 failed. Errno=2

1/4/14 5:07:53.198 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/F18E6891-64D0-  
4AAD-B76A-5F369964E51E failed. Errno=2

1/4/14 5:07:53.198 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/F239EA1F-DF7C-  
46A3-9649-6A9798EDC65F failed. Errno=2

1/4/14 5:07:53.199 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/F23FE68F-3B79-  
47CF-9DDA-811C2FCF43D8 failed. Errno=2

1/4/14 5:07:53.199 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/F33D3433-0584-  
47A3-B13A-166C27D42A8D failed. Errno=2

1/4/14 5:07:53.199 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/F34F7994-EF84-  
40B7-BF04-726E9DF55A87 failed. Errno=2

1/4/14 5:07:53.199 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/F46400B3-6530-  
4EF4-80F9-C60F58F78DE8 failed. Errno=2

1/4/14 5:07:53.199 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/F497362E-5B14-  
4CB7-B795-1BB34A78289B failed. Errno=2

1/4/14 5:07:53.199 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/F4C162E2-9D45-  
4190-87C7-E7ACAE1824CB failed. Errno=2

1/4/14 5:07:53.200 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/F4DD0F46-DE6D-  
4A9C-B0D0-84450CACEADB failed. Errno=2

1/4/14 5:07:53.200 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/F4F689E3-2671-  
42CF-A4F6-C55F8087C7A4 failed. Errno=2

1/4/14 5:07:53.200 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/F5018669-0866-  
4306-B227-8ADD662A3A2F failed. Errno=2

1/4/14 5:07:53.200 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/F529A433-EB14-  
4589-BDFF-6AF397938BE6 failed. Errno=2

1/4/14 5:07:53.200 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/F5412D2F-ED5F-  
402F-9540-69FF504E8944 failed. Errno=2

1/4/14 5:07:53.201 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/F58469DA-8386-  
4FEA-B9DF-4CED4C2792A9 failed. Errno=2

1/4/14 5:07:53.201 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/F5DC98B4-9C7B-  
4121-B0C9-7EA364515993 failed. Errno=2

1/4/14 5:07:53.201 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/F69DA1FF-E1C2-  
43E8-B18B-0CCF20DA1717 failed. Errno=2

1/4/14 5:07:53.201 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/F69DFC57-2FE4-  
4525-918D-09681D1FA14D failed. Errno=2

1/4/14 5:07:53.201 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/F6F46832-A412-  
412F-A480-297F6A1E7AD4 failed. Errno=2

1/4/14 5:07:53.202 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/F70CAA58-BB27-  
4D46-B933-A37BD035B806 failed. Errno=2

1/4/14 5:07:53.202 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/F71221A4-AA6C-  
4ABF-A9D3-06A3B9093D4B failed. Errno=2

1/4/14 5:07:53.202 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/F721B8D0-6A52-  
4080-BF81-D471A259183B failed. Errno=2

1/4/14 5:07:53.202 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/F7394CE6-FC37-  
494B-9D09-5590705C1DBC failed. Errno=2

1/4/14 5:07:53.202 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/F7854A38-4BFC-  
4F93-88CD-5A8909B218D0 failed. Errno=2

1/4/14 5:07:53.202 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/F7AA832D-9A61-  
45A3-A0CA-BB1C95127009 failed. Errno=2

1/4/14 5:07:53.203 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/F80A8313-F92C-  
4832-A560-98C6DBCA7E2B failed. Errno=2

1/4/14 5:07:53.203 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/F82561B7-AAB3-  
4501-9217-5CCD7A0F6E91 failed. Errno=2

1/4/14 5:07:53.203 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/F8785F5F-70B7-  
4DBB-9A7E-B6E45602E075 failed. Errno=2

1/4/14 5:07:53.203 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/F9010B29-2A0C-  
439B-947B-CCADFF95AC3D failed. Errno=2

1/4/14 5:07:53.204 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/FABC5C8A-67B5-  
4076-AA4F-52E810E92375 failed. Errno=2

1/4/14 5:07:53.204 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/FAC312E9-6DD5-  
490D-9FBD-78FD5A1A5B4B failed. Errno=2

1/4/14 5:07:53.204 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/FAD7FCD2-E719-  
4FD4-BB6C-64F4AC109249 failed. Errno=2

1/4/14 5:07:53.204 PM com.apple.WebKit.Networking[406]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/FCB1280D-E67D-  
448D-85BE-A81180279515 failed. Errno=2

1/4/14 5:07:53.204 PM com.apple.WebKit.Networking[406]: unlink of file /Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/FCD3879F-1F50-44FA-A91E-5FFDA526386F failed. Errno=2

1/4/14 5:07:53.204 PM com.apple.WebKit.Networking[406]: unlink of file /Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/FDB83804-3ABE-498B-A9DF-7D6BBE59FD4F failed. Errno=2

1/4/14 5:07:53.205 PM com.apple.WebKit.Networking[406]: unlink of file /Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/FDC9FB4A-DF16-4282-8D87-B154E81EF468 failed. Errno=2

1/4/14 5:07:53.205 PM com.apple.WebKit.Networking[406]: unlink of file /Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/FDE8552B-3BC2-45EB-8F1A-0B0631674EB0 failed. Errno=2

1/4/14 5:07:53.205 PM com.apple.WebKit.Networking[406]: unlink of file /Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/FE33F14A-99D7-4E67-A139-E9227BE7EEE0 failed. Errno=2

1/4/14 5:07:53.205 PM com.apple.WebKit.Networking[406]: unlink of file /Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/FF8582F0-18B2-4D96-A38D-6DC27C5DBCB9 failed. Errno=2

1/4/14 5:07:53.279 PM soagent[399]: No active accounts, killing soagent in 10 seconds

1/4/14 5:07:53.285 PM soagent[399]: No active accounts, killing soagent in 10 seconds

1/4/14 5:07:53.302 PM soagent[399]: No active accounts, killing soagent in 10 seconds

1/4/14 5:07:53.879 PM com.apple.WebKit.Networking[406]: ERROR: \_\_CFURLCache:CreateTablesAndIndexes version create - database is locked. ErrCode: 5.

1/4/14 5:07:53.879 PM com.apple.WebKit.Networking[406]: \_\_CFURLCache:RecreateEmptyPersistentStoreOnDiskAndOpen: create tables and index failed.

1/4/14 5:07:54.620 PM com.apple.quicklook.satellite[434]: [QL] com.apple.webarchive set by CFBundle/CFPlugIn 0x7f9073404800 </System/Library/QuickLook/Web.qlgenerator> (bundle, loaded) is not a supported content type for QLThumbnailRequestSetThumbnailWithURLRepresentation()

1/4/14 5:08:03.301 PM soagent[399]: Killing soagent.

1/4/14 5:08:03.301 PM NotificationCenter[390]: SOHelperCenter main connection interrupted

1/4/14 5:08:03.301 PM com.apple.dock.extra[398]: SOHelperCenter main connection interrupted

1/4/14 5:08:03.301 PM NotificationCenter[390]: SOHelperCenter main connection interrupted

1/4/14 5:08:03.301 PM com.apple.dock.extra[398]: SOHelperCenter main connection interrupted

1/4/14 5:08:20.138 PM CoreServicesUIAgent[440]: Saving rejection record:

Rejected

URL=file:///Users/Brett/Library/Caches/Cleanup%20At%20Startup/CrossOver%20CD%20Helper.app/

App

URL=file:///Users/Brett/Library/Caches/Cleanup%20At%20Startup/CrossOver%20CD%20Helper.app/

1/4/14 5:08:20.138 PM CoreServicesUIAgent[440]: App URL discarded

1/4/14 5:08:20.139 PM com.apple.launchd.peruser.505[362]: ([0x0-0x40040].com.codeweavers.crossover CD helper[439]) Exited: Killed: 9

1/4/14 5:38:49.073 PM PluginProcess[483]: CoreText performance note: Client called CTFontCreateWithName() using name "Times Roman" and got font with PostScript name "Times-Roman". For best performance, only use PostScript names when calling this API.

1/4/14 5:38:49.073 PM PluginProcess[483]: CoreText performance note: Set a breakpoint on CTFontLogSuboptimalRequest to debug.

1/4/14 5:38:49.491 PM PluginProcess[483]: CoreText performance note: Client called CTFontCreateWithName() using name "Helvetica Neue Light" and got font with PostScript name "HelveticaNeue-Light". For best performance, only use PostScript names when calling this API.

1/4/14 5:38:49.779 PM PluginProcess[483]: CoreText performance note: Client called CTFontCreateWithName() using name "Arial" and got font with PostScript name "ArialMT". For best performance, only use PostScript names when calling this API.

1/4/14 7:29:10.931 PM PluginProcess[543]: CoreText performance note: Client called CTFontCreateWithName() using name "Arial Unicode MS" and got font with PostScript name "ArialUnicodeMS". For best performance, only use PostScript names when calling this API.

1/4/14 7:29:10.931 PM PluginProcess[543]: CoreText performance note: Set a breakpoint on CTFontLogSuboptimalRequest to debug.

1/4/14 7:29:11.375 PM PluginProcess[543]: CoreText performance note: Client called CTFontCreateWithName() using name "Times Roman" and got font with PostScript name "Times-Roman". For best performance, only use PostScript names when calling this API.

1/4/14 7:29:14.477 PM PluginProcess[543]: CoreText performance note: Client called CTFontCreateWithName() using name "Arial" and got font with PostScript name "ArialMT". For best performance, only use PostScript names when calling this API.

1/4/14 7:29:34.416 PM PluginProcess[543]: CoreText performance note: Client called CTFontCreateWithName() using name "Lucida Grande" and got font with PostScript name "LucidaGrande". For best performance, only use PostScript names when calling this API.

1/4/14 7:35:40.360 PM PluginProcess[543]: CoreText performance note: Client called CTFontCreateWithName() using name "Arial Unicode MS" and got font with PostScript name "ArialUnicodeMS". For best performance, only use PostScript names when calling this API.



1/4/14 7:35:40.379 PM PluginProcess[543]: CoreText performance note: Client called CTFontCreateWithName() using name "Times Roman" and got font with PostScript name "Times-Roman". For best performance, only use PostScript names when calling this API.

1/4/14 7:35:42.605 PM PluginProcess[543]: CoreText performance note: Client called CTFontCreateWithName() using name "Arial Bold" and got font with PostScript name "Arial-BoldMT". For best performance, only use PostScript names when calling this API.

1/4/14 7:35:42.607 PM PluginProcess[543]: CoreText performance note: Client called CTFontCreateWithName() using name "Arial" and got font with PostScript name "ArialMT". For best performance, only use PostScript names when calling this API.

1/4/14 7:35:54.866 PM PluginProcess[543]: CoreText performance note: Client called CTFontCreateWithName() using name "Lucida Grande" and got font with PostScript name "LucidaGrande". For best performance, only use PostScript names when calling this API.

1/4/14 7:38:03.944 PM PluginProcess[543]: CoreText performance note: Client called CTFontCreateWithName() using name "Arial Unicode MS" and got font with PostScript name "ArialUnicodeMS". For best performance, only use PostScript names when calling this API.

1/4/14 7:38:03.959 PM PluginProcess[543]: CoreText performance note: Client called CTFontCreateWithName() using name "Times Roman" and got font with PostScript name "Times-Roman". For best performance, only use PostScript names when calling this API.

1/4/14 7:38:04.940 PM PluginProcess[543]: CoreText performance note: Client called CTFontCreateWithName() using name "Arial" and got font with PostScript name "ArialMT". For best performance, only use PostScript names when calling this API.

1/4/14 7:38:18.712 PM PluginProcess[543]: CoreText performance note: Client called CTFontCreateWithName() using name "Lucida Grande" and got font with PostScript name "LucidaGrande". For best performance, only use PostScript names when calling this API.

1/4/14 7:40:46.320 PM PluginProcess[543]: CoreText performance note: Client called CTFontCreateWithName() using name "Arial Unicode MS" and got font with PostScript name "ArialUnicodeMS". For best performance, only use PostScript names when calling this API.

1/4/14 7:40:46.328 PM PluginProcess[543]: CoreText performance note: Client called CTFontCreateWithName() using name "Times Roman" and got font with PostScript name "Times-Roman". For best performance, only use PostScript names when calling this API.

1/4/14 7:40:47.360 PM PluginProcess[543]: CoreText performance note: Client called CTFontCreateWithName() using name "Arial Bold" and got font with PostScript name "Arial-BoldMT". For best performance, only use PostScript names when calling this API.

1/4/14 7:40:47.361 PM PluginProcess[543]: CoreText performance note: Client called CTFontCreateWithName() using name "Arial" and got font with PostScript

name "ArialMT". For best performance, only use PostScript names when calling this API.

1/4/14 7:40:55.126 PM PluginProcess[543]: CoreText performance note: Client called CTFontCreateWithName() using name "Lucida Grande" and got font with PostScript name "LucidaGrande". For best performance, only use PostScript names when calling this API.

1/4/14 8:12:52.588 PM PluginProcess[543]: CoreText performance note: Client called CTFontCreateWithName() using name "Arial Unicode MS" and got font with PostScript name "ArialUnicodeMS". For best performance, only use PostScript names when calling this API.

1/4/14 8:12:52.602 PM PluginProcess[543]: CoreText performance note: Client called CTFontCreateWithName() using name "Times Roman" and got font with PostScript name "Times-Roman". For best performance, only use PostScript names when calling this API.

1/4/14 8:12:53.834 PM PluginProcess[543]: CoreText performance note: Client called CTFontCreateWithName() using name "Arial" and got font with PostScript name "ArialMT". For best performance, only use PostScript names when calling this API.

1/4/14 8:17:31.136 PM PluginProcess[543]: CoreText performance note: Client called CTFontCreateWithName() using name "Lucida Grande" and got font with PostScript name "LucidaGrande". For best performance, only use PostScript names when calling this API.

1/4/14 8:19:43.549 PM PluginProcess[543]: CoreText performance note: Client called CTFontCreateWithName() using name "Arial Bold" and got font with PostScript name "Arial-BoldMT". For best performance, only use PostScript names when calling this API.

1/4/14 8:24:39.653 PM PluginProcess[543]: CoreText performance note: Client called CTFontCreateWithName() using name "Arial Unicode MS" and got font with PostScript name "ArialUnicodeMS". For best performance, only use PostScript names when calling this API.

1/4/14 8:24:39.663 PM PluginProcess[543]: CoreText performance note: Client called CTFontCreateWithName() using name "Times Roman" and got font with PostScript name "Times-Roman". For best performance, only use PostScript names when calling this API.

1/4/14 8:24:41.691 PM PluginProcess[543]: CoreText performance note: Client called CTFontCreateWithName() using name "Arial Bold" and got font with PostScript name "Arial-BoldMT". For best performance, only use PostScript names when calling this API.

1/4/14 8:24:41.692 PM PluginProcess[543]: CoreText performance note: Client called CTFontCreateWithName() using name "Arial" and got font with PostScript name "ArialMT". For best performance, only use PostScript names when calling this API.

1/4/14 8:25:39.132 PM PluginProcess[543]: CoreText performance note: Client called CTFontCreateWithName() using name "Arial Unicode MS" and got font with PostScript name "ArialUnicodeMS". For best performance, only use PostScript names when calling this API.

1/4/14 8:25:39.145 PM PluginProcess[543]: CoreText performance note: Client called CTFontCreateWithName() using name "Times Roman" and got font with PostScript name "Times-Roman". For best performance, only use PostScript names when calling this API.

1/4/14 8:25:40.538 PM PluginProcess[543]: CoreText performance note: Client called CTFontCreateWithName() using name "Arial" and got font with PostScript name "ArialMT". For best performance, only use PostScript names when calling this API.

1/4/14 8:26:26.388 PM PluginProcess[543]: CoreText performance note: Client called CTFontCreateWithName() using name "Lucida Grande" and got font with PostScript name "LucidaGrande". For best performance, only use PostScript names when calling this API.

1/4/14 9:31:09.100 PM loginwindow[319]: Preferred Localizations total: 1 contents ( English )

1/4/14 9:31:09.101 PM loginwindow[319]: Preferred Localizations total: 1 contents ( English )

1/4/14 10:26:11.475 PM loginwindow[319]: Preferred Localizations total: 1 contents ( English )

1/4/14 10:26:11.475 PM loginwindow[319]: Preferred Localizations total: 1 contents ( English )

1/4/14 10:44:45.380 PM PluginProcess[861]: CoreText performance note: Client called CTFontCreateWithName() using name "Arial" and got font with PostScript name "ArialMT". For best performance, only use PostScript names when calling this API.

1/4/14 10:44:45.380 PM PluginProcess[861]: CoreText performance note: Set a breakpoint on CTFontLogSuboptimalRequest to debug.

1/4/14 10:51:00.320 PM PluginProcess[862]: CoreText performance note: Client called CTFontCreateWithName() using name "Arial" and got font with PostScript name "ArialMT". For best performance, only use PostScript names when calling this API.

1/4/14 10:51:00.321 PM PluginProcess[862]: CoreText performance note: Set a breakpoint on CTFontLogSuboptimalRequest to debug.

1/4/14 10:51:00.756 PM PluginProcess[862]: CoreText performance note: Client called CTFontCreateWithName() using name "Times Roman" and got font with PostScript name "Times-Roman". For best performance, only use PostScript names when calling this API.

1/4/14 10:51:00.832 PM PluginProcess[862]: CoreText performance note: Client called CTFontCreateWithName() using name "Times Roman" and got font with

PostScript name "Times-Roman". For best performance, only use PostScript names when calling this API.

1/4/14 11:02:52.219 PM PluginProcess[543]: CoreText performance note: Client called CTFontCreateWithName() using name "Arial Bold" and got font with PostScript name "Arial-BoldMT". For best performance, only use PostScript names when calling this API.

1/4/14 11:26:48.503 PM PluginProcess[883]: CoreText performance note: Client called CTFontCreateWithName() using name "Times Roman" and got font with PostScript name "Times-Roman". For best performance, only use PostScript names when calling this API.

1/4/14 11:26:48.503 PM PluginProcess[883]: CoreText performance note: Set a breakpoint on CTFontLogSuboptimalRequest to debug.

1/4/14 11:26:48.890 PM PluginProcess[883]: CoreText performance note: Client called CTFontCreateWithName() using name "Arial" and got font with PostScript name "ArialMT". For best performance, only use PostScript names when calling this API.

1/4/14 11:26:49.379 PM PluginProcess[883]: CoreText performance note: Client called CTFontCreateWithName() using name "Arial Unicode MS" and got font with PostScript name "ArialUnicodeMS". For best performance, only use PostScript names when calling this API.

1/4/14 11:28:16.039 PM PluginProcess[885]: CoreText performance note: Client called CTFontCreateWithName() using name "Arial" and got font with PostScript name "ArialMT". For best performance, only use PostScript names when calling this API.

1/4/14 11:28:16.039 PM PluginProcess[885]: CoreText performance note: Set a breakpoint on CTFontLogSuboptimalRequest to debug.

1/4/14 11:53:56.286 PM loginwindow[319]: Preferred Localizations total: 1  
contents (  
    English  
)

1/4/14 11:53:56.286 PM loginwindow[319]: Preferred Localizations total: 1  
contents (  
    English  
)

1/4/14 11:55:17.883 PM PluginProcess[924]: CoreText performance note: Client called CTFontCreateWithName() using name "Times Roman" and got font with PostScript name "Times-Roman". For best performance, only use PostScript names when calling this API.

1/4/14 11:55:17.883 PM PluginProcess[924]: CoreText performance note: Set a breakpoint on CTFontLogSuboptimalRequest to debug.

1/5/14 12:38:09.197 AM PluginProcess[936]: CoreText performance note: Client called CTFontCreateWithName() using name "Arial Unicode MS" and got font with PostScript name "ArialUnicodeMS". For best performance, only use PostScript names when calling this API.

1/5/14 12:38:09.197 AM PluginProcess[936]: CoreText performance note: Set a breakpoint on CTFontLogSuboptimalRequest to debug.

1/5/14 12:38:09.734 AM PluginProcess[543]: CoreText performance note: Client called CTFontCreateWithName() using name "Arial Unicode MS" and got font with PostScript name "ArialUnicodeMS". For best performance, only use PostScript names when calling this API.

1/5/14 12:38:09.744 AM PluginProcess[543]: CoreText performance note: Client called CTFontCreateWithName() using name "Times Roman" and got font with PostScript name "Times-Roman". For best performance, only use PostScript names when calling this API.

1/5/14 12:38:09.762 AM PluginProcess[936]: CoreText performance note: Client called CTFontCreateWithName() using name "Times Roman" and got font with PostScript name "Times-Roman". For best performance, only use PostScript names when calling this API.

1/5/14 12:38:10.998 AM PluginProcess[543]: CoreText performance note: Client called CTFontCreateWithName() using name "Arial" and got font with PostScript name "ArialMT". For best performance, only use PostScript names when calling this API.

1/5/14 12:38:26.522 AM PluginProcess[543]: CoreText performance note: Client called CTFontCreateWithName() using name "Lucida Grande" and got font with PostScript name "LucidaGrande". For best performance, only use PostScript names when calling this API.

1/5/14 12:42:16.885 AM PluginProcess[543]: CoreText performance note: Client called CTFontCreateWithName() using name "Arial Unicode MS" and got font with PostScript name "ArialUnicodeMS". For best performance, only use PostScript names when calling this API.

1/5/14 12:42:16.893 AM PluginProcess[543]: CoreText performance note: Client called CTFontCreateWithName() using name "Times Roman" and got font with PostScript name "Times-Roman". For best performance, only use PostScript names when calling this API.

1/5/14 12:42:20.504 AM PluginProcess[543]: CoreText performance note: Client called CTFontCreateWithName() using name "Arial" and got font with PostScript name "ArialMT". For best performance, only use PostScript names when calling this API.

1/5/14 12:42:36.762 AM PluginProcess[543]: CoreText performance note: Client called CTFontCreateWithName() using name "Lucida Grande" and got font with PostScript name "LucidaGrande". For best performance, only use PostScript names when calling this API.

1/5/14 12:46:59.752 AM PluginProcess[543]: CoreText performance note: Client called CTFontCreateWithName() using name "Arial Unicode MS" and got font with PostScript name "ArialUnicodeMS". For best performance, only use PostScript names when calling this API.

1/5/14 12:46:59.762 AM PluginProcess[543]: CoreText performance note: Client called CTFontCreateWithName() using name "Times Roman" and got font with PostScript name "Times-Roman". For best performance, only use PostScript names when calling this API.

1/5/14 12:47:05.825 AM PluginProcess[543]: CoreText performance note: Client called CTFontCreateWithName() using name "Lucida Grande" and got font with

PostScript name "LucidaGrande". For best performance, only use PostScript names when calling this API.

1/5/14 12:51:46.789 AM PluginProcess[543]: CoreText performance note: Client called CTFontCreateWithName() using name "Arial Unicode MS" and got font with PostScript name "ArialUnicodeMS". For best performance, only use PostScript names when calling this API.

1/5/14 12:51:46.803 AM PluginProcess[543]: CoreText performance note: Client called CTFontCreateWithName() using name "Times Roman" and got font with PostScript name "Times-Roman". For best performance, only use PostScript names when calling this API.

1/5/14 12:51:48.034 AM PluginProcess[543]: CoreText performance note: Client called CTFontCreateWithName() using name "Arial Bold" and got font with PostScript name "Arial-BoldMT". For best performance, only use PostScript names when calling this API.

1/5/14 12:51:48.034 AM PluginProcess[543]: CoreText performance note: Client called CTFontCreateWithName() using name "Arial" and got font with PostScript name "ArialMT". For best performance, only use PostScript names when calling this API.

1/5/14 12:51:53.820 AM PluginProcess[543]: CoreText performance note: Client called CTFontCreateWithName() using name "Lucida Grande" and got font with PostScript name "LucidaGrande". For best performance, only use PostScript names when calling this API.

1/5/14 12:52:59.854 AM PluginProcess[543]: CoreText performance note: Client called CTFontCreateWithName() using name "Arial Unicode MS" and got font with PostScript name "ArialUnicodeMS". For best performance, only use PostScript names when calling this API.

1/5/14 12:52:59.863 AM PluginProcess[543]: CoreText performance note: Client called CTFontCreateWithName() using name "Times Roman" and got font with PostScript name "Times-Roman". For best performance, only use PostScript names when calling this API.

1/5/14 12:53:09.017 AM PluginProcess[543]: CoreText performance note: Client called CTFontCreateWithName() using name "Lucida Grande" and got font with PostScript name "LucidaGrande". For best performance, only use PostScript names when calling this API.

1/5/14 12:53:25.445 AM PluginProcess[543]: CoreText performance note: Client called CTFontCreateWithName() using name "Arial Unicode MS" and got font with PostScript name "ArialUnicodeMS". For best performance, only use PostScript names when calling this API.

1/5/14 12:53:25.454 AM PluginProcess[543]: CoreText performance note: Client called CTFontCreateWithName() using name "Times Roman" and got font with PostScript name "Times-Roman". For best performance, only use PostScript names when calling this API.

1/5/14 12:53:33.058 AM PluginProcess[543]: CoreText performance note: Client called CTFontCreateWithName() using name "Lucida Grande" and got font with PostScript name "LucidaGrande". For best performance, only use PostScript names when calling this API.

1/5/14 1:14:00.593 AM loginwindow[319]: Preferred Localizations total: 1  
contents (  
    English  
)  
1/5/14 1:14:05.093 AM loginwindow[319]: Preferred Localizations total: 1  
contents (  
    English  
)  
1/5/14 1:14:22.488 AM PluginProcess[956]: CoreText performance note: Client called CTFontCreateWithName() using name "Times Roman" and got font with PostScript name "Times-Roman". For best performance, only use PostScript names when calling this API.  
1/5/14 1:14:22.488 AM PluginProcess[956]: CoreText performance note: Set a breakpoint on CTFontLogSuboptimalRequest to debug.  
1/5/14 1:14:42.894 AM PluginProcess[955]: CoreText performance note: Client called CTFontCreateWithName() using name "Times Roman" and got font with PostScript name "Times-Roman". For best performance, only use PostScript names when calling this API.  
1/5/14 1:14:42.894 AM PluginProcess[955]: CoreText performance note: Set a breakpoint on CTFontLogSuboptimalRequest to debug.  
1/5/14 1:14:46.124 AM PluginProcess[956]: CoreText performance note: Client called CTFontCreateWithName() using name "Times Roman" and got font with PostScript name "Times-Roman". For best performance, only use PostScript names when calling this API.  
1/5/14 1:14:54.181 AM PluginProcess[956]: CoreText performance note: Client called CTFontCreateWithName() using name "Times Roman" and got font with PostScript name "Times-Roman". For best performance, only use PostScript names when calling this API.  
1/5/14 1:14:55.957 AM PluginProcess[956]: CoreText performance note: Client called CTFontCreateWithName() using name "Lucida Grande" and got font with PostScript name "LucidaGrande". For best performance, only use PostScript names when calling this API.  
1/5/14 1:16:04.483 AM PluginProcess[966]: CoreText performance note: Client called CTFontCreateWithName() using name "Arial Unicode MS" and got font with PostScript name "ArialUnicodeMS". For best performance, only use PostScript names when calling this API.  
1/5/14 1:16:04.484 AM PluginProcess[966]: CoreText performance note: Set a breakpoint on CTFontLogSuboptimalRequest to debug.  
1/5/14 1:16:04.930 AM PluginProcess[966]: CoreText performance note: Client called CTFontCreateWithName() using name "Times Roman" and got font with PostScript name "Times-Roman". For best performance, only use PostScript names when calling this API.  
1/5/14 1:16:41.348 AM PluginProcess[955]: CoreText performance note: Client called CTFontCreateWithName() using name "Times Roman" and got font with PostScript name "Times-Roman". For best performance, only use PostScript names when calling this API.

1/5/14 1:16:41.349 AM PluginProcess[955]: CoreText performance note: Client called CTFontCreateWithName() using name "Lucida Grande" and got font with PostScript name "LucidaGrande". For best performance, only use PostScript names when calling this API.

1/5/14 3:03:07.229 AM com.apple.launchd.peruser.505[362]: (com.apple.EscrowSecurityAlert[468]) Exited: Killed: 9

1/5/14 3:03:07.246 AM com.apple.launchd.peruser.505[362]: ([0x0-0x43043].com.apple.AppleSpell[460]) Exited: Killed: 9

1/5/14 1:08:52.215 PM distnoted[283]: # distnote server agent absolute time: 99.745384004 civil time: Sun Jan 5 13:08:52 2014 pid: 283 uid: 505 root: no

1/5/14 11:52:03.299 PM com.apple.launchd.peruser.505[280]: Background: Aqua: Registering new GUI session.

1/5/14 11:52:03.317 PM com.apple.launchd.peruser.505[280]: (com.logmein.logmeingui) Unknown key for boolean: UseLMILaunchAgentFixer

1/5/14 11:52:03.318 PM com.apple.launchd.peruser.505[280]: (com.apple.cmfsyncagent) Ignored this key: UserName

1/5/14 11:52:03.318 PM com.apple.launchd.peruser.505[280]: (com.apple.EscrowSecurityAlert) Unknown key: seatbelt-profiles

1/5/14 11:52:03.319 PM com.apple.launchd.peruser.505[280]: (com.apple.ReportCrash) Falling back to default Mach exception handler. Could not find: com.apple.ReportCrash.Self

1/5/14 11:52:05.129 PM SystemUIServer[723]: Cannot find executable for CFBundle 0x7ff8f3c30b60 </System/Library/CoreServices/MenuExtras/Clock.menu> (not loaded)

1/5/14 11:52:06.741 PM SystemUIServer[723]: Cannot find executable for CFBundle 0x7ff8f3c3dcd0 </System/Library/CoreServices/MenuExtras/Volume.menu> (not loaded)

1/5/14 11:52:06.909 PM LogMeInGUI[757]: LogMeIn GUI started

1/5/14 11:52:06.931 PM com.apple.launchd.peruser.505[280]: (com.codeweavers.crossover CD helper.37696[763]) Spawned and waiting for the debugger to attach before continuing...

1/5/14 11:52:06.945 PM com.apple.launchd.peruser.505[280]: (com.vmware.fusionDaemon.37872[764]) Spawned and waiting for the debugger to attach before continuing...

1/5/14 11:52:07.307 PM LogMeInGUI[757]: Config watcher thread started

1/5/14 11:52:07.492 PM WiFiKeychainProxy[743]: [NO client logger] <Aug 30 2013 23:40:46> WIFICLOUDSYNC WiFiCloudSyncEngineCreate: created...

1/5/14 11:52:07.492 PM WiFiKeychainProxy[743]: [NO client logger] <Aug 30 2013 23:40:46> WIFICLOUDSYNC WiFiCloudSyncEngineRegisterCallbacks: WiFiCloudSyncEngineCallbacks version - 0, bundle id - com.apple.wifi.WiFiKeychainProxy

1/5/14 11:52:13.039 PM soagent[745]: No active accounts, killing soagent in 10 seconds

1/5/14 11:52:13.040 PM soagent[745]: No active accounts, killing soagent in 10 seconds



1/5/14 11:52:13.962 PM com.apple.quicklook.satellite[783]: [QL]  
com.apple.webarchive set by CFBundle/CFPlugIn 0x7f9d69e06400  
</System/Library/QuickLook/Web.qlgenerator> (bundle, loaded) is not a  
supported content type for  
QLThumbnailRequestSetThumbnailWithURLRepresentation()  
1/5/14 11:52:14.093 PM soagent[745]: No active accounts, killing soagent in 10  
seconds  
1/5/14 11:52:14.095 PM soagent[745]: No active accounts, killing soagent in 10  
seconds  
1/5/14 11:52:14.097 PM soagent[745]: No active accounts, killing soagent in 10  
seconds  
1/5/14 11:52:15.197 PM com.apple.dock.extra[786]: No endpoint returned trying  
to load UnreadCountController.bundle, suspending  
1/5/14 11:52:19.816 PM CoreServicesUIAgent[792]: Saving rejection record:  
Rejected  
URL=file:///Users/Brett/Library/Caches/Cleanup%20At%20Startup/CrossOver%  
20CD%20Helper.app/  
App  
URL=file:///Users/Brett/Library/Caches/Cleanup%20At%20Startup/CrossOver%  
20CD%20Helper.app/  
1/5/14 11:52:19.817 PM CoreServicesUIAgent[792]: App URL discarded  
1/5/14 11:52:19.828 PM com.apple.launchd.peruser.505[280]: ([0x0-  
0x7f07f].com.codeweavers.crossover CD helper[791]) Exited: Killed: 9  
1/5/14 11:52:24.037 PM soagent[745]: Killing soagent.  
1/5/14 11:52:24.037 PM NotificationCenter[742]: SOHelperCenter main connection  
interrupted  
1/5/14 11:52:24.037 PM com.apple.dock.extra[786]: SOHelperCenter main  
connection interrupted  
1/5/14 11:52:31.285 PM Safari[719]: Couldn't contact spell checker for U.S. English  
1/5/14 11:52:48.583 PM loginwindow[686]: Preferred Localizations total: 1  
contents (  
    English  
)  
1/5/14 11:52:48.583 PM loginwindow[686]: Preferred Localizations total: 1  
contents (  
    English  
)  
1/5/14 11:54:03.702 PM loginwindow[686]: Preferred Localizations total: 1  
contents (  
    English  
)  
1/5/14 11:54:03.703 PM loginwindow[686]: Preferred Localizations total: 1  
contents (  
    English  
)

1/6/14 12:13:41.953 AM PluginProcess[830]: CoreText performance note: Client called CTFontCreateWithName() using name "Arial Unicode MS" and got font with PostScript name "ArialUnicodeMS". For best performance, only use PostScript names when calling this API.

1/6/14 12:13:41.953 AM PluginProcess[830]: CoreText performance note: Set a breakpoint on CTFontLogSuboptimalRequest to debug.

1/6/14 12:13:42.507 AM PluginProcess[830]: CoreText performance note: Client called CTFontCreateWithName() using name "Times Roman" and got font with PostScript name "Times-Roman". For best performance, only use PostScript names when calling this API.

1/6/14 12:14:38.698 AM PluginProcess[835]: CoreText performance note: Client called CTFontCreateWithName() using name "Arial Unicode MS" and got font with PostScript name "ArialUnicodeMS". For best performance, only use PostScript names when calling this API.

1/6/14 12:14:38.698 AM PluginProcess[835]: CoreText performance note: Set a breakpoint on CTFontLogSuboptimalRequest to debug.

1/6/14 12:14:39.089 AM PluginProcess[835]: CoreText performance note: Client called CTFontCreateWithName() using name "Times Roman" and got font with PostScript name "Times-Roman". For best performance, only use PostScript names when calling this API.

1/6/14 12:14:40.350 AM PluginProcess[835]: CoreText performance note: Client called CTFontCreateWithName() using name "Arial Unicode MS" and got font with PostScript name "ArialUnicodeMS". For best performance, only use PostScript names when calling this API.

1/6/14 12:14:40.359 AM PluginProcess[835]: CoreText performance note: Client called CTFontCreateWithName() using name "Times Roman" and got font with PostScript name "Times-Roman". For best performance, only use PostScript names when calling this API.

1/6/14 12:15:45.715 AM PluginProcess[843]: CoreText performance note: Client called CTFontCreateWithName() using name "Arial Unicode MS" and got font with PostScript name "ArialUnicodeMS". For best performance, only use PostScript names when calling this API.

1/6/14 12:15:45.715 AM PluginProcess[843]: CoreText performance note: Set a breakpoint on CTFontLogSuboptimalRequest to debug.

1/6/14 12:15:46.110 AM PluginProcess[843]: CoreText performance note: Client called CTFontCreateWithName() using name "Times Roman" and got font with PostScript name "Times-Roman". For best performance, only use PostScript names when calling this API.

1/6/14 12:15:50.747 AM PluginProcess[843]: CoreText performance note: Client called CTFontCreateWithName() using name "Arial Unicode MS" and got font with PostScript name "ArialUnicodeMS". For best performance, only use PostScript names when calling this API.

1/6/14 12:15:50.756 AM PluginProcess[843]: CoreText performance note: Client called CTFontCreateWithName() using name "Times Roman" and got font with PostScript name "Times-Roman". For best performance, only use PostScript names when calling this API.

1/6/14 12:16:20.548 AM PluginProcess[843]: CoreText performance note: Client called CTFontCreateWithName() using name "Arial Unicode MS" and got font with PostScript name "ArialUnicodeMS". For best performance, only use PostScript names when calling this API.

1/6/14 12:16:20.557 AM PluginProcess[843]: CoreText performance note: Client called CTFontCreateWithName() using name "Times Roman" and got font with PostScript name "Times-Roman". For best performance, only use PostScript names when calling this API.

1/6/14 12:16:25.933 AM PluginProcess[843]: CoreText performance note: Client called CTFontCreateWithName() using name "Arial Unicode MS" and got font with PostScript name "ArialUnicodeMS". For best performance, only use PostScript names when calling this API.

1/6/14 12:16:25.943 AM PluginProcess[843]: CoreText performance note: Client called CTFontCreateWithName() using name "Times Roman" and got font with PostScript name "Times-Roman". For best performance, only use PostScript names when calling this API.

1/6/14 12:16:43.641 AM PluginProcess[843]: CoreText performance note: Client called CTFontCreateWithName() using name "Arial Unicode MS" and got font with PostScript name "ArialUnicodeMS". For best performance, only use PostScript names when calling this API.

1/6/14 12:16:43.650 AM PluginProcess[843]: CoreText performance note: Client called CTFontCreateWithName() using name "Times Roman" and got font with PostScript name "Times-Roman". For best performance, only use PostScript names when calling this API.

1/6/14 12:16:48.511 AM PluginProcess[843]: CoreText performance note: Client called CTFontCreateWithName() using name "Arial Unicode MS" and got font with PostScript name "ArialUnicodeMS". For best performance, only use PostScript names when calling this API.

1/6/14 12:16:48.519 AM PluginProcess[843]: CoreText performance note: Client called CTFontCreateWithName() using name "Times Roman" and got font with PostScript name "Times-Roman". For best performance, only use PostScript names when calling this API.

1/6/14 12:16:51.525 AM PluginProcess[843]: CoreText performance note: Client called CTFontCreateWithName() using name "Arial Unicode MS" and got font with PostScript name "ArialUnicodeMS". For best performance, only use PostScript names when calling this API.

1/6/14 12:16:51.533 AM PluginProcess[843]: CoreText performance note: Client called CTFontCreateWithName() using name "Times Roman" and got font with PostScript name "Times-Roman". For best performance, only use PostScript names when calling this API.

1/6/14 12:18:27.809 AM PluginProcess[846]: CoreText performance note: Client called CTFontCreateWithName() using name "Arial Unicode MS" and got font with PostScript name "ArialUnicodeMS". For best performance, only use PostScript names when calling this API.

1/6/14 12:18:27.809 AM PluginProcess[846]: CoreText performance note: Set a breakpoint on CTFontLogSuboptimalRequest to debug.

1/6/14 12:18:28.196 AM PluginProcess[846]: CoreText performance note: Client called CTFontCreateWithName() using name "Times Roman" and got font with PostScript name "Times-Roman". For best performance, only use PostScript names when calling this API.

1/6/14 12:19:43.289 AM PluginProcess[847]: CoreText performance note: Client called CTFontCreateWithName() using name "Arial Unicode MS" and got font with PostScript name "ArialUnicodeMS". For best performance, only use PostScript names when calling this API.

1/6/14 12:19:43.289 AM PluginProcess[847]: CoreText performance note: Set a breakpoint on CTFontLogSuboptimalRequest to debug.

1/6/14 12:19:43.675 AM PluginProcess[847]: CoreText performance note: Client called CTFontCreateWithName() using name "Times Roman" and got font with PostScript name "Times-Roman". For best performance, only use PostScript names when calling this API.

1/6/14 12:20:15.379 AM PluginProcess[847]: CoreText performance note: Client called CTFontCreateWithName() using name "Arial Unicode MS" and got font with PostScript name "ArialUnicodeMS". For best performance, only use PostScript names when calling this API.

1/6/14 12:20:15.388 AM PluginProcess[847]: CoreText performance note: Client called CTFontCreateWithName() using name "Times Roman" and got font with PostScript name "Times-Roman". For best performance, only use PostScript names when calling this API.

1/6/14 12:21:03.346 AM PluginProcess[849]: CoreText performance note: Client called CTFontCreateWithName() using name "Arial Unicode MS" and got font with PostScript name "ArialUnicodeMS". For best performance, only use PostScript names when calling this API.

1/6/14 12:21:03.346 AM PluginProcess[849]: CoreText performance note: Set a breakpoint on CTFontLogSuboptimalRequest to debug.

1/6/14 12:21:03.734 AM PluginProcess[849]: CoreText performance note: Client called CTFontCreateWithName() using name "Times Roman" and got font with PostScript name "Times-Roman". For best performance, only use PostScript names when calling this API.

1/6/14 12:21:18.443 AM PluginProcess[849]: CoreText performance note: Client called CTFontCreateWithName() using name "Arial Unicode MS" and got font with PostScript name "ArialUnicodeMS". For best performance, only use PostScript names when calling this API.

1/6/14 12:21:18.452 AM PluginProcess[849]: CoreText performance note: Client called CTFontCreateWithName() using name "Times Roman" and got font with PostScript name "Times-Roman". For best performance, only use PostScript names when calling this API.

1/6/14 12:22:04.984 AM PluginProcess[851]: CoreText performance note: Client called CTFontCreateWithName() using name "Arial Unicode MS" and got font with PostScript name "ArialUnicodeMS". For best performance, only use PostScript names when calling this API.

1/6/14 12:22:04.984 AM PluginProcess[851]: CoreText performance note: Set a breakpoint on CTFontLogSuboptimalRequest to debug.

1/6/14 12:22:05.368 AM PluginProcess[851]: CoreText performance note: Client called CTFontCreateWithName() using name "Times Roman" and got font with PostScript name "Times-Roman". For best performance, only use PostScript names when calling this API.

1/6/14 12:22:22.401 AM PluginProcess[851]: CoreText performance note: Client called CTFontCreateWithName() using name "Arial Unicode MS" and got font with PostScript name "ArialUnicodeMS". For best performance, only use PostScript names when calling this API.

1/6/14 12:22:22.411 AM PluginProcess[851]: CoreText performance note: Client called CTFontCreateWithName() using name "Times Roman" and got font with PostScript name "Times-Roman". For best performance, only use PostScript names when calling this API.

1/6/14 12:22:27.640 AM PluginProcess[851]: CoreText performance note: Client called CTFontCreateWithName() using name "Arial Unicode MS" and got font with PostScript name "ArialUnicodeMS". For best performance, only use PostScript names when calling this API.

1/6/14 12:22:27.648 AM PluginProcess[851]: CoreText performance note: Client called CTFontCreateWithName() using name "Times Roman" and got font with PostScript name "Times-Roman". For best performance, only use PostScript names when calling this API.

1/6/14 12:23:13.755 AM PluginProcess[852]: CoreText performance note: Client called CTFontCreateWithName() using name "Arial Unicode MS" and got font with PostScript name "ArialUnicodeMS". For best performance, only use PostScript names when calling this API.

1/6/14 12:23:13.755 AM PluginProcess[852]: CoreText performance note: Set a breakpoint on CTFontLogSuboptimalRequest to debug.

1/6/14 12:23:14.142 AM PluginProcess[852]: CoreText performance note: Client called CTFontCreateWithName() using name "Times Roman" and got font with PostScript name "Times-Roman". For best performance, only use PostScript names when calling this API.

1/6/14 12:23:42.746 AM PluginProcess[852]: CoreText performance note: Client called CTFontCreateWithName() using name "Arial Unicode MS" and got font with PostScript name "ArialUnicodeMS". For best performance, only use PostScript names when calling this API.

1/6/14 12:23:42.755 AM PluginProcess[852]: CoreText performance note: Client called CTFontCreateWithName() using name "Times Roman" and got font with PostScript name "Times-Roman". For best performance, only use PostScript names when calling this API.

1/6/14 12:23:51.368 AM PluginProcess[852]: CoreText performance note: Client called CTFontCreateWithName() using name "Arial Unicode MS" and got font with PostScript name "ArialUnicodeMS". For best performance, only use PostScript names when calling this API.

1/6/14 12:23:51.377 AM PluginProcess[852]: CoreText performance note: Client called CTFontCreateWithName() using name "Times Roman" and got font with PostScript name "Times-Roman". For best performance, only use PostScript names when calling this API.

1/6/14 12:24:08.287 AM PluginProcess[852]: CoreText performance note: Client called CTFontCreateWithName() using name "Arial Unicode MS" and got font with PostScript name "ArialUnicodeMS". For best performance, only use PostScript names when calling this API.

1/6/14 12:24:08.296 AM PluginProcess[852]: CoreText performance note: Client called CTFontCreateWithName() using name "Times Roman" and got font with PostScript name "Times-Roman". For best performance, only use PostScript names when calling this API.

1/6/14 12:24:34.023 AM PluginProcess[852]: CoreText performance note: Client called CTFontCreateWithName() using name "Arial Unicode MS" and got font with PostScript name "ArialUnicodeMS". For best performance, only use PostScript names when calling this API.

1/6/14 12:24:34.031 AM PluginProcess[852]: CoreText performance note: Client called CTFontCreateWithName() using name "Times Roman" and got font with PostScript name "Times-Roman". For best performance, only use PostScript names when calling this API.

1/6/14 12:25:02.580 AM PluginProcess[852]: CoreText performance note: Client called CTFontCreateWithName() using name "Arial Unicode MS" and got font with PostScript name "ArialUnicodeMS". For best performance, only use PostScript names when calling this API.

1/6/14 12:25:02.589 AM PluginProcess[852]: CoreText performance note: Client called CTFontCreateWithName() using name "Times Roman" and got font with PostScript name "Times-Roman". For best performance, only use PostScript names when calling this API.

1/6/14 12:26:27.165 AM PluginProcess[857]: CoreText performance note: Client called CTFontCreateWithName() using name "Arial Unicode MS" and got font with PostScript name "ArialUnicodeMS". For best performance, only use PostScript names when calling this API.

1/6/14 12:26:27.165 AM PluginProcess[857]: CoreText performance note: Set a breakpoint on CTFontLogSuboptimalRequest to debug.

1/6/14 12:26:27.553 AM PluginProcess[857]: CoreText performance note: Client called CTFontCreateWithName() using name "Times Roman" and got font with PostScript name "Times-Roman". For best performance, only use PostScript names when calling this API.

1/6/14 12:27:01.690 AM PluginProcess[857]: CoreText performance note: Client called CTFontCreateWithName() using name "Arial Unicode MS" and got font with PostScript name "ArialUnicodeMS". For best performance, only use PostScript names when calling this API.

1/6/14 12:27:01.700 AM PluginProcess[857]: CoreText performance note: Client called CTFontCreateWithName() using name "Times Roman" and got font with PostScript name "Times-Roman". For best performance, only use PostScript names when calling this API.

1/6/14 12:27:52.100 AM PluginProcess[870]: CoreText performance note: Client called CTFontCreateWithName() using name "Arial Unicode MS" and got font with PostScript name "ArialUnicodeMS". For best performance, only use PostScript names when calling this API.

1/6/14 12:27:52.101 AM PluginProcess[870]: CoreText performance note: Set a breakpoint on CTFontLogSuboptimalRequest to debug.

1/6/14 12:27:52.496 AM PluginProcess[870]: CoreText performance note: Client called CTFontCreateWithName() using name "Times Roman" and got font with PostScript name "Times-Roman". For best performance, only use PostScript names when calling this API.

1/6/14 12:29:26.520 AM PluginProcess[879]: CoreText performance note: Client called CTFontCreateWithName() using name "Arial Unicode MS" and got font with PostScript name "ArialUnicodeMS". For best performance, only use PostScript names when calling this API.

1/6/14 12:29:26.520 AM PluginProcess[879]: CoreText performance note: Set a breakpoint on CTFontLogSuboptimalRequest to debug.

1/6/14 12:29:26.912 AM PluginProcess[879]: CoreText performance note: Client called CTFontCreateWithName() using name "Times Roman" and got font with PostScript name "Times-Roman". For best performance, only use PostScript names when calling this API.

1/6/14 12:33:55.002 AM PluginProcess[886]: CoreText performance note: Client called CTFontCreateWithName() using name "Arial Unicode MS" and got font with PostScript name "ArialUnicodeMS". For best performance, only use PostScript names when calling this API.

1/6/14 12:33:55.003 AM PluginProcess[886]: CoreText performance note: Set a breakpoint on CTFontLogSuboptimalRequest to debug.

1/6/14 12:33:55.398 AM PluginProcess[886]: CoreText performance note: Client called CTFontCreateWithName() using name "Times Roman" and got font with PostScript name "Times-Roman". For best performance, only use PostScript names when calling this API.

1/6/14 12:34:00.542 AM PluginProcess[886]: CoreText performance note: Client called CTFontCreateWithName() using name "Arial Unicode MS" and got font with PostScript name "ArialUnicodeMS". For best performance, only use PostScript names when calling this API.

1/6/14 12:34:00.552 AM PluginProcess[886]: CoreText performance note: Client called CTFontCreateWithName() using name "Times Roman" and got font with PostScript name "Times-Roman". For best performance, only use PostScript names when calling this API.

1/6/14 12:34:11.926 AM PluginProcess[886]: CoreText performance note: Client called CTFontCreateWithName() using name "Arial Unicode MS" and got font with PostScript name "ArialUnicodeMS". For best performance, only use PostScript names when calling this API.

1/6/14 12:34:11.936 AM PluginProcess[886]: CoreText performance note: Client called CTFontCreateWithName() using name "Times Roman" and got font with PostScript name "Times-Roman". For best performance, only use PostScript names when calling this API.

1/6/14 12:34:18.222 AM PluginProcess[886]: CoreText performance note: Client called CTFontCreateWithName() using name "Arial Unicode MS" and got font with PostScript name "ArialUnicodeMS". For best performance, only use PostScript names when calling this API.

1/6/14 12:34:18.230 AM PluginProcess[886]: CoreText performance note: Client called CTFontCreateWithName() using name "Times Roman" and got font with PostScript name "Times-Roman". For best performance, only use PostScript names when calling this API.

1/6/14 12:34:36.843 AM PluginProcess[886]: CoreText performance note: Client called CTFontCreateWithName() using name "Times Roman" and got font with PostScript name "Times-Roman". For best performance, only use PostScript names when calling this API.

1/6/14 12:34:58.652 AM PluginProcess[888]: CoreText performance note: Client called CTFontCreateWithName() using name "Arial Unicode MS" and got font with PostScript name "ArialUnicodeMS". For best performance, only use PostScript names when calling this API.

1/6/14 12:34:58.652 AM PluginProcess[888]: CoreText performance note: Set a breakpoint on CTFontLogSuboptimalRequest to debug.

1/6/14 12:34:59.046 AM PluginProcess[888]: CoreText performance note: Client called CTFontCreateWithName() using name "Times Roman" and got font with PostScript name "Times-Roman". For best performance, only use PostScript names when calling this API.

1/6/14 12:35:03.066 AM PluginProcess[888]: CoreText performance note: Client called CTFontCreateWithName() using name "Times Roman" and got font with PostScript name "Times-Roman". For best performance, only use PostScript names when calling this API.

1/6/14 12:35:40.901 AM PluginProcess[896]: CoreText performance note: Client called CTFontCreateWithName() using name "Times Roman" and got font with PostScript name "Times-Roman". For best performance, only use PostScript names when calling this API.

1/6/14 12:35:40.901 AM PluginProcess[896]: CoreText performance note: Set a breakpoint on CTFontLogSuboptimalRequest to debug.

1/6/14 12:36:32.799 AM PluginProcess[899]: CoreText performance note: Client called CTFontCreateWithName() using name "Times Roman" and got font with PostScript name "Times-Roman". For best performance, only use PostScript names when calling this API.

1/6/14 12:36:32.800 AM PluginProcess[899]: CoreText performance note: Set a breakpoint on CTFontLogSuboptimalRequest to debug.

1/6/14 12:36:42.079 AM PluginProcess[899]: CoreText performance note: Client called CTFontCreateWithName() using name "Times Roman" and got font with PostScript name "Times-Roman". For best performance, only use PostScript names when calling this API.

1/6/14 12:36:42.081 AM PluginProcess[899]: CoreText performance note: Client called CTFontCreateWithName() using name "Arial Black" and got font with PostScript name "Arial-Black". For best performance, only use PostScript names when calling this API.

1/6/14 12:36:42.099 AM PluginProcess[899]: CoreText performance note: Client called CTFontCreateWithName() using name "Microsoft Sans Serif" and got font with PostScript name "MicrosoftSansSerif". For best performance, only use PostScript names when calling this API.



1/6/14 12:36:42.104 AM PluginProcess[899]: CoreText performance note: Client called CTFontCreateWithName() using name "Arial" and got font with PostScript name "ArialMT". For best performance, only use PostScript names when calling this API.

1/6/14 12:38:13.890 AM PluginProcess[905]: CoreText performance note: Client called CTFontCreateWithName() using name "Times Roman" and got font with PostScript name "Times-Roman". For best performance, only use PostScript names when calling this API.

1/6/14 12:38:13.891 AM PluginProcess[905]: CoreText performance note: Set a breakpoint on CTFontLogSuboptimalRequest to debug.

1/6/14 12:38:14.884 AM PluginProcess[905]: CoreText performance note: Client called CTFontCreateWithName() using name "Arial" and got font with PostScript name "ArialMT". For best performance, only use PostScript names when calling this API.

1/6/14 12:38:20.173 AM PluginProcess[905]: CoreText performance note: Client called CTFontCreateWithName() using name "Times Roman" and got font with PostScript name "Times-Roman". For best performance, only use PostScript names when calling this API.

1/6/14 12:40:01.006 AM PluginProcess[909]: CoreText performance note: Client called CTFontCreateWithName() using name "Verdana Bold" and got font with PostScript name "Verdana-Bold". For best performance, only use PostScript names when calling this API.

1/6/14 12:40:01.006 AM PluginProcess[909]: CoreText performance note: Set a breakpoint on CTFontLogSuboptimalRequest to debug.

1/6/14 12:40:01.041 AM PluginProcess[909]: CoreText performance note: Client called CTFontCreateWithName() using name "Times Roman" and got font with PostScript name "Times-Roman". For best performance, only use PostScript names when calling this API.

1/6/14 12:40:02.868 AM PluginProcess[904]: CoreText performance note: Client called CTFontCreateWithName() using name "Verdana Bold" and got font with PostScript name "Verdana-Bold". For best performance, only use PostScript names when calling this API.

1/6/14 12:40:02.868 AM PluginProcess[904]: CoreText performance note: Set a breakpoint on CTFontLogSuboptimalRequest to debug.

1/6/14 12:40:02.886 AM PluginProcess[904]: CoreText performance note: Client called CTFontCreateWithName() using name "Times Roman" and got font with PostScript name "Times-Roman". For best performance, only use PostScript names when calling this API.

1/6/14 12:44:12.856 AM PluginProcess[918]: CoreText performance note: Client called CTFontCreateWithName() using name "Times Roman" and got font with PostScript name "Times-Roman". For best performance, only use PostScript names when calling this API.

1/6/14 12:44:12.857 AM PluginProcess[918]: CoreText performance note: Set a breakpoint on CTFontLogSuboptimalRequest to debug.

1/6/14 12:44:13.261 AM PluginProcess[918]: CoreText performance note: Client called CTFontCreateWithName() using name "Arial" and got font with PostScript

name "ArialMT". For best performance, only use PostScript names when calling this API.

1/6/14 12:44:24.101 AM PluginProcess[918]: CoreText performance note: Client called CTFontCreateWithName() using name "Arial Unicode MS" and got font with PostScript name "ArialUnicodeMS". For best performance, only use PostScript names when calling this API.

1/6/14 12:44:24.113 AM PluginProcess[918]: CoreText performance note: Client called CTFontCreateWithName() using name "Times Roman" and got font with PostScript name "Times-Roman". For best performance, only use PostScript names when calling this API.

1/6/14 12:44:33.132 AM PluginProcess[918]: CoreText performance note: Client called CTFontCreateWithName() using name "Arial Unicode MS" and got font with PostScript name "ArialUnicodeMS". For best performance, only use PostScript names when calling this API.

1/6/14 12:44:33.141 AM PluginProcess[918]: CoreText performance note: Client called CTFontCreateWithName() using name "Times Roman" and got font with PostScript name "Times-Roman". For best performance, only use PostScript names when calling this API.

1/6/14 12:44:33.670 AM PluginProcess[918]: CoreText performance note: Client called CTFontCreateWithName() using name "Arial" and got font with PostScript name "ArialMT". For best performance, only use PostScript names when calling this API.

1/6/14 12:44:38.202 AM PluginProcess[904]: CoreText performance note: Client called CTFontCreateWithName() using name "Arial Unicode MS" and got font with PostScript name "ArialUnicodeMS". For best performance, only use PostScript names when calling this API.

1/6/14 12:44:38.213 AM PluginProcess[904]: CoreText performance note: Client called CTFontCreateWithName() using name "Times Roman" and got font with PostScript name "Times-Roman". For best performance, only use PostScript names when calling this API.

1/6/14 12:44:38.626 AM PluginProcess[904]: CoreText performance note: Client called CTFontCreateWithName() using name "Arial" and got font with PostScript name "ArialMT". For best performance, only use PostScript names when calling this API.

1/6/14 1:08:03.808 AM loginwindow[686]: Preferred Localizations total: 1  
contents (  
    English  
)

1/6/14 1:08:03.808 AM loginwindow[686]: Preferred Localizations total: 1  
contents (  
    English  
)

1/6/14 1:11:48.872 AM com.apple.preference.network.remoteservice[946]: Could not find image named 'InvalidDataIcon'.

1/6/14 1:11:49.009 AM com.apple.preference.network.remoteservice[946]: \*\*\*  
WARNING: -[NSImage compositeToPoint:operation:fraction:] is deprecated in

MacOSX 10.8 and later. Please use `-[NSImage drawAtPoint:fromRect:operation:fraction:]` instead.

1/6/14 1:11:49.009 AM com.apple.preference.network.remoteservice[946]: \*\*\*

WARNING: `-[NSImage compositeToPoint:fromRect:operation:fraction:]` is deprecated in MacOSX 10.8 and later. Please use `-[NSImage drawAtPoint:fromRect:operation:fraction:]` instead.

1/6/14 1:18:54.428 AM com.apple.dock.extra[786]: <NSXPCCConnection: 0x7fca1071d4e0>: received an undecodable message (no exported object to receive message). Dropping message.

1/6/14 1:22:12.070 AM PluginProcess[978]: CoreText performance note: Client called `CTFontCreateWithName()` using name "Arial Unicode MS" and got font with PostScript name "ArialUnicodeMS". For best performance, only use PostScript names when calling this API.

1/6/14 1:22:12.070 AM PluginProcess[978]: CoreText performance note: Set a breakpoint on `CTFontLogSuboptimalRequest` to debug.

1/6/14 1:22:12.459 AM PluginProcess[978]: CoreText performance note: Client called `CTFontCreateWithName()` using name "Times Roman" and got font with PostScript name "Times-Roman". For best performance, only use PostScript names when calling this API.

1/6/14 1:22:12.778 AM PluginProcess[978]: CoreText performance note: Client called `CTFontCreateWithName()` using name "Arial" and got font with PostScript name "ArialMT". For best performance, only use PostScript names when calling this API.

1/6/14 1:34:53.987 AM PluginProcess[1007]: CoreText performance note: Client called `CTFontCreateWithName()` using name "Arial Unicode MS" and got font with PostScript name "ArialUnicodeMS". For best performance, only use PostScript names when calling this API.

1/6/14 1:34:53.988 AM PluginProcess[1007]: CoreText performance note: Set a breakpoint on `CTFontLogSuboptimalRequest` to debug.

1/6/14 1:34:54.375 AM PluginProcess[1007]: CoreText performance note: Client called `CTFontCreateWithName()` using name "Times Roman" and got font with PostScript name "Times-Roman". For best performance, only use PostScript names when calling this API.

1/6/14 1:34:54.787 AM PluginProcess[1007]: CoreText performance note: Client called `CTFontCreateWithName()` using name "Arial" and got font with PostScript name "ArialMT". For best performance, only use PostScript names when calling this API.

1/6/14 1:49:34.502 AM PluginProcess[1020]: CoreText performance note: Client called `CTFontCreateWithName()` using name "Arial Unicode MS" and got font with PostScript name "ArialUnicodeMS". For best performance, only use PostScript names when calling this API.

1/6/14 1:49:34.502 AM PluginProcess[1020]: CoreText performance note: Set a breakpoint on `CTFontLogSuboptimalRequest` to debug.

1/6/14 1:49:34.920 AM PluginProcess[1020]: CoreText performance note: Client called `CTFontCreateWithName()` using name "Times Roman" and got font with

PostScript name "Times-Roman". For best performance, only use PostScript names when calling this API.

1/6/14 1:55:43.083 AM PluginProcess[1023]: CoreText performance note: Client called CTFontCreateWithName() using name "Arial Unicode MS" and got font with PostScript name "ArialUnicodeMS". For best performance, only use PostScript names when calling this API.

1/6/14 1:55:43.084 AM PluginProcess[1023]: CoreText performance note: Set a breakpoint on CTFontLogSuboptimalRequest to debug.

1/6/14 1:55:43.495 AM PluginProcess[1023]: CoreText performance note: Client called CTFontCreateWithName() using name "Times Roman" and got font with PostScript name "Times-Roman". For best performance, only use PostScript names when calling this API.

1/6/14 1:55:44.581 AM PluginProcess[1023]: CoreText performance note: Client called CTFontCreateWithName() using name "Arial Unicode MS" and got font with PostScript name "ArialUnicodeMS". For best performance, only use PostScript names when calling this API.

1/6/14 1:55:44.593 AM PluginProcess[1023]: CoreText performance note: Client called CTFontCreateWithName() using name "Times Roman" and got font with PostScript name "Times-Roman". For best performance, only use PostScript names when calling this API.

1/6/14 1:56:21.369 AM PluginProcess[1024]: CoreText performance note: Client called CTFontCreateWithName() using name "Arial Unicode MS" and got font with PostScript name "ArialUnicodeMS". For best performance, only use PostScript names when calling this API.

1/6/14 1:56:21.369 AM PluginProcess[1024]: CoreText performance note: Set a breakpoint on CTFontLogSuboptimalRequest to debug.

1/6/14 1:56:21.821 AM PluginProcess[1024]: CoreText performance note: Client called CTFontCreateWithName() using name "Times Roman" and got font with PostScript name "Times-Roman". For best performance, only use PostScript names when calling this API.

1/6/14 2:01:01.778 AM PluginProcess[904]: CoreText performance note: Client called CTFontCreateWithName() using name "Lucida Grande" and got font with PostScript name "LucidaGrande". For best performance, only use PostScript names when calling this API.

1/6/14 2:01:39.955 AM PluginProcess[904]: CoreText performance note: Client called CTFontCreateWithName() using name "Arial Bold" and got font with PostScript name "Arial-BoldMT". For best performance, only use PostScript names when calling this API.

1/6/14 2:15:33.200 AM RSS Bot[1037]: [VERBOSE] Processing feeds

1/6/14 2:15:33.824 AM RSS Bot[1037]: [VERBOSE] Done processing feeds

1/6/14 2:17:33.199 AM RSS Bot[1037]: [VERBOSE] Processing feeds

1/6/14 2:17:33.211 AM RSS Bot[1037]: [VERBOSE] Done processing feeds

1/6/14 2:19:33.196 AM RSS Bot[1037]: [VERBOSE] Processing feeds

1/6/14 2:19:33.209 AM RSS Bot[1037]: [VERBOSE] Done processing feeds

1/6/14 2:21:33.194 AM RSS Bot[1037]: [VERBOSE] Processing feeds

1/6/14 2:21:33.205 AM RSS Bot[1037]: [VERBOSE] Done processing feeds

1/6/14 2:23:33.192 AM RSS Bot[1037]: [VERBOSE] Processing feeds  
1/6/14 2:23:33.204 AM RSS Bot[1037]: [VERBOSE] Done processing feeds  
1/6/14 2:25:33.189 AM RSS Bot[1037]: [VERBOSE] Processing feeds  
1/6/14 2:25:33.365 AM RSS Bot[1037]: [VERBOSE] Done processing feeds  
1/6/14 2:27:33.187 AM RSS Bot[1037]: [VERBOSE] Processing feeds  
1/6/14 2:27:33.199 AM RSS Bot[1037]: [VERBOSE] Done processing feeds  
1/6/14 2:29:33.184 AM RSS Bot[1037]: [VERBOSE] Processing feeds  
1/6/14 2:29:33.196 AM RSS Bot[1037]: [VERBOSE] Done processing feeds  
1/6/14 2:31:33.182 AM RSS Bot[1037]: [VERBOSE] Processing feeds  
1/6/14 2:31:33.194 AM RSS Bot[1037]: [VERBOSE] Done processing feeds  
1/6/14 2:33:33.180 AM RSS Bot[1037]: [VERBOSE] Processing feeds  
1/6/14 2:33:33.193 AM RSS Bot[1037]: [VERBOSE] Done processing feeds  
1/6/14 2:35:33.177 AM RSS Bot[1037]: [VERBOSE] Processing feeds  
1/6/14 2:35:33.355 AM RSS Bot[1037]: [VERBOSE] Done processing feeds  
1/6/14 2:37:33.175 AM RSS Bot[1037]: [VERBOSE] Processing feeds  
1/6/14 2:37:33.186 AM RSS Bot[1037]: [VERBOSE] Done processing feeds  
1/6/14 2:39:33.172 AM RSS Bot[1037]: [VERBOSE] Processing feeds  
1/6/14 2:39:33.185 AM RSS Bot[1037]: [VERBOSE] Done processing feeds  
1/6/14 2:41:33.171 AM RSS Bot[1037]: [VERBOSE] Processing feeds  
1/6/14 2:41:33.182 AM RSS Bot[1037]: [VERBOSE] Done processing feeds  
1/6/14 2:43:33.168 AM RSS Bot[1037]: [VERBOSE] Processing feeds  
1/6/14 2:43:33.180 AM RSS Bot[1037]: [VERBOSE] Done processing feeds  
1/6/14 2:45:33.165 AM RSS Bot[1037]: [VERBOSE] Processing feeds  
1/6/14 2:45:33.342 AM RSS Bot[1037]: [VERBOSE] Done processing feeds  
1/6/14 2:47:33.163 AM RSS Bot[1037]: [VERBOSE] Processing feeds  
1/6/14 2:47:33.176 AM RSS Bot[1037]: [VERBOSE] Done processing feeds  
1/6/14 2:49:33.161 AM RSS Bot[1037]: [VERBOSE] Processing feeds  
1/6/14 2:49:33.172 AM RSS Bot[1037]: [VERBOSE] Done processing feeds  
1/6/14 2:51:33.158 AM RSS Bot[1037]: [VERBOSE] Processing feeds  
1/6/14 2:51:33.170 AM RSS Bot[1037]: [VERBOSE] Done processing feeds  
1/6/14 2:53:33.156 AM RSS Bot[1037]: [VERBOSE] Processing feeds  
1/6/14 2:53:33.168 AM RSS Bot[1037]: [VERBOSE] Done processing feeds  
1/6/14 2:55:33.154 AM RSS Bot[1037]: [VERBOSE] Processing feeds  
1/6/14 2:55:33.338 AM RSS Bot[1037]: [VERBOSE] Done processing feeds  
1/6/14 2:57:33.152 AM RSS Bot[1037]: [VERBOSE] Processing feeds  
1/6/14 2:57:33.163 AM RSS Bot[1037]: [VERBOSE] Done processing feeds  
1/6/14 2:59:33.149 AM RSS Bot[1037]: [VERBOSE] Processing feeds  
1/6/14 2:59:33.161 AM RSS Bot[1037]: [VERBOSE] Done processing feeds  
1/6/14 3:01:33.146 AM RSS Bot[1037]: [VERBOSE] Processing feeds  
1/6/14 3:01:33.157 AM RSS Bot[1037]: [VERBOSE] Done processing feeds  
1/6/14 3:03:33.145 AM RSS Bot[1037]: [VERBOSE] Processing feeds  
1/6/14 3:03:33.156 AM RSS Bot[1037]: [VERBOSE] Done processing feeds  
1/6/14 3:05:33.141 AM RSS Bot[1037]: [VERBOSE] Processing feeds  
1/6/14 3:05:33.330 AM RSS Bot[1037]: [VERBOSE] Done processing feeds  
1/6/14 3:07:33.140 AM RSS Bot[1037]: [VERBOSE] Processing feeds  
1/6/14 3:07:33.151 AM RSS Bot[1037]: [VERBOSE] Done processing feeds

1/6/14 3:09:33.138 AM RSS Bot[1037]: [VERBOSE] Processing feeds  
1/6/14 3:09:33.150 AM RSS Bot[1037]: [VERBOSE] Done processing feeds  
1/6/14 3:11:33.135 AM RSS Bot[1037]: [VERBOSE] Processing feeds  
1/6/14 3:11:33.147 AM RSS Bot[1037]: [VERBOSE] Done processing feeds  
1/6/14 3:11:36.923 AM PluginProcess[904]: CoreText performance note: Client called CTFontCreateWithName() using name "Arial Unicode MS" and got font with PostScript name "ArialUnicodeMS". For best performance, only use PostScript names when calling this API.  
1/6/14 3:11:36.932 AM PluginProcess[904]: CoreText performance note: Client called CTFontCreateWithName() using name "Times Roman" and got font with PostScript name "Times-Roman". For best performance, only use PostScript names when calling this API.  
1/6/14 3:11:37.480 AM PluginProcess[904]: CoreText performance note: Client called CTFontCreateWithName() using name "Arial" and got font with PostScript name "ArialMT". For best performance, only use PostScript names when calling this API.  
1/6/14 3:13:33.133 AM RSS Bot[1037]: [VERBOSE] Processing feeds  
1/6/14 3:13:33.145 AM RSS Bot[1037]: [VERBOSE] Done processing feeds  
1/6/14 3:15:33.130 AM RSS Bot[1037]: [VERBOSE] Processing feeds  
1/6/14 3:15:33.323 AM RSS Bot[1037]: [VERBOSE] Done processing feeds  
1/6/14 3:17:33.128 AM RSS Bot[1037]: [VERBOSE] Processing feeds  
1/6/14 3:17:33.139 AM RSS Bot[1037]: [VERBOSE] Done processing feeds  
1/6/14 3:19:33.126 AM RSS Bot[1037]: [VERBOSE] Processing feeds  
1/6/14 3:19:33.138 AM RSS Bot[1037]: [VERBOSE] Done processing feeds  
1/6/14 3:21:33.123 AM RSS Bot[1037]: [VERBOSE] Processing feeds  
1/6/14 3:21:33.136 AM RSS Bot[1037]: [VERBOSE] Done processing feeds  
1/6/14 3:23:33.121 AM RSS Bot[1037]: [VERBOSE] Processing feeds  
1/6/14 3:23:33.135 AM RSS Bot[1037]: [VERBOSE] Done processing feeds  
1/6/14 3:24:17.148 AM Safari[719]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/C2515197-54A9-4965-AEB1-C4EF6D256513 failed. Errno=2  
1/6/14 3:24:17.149 AM Safari[719]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/C56EF94A-432B-4EA6-A517-00BB8C611ADF failed. Errno=2  
1/6/14 3:24:17.149 AM Safari[719]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/D1F6061D-E8A5-4539-8A43-A43CA795A9E1 failed. Errno=2  
1/6/14 3:24:17.149 AM Safari[719]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/D2A242C5-9C7D-4FDD-9479-76D63A16ED83 failed. Errno=2  
1/6/14 3:24:17.149 AM Safari[719]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/D6BCC319-CB96-4DA2-A3A6-1E9FC1964177 failed. Errno=2  
1/6/14 3:24:17.149 AM Safari[719]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/D7AF8690-3683-4B10-A8C4-5882DA74349E failed. Errno=2

1/6/14 3:24:17.150 AM Safari[719]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/DB11A2AE-2D53-49C6-83AD-A91F58104662 failed. Errno=2  
1/6/14 3:24:17.150 AM Safari[719]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/E2F343B8-758C-4A0C-91EE-26D6986A5AB5 failed. Errno=2  
1/6/14 3:24:17.150 AM Safari[719]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/E43BE6F4-0136-4900-BFC9-DDE0B04F2ABE failed. Errno=2  
1/6/14 3:24:17.150 AM Safari[719]: unlink of file  
/Users/Brett/Library/Caches/com.apple.Safari/fsCachedData/F3140395-184B-4472-8283-7E0D556FAFDA failed. Errno=2  
1/6/14 3:25:33.118 AM RSS Bot[1037]: [VERBOSE] Processing feeds  
1/6/14 3:25:38.702 AM RSS Bot[1037]: [VERBOSE] Done processing feeds  
1/6/14 3:27:33.117 AM RSS Bot[1037]: [VERBOSE] Processing feeds  
1/6/14 3:27:33.129 AM RSS Bot[1037]: [VERBOSE] Done processing feeds  
1/6/14 3:29:33.114 AM RSS Bot[1037]: [VERBOSE] Processing feeds  
1/6/14 3:29:33.126 AM RSS Bot[1037]: [VERBOSE] Done processing feeds  
1/6/14 3:31:33.112 AM RSS Bot[1037]: [VERBOSE] Processing feeds  
1/6/14 3:31:33.123 AM RSS Bot[1037]: [VERBOSE] Done processing feeds  
1/6/14 3:33:33.109 AM RSS Bot[1037]: [VERBOSE] Processing feeds  
1/6/14 3:33:33.121 AM RSS Bot[1037]: [VERBOSE] Done processing feeds  
1/6/14 3:35:33.106 AM RSS Bot[1037]: [VERBOSE] Processing feeds  
1/6/14 3:35:33.118 AM RSS Bot[1037]: [VERBOSE] Done processing feeds  
1/6/14 3:37:33.104 AM RSS Bot[1037]: [VERBOSE] Processing feeds  
1/6/14 3:37:34.214 AM RSS Bot[1037]: [VERBOSE] Done processing feeds  
1/6/14 3:39:33.101 AM RSS Bot[1037]: [VERBOSE] Processing feeds  
1/6/14 3:39:33.114 AM RSS Bot[1037]: [VERBOSE] Done processing feeds  
1/6/14 3:41:33.100 AM RSS Bot[1037]: [VERBOSE] Processing feeds  
1/6/14 3:41:33.111 AM RSS Bot[1037]: [VERBOSE] Done processing feeds  
1/6/14 3:43:33.098 AM RSS Bot[1037]: [VERBOSE] Processing feeds  
1/6/14 3:43:33.110 AM RSS Bot[1037]: [VERBOSE] Done processing feeds  
1/6/14 3:45:33.095 AM RSS Bot[1037]: [VERBOSE] Processing feeds  
1/6/14 3:45:33.107 AM RSS Bot[1037]: [VERBOSE] Done processing feeds  
1/6/14 3:47:33.093 AM RSS Bot[1037]: [VERBOSE] Processing feeds  
1/6/14 3:47:33.270 AM RSS Bot[1037]: [VERBOSE] Done processing feeds  
1/6/14 3:49:33.091 AM RSS Bot[1037]: [VERBOSE] Processing feeds  
1/6/14 3:49:33.102 AM RSS Bot[1037]: [VERBOSE] Done processing feeds  
1/6/14 3:50:19.057 AM loginwindow[686]: Preferred Localizations total: 1  
contents (  
    English  
)  
1/6/14 3:50:19.057 AM loginwindow[686]: Preferred Localizations total: 1  
contents (  
    English  
)

1/6/14 3:50:19.057 AM loginwindow[686]: Preferred Localizations total: 1  
contents (  
    English  
)  
1/6/14 3:51:33.087 AM RSS Bot[1037]: [VERBOSE] Processing feeds  
1/6/14 3:51:33.099 AM RSS Bot[1037]: [VERBOSE] Done processing feeds  
1/6/14 3:53:33.085 AM RSS Bot[1037]: [VERBOSE] Processing feeds  
1/6/14 3:53:33.098 AM RSS Bot[1037]: [VERBOSE] Done processing feeds  
1/6/14 3:54:13.595 AM PluginProcess[1153]: CoreText performance note: Client  
called CTFontCreateWithName() using name "Arial Bold" and got font with  
PostScript name "Arial-BoldMT". For best performance, only use PostScript names  
when calling this API.  
1/6/14 3:54:13.595 AM PluginProcess[1153]: CoreText performance note: Set a  
breakpoint on CTFontLogSuboptimalRequest to debug.  
1/6/14 3:54:14.078 AM PluginProcess[1153]: CoreText performance note: Client  
called CTFontCreateWithName() using name "Arial" and got font with PostScript  
name "ArialMT". For best performance, only use PostScript names when calling this  
API.  
1/6/14 3:55:33.084 AM RSS Bot[1037]: [VERBOSE] Processing feeds  
1/6/14 3:55:33.095 AM RSS Bot[1037]: [VERBOSE] Done processing feeds  
1/6/14 3:57:33.081 AM RSS Bot[1037]: [VERBOSE] Processing feeds  
1/6/14 3:57:33.266 AM RSS Bot[1037]: [VERBOSE] Done processing feeds  
1/6/14 3:58:42.393 AM PluginProcess[904]: CoreText performance note: Client  
called CTFontCreateWithName() using name "Lucida Grande" and got font with  
PostScript name "LucidaGrande". For best performance, only use PostScript names  
when calling this API.  
1/6/14 3:59:24.935 AM PluginProcess[904]: CoreText performance note: Client  
called CTFontCreateWithName() using name "Trebuchet MS" and got font with  
PostScript name "TrebuchetMS". For best performance, only use PostScript names  
when calling this API.  
1/6/14 3:59:33.078 AM RSS Bot[1037]: [VERBOSE] Processing feeds  
1/6/14 3:59:33.090 AM RSS Bot[1037]: [VERBOSE] Done processing feeds  
1/6/14 4:01:33.076 AM RSS Bot[1037]: [VERBOSE] Processing feeds  
1/6/14 4:01:33.089 AM RSS Bot[1037]: [VERBOSE] Done processing feeds  
1/6/14 4:03:33.073 AM RSS Bot[1037]: [VERBOSE] Processing feeds  
1/6/14 4:03:33.086 AM RSS Bot[1037]: [VERBOSE] Done processing feeds  
1/6/14 4:04:17.456 AM PluginProcess[904]: CoreText performance note: Client  
called CTFontCreateWithName() using name "Arial Bold" and got font with  
PostScript name "Arial-BoldMT". For best performance, only use PostScript names  
when calling this API.  
1/6/14 4:05:33.071 AM RSS Bot[1037]: [VERBOSE] Processing feeds  
1/6/14 4:05:33.085 AM RSS Bot[1037]: [VERBOSE] Done processing feeds  
1/6/14 4:07:17.383 AM com.apple.WebKit.Networking[738]:  
NSURLConnection/CFURLConnection HTTP load failed  
(kCFStreamErrorDomainSSL, -9843)  
1/6/14 4:07:33.069 AM RSS Bot[1037]: [VERBOSE] Processing feeds



1/6/14 4:07:33.248 AM RSS Bot[1037]: [VERBOSE] Done processing feeds  
1/6/14 4:07:47.394 AM com.apple.WebKit.Networking[738]:  
NSURLConnection/CFURLConnection HTTP load failed  
(kCFStreamErrorDomainSSL, -9843)  
1/6/14 4:08:17.453 AM com.apple.WebKit.Networking[738]:  
NSURLConnection/CFURLConnection HTTP load failed  
(kCFStreamErrorDomainSSL, -9843)  
1/6/14 4:08:25.159 AM com.apple.WebKit.Networking[738]:  
NSURLConnection/CFURLConnection HTTP load failed  
(kCFStreamErrorDomainSSL, -9843)  
1/6/14 4:08:25.334 AM com.apple.WebKit.Networking[738]:  
NSURLConnection/CFURLConnection HTTP load failed  
(kCFStreamErrorDomainSSL, -9843)  
1/6/14 4:08:55.146 AM com.apple.WebKit.Networking[738]:  
NSURLConnection/CFURLConnection HTTP load failed  
(kCFStreamErrorDomainSSL, -9843)  
1/6/14 4:09:22.683 AM com.apple.WebKit.Networking[738]:  
NSURLConnection/CFURLConnection HTTP load failed  
(kCFStreamErrorDomainSSL, -9843)  
1/6/14 4:09:23.157 AM com.apple.WebKit.Networking[738]:  
NSURLConnection/CFURLConnection HTTP load failed  
(kCFStreamErrorDomainSSL, -9843)  
1/6/14 4:09:31.665 AM PluginProcess[1179]: CoreText performance note: Client  
called CTFontCreateWithName() using name "Arial Unicode MS" and got font with  
PostScript name "ArialUnicodeMS". For best performance, only use PostScript  
names when calling this API.  
1/6/14 4:09:31.665 AM PluginProcess[1179]: CoreText performance note: Set a  
breakpoint on CTFontLogSuboptimalRequest to debug.  
1/6/14 4:09:32.062 AM PluginProcess[1179]: CoreText performance note: Client  
called CTFontCreateWithName() using name "Times Roman" and got font with  
PostScript name "Times-Roman". For best performance, only use PostScript names  
when calling this API.  
1/6/14 4:09:33.066 AM RSS Bot[1037]: [VERBOSE] Processing feeds  
1/6/14 4:09:33.079 AM RSS Bot[1037]: [VERBOSE] Done processing feeds  
1/6/14 4:09:54.654 AM com.apple.WebKit.Networking[738]:  
NSURLConnection/CFURLConnection HTTP load failed  
(kCFStreamErrorDomainSSL, -9843)  
1/6/14 4:10:24.988 AM com.apple.WebKit.Networking[738]:  
NSURLConnection/CFURLConnection HTTP load failed  
(kCFStreamErrorDomainSSL, -9843)  
1/6/14 4:10:46.703 AM com.apple.WebKit.Networking[738]:  
NSURLConnection/CFURLConnection HTTP load failed  
(kCFStreamErrorDomainSSL, -9843)  
1/6/14 4:10:46.745 AM com.apple.WebKit.Networking[738]:  
NSURLConnection/CFURLConnection HTTP load failed  
(kCFStreamErrorDomainSSL, -9843)

1/6/14 4:10:57.913 AM com.apple.WebKit.Networking[738]:  
NSURLConnection/CFURLConnection HTTP load failed  
(kCFStreamErrorDomainSSL, -9843)  
1/6/14 4:11:10.996 AM com.apple.WebKit.Networking[738]:  
NSURLConnection/CFURLConnection HTTP load failed  
(kCFStreamErrorDomainSSL, -9843)  
1/6/14 4:11:11.043 AM com.apple.WebKit.Networking[738]:  
NSURLConnection/CFURLConnection HTTP load failed  
(kCFStreamErrorDomainSSL, -9843)  
1/6/14 4:11:33.065 AM RSS Bot[1037]: [VERBOSE] Processing feeds  
1/6/14 4:11:33.077 AM RSS Bot[1037]: [VERBOSE] Done processing feeds  
1/6/14 4:11:42.236 AM com.apple.WebKit.Networking[738]:  
NSURLConnection/CFURLConnection HTTP load failed  
(kCFStreamErrorDomainSSL, -9843)  
1/6/14 4:11:56.567 AM com.apple.WebKit.Networking[738]:  
NSURLConnection/CFURLConnection HTTP load failed  
(kCFStreamErrorDomainSSL, -9843)  
1/6/14 4:11:56.631 AM com.apple.WebKit.Networking[738]:  
NSURLConnection/CFURLConnection HTTP load failed  
(kCFStreamErrorDomainSSL, -9843)  
1/6/14 4:12:26.594 AM com.apple.WebKit.Networking[738]:  
NSURLConnection/CFURLConnection HTTP load failed  
(kCFStreamErrorDomainSSL, -9843)  
1/6/14 4:13:10.964 AM com.apple.WebKit.Networking[738]:  
NSURLConnection/CFURLConnection HTTP load failed  
(kCFStreamErrorDomainSSL, -9843)  
1/6/14 4:13:11.363 AM com.apple.WebKit.Networking[738]:  
NSURLConnection/CFURLConnection HTTP load failed  
(kCFStreamErrorDomainSSL, -9843)  
1/6/14 4:13:33.062 AM RSS Bot[1037]: [VERBOSE] Processing feeds  
1/6/14 4:13:33.074 AM RSS Bot[1037]: [VERBOSE] Done processing feeds  
1/6/14 4:13:40.954 AM com.apple.WebKit.Networking[738]:  
NSURLConnection/CFURLConnection HTTP load failed  
(kCFStreamErrorDomainSSL, -9843)  
1/6/14 4:13:47.603 AM com.apple.WebKit.Networking[738]:  
NSURLConnection/CFURLConnection HTTP load failed  
(kCFStreamErrorDomainSSL, -9843)  
1/6/14 4:13:48.124 AM com.apple.WebKit.Networking[738]:  
NSURLConnection/CFURLConnection HTTP load failed  
(kCFStreamErrorDomainSSL, -9843)  
1/6/14 4:13:55.175 AM com.apple.WebKit.Networking[738]:  
NSURLConnection/CFURLConnection HTTP load failed  
(kCFStreamErrorDomainSSL, -9843)  
1/6/14 4:14:13.057 AM com.apple.WebKit.Networking[738]:  
NSURLConnection/CFURLConnection HTTP load failed  
(kCFStreamErrorDomainSSL, -9843)

1/6/14 4:14:43.004 AM com.apple.WebKit.Networking[738]:  
NSURLConnection/CFURLConnection HTTP load failed  
(kCFStreamErrorDomainSSL, -9843)  
1/6/14 4:14:54.871 AM com.apple.WebKit.Networking[738]:  
NSURLConnection/CFURLConnection HTTP load failed  
(kCFStreamErrorDomainSSL, -9843)  
1/6/14 4:14:55.890 AM com.apple.WebKit.Networking[738]:  
NSURLConnection/CFURLConnection HTTP load failed  
(kCFStreamErrorDomainSSL, -9843)  
1/6/14 4:15:09.033 AM com.apple.WebKit.Networking[738]:  
NSURLConnection/CFURLConnection HTTP load failed  
(kCFStreamErrorDomainSSL, -9843)  
1/6/14 4:15:09.277 AM com.apple.WebKit.Networking[738]:  
NSURLConnection/CFURLConnection HTTP load failed  
(kCFStreamErrorDomainSSL, -9843)  
1/6/14 4:15:23.690 AM com.apple.WebKit.Networking[738]:  
NSURLConnection/CFURLConnection HTTP load failed  
(kCFStreamErrorDomainSSL, -9843)  
1/6/14 4:15:23.776 AM com.apple.WebKit.Networking[738]:  
NSURLConnection/CFURLConnection HTTP load failed  
(kCFStreamErrorDomainSSL, -9843)  
1/6/14 4:15:33.060 AM RSS Bot[1037]: [VERBOSE] Processing feeds  
1/6/14 4:15:33.072 AM RSS Bot[1037]: [VERBOSE] Done processing feeds  
1/6/14 4:15:53.662 AM com.apple.WebKit.Networking[738]:  
NSURLConnection/CFURLConnection HTTP load failed  
(kCFStreamErrorDomainSSL, -9843)  
1/6/14 4:16:23.804 AM com.apple.WebKit.Networking[738]:  
NSURLConnection/CFURLConnection HTTP load failed  
(kCFStreamErrorDomainSSL, -9843)  
1/6/14 4:17:33.057 AM RSS Bot[1037]: [VERBOSE] Processing feeds  
1/6/14 4:17:33.726 AM RSS Bot[1037]: [VERBOSE] Done processing feeds  
1/6/14 4:19:33.055 AM RSS Bot[1037]: [VERBOSE] Processing feeds  
1/6/14 4:19:33.067 AM RSS Bot[1037]: [VERBOSE] Done processing feeds  
1/6/14 4:21:33.052 AM RSS Bot[1037]: [VERBOSE] Processing feeds  
1/6/14 4:21:33.064 AM RSS Bot[1037]: [VERBOSE] Done processing feeds  
1/6/14 4:23:33.051 AM RSS Bot[1037]: [VERBOSE] Processing feeds  
1/6/14 4:23:33.063 AM RSS Bot[1037]: [VERBOSE] Done processing feeds  
1/6/14 4:24:04.858 AM loginwindow[686]: Preferred Localizations total: 1  
contents (  
    English  
)  
1/6/14 4:24:55.216 AM com.apple.launchd.peruser.505[280]: ([0x0-  
0x84084].com.apple.AppleSpell[815]) Exited: Killed: 9  
1/6/14 5:50:51.494 PM com.apple.launchd.peruser.505[154]: Background: Aqua:  
Registering new GUI session.

1/6/14 5:50:51.511 PM com.apple.launchd.peruser.505[154]:  
(com.logmein.logmeingui) Unknown key for boolean: UseLMILaunchAgentFixer  
1/6/14 5:50:51.511 PM com.apple.launchd.peruser.505[154]:  
(com.apple.cmfsyncagent) Ignored this key: UserName  
1/6/14 5:50:51.512 PM com.apple.launchd.peruser.505[154]:  
(com.apple.EscrowSecurityAlert) Unknown key: seatbelt-profiles  
1/6/14 5:50:51.513 PM com.apple.launchd.peruser.505[154]:  
(com.apple.ReportCrash) Falling back to default Mach exception handler. Could not  
find: com.apple.ReportCrash.Self  
1/6/14 5:50:51.524 PM distnoted[159]: # distnote server agent absolute time:  
38.620219283 civil time: Mon Jan 6 17:50:51 2014 pid: 159 uid: 505 root: no  
1/6/14 5:50:54.860 PM SystemUIServer[171]: Cannot find executable for CFBundle  
0x7fea48e44010 </System/Library/CoreServices/Menu Extras/Clock.menu> (not  
loaded)  
1/6/14 5:50:54.876 PM SystemUIServer[171]: Cannot find executable for CFBundle  
0x7fea48e44fe0 </System/Library/CoreServices/Menu Extras/Volume.menu> (not  
loaded)  
1/6/14 5:51:06.086 PM com.apple.quicklook.satellite[206]: [QL]  
com.apple.webarchive set by CFBundle/CFPlugIn 0x7fca48d153c0  
</System/Library/QuickLook/Web qlgenerator> (bundle, loaded) is not a  
supported content type for  
QLThumbnailRequestSetThumbnailWithURLRepresentation()  
1/6/14 5:51:09.778 PM soagent[202]: No active accounts, killing soagent in 10  
seconds  
1/6/14 5:51:09.780 PM soagent[202]: No active accounts, killing soagent in 10  
seconds  
1/6/14 5:51:10.140 PM soagent[202]: No active accounts, killing soagent in 10  
seconds  
1/6/14 5:51:19.779 PM soagent[202]: Killing soagent.  
1/6/14 5:51:19.779 PM NotificationCenter[194]: SOHelperCenter main connection  
interrupted  
1/6/14 5:51:19.779 PM com.apple.dock.extra[211]: SOHelperCenter main  
connection interrupted  
1/6/14 5:51:19.780 PM com.apple.dock.extra[211]: SOHelperCenter main  
connection interrupted  
1/6/14 5:51:19.780 PM NotificationCenter[194]: SOHelperCenter main connection  
interrupted  
1/6/14 5:51:39.135 PM PluginProcess[228]: CoreText performance note: Client  
called CTFontCreateWithName() using name "Times Roman" and got font with  
PostScript name "Times-Roman". For best performance, only use PostScript names  
when calling this API.  
1/6/14 5:51:39.135 PM PluginProcess[228]: CoreText performance note: Set a  
breakpoint on CTFontLogSuboptimalRequest to debug.  
1/6/14 5:51:39.885 PM loginwindow[43]: Preferred Localizations total: 1 contents (   
English  
)

1/6/14 5:51:39.885 PM loginwindow[43]: Preferred Localizations total: 1 contents ( English )

1/6/14 5:51:41.250 PM PluginProcess[228]: CoreText performance note: Client called CTFontCreateWithName() using name "Helvetica Neue Light" and got font with PostScript name "HelveticaNeue-Light". For best performance, only use PostScript names when calling this API.

1/6/14 5:51:41.367 PM PluginProcess[228]: CoreText performance note: Client called CTFontCreateWithName() using name "Arial" and got font with PostScript name "ArialMT". For best performance, only use PostScript names when calling this API.

1/6/14 5:51:51.882 PM LogMeInGUI[241]: LogMeIn GUI started

1/6/14 5:51:51.977 PM WiFiKeychainProxy[231]: [NO client logger] <Aug 30 2013 23:40:46> WIFICLOUDSYNC WiFiCloudSyncEngineCreate: created...

1/6/14 5:51:51.977 PM WiFiKeychainProxy[231]: [NO client logger] <Aug 30 2013 23:40:46> WIFICLOUDSYNC WiFiCloudSyncEngineRegisterCallbacks: WiFiCloudSyncEngineCallbacks version - 0, bundle id - com.apple.wifi.WiFiKeychainProxy

1/6/14 5:51:52.043 PM com.apple.launchd.peruser.505[154]: (com.codeweavers.crossover CD helper.37696[246]) Spawned and waiting for the debugger to attach before continuing...

1/6/14 5:51:52.060 PM com.apple.launchd.peruser.505[154]: (com.vmware.fusionDaemon.37872[248]) Spawned and waiting for the debugger to attach before continuing...

1/6/14 5:51:52.358 PM LogMeInGUI[241]: Config watcher thread started

1/6/14 5:51:57.692 PM CoreServicesUIAgent[257]: Saving rejection record: Rejected URL=file:///Users/Brett/Library/Caches/Cleanup%20At%20Startup/CrossOver%20CD%20Helper.app/ App URL=file:///Users/Brett/Library/Caches/Cleanup%20At%20Startup/CrossOver%20CD%20Helper.app/

1/6/14 5:51:57.693 PM CoreServicesUIAgent[257]: App URL discarded

1/6/14 5:51:57.694 PM com.apple.launchd.peruser.505[154]: ([0x0-0x20020].com.codeweavers.crossover CD helper[256]) Exited: Killed: 9

1/6/14 5:52:52.207 PM loginwindow[43]: Preferred Localizations total: 1 contents ( English )

1/6/14 5:52:52.207 PM loginwindow[43]: Preferred Localizations total: 1 contents ( English )

1/6/14 6:18:45.290 PM com.apple.launchd.peruser.505[154]: ([0x0-0x17017].com.apple.AppleSpell[223]) Exited: Killed: 9

1/6/14 6:19:28.743 PM com.apple.InputMethodKit.UserDictionary[225]: - [PFUbiquitySwitchboardEntryMetadata setUseLocalStorage:](760): CoreData: Ubiquity: Brett~F15CF975-CC22-5A97-B3CF-22F4EFF83722:UserDictionary

Using local storage: 1  
1/6/14 7:25:03.908 PM com.apple.launchd.peruser.505[154]: Background: Aqua:  
Registering new GUI session.  
1/6/14 7:25:03.929 PM com.apple.launchd.peruser.505[154]:  
(com.logmein.logmeingui) Unknown key for boolean: UseLMILaunchAgentFixer  
1/6/14 7:25:03.929 PM com.apple.launchd.peruser.505[154]:  
(com.apple.cmfsyncagent) Ignored this key: UserName  
1/6/14 7:25:03.930 PM com.apple.launchd.peruser.505[154]:  
(com.apple.EscrowSecurityAlert) Unknown key: seatbelt-profiles  
1/6/14 7:25:03.931 PM com.apple.launchd.peruser.505[154]:  
(com.apple.ReportCrash) Falling back to default Mach exception handler. Could not  
find: com.apple.ReportCrash.Self  
1/6/14 7:25:04.234 PM com.apple.InputMethodKit.UserDictionary[225]: -  
[PFUbiquitySwitchboardEntryMetadata setUseLocalStorage:](760): CoreData:  
Ubiquity: Brett~F15CF975-CC22-5A97-B3CF-22F4EFF83722:UserDictionary  
Using local storage: 1  
1/6/14 7:25:04.351 PM SystemUIServer[664]: Cannot find executable for CFBundle  
0x7fc4d36276b0 </System/Library/CoreServices/Menu Extras/Clock.menu> (not  
loaded)  
1/6/14 7:25:04.399 PM SystemUIServer[664]: Cannot find executable for CFBundle  
0x7fc4d36278d0 </System/Library/CoreServices/Menu Extras/Volume.menu>  
(not loaded)  
1/6/14 7:25:05.835 PM com.apple.quicklook.satellite[688]: [QL]  
com.apple.webarchive set by CFBundle/CFPlugIn 0x7fe5a0408dc0  
</System/Library/QuickLook/Web.qlgenerator> (bundle, loaded) is not a  
supported content type for  
QLThumbnailRequestSetThumbnailWithURLRepresentation()  
1/6/14 7:25:05.836 PM com.apple.quicklook.satellite[688]: [QL]  
com.apple.webarchive set by CFBundle/CFPlugIn 0x7fe5a0408dc0  
</System/Library/QuickLook/Web.qlgenerator> (bundle, loaded) is not a  
supported content type for  
QLThumbnailRequestSetThumbnailWithURLRepresentation()  
1/6/14 7:25:06.429 PM soagent[678]: No active accounts, killing soagent in 10  
seconds  
1/6/14 7:25:06.437 PM soagent[678]: No active accounts, killing soagent in 10  
seconds  
1/6/14 7:25:06.497 PM com.apple.launchd.peruser.505[154]:  
(com.codeweavers.crossover CD helper.37696[710]) Spawned and waiting for the  
debugger to attach before continuing...  
1/6/14 7:25:06.518 PM LogMeInGUI[707]: LogMeIn GUI started  
1/6/14 7:25:06.522 PM com.apple.launchd.peruser.505[154]:  
(com.vmware.fusionDaemon.37872[711]) Spawned and waiting for the debugger to  
attach before continuing...  
1/6/14 7:25:06.592 PM WiFiKeychainProxy[697]: [NO client logger] <Aug 30 2013  
23:40:46> WIFICLOUDSYNC WiFiCloudSyncEngineCreate: created...

1/6/14 7:25:06.593 PM WiFiKeychainProxy[697]: [NO client logger] <Aug 30 2013 23:40:46> WIFICLOUDSYNC WiFiCloudSyncEngineRegisterCallbacks:  
WiFiCloudSyncEngineCallbacks version - 0, bundle id -  
com.apple.wifi.WiFiKeychainProxy  
1/6/14 7:25:06.700 PM LogMeInGUI[707]: Config watcher thread started  
1/6/14 7:25:06.735 PM soagent[678]: No active accounts, killing soagent in 10 seconds  
1/6/14 7:25:17.420 PM soagent[678]: Killing soagent.  
1/6/14 7:25:17.420 PM NotificationCenter[677]: SOHelperCenter main connection interrupted  
1/6/14 7:25:17.421 PM com.apple.dock.extra[681]: SOHelperCenter main connection interrupted  
1/6/14 7:25:17.421 PM NotificationCenter[677]: SOHelperCenter main connection interrupted  
1/6/14 7:25:17.422 PM com.apple.dock.extra[681]: SOHelperCenter main connection interrupted  
1/6/14 7:25:46.020 PM CoreServicesUIAgent[718]: Saving rejection record:  
Rejected  
URL=file:///Users/Brett/Library/Caches/Cleanup%20At%20Startup/CrossOver%20CD%20Helper.app/  
App  
URL=file:///Users/Brett/Library/Caches/Cleanup%20At%20Startup/CrossOver%20CD%20Helper.app/  
1/6/14 7:25:46.020 PM CoreServicesUIAgent[718]: App URL discarded  
1/6/14 7:25:46.021 PM com.apple.launchd.peruser.505[154]: ([0x0-0x70070].com.codeweavers.crossover CD helper[717]) Exited: Killed: 9  
1/6/14 7:25:58.571 PM loginwindow[538]: Preferred Localizations total: 1 contents  
(  
    English  
)  
1/6/14 7:25:58.571 PM loginwindow[538]: Preferred Localizations total: 1 contents  
(  
    English  
)  
1/6/14 7:25:58.571 PM loginwindow[538]: Preferred Localizations total: 1 contents  
(  
    English  
)  
1/6/14 7:26:02.819 PM com.apple.WebKit.Networking[693]: ERROR: unable to get the receiver data from the DB!  
1/6/14 7:27:04.026 PM loginwindow[538]: Preferred Localizations total: 1 contents  
(  
    English  
)  
1/6/14 7:27:04.027 PM loginwindow[538]: Preferred Localizations total: 1 contents  
(

English  
)  
1/6/14 7:27:04.027 PM loginwindow[538]: Preferred Localizations total: 1 contents  
(  
English  
)  
1/6/14 7:33:41.536 PM PluginProcess[752]: CoreText performance note: Client called CTFontCreateWithName() using name "Arial Unicode MS" and got font with PostScript name "ArialUnicodeMS". For best performance, only use PostScript names when calling this API.  
1/6/14 7:33:41.536 PM PluginProcess[752]: CoreText performance note: Set a breakpoint on CTFontLogSuboptimalRequest to debug.  
1/6/14 7:33:41.939 PM PluginProcess[752]: CoreText performance note: Client called CTFontCreateWithName() using name "Times Roman" and got font with PostScript name "Times-Roman". For best performance, only use PostScript names when calling this API.  
1/6/14 7:33:42.216 PM PluginProcess[752]: CoreText performance note: Client called CTFontCreateWithName() using name "Arial" and got font with PostScript name "ArialMT". For best performance, only use PostScript names when calling this API.  
1/6/14 7:33:45.032 PM PluginProcess[752]: CoreText performance note: Client called CTFontCreateWithName() using name "Arial Unicode MS" and got font with PostScript name "ArialUnicodeMS". For best performance, only use PostScript names when calling this API.  
1/6/14 7:33:45.043 PM PluginProcess[752]: CoreText performance note: Client called CTFontCreateWithName() using name "Times Roman" and got font with PostScript name "Times-Roman". For best performance, only use PostScript names when calling this API.  
1/6/14 7:33:48.275 PM PluginProcess[752]: CoreText performance note: Client called CTFontCreateWithName() using name "Arial Unicode MS" and got font with PostScript name "ArialUnicodeMS". For best performance, only use PostScript names when calling this API.  
1/6/14 7:33:48.284 PM PluginProcess[752]: CoreText performance note: Client called CTFontCreateWithName() using name "Times Roman" and got font with PostScript name "Times-Roman". For best performance, only use PostScript names when calling this API.  
1/6/14 7:33:58.296 PM PluginProcess[751]: CoreText performance note: Client called CTFontCreateWithName() using name "Arial Unicode MS" and got font with PostScript name "ArialUnicodeMS". For best performance, only use PostScript names when calling this API.  
1/6/14 7:33:58.296 PM PluginProcess[751]: CoreText performance note: Set a breakpoint on CTFontLogSuboptimalRequest to debug.  
1/6/14 7:33:58.688 PM PluginProcess[751]: CoreText performance note: Client called CTFontCreateWithName() using name "Times Roman" and got font with PostScript name "Times-Roman". For best performance, only use PostScript names when calling this API.



1/6/14 7:34:28.086 PM PluginProcess[758]: CoreText performance note: Client called CTFontCreateWithName() using name "Arial Unicode MS" and got font with PostScript name "ArialUnicodeMS". For best performance, only use PostScript names when calling this API.

1/6/14 7:34:28.086 PM PluginProcess[758]: CoreText performance note: Set a breakpoint on CTFontLogSuboptimalRequest to debug.

1/6/14 7:34:28.487 PM PluginProcess[758]: CoreText performance note: Client called CTFontCreateWithName() using name "Times Roman" and got font with PostScript name "Times-Roman". For best performance, only use PostScript names when calling this API.

1/6/14 7:34:28.853 PM PluginProcess[751]: CoreText performance note: Client called CTFontCreateWithName() using name "Arial Unicode MS" and got font with PostScript name "ArialUnicodeMS". For best performance, only use PostScript names when calling this API.

1/6/14 7:34:28.862 PM PluginProcess[751]: CoreText performance note: Client called CTFontCreateWithName() using name "Times Roman" and got font with PostScript name "Times-Roman". For best performance, only use PostScript names when calling this API.

1/6/14 7:37:23.136 PM PluginProcess[751]: CoreText performance note: Client called CTFontCreateWithName() using name "Arial" and got font with PostScript name "ArialMT". For best performance, only use PostScript names when calling this API.

1/6/14 7:41:37.585 PM com.apple.dock.extra[681]: <NSXPCConnection: 0x7fde607428b0>: received an undecodable message (no exported object to receive message). Dropping message.

1/6/14 7:41:54.139 PM com.apple.preference.network.remoteservice[773]: Could not find image named 'InvalidDataIcon'.

1/6/14 7:41:54.272 PM com.apple.preference.network.remoteservice[773]: \*\*\* WARNING: -[NSImage compositeToPoint:operation:fraction:] is deprecated in MacOSX 10.8 and later. Please use -[NSImage drawAtPoint:fromRect:operation:fraction:] instead.

1/6/14 7:41:54.272 PM com.apple.preference.network.remoteservice[773]: \*\*\* WARNING: -[NSImage compositeToPoint:fromRect:operation:fraction:] is deprecated in MacOSX 10.8 and later. Please use -[NSImage drawAtPoint:fromRect:operation:fraction:] instead.

1/6/14 7:42:26.540 PM com.apple.WebKit.Networking[693]: ERROR: ForceShrinkPersistentStore\_NoLock -delete- We do not have a BLOB or TEXT column type. Instead, we have 5.

1/6/14 7:42:34.579 PM com.apple.preference.network.remoteservice[773]: \*\*\* Assertion failure in void assertCGError(CGError, const char \*)(), /SourceCache/ViewBridge/ViewBridge-46/ViewBridgeUtilities.m:346

1/6/14 7:42:34.584 PM com.apple.preference.network.remoteservice[773]: CGSGetWindowOwner (checking) failed due to CGError 1001

1/6/14 7:42:34.584 PM com.apple.preference.network.remoteservice[773]: ( 0 CoreFoundation 0x00007fff9586041c \_\_exceptionPreprocess + 172

1	libobjc.A.dylib	0x00007fff8f59de75 objc_exception_throw + 43
2	CoreFoundation	0x00007fff958601f8 +[NSException
	raise:format:arguments:] + 104	
3	Foundation	0x00007fff8c782d26 -[NSAssertionHandler
	handleFailureInFunction:file:lineNumber:description:] + 169	
4	ViewBridge	0x00007fff901744c5 assertCGError + 146
5	ViewBridge	0x00007fff90149b5d -[NSViewServiceMarshal
	assertPosessionOfOwnerRight:] + 194	
6	ViewBridge	0x00007fff90149e92 -[NSViewServiceMarshal
	invalidateWindowRights] + 703	
7	ViewBridge	0x00007fff9014a732 -[NSViewServiceMarshal
	invalidate:] + 370	
8	ViewBridge	0x00007fff901488eb -
	[NSWindow(ViewBridgeSwizzle) swizzledEndSheet:returnCode:] + 61	
9	AppKit	0x00007fff9190c598 -[NSAlert buttonPressed:] +
	358	
10	AppKit	0x00007fff917d13d0 -[NSApplication
	sendAction:to:from:] + 327	
11	AppKit	0x00007fff917d124e -[NSControl sendAction:to:]
	+ 86	
12	AppKit	0x00007fff9181dd7d -[NSCell _sendActionFrom:]
	+ 128	
13	AppKit	0x00007fff91837715 -[NSCell
	trackMouse:inRect:ofView:untilMouseUp:] + 2316	
14	AppKit	0x00007fff91836ae7 -[NSButtonCell
	trackMouse:inRect:ofView:untilMouseUp:] + 487	
15	AppKit	0x00007fff918361fd -[NSControl mouseDown:] +
	706	
16	AppKit	0x00007fff917b7d08 -[NSWindow sendEvent:] +
	11296	
17	AppKit	0x00007fff91756744 -[NSApplication sendEvent:]
	+ 2021	
18	ViewBridge	0x00007fff901446aa -
	[NSViewServiceApplication sendEventWithoutCatch:withForwarding:] + 1350	
19	ViewBridge	0x00007fff901448b2 -
	[NSViewServiceApplication sendEvent:withForwarding:] + 33	
20	AppKit	0x00007fff915a6a29 -[NSApplication run] + 646
21	AppKit	0x00007fff91591803 NSApplicationMain + 940
22	XPCService	0x00007fff941dbc0f _xpc_main + 385
23	libxpc.dylib	0x00007fff8dc94b2e xpc_main + 399
24	ViewBridge	0x00007fff9017901a
	xpc_service_connection_handler + 0	
25	ViewBridge	0x00007fff901472f8
	NSViewServiceApplicationMain + 2717	
26	PreferencePanels	0x00007fff96776756 PreferencePaneMain +
	171	

```

    27 com.apple.preference.network.remoteservice 0x00000001024d2d77
main + 37
    28 libdyld.dylib                                0x00007fff8f7925fd start + 1
    29 ???                                           0x0000000000000001 0x0 + 1
)
1/6/14 7:43:48.962 PM loginwindow[538]: Preferred Localizations total: 1 contents
(
    English
)
1/6/14 7:43:50.713 PM loginwindow[538]: Preferred Localizations total: 1 contents
(
    English
)
1/6/14 7:43:50.755 PM loginwindow[538]: Preferred Localizations total: 1 contents
(
    English
)
1/6/14 7:43:50.755 PM loginwindow[538]: Preferred Localizations total: 1 contents
(
    English
)
1/6/14 7:43:50.756 PM loginwindow[538]: Preferred Localizations total: 1 contents
(
    English
)
1/6/14 7:44:07.847 PM PluginProcess[751]: CoreText performance note: Client
called CTFontCreateWithName() using name "Arial Bold" and got font with
PostScript name "Arial-BoldMT". For best performance, only use PostScript names
when calling this API.
1/6/14 7:44:50.694 PM loginwindow[538]: Preferred Localizations total: 1 contents
(
    English
)
1/6/14 7:44:50.694 PM loginwindow[538]: Preferred Localizations total: 1 contents
(
    English
)
1/6/14 7:44:50.694 PM loginwindow[538]: Preferred Localizations total: 1 contents
(
    English
)
1/6/14 7:48:56.460 PM loginwindow[538]: Preferred Localizations total: 1 contents
(
    English
)

```

1/6/14 7:49:45.312 PM loginwindow[538]: Preferred Localizations total: 1 contents  
(  
    English  
)  
1/6/14 7:50:08.396 PM com.apple.WebKit.Networking[693]:  
NSURLConnection/CFURLConnection HTTP load failed  
(kCFStreamErrorDomainSSL, -9843)  
1/6/14 7:54:43.640 PM com.apple.WebKit.Networking[693]:  
NSURLConnection/CFURLConnection HTTP load failed  
(kCFStreamErrorDomainSSL, -9843)  
1/6/14 7:55:10.646 PM com.apple.WebKit.Networking[693]:  
NSURLConnection/CFURLConnection HTTP load failed  
(kCFStreamErrorDomainSSL, -9843)  
1/6/14 7:55:15.904 PM PluginProcess[751]: CoreText performance note: Client  
called CTFontCreateWithName() using name "Helvetica Neue Light" and got font  
with PostScript name "HelveticaNeue-Light". For best performance, only use  
PostScript names when calling this API.  
1/6/14 7:55:17.726 PM com.apple.WebKit.Networking[693]:  
NSURLConnection/CFURLConnection HTTP load failed  
(kCFStreamErrorDomainSSL, -9843)  
1/6/14 8:06:47.689 PM PluginProcess[807]: CoreText performance note: Client  
called CTFontCreateWithName() using name "Arial Unicode MS" and got font with  
PostScript name "ArialUnicodeMS". For best performance, only use PostScript  
names when calling this API.  
1/6/14 8:06:47.689 PM PluginProcess[807]: CoreText performance note: Set a  
breakpoint on CTFontLogSuboptimalRequest to debug.  
1/6/14 8:06:48.105 PM PluginProcess[807]: CoreText performance note: Client  
called CTFontCreateWithName() using name "Times Roman" and got font with  
PostScript name "Times-Roman". For best performance, only use PostScript names  
when calling this API.  
1/6/14 8:10:10.185 PM PluginProcess[751]: CoreText performance note: Client  
called CTFontCreateWithName() using name "Lucida Grande" and got font with  
PostScript name "LucidaGrande". For best performance, only use PostScript names  
when calling this API.  
1/6/14 8:46:59.856 PM PluginProcess[823]: CoreText performance note: Client  
called CTFontCreateWithName() using name "Arial Unicode MS" and got font with  
PostScript name "ArialUnicodeMS". For best performance, only use PostScript  
names when calling this API.  
1/6/14 8:46:59.856 PM PluginProcess[823]: CoreText performance note: Set a  
breakpoint on CTFontLogSuboptimalRequest to debug.  
1/6/14 8:47:00.246 PM PluginProcess[823]: CoreText performance note: Client  
called CTFontCreateWithName() using name "Times Roman" and got font with  
PostScript name "Times-Roman". For best performance, only use PostScript names  
when calling this API.  
1/6/14 8:47:01.386 PM PluginProcess[751]: CoreText performance note: Client  
called CTFontCreateWithName() using name "Arial Unicode MS" and got font with

PostScript name "ArialUnicodeMS". For best performance, only use PostScript names when calling this API.

1/6/14 8:47:01.395 PM PluginProcess[751]: CoreText performance note: Client called CTFontCreateWithName() using name "Times Roman" and got font with PostScript name "Times-Roman". For best performance, only use PostScript names when calling this API.

1/6/14 8:47:02.563 PM PluginProcess[751]: CoreText performance note: Client called CTFontCreateWithName() using name "Arial Bold" and got font with PostScript name "Arial-BoldMT". For best performance, only use PostScript names when calling this API.

1/6/14 8:47:02.564 PM PluginProcess[751]: CoreText performance note: Client called CTFontCreateWithName() using name "Arial" and got font with PostScript name "ArialMT". For best performance, only use PostScript names when calling this API.

1/6/14 8:49:10.636 PM PluginProcess[832]: CoreText performance note: Client called CTFontCreateWithName() using name "Times Roman" and got font with PostScript name "Times-Roman". For best performance, only use PostScript names when calling this API.

1/6/14 8:49:10.636 PM PluginProcess[832]: CoreText performance note: Set a breakpoint on CTFontLogSuboptimalRequest to debug.

1/6/14 8:49:11.057 PM PluginProcess[832]: CoreText performance note: Client called CTFontCreateWithName() using name "Arial" and got font with PostScript name "ArialMT". For best performance, only use PostScript names when calling this API.

1/6/14 8:49:11.571 PM PluginProcess[832]: CoreText performance note: Client called CTFontCreateWithName() using name "Arial Unicode MS" and got font with PostScript name "ArialUnicodeMS". For best performance, only use PostScript names when calling this API.

1/6/14 9:06:58.213 PM PluginProcess[751]: CoreText performance note: Client called CTFontCreateWithName() using name "Arial Unicode MS" and got font with PostScript name "ArialUnicodeMS". For best performance, only use PostScript names when calling this API.

1/6/14 9:06:58.221 PM PluginProcess[751]: CoreText performance note: Client called CTFontCreateWithName() using name "Times Roman" and got font with PostScript name "Times-Roman". For best performance, only use PostScript names when calling this API.

1/6/14 9:06:58.586 PM PluginProcess[751]: CoreText performance note: Client called CTFontCreateWithName() using name "Arial" and got font with PostScript name "ArialMT". For best performance, only use PostScript names when calling this API.

1/6/14 9:21:09.046 PM com.apple.WebKit.Networking[693]: CFNetwork SSLHandshake failed (-9806)

1/6/14 9:21:37.016 PM PluginProcess[751]: CoreText performance note: Client called CTFontCreateWithName() using name "Arial Unicode MS" and got font with PostScript name "ArialUnicodeMS". For best performance, only use PostScript names when calling this API.

1/6/14 9:21:37.024 PM PluginProcess[751]: CoreText performance note: Client called CTFontCreateWithName() using name "Times Roman" and got font with PostScript name "Times-Roman". For best performance, only use PostScript names when calling this API.

1/6/14 9:21:37.382 PM PluginProcess[751]: CoreText performance note: Client called CTFontCreateWithName() using name "Arial" and got font with PostScript name "ArialMT". For best performance, only use PostScript names when calling this API.

1/6/14 9:35:01.517 PM PluginProcess[751]: CoreText performance note: Client called CTFontCreateWithName() using name "Arial Bold" and got font with PostScript name "Arial-BoldMT". For best performance, only use PostScript names when calling this API.

1/6/14 9:46:12.578 PM PluginProcess[877]: CoreText performance note: Client called CTFontCreateWithName() using name "Arial Unicode MS" and got font with PostScript name "ArialUnicodeMS". For best performance, only use PostScript names when calling this API.

1/6/14 9:46:12.579 PM PluginProcess[877]: CoreText performance note: Set a breakpoint on CTFontLogSuboptimalRequest to debug.

1/6/14 9:46:12.972 PM PluginProcess[877]: CoreText performance note: Client called CTFontCreateWithName() using name "Times Roman" and got font with PostScript name "Times-Roman". For best performance, only use PostScript names when calling this API.

1/6/14 9:46:22.028 PM PluginProcess[877]: CoreText performance note: Client called CTFontCreateWithName() using name "Arial Unicode MS" and got font with PostScript name "ArialUnicodeMS". For best performance, only use PostScript names when calling this API.

1/6/14 9:46:22.038 PM PluginProcess[877]: CoreText performance note: Client called CTFontCreateWithName() using name "Times Roman" and got font with PostScript name "Times-Roman". For best performance, only use PostScript names when calling this API.

1/6/14 9:46:24.401 PM PluginProcess[877]: CoreText performance note: Client called CTFontCreateWithName() using name "Arial Unicode MS" and got font with PostScript name "ArialUnicodeMS". For best performance, only use PostScript names when calling this API.

1/6/14 9:46:24.410 PM PluginProcess[877]: CoreText performance note: Client called CTFontCreateWithName() using name "Times Roman" and got font with PostScript name "Times-Roman". For best performance, only use PostScript names when calling this API.

1/6/14 9:46:24.753 PM PluginProcess[877]: CoreText performance note: Client called CTFontCreateWithName() using name "Arial" and got font with PostScript name "ArialMT". For best performance, only use PostScript names when calling this API.

1/6/14 9:51:20.165 PM PluginProcess[751]: CoreText performance note: Client called CTFontCreateWithName() using name "Lucida Grande" and got font with PostScript name "LucidaGrande". For best performance, only use PostScript names when calling this API.

1/6/14 11:05:15.138 PM PluginProcess[1047]: CoreText performance note: Client called CTFontCreateWithName() using name "Arial" and got font with PostScript name "ArialMT". For best performance, only use PostScript names when calling this API.

1/6/14 11:05:15.138 PM PluginProcess[1047]: CoreText performance note: Set a breakpoint on CTFontLogSuboptimalRequest to debug.

1/7/14 12:10:47.111 AM loginwindow[538]: Preferred Localizations total: 1  
contents (  
    English  
)

1/7/14 12:23:05.289 AM Bluetooth Setup Assistant[1116]: initiateDeviceSetup

1/7/14 12:23:05.292 AM Bluetooth Setup Assistant[1116]: initiateDeviceSetup

1/7/14 12:23:05.361 AM Bluetooth Setup Assistant[1116]:

readHIDEmulationDevice: HID emulation device found: Apple Wireless Keyboard

1/7/14 12:23:05.361 AM Bluetooth Setup Assistant[1116]:

readHIDEmulationDevice: HID emulation device found: Jeff Wein's Mouse

1/7/14 12:23:05.361 AM Bluetooth Setup Assistant[1116]:

readHIDEmulationDevicesComplete: error: 0

1/7/14 12:35:57.218 AM Bluetooth Setup Assistant[1116]: Connection failed for pre-paired device 'Jeff Wein's Mouse': error 8

1/7/14 12:36:39.180 AM Bluetooth Setup Assistant[1116]: Connection succeeded with pre-paired device 'Jeff Wein's Mouse'

1/7/14 12:36:40.234 AM loginwindow[538]: Preferred Localizations total: 1  
contents (  
    English  
)

1/7/14 12:59:29.634 AM PluginProcess[1122]: CoreText performance note: Client called CTFontCreateWithName() using name "Arial Bold" and got font with PostScript name "Arial-BoldMT". For best performance, only use PostScript names when calling this API.

1/7/14 12:59:29.634 AM PluginProcess[1122]: CoreText performance note: Set a breakpoint on CTFontLogSuboptimalRequest to debug.

1/7/14 1:12:30.855 AM PluginProcess[1129]: CoreText performance note: Client called CTFontCreateWithName() using name "Arial" and got font with PostScript name "ArialMT". For best performance, only use PostScript names when calling this API.

1/7/14 1:12:30.856 AM PluginProcess[1129]: CoreText performance note: Set a breakpoint on CTFontLogSuboptimalRequest to debug.

1/7/14 1:43:49.339 AM PluginProcess[1150]: CoreText performance note: Client called CTFontCreateWithName() using name "Arial Bold" and got font with PostScript name "Arial-BoldMT". For best performance, only use PostScript names when calling this API.

1/7/14 1:43:49.339 AM PluginProcess[1150]: CoreText performance note: Set a breakpoint on CTFontLogSuboptimalRequest to debug.

1/7/14 1:47:28.609 AM PluginProcess[1151]: CoreText performance note: Client called CTFontCreateWithName() using name "Arial Bold" and got font with

PostScript name "Arial-BoldMT". For best performance, only use PostScript names when calling this API.

1/7/14 1:47:28.609 AM PluginProcess[1151]: CoreText performance note: Set a breakpoint on CTFontLogSuboptimalRequest to debug.

1/7/14 1:47:29.110 AM PluginProcess[1151]: CoreText performance note: Client called CTFontCreateWithName() using name "Lucida Grande" and got font with PostScript name "LucidaGrande". For best performance, only use PostScript names when calling this API.

1/7/14 1:47:29.381 AM PluginProcess[1151]: CoreText performance note: Client called CTFontCreateWithName() using name "Times Roman" and got font with PostScript name "Times-Roman". For best performance, only use PostScript names when calling this API.

1/7/14 1:52:15.015 AM PluginProcess[1152]: CoreText performance note: Client called CTFontCreateWithName() using name "Arial Bold" and got font with PostScript name "Arial-BoldMT". For best performance, only use PostScript names when calling this API.

1/7/14 1:52:15.016 AM PluginProcess[1152]: CoreText performance note: Set a breakpoint on CTFontLogSuboptimalRequest to debug.

1/7/14 1:52:15.553 AM PluginProcess[1152]: CoreText performance note: Client called CTFontCreateWithName() using name "Lucida Grande" and got font with PostScript name "LucidaGrande". For best performance, only use PostScript names when calling this API.

1/7/14 1:52:15.575 AM PluginProcess[1152]: CoreText performance note: Client called CTFontCreateWithName() using name "Times Roman" and got font with PostScript name "Times-Roman". For best performance, only use PostScript names when calling this API.

1/7/14 1:56:12.543 AM PluginProcess[1153]: CoreText performance note: Client called CTFontCreateWithName() using name "Arial Bold" and got font with PostScript name "Arial-BoldMT". For best performance, only use PostScript names when calling this API.

1/7/14 1:56:12.543 AM PluginProcess[1153]: CoreText performance note: Set a breakpoint on CTFontLogSuboptimalRequest to debug.

1/7/14 1:56:13.070 AM PluginProcess[1153]: CoreText performance note: Client called CTFontCreateWithName() using name "Lucida Grande" and got font with PostScript name "LucidaGrande". For best performance, only use PostScript names when calling this API.

1/7/14 1:56:13.295 AM PluginProcess[1153]: CoreText performance note: Client called CTFontCreateWithName() using name "Times Roman" and got font with PostScript name "Times-Roman". For best performance, only use PostScript names when calling this API.

1/7/14 2:20:36.589 AM PluginProcess[1174]: CoreText performance note: Client called CTFontCreateWithName() using name "Arial Unicode MS" and got font with PostScript name "ArialUnicodeMS". For best performance, only use PostScript names when calling this API.

1/7/14 2:20:36.589 AM PluginProcess[1174]: CoreText performance note: Set a breakpoint on CTFontLogSuboptimalRequest to debug.



1/7/14 2:20:36.990 AM PluginProcess[1174]: CoreText performance note: Client called CTFontCreateWithName() using name "Times Roman" and got font with PostScript name "Times-Roman". For best performance, only use PostScript names when calling this API.

1/7/14 3:07:10.741 AM PluginProcess[1201]: CoreText performance note: Client called CTFontCreateWithName() using name "Arial Unicode MS" and got font with PostScript name "ArialUnicodeMS". For best performance, only use PostScript names when calling this API.

1/7/14 3:07:10.741 AM PluginProcess[1201]: CoreText performance note: Set a breakpoint on CTFontLogSuboptimalRequest to debug.

1/7/14 3:07:11.177 AM PluginProcess[1201]: CoreText performance note: Client called CTFontCreateWithName() using name "Times Roman" and got font with PostScript name "Times-Roman". For best performance, only use PostScript names when calling this API.

1/7/14 3:24:54.107 AM com.apple.internetaccounts[1225]: \*\*\* Entitlement com.apple.private.iaaccounts is missing.

1/7/14 3:24:54.127 AM Finder[665]: \*\*\* remoteObjectProxyWithErrorHandler failed: Error Domain=NSCocoaErrorDomain Code=4097 "Couldn't communicate with a helper application."; {  
}

1/7/14 3:25:03.348 AM com.apple.quicklook.satellite[1224]: [QL] com.apple.webarchive set by CFBundle/CFPlugIn 0x7f8b4bd0a670 </System/Library/QuickLook/Web.qlgenerator> (bundle, loaded) is not a supported content type for  
QLThumbnailRequestSetThumbnailWithURLRepresentation()

1/7/14 3:42:55.106 AM com.apple.preference.network.remoteservice[1239]: Could not find image named 'InvalidDataIcon'.

1/7/14 3:42:55.242 AM com.apple.preference.network.remoteservice[1239]: \*\*\* WARNING: -[NSImage compositeToPoint:operation:fraction:] is deprecated in MacOSX 10.8 and later. Please use -[NSImage drawAtPoint:fromRect:operation:fraction:] instead.

1/7/14 3:42:55.243 AM com.apple.preference.network.remoteservice[1239]: \*\*\* WARNING: -[NSImage compositeToPoint:fromRect:operation:fraction:] is deprecated in MacOSX 10.8 and later. Please use -[NSImage drawAtPoint:fromRect:operation:fraction:] instead.

1/7/14 3:44:07.087 AM com.apple.preference.network.remoteservice[1239]: \*\*\* Assertion failure in void assertCGError(CGError, const char \*)(), /SourceCache/ViewBridge/ViewBridge-46/ViewBridgeUtilities.m:346

1/7/14 3:44:07.090 AM com.apple.preference.network.remoteservice[1239]: CGSGetWindowOwner (checking) failed due to CGError 1001

1/7/14 3:44:07.090 AM com.apple.preference.network.remoteservice[1239]: (  
    0 CoreFoundation                  0x00007fff9586041c \_\_exceptionPreprocess +  
172  
    1 libobjc.A.dylib                  0x00007fff8f59de75 objc\_exception\_throw + 43  
    2 CoreFoundation                  0x00007fff958601f8 +[NSException  
raise:format:arguments:] + 104

3	Foundation	0x00007fff8c782d26 -[NSAssertionHandler handleFailureInFunction:file:lineNumber:description:] + 169
4	ViewBridge	0x00007fff901744c5 assertCGError + 146
5	ViewBridge	0x00007fff90149b5d -[NSViewServiceMarshal assertPosessionOfOwnerRight:] + 194
6	ViewBridge	0x00007fff90149e92 -[NSViewServiceMarshal invalidateWindowRights] + 703
7	ViewBridge	0x00007fff9014a732 -[NSViewServiceMarshal invalidate:] + 370
8	ViewBridge	0x00007fff901488eb - [NSWindow(ViewBridgeSwizzle) swizzledEndSheet:returnCode:] + 61
9	AppKit	0x00007fff9190c598 -[NSAlert buttonPressed:] + 358
10	AppKit	0x00007fff917d13d0 -[NSApplication sendAction:to:from:] + 327
11	AppKit	0x00007fff917d124e -[NSControl sendAction:to:] + 86
12	AppKit	0x00007fff9181dd7d -[NSCell _sendActionFrom:] + 128
13	AppKit	0x00007fff91837715 -[NSCell trackMouse:inRect:ofView:untilMouseUp:] + 2316
14	AppKit	0x00007fff91836ae7 -[NSButtonCell trackMouse:inRect:ofView:untilMouseUp:] + 487
15	AppKit	0x00007fff918361fd -[NSControl mouseDown:] + 706
16	AppKit	0x00007fff917b7d08 -[NSWindow sendEvent:] + 11296
17	AppKit	0x00007fff91756744 -[NSApplication sendEvent:] + 2021
18	ViewBridge	0x00007fff901446aa - [NSViewServiceApplication sendEventWithoutCatch:withForwarding:] + 1350
19	ViewBridge	0x00007fff901448b2 - [NSViewServiceApplication sendEvent:withForwarding:] + 33
20	AppKit	0x00007fff915a6a29 -[NSApplication run] + 646
21	AppKit	0x00007fff91591803 NSApplicationMain + 940
22	XPCService	0x00007fff941dbc0f _xpc_main + 385
23	libxpc.dylib	0x00007fff8dc94b2e xpc_main + 399
24	ViewBridge	0x00007fff9017901a xpc_service_connection_handler + 0
25	ViewBridge	0x00007fff901472f8 NSViewServiceApplicationMain + 2717
26	PreferencePanels	0x00007fff96776756 PreferencePaneMain + 171
27	com.apple.preference.network.remoteservice	0x0000000010a8a3d77 main + 37
28	libdyld.dylib	0x00007fff8f7925fd start + 1

29 ???

0x0000000000000001 0x0 + 1

)

1/7/14 3:47:05.182 AM PluginProcess[751]: CoreText performance note: Client called CTFontCreateWithName() using name "Arial Unicode MS" and got font with PostScript name "ArialUnicodeMS". For best performance, only use PostScript names when calling this API.

1/7/14 3:47:05.191 AM PluginProcess[751]: CoreText performance note: Client called CTFontCreateWithName() using name "Times Roman" and got font with PostScript name "Times-Roman". For best performance, only use PostScript names when calling this API.

1/7/14 3:47:12.409 AM PluginProcess[751]: CoreText performance note: Client called CTFontCreateWithName() using name "Lucida Grande" and got font with PostScript name "LucidaGrande". For best performance, only use PostScript names when calling this API.

1/7/14 3:52:16.684 AM PluginProcess[1243]: CoreText performance note: Client called CTFontCreateWithName() using name "Arial" and got font with PostScript name "ArialMT". For best performance, only use PostScript names when calling this API.

1/7/14 3:52:16.685 AM PluginProcess[1243]: CoreText performance note: Set a breakpoint on CTFontLogSuboptimalRequest to debug.

1/7/14 3:53:04.412 AM com.apple.preference.network.remoteservice[1250]: Could not find image named 'InvalidDataIcon'.

1/7/14 3:53:04.537 AM com.apple.preference.network.remoteservice[1250]: \*\*\* WARNING: -[NSImage compositeToPoint:operation:fraction:] is deprecated in MacOSX 10.8 and later. Please use -[NSImage drawAtPoint:fromRect:operation:fraction:] instead.

1/7/14 3:53:04.537 AM com.apple.preference.network.remoteservice[1250]: \*\*\* WARNING: -[NSImage compositeToPoint:fromRect:operation:fraction:] is deprecated in MacOSX 10.8 and later. Please use -[NSImage drawAtPoint:fromRect:operation:fraction:] instead.

1/7/14 3:56:27.320 AM PluginProcess[1258]: CoreText performance note: Client called CTFontCreateWithName() using name "Arial Unicode MS" and got font with PostScript name "ArialUnicodeMS". For best performance, only use PostScript names when calling this API.

1/7/14 3:56:27.320 AM PluginProcess[1258]: CoreText performance note: Set a breakpoint on CTFontLogSuboptimalRequest to debug.

1/7/14 3:56:27.705 AM PluginProcess[1258]: CoreText performance note: Client called CTFontCreateWithName() using name "Times Roman" and got font with PostScript name "Times-Roman". For best performance, only use PostScript names when calling this API.

1/7/14 3:56:43.751 AM PluginProcess[1258]: CoreText performance note: Client called CTFontCreateWithName() using name "Arial Unicode MS" and got font with PostScript name "ArialUnicodeMS". For best performance, only use PostScript names when calling this API.

1/7/14 3:56:43.761 AM PluginProcess[1258]: CoreText performance note: Client called CTFontCreateWithName() using name "Times Roman" and got font with

PostScript name "Times-Roman". For best performance, only use PostScript names when calling this API.

1/7/14 3:56:49.389 AM PluginProcess[1258]: CoreText performance note: Client called CTFontCreateWithName() using name "Arial Unicode MS" and got font with PostScript name "ArialUnicodeMS". For best performance, only use PostScript names when calling this API.

1/7/14 3:56:49.399 AM PluginProcess[1258]: CoreText performance note: Client called CTFontCreateWithName() using name "Times Roman" and got font with PostScript name "Times-Roman". For best performance, only use PostScript names when calling this API.

1/7/14 3:56:50.064 AM PluginProcess[1258]: CoreText performance note: Client called CTFontCreateWithName() using name "Arial" and got font with PostScript name "ArialMT". For best performance, only use PostScript names when calling this API.

1/7/14 4:16:32.620 AM PluginProcess[1258]: CoreText performance note: Client called CTFontCreateWithName() using name "Arial Bold" and got font with PostScript name "Arial-BoldMT". For best performance, only use PostScript names when calling this API.

1/7/14 4:16:56.173 AM PluginProcess[1258]: CoreText performance note: Client called CTFontCreateWithName() using name "Lucida Grande" and got font with PostScript name "LucidaGrande". For best performance, only use PostScript names when calling this API.

1/7/14 4:33:52.364 AM com.apple.launchd.peruser.505[154]:  
(com.apple.EscrowSecurityAlert[1016]) Exited: Killed: 9

1/7/14 4:33:52.382 AM com.apple.launchd.peruser.505[154]: ([0x0-0x72072].com.apple.AppleSpell[733]) Exited: Killed: 9

1/7/14 9:26:00.039 AM distnoted[166]: # distnote server agent absolute time: 121.414916778 civil time: Tue Jan 7 09:26:00 2014 pid: 166 uid: 505 root: no  
1/7/14 12:30:15.520 PM com.apple.launchd.peruser.505[159]: Background: Aqua:  
Registering new GUI session.

1/7/14 12:30:15.541 PM com.apple.launchd.peruser.505[159]:  
(com.logmein.logmeingui) Unknown key for boolean: UseLMILaunchAgentFixer

1/7/14 12:30:15.542 PM com.apple.launchd.peruser.505[159]:  
(com.apple.cmfsyncagent) Ignored this key: UserName

1/7/14 12:30:15.542 PM com.apple.launchd.peruser.505[159]:  
(com.apple.EscrowSecurityAlert) Unknown key: seatbelt-profiles

1/7/14 12:30:15.543 PM com.apple.launchd.peruser.505[159]:  
(com.apple.ReportCrash) Falling back to default Mach exception handler. Could not find: com.apple.ReportCrash.Self

1/7/14 12:30:16.089 PM SystemUIServer[505]: Cannot find executable for  
CFBundle 0x7fe5b2f79690 </System/Library/CoreServices/Menu  
Extras/Clock.menu> (not loaded)

1/7/14 12:30:16.130 PM SystemUIServer[505]: Cannot find executable for  
CFBundle 0x7fe5b2f79970 </System/Library/CoreServices/Menu  
Extras/Volume.menu> (not loaded)

1/7/14 12:30:17.709 PM com.apple.launchd.peruser.505[159]:  
(com.codeweavers.crossover CD helper.37696[554]) Spawned and waiting for the  
debugger to attach before continuing...

1/7/14 12:30:17.731 PM com.apple.launchd.peruser.505[159]:  
(com.vmware.fusionDaemon.37872[555]) Spawned and waiting for the debugger to  
attach before continuing...

1/7/14 12:30:17.772 PM WiFiKeychainProxy[541]: [NO client logger] <Aug 30 2013  
23:40:46> WIFICLOUDSYNC WiFiCloudSyncEngineCreate: created...

1/7/14 12:30:17.773 PM WiFiKeychainProxy[541]: [NO client logger] <Aug 30 2013  
23:40:46> WIFICLOUDSYNC WiFiCloudSyncEngineRegisterCallbacks:  
WiFiCloudSyncEngineCallbacks version - 0, bundle id -  
com.apple.wifi.WiFiKeychainProxy

1/7/14 12:30:18.073 PM LogMeInGUI[551]: LogMeIn GUI started

1/7/14 12:30:18.244 PM LogMeInGUI[551]: Config watcher thread started

1/7/14 12:30:18.817 PM soagent[524]: No active accounts, killing soagent in 10  
seconds

1/7/14 12:30:18.819 PM soagent[524]: No active accounts, killing soagent in 10  
seconds

1/7/14 12:30:18.837 PM soagent[524]: No active accounts, killing soagent in 10  
seconds

1/7/14 12:30:20.067 PM com.apple.quicklook.satellite[569]: [QL]  
com.apple.webarchive set by CFBundle/CFPlugIn 0x7fe639510a10  
</System/Library/QuickLook/Web.qlgenerator> (bundle, loaded) is not a  
supported content type for  
QLThumbnailRequestSetThumbnailWithURLRepresentation()

1/7/14 12:30:23.089 PM CoreServicesUIAgent[574]: Saving rejection record:  
Rejected  
URL=file:///Users/Brett/Library/Caches/Cleanup%20At%20Startup/CrossOver%  
20CD%20Helper.app/  
App  
URL=file:///Users/Brett/Library/Caches/Cleanup%20At%20Startup/CrossOver%  
20CD%20Helper.app/

1/7/14 12:30:23.089 PM CoreServicesUIAgent[574]: App URL discarded

1/7/14 12:30:23.090 PM com.apple.launchd.peruser.505[159]: ([0x0-  
0x48048].com.codeweavers.crossover CD helper[573]) Exited: Killed: 9

1/7/14 12:30:29.812 PM soagent[524]: Killing soagent.

1/7/14 12:30:29.813 PM NotificationCenter[521]: SOHelperCenter main connection  
interrupted

1/7/14 12:30:29.813 PM com.apple.dock.extra[560]: SOHelperCenter main  
connection interrupted

1/7/14 12:30:29.813 PM NotificationCenter[521]: SOHelperCenter main connection  
interrupted

1/7/14 12:30:29.813 PM com.apple.dock.extra[560]: SOHelperCenter main  
connection interrupted

1/7/14 12:30:43.826 PM PluginProcess[592]: CoreText performance note: Client  
called CTFontCreateWithName() using name "Arial Unicode MS" and got font with

PostScript name "ArialUnicodeMS". For best performance, only use PostScript names when calling this API.

1/7/14 12:30:43.826 PM PluginProcess[592]: CoreText performance note: Set a breakpoint on CTFontLogSuboptimalRequest to debug.

1/7/14 12:30:44.269 PM PluginProcess[592]: CoreText performance note: Client called CTFontCreateWithName() using name "Times Roman" and got font with PostScript name "Times-Roman". For best performance, only use PostScript names when calling this API.

1/7/14 12:30:46.882 PM PluginProcess[592]: CoreText performance note: Client called CTFontCreateWithName() using name "Arial Unicode MS" and got font with PostScript name "ArialUnicodeMS". For best performance, only use PostScript names when calling this API.

1/7/14 12:30:46.891 PM PluginProcess[592]: CoreText performance note: Client called CTFontCreateWithName() using name "Times Roman" and got font with PostScript name "Times-Roman". For best performance, only use PostScript names when calling this API.

1/7/14 12:30:49.443 PM PluginProcess[592]: CoreText performance note: Client called CTFontCreateWithName() using name "Arial Unicode MS" and got font with PostScript name "ArialUnicodeMS". For best performance, only use PostScript names when calling this API.

1/7/14 12:30:49.451 PM PluginProcess[592]: CoreText performance note: Client called CTFontCreateWithName() using name "Times Roman" and got font with PostScript name "Times-Roman". For best performance, only use PostScript names when calling this API.

1/7/14 12:30:54.284 PM PluginProcess[586]: CoreText performance note: Client called CTFontCreateWithName() using name "Arial Unicode MS" and got font with PostScript name "ArialUnicodeMS". For best performance, only use PostScript names when calling this API.

1/7/14 12:30:54.285 PM PluginProcess[586]: CoreText performance note: Set a breakpoint on CTFontLogSuboptimalRequest to debug.

1/7/14 12:30:54.678 PM PluginProcess[586]: CoreText performance note: Client called CTFontCreateWithName() using name "Times Roman" and got font with PostScript name "Times-Roman". For best performance, only use PostScript names when calling this API.

1/7/14 12:31:05.845 PM PluginProcess[586]: CoreText performance note: Client called CTFontCreateWithName() using name "Arial Bold" and got font with PostScript name "Arial-BoldMT". For best performance, only use PostScript names when calling this API.

1/7/14 12:31:05.848 PM PluginProcess[586]: CoreText performance note: Client called CTFontCreateWithName() using name "Arial" and got font with PostScript name "ArialMT". For best performance, only use PostScript names when calling this API.

1/7/14 12:41:21.778 PM PluginProcess[586]: CoreText performance note: Client called CTFontCreateWithName() using name "Lucida Grande" and got font with PostScript name "LucidaGrande". For best performance, only use PostScript names when calling this API.

1/7/14 12:42:59.850 PM PluginProcess[601]: CoreText performance note: Client called CTFontCreateWithName() using name "Times Roman" and got font with PostScript name "Times-Roman". For best performance, only use PostScript names when calling this API.

1/7/14 12:42:59.851 PM PluginProcess[601]: CoreText performance note: Set a breakpoint on CTFontLogSuboptimalRequest to debug.

1/7/14 12:43:00.243 PM PluginProcess[601]: CoreText performance note: Client called CTFontCreateWithName() using name "Lucida Grande" and got font with PostScript name "LucidaGrande". For best performance, only use PostScript names when calling this API.

1/7/14 12:57:09.871 PM PluginProcess[611]: CoreText performance note: Client called CTFontCreateWithName() using name "Times Roman" and got font with PostScript name "Times-Roman". For best performance, only use PostScript names when calling this API.

1/7/14 12:57:09.871 PM PluginProcess[611]: CoreText performance note: Set a breakpoint on CTFontLogSuboptimalRequest to debug.

1/7/14 12:57:10.258 PM PluginProcess[611]: CoreText performance note: Client called CTFontCreateWithName() using name "Lucida Grande" and got font with PostScript name "LucidaGrande". For best performance, only use PostScript names when calling this API.

1/7/14 1:01:57.979 PM PluginProcess[614]: CoreText performance note: Client called CTFontCreateWithName() using name "Times Roman" and got font with PostScript name "Times-Roman". For best performance, only use PostScript names when calling this API.

1/7/14 1:01:57.979 PM PluginProcess[614]: CoreText performance note: Set a breakpoint on CTFontLogSuboptimalRequest to debug.

1/7/14 1:01:58.445 PM PluginProcess[614]: CoreText performance note: Client called CTFontCreateWithName() using name "Lucida Grande" and got font with PostScript name "LucidaGrande". For best performance, only use PostScript names when calling this API.

1/7/14 1:02:07.732 PM PluginProcess[614]: CoreText performance note: Client called CTFontCreateWithName() using name "Times Roman" and got font with PostScript name "Times-Roman". For best performance, only use PostScript names when calling this API.

1/7/14 1:02:07.733 PM PluginProcess[614]: CoreText performance note: Client called CTFontCreateWithName() using name "Lucida Grande" and got font with PostScript name "LucidaGrande". For best performance, only use PostScript names when calling this API.

1/7/14 1:04:45.821 PM PluginProcess[615]: CoreText performance note: Client called CTFontCreateWithName() using name "Times Roman" and got font with PostScript name "Times-Roman". For best performance, only use PostScript names when calling this API.

1/7/14 1:04:45.821 PM PluginProcess[615]: CoreText performance note: Set a breakpoint on CTFontLogSuboptimalRequest to debug.

1/7/14 1:04:46.218 PM PluginProcess[615]: CoreText performance note: Client called CTFontCreateWithName() using name "Lucida Grande" and got font with

PostScript name "LucidaGrande". For best performance, only use PostScript names when calling this API.

1/7/14 8:17:30.254 PM com.apple.preference.network.remoteservice[1191]: Could not find image named 'InvalidDataIcon'.

1/7/14 8:17:30.410 PM com.apple.preference.network.remoteservice[1191]: \*\*\*  
WARNING: -[NSImage compositeToPoint:operation:fraction:] is deprecated in MacOSX 10.8 and later. Please use -[NSImage  
drawAtPoint:fromRect:operation:fraction:] instead.

1/7/14 8:17:30.410 PM com.apple.preference.network.remoteservice[1191]: \*\*\*  
WARNING: -[NSImage compositeToPoint:fromRect:operation:fraction:] is deprecated in MacOSX 10.8 and later. Please use -[NSImage  
drawAtPoint:fromRect:operation:fraction:] instead.

1/7/14 8:18:29.917 PM com.apple.preference.network.remoteservice[1207]: Could not find image named 'InvalidDataIcon'.

1/7/14 8:18:30.039 PM com.apple.preference.network.remoteservice[1207]: \*\*\*  
WARNING: -[NSImage compositeToPoint:operation:fraction:] is deprecated in MacOSX 10.8 and later. Please use -[NSImage  
drawAtPoint:fromRect:operation:fraction:] instead.

1/7/14 8:18:30.039 PM com.apple.preference.network.remoteservice[1207]: \*\*\*  
WARNING: -[NSImage compositeToPoint:fromRect:operation:fraction:] is deprecated in MacOSX 10.8 and later. Please use -[NSImage  
drawAtPoint:fromRect:operation:fraction:] instead.

1/7/14 8:18:37.272 PM com.apple.preference.network.remoteservice[1207]: \*\*\*  
Assertion failure in void assertCGError(CGError, const char \*)(),  
/SourceCache/ViewBridge/ViewBridge-46/ViewBridgeUtilities.m:346

1/7/14 8:18:37.398 PM com.apple.preference.network.remoteservice[1207]:  
CGSGetWindowOwner (checking) failed due to CGError 1001

1/7/14 8:18:37.398 PM com.apple.preference.network.remoteservice[1207]: (  
    0 CoreFoundation            0x00007fff96bb741c \_\_exceptionPreprocess +  
172  
    1 libobjc.A.dylib            0x00007fff908f4e75 objc\_exception\_throw + 43  
    2 CoreFoundation            0x00007fff96bb71f8 +[NSException  
raise:format:arguments:] + 104  
    3 Foundation                0x00007fff8dad9d26 -[NSAssertionHandler  
handleFailureInFunction:file:lineNumber:description:] + 169  
    4 ViewBridge                0x00007fff914cb4c5 assertCGError + 146  
    5 ViewBridge                0x00007fff914a0b5d -[NSViewServiceMarshal  
assertPosessionOfOwnerRight:] + 194  
    6 ViewBridge                0x00007fff914a0e92 -[NSViewServiceMarshal  
invalidateWindowRights] + 703  
    7 ViewBridge                0x00007fff914a1732 -[NSViewServiceMarshal  
invalidate:] + 370  
    8 ViewBridge                0x00007fff9149f8eb -  
[NSWindow(ViewBridgeSwizzle) swizzledEndSheet:returnCode:] + 61  
    9 AppKit                    0x00007fff92c63598 -[NSAlert buttonPressed:] +  
358



```

    10 AppKit                0x00007fff92b283d0 -[NSApplication
sendAction:to:from:] + 327
    11 AppKit                0x00007fff92b2824e -[NSControl sendAction:to:]
+ 86
    12 AppKit                0x00007fff92b74d7d -[NSCell _sendActionFrom:]
+ 128
    13 AppKit                0x00007fff92b8e715 -[NSCell
trackMouse:inRect:ofView:untilMouseUp:] + 2316
    14 AppKit                0x00007fff92b8dae7 -[NSButtonCell
trackMouse:inRect:ofView:untilMouseUp:] + 487
    15 AppKit                0x00007fff92b8d1fd -[NSControl mouseDown:] +
706
    16 AppKit                0x00007fff92b0ed08 -[NSWindow sendEvent:] +
11296
    17 AppKit                0x00007fff92aad744 -[NSApplication sendEvent:]
+ 2021
    18 ViewBridge            0x00007fff9149b6aa -
[NSViewServiceApplication sendEventWithoutCatch:withForwarding:] + 1350
    19 ViewBridge            0x00007fff9149b8b2 -
[NSViewServiceApplication sendEvent:withForwarding:] + 33
    20 AppKit                0x00007fff928fda29 -[NSApplication run] + 646
    21 AppKit                0x00007fff928e8803 NSApplicationMain + 940
    22 XPCService            0x00007fff95532c0f _xpc_main + 385
    23 libxpc.dylib           0x00007fff8efebb2e xpc_main + 399
    24 ViewBridge            0x00007fff914d001a
xpc_service_connection_handler + 0
    25 ViewBridge            0x00007fff9149e2f8
NSViewServiceApplicationMain + 2717
    26 PreferencePanels      0x00007fff97acd756 PreferencePaneMain +
171
    27 com.apple.preference.network.remoteservice 0x0000000010d767d77
main + 37
    28 libdyld.dylib          0x00007fff90ae95fd start + 1
    29 ???                    0x0000000000000001 0x0 + 1
)

```

1/7/14 8:18:53.318 PM Console[1211]: setPresentationOptions called with NSApplicationPresentationFullScreen when there is no visible fullscreen window; this call will be ignored.