

2015-12-25 15:05:03.000 iTunes[28328:160b]: restore library built Sep 21 2015 at 18:06:56
2015-12-25 15:05:03.000 iTunes[28328:160b]: iTunes: iTunes 12.3.2.35
2015-12-25 15:05:03.000 iTunes[28328:160b]: iTunes: Software payload version: 13C75
2015-12-25 15:05:03.000 iTunes[28328:160b]: iTunes: Using MobileRestore state machine
[15:05:06.6178] Successfully applied power assertion
[15:05:06.6179] Changing state from '(null)' to 'Restoring'
[15:05:06.6186] device software does not support nonce generation
[15:05:06.6189] requested restore behavior: Erase
[15:05:06.6204] amai: AMAuthInstallSsoInitialize: can't find SSOClient.framework
[15:05:06.6205] requested restore behavior: Erase
[15:05:06.6205] requested variant: Erase
[15:05:06.6206] requested restore behavior: Erase
[15:05:07.2247] amai: _AMAuthInstallBundleCreateServerRequestDictionary: withApTicket is False
[15:05:07.2248] amai: _AMAuthInstallBundleCreateServerRequestDictionary: not personalizing "RestoreLogo"
[15:05:07.2248] amai: _AMAuthInstallBundleCreateServerRequestDictionary: not personalizing "RestoreDeviceTree"
[15:05:07.2249] amai: _AMAuthInstallBundleCreateServerRequestDictionary: not personalizing "RestoreKernelCache"
[15:05:07.2249] amai: _AMAuthInstallBundleCreateServerRequestDictionary: not personalizing "RestoreRamDisk"
[15:05:07.2250] amai: _AMAuthInstallBundleCreateServerRequestDictionary: not personalizing "iBEC"
[15:05:07.2251] amai: _AMAuthInstallBundleCreateServerRequestDictionary: personalizing "iBSS" Digest = "<CFData 0x7fa9ef6ef350 [0x7fff79261440]>{length = 20, capacity = 20, bytes = 0xd89266be1c85d6d82e69a5c553a5cf70e8f71530}"
[15:05:07.2251] amai: _AMAuthInstallBundleCreateServerRequestDictionary: not personalizing "KernelCache"
[15:05:07.2251] amai: _AMAuthInstallBundleCreateServerRequestDictionary: entry "ftap" not part of manifest, skipping
[15:05:07.2252] amai: _AMAuthInstallBundleCreateServerRequestDictionary: entry "rfta" not part of manifest, skipping
[15:05:07.2252] amai: _AMAuthInstallBundleCreateServerRequestDictionary: entry "ftsp" not part of manifest, skipping
[15:05:07.2252] amai: _AMAuthInstallBundleCreateServerRequestDictionary: entry "rfts" not part of manifest, skipping
[15:05:07.2253] amai: _AMAuthInstallBundleCreateServerRequestDictionary: personalizing "LLB" Digest = "<CFData 0x7fa9ef6ef530 [0x7fff79261440]>{length = 20, capacity = 20, bytes = 0x7459f2721acb9dbb93c0242129047492a45c7a32}"
[15:05:07.2253] amai: _AMAuthInstallBundleCreateServerRequestDictionary: not personalizing "AppleLogo"
[15:05:07.2254] amai: _AMAuthInstallBundleCreateServerRequestDictionary: not personalizing "BatteryCharging1"
[15:05:07.2254] amai: _AMAuthInstallBundleCreateServerRequestDictionary: not personalizing "BatteryFull"
[15:05:07.2255] amai: _AMAuthInstallBundleCreateServerRequestDictionary: not personalizing "BatteryPlugin"
[15:05:07.2255] amai: _AMAuthInstallBundleCreateServerRequestDictionary: not personalizing "BatteryCharging0"
[15:05:07.2255] amai: _AMAuthInstallBundleCreateServerRequestDictionary: not personalizing "BatteryLow0"
[15:05:07.2255] amai: _AMAuthInstallBundleCreateServerRequestDictionary: not personalizing "BatteryLow1"
[15:05:07.2256] amai: _AMAuthInstallBundleCreateServerRequestDictionary: not personalizing "RecoveryMode"
[15:05:07.2256] amai: _AMAuthInstallBundleCreateServerRequestDictionary: not personalizing "DeviceTree"
[15:05:07.2256] amai: _AMAuthInstallBundleCreateServerRequestDictionary: not personalizing "iBoot"
[15:05:07.2257] amai: _AMAuthInstallBundleCreateServerRequestDictionary: using UniqueBuildID <CFData 0x7fa9ef6da700 [0x7fff79261440]>{length = 20, capacity = 20,

bytes = 0x700384a10865f2e81039c37ddc2b4d2dffdd38c4}
[15:05:07.2260] amai: AMAuthInstallRequestSendSync: SSO function returned NULL and no SSO token was provided, SSO disabled.
[15:05:07.2264] amai: tss_submit_job_with_retry: TSS Connection attempt 1 of 3. (Will retry if TSS_ERR_SERVER_NOT_REACHABLE.)
[15:05:08.3105] amai: AMAuthInstallRequestSendSync: received tss response (server version: 2.1.0)
[15:05:08.3138] amai: _AMAuthInstallBundlePopulatePersonalizedBundle: no entry in manifest found for "ftap"
[15:05:08.3138] amai: _AMAuthInstallBundlePopulatePersonalizedBundle: no entry in manifest found for "rfta"
[15:05:08.3139] amai: _AMAuthInstallBundlePopulatePersonalizedBundle: no entry in manifest found for "ftsp"
[15:05:08.3139] amai: _AMAuthInstallBundlePopulatePersonalizedBundle: no entry in manifest found for "rfts"
[15:05:08.3170] amai: _AMAuthInstallBundlePopulatePersonalizedBundle: no entry in manifest found for "Diags"
[15:05:08.3197] <DFU Device 0x7fa9eeefcc0>: production fused device
[15:05:08.3197] requested restore behavior: Erase
[15:05:08.3200] device software does not support nonce generation
[15:05:08.3218] Issued GETSTATE request: state = 0x2
[15:05:08.3219] <DFU Device 0x7fa9eeefcc0>: operation 2 progress 0
[15:05:08.3219] Issuing DNLOAD request
[15:05:08.3295] Issued GETSTATUS request: state = 5 status = 0
[15:05:08.3297] <DFU Device 0x7fa9eeefcc0>: operation 2 progress 2
[15:05:08.3298] Issuing DNLOAD request
[15:05:08.3375] Issued GETSTATUS request: state = 5 status = 0
[15:05:08.3376] <DFU Device 0x7fa9eeefcc0>: operation 2 progress 5
[15:05:08.3377] Issuing DNLOAD request
[15:05:08.3455] Issued GETSTATUS request: state = 5 status = 0
[15:05:08.3457] <DFU Device 0x7fa9eeefcc0>: operation 2 progress 7
[15:05:08.3458] Issuing DNLOAD request
[15:05:08.3535] Issued GETSTATUS request: state = 5 status = 0
[15:05:08.3536] <DFU Device 0x7fa9eeefcc0>: operation 2 progress 10
[15:05:08.3537] Issuing DNLOAD request
[15:05:08.3614] Issued GETSTATUS request: state = 5 status = 0
[15:05:08.3615] <DFU Device 0x7fa9eeefcc0>: operation 2 progress 12
[15:05:08.3616] Issuing DNLOAD request
[15:05:08.3692] Issued GETSTATUS request: state = 5 status = 0
[15:05:08.3693] <DFU Device 0x7fa9eeefcc0>: operation 2 progress 15
[15:05:08.3693] Issuing DNLOAD request
[15:05:08.3768] Issued GETSTATUS request: state = 5 status = 0
[15:05:08.3768] <DFU Device 0x7fa9eeefcc0>: operation 2 progress 17
[15:05:08.3769] Issuing DNLOAD request
[15:05:08.3846] Issued GETSTATUS request: state = 5 status = 0
[15:05:08.3847] <DFU Device 0x7fa9eeefcc0>: operation 2 progress 20
[15:05:08.3848] Issuing DNLOAD request
[15:05:08.3926] Issued GETSTATUS request: state = 5 status = 0
[15:05:08.3927] <DFU Device 0x7fa9eeefcc0>: operation 2 progress 22
[15:05:08.3927] Issuing DNLOAD request
[15:05:08.4007] Issued GETSTATUS request: state = 5 status = 0
[15:05:08.4009] <DFU Device 0x7fa9eeefcc0>: operation 2 progress 25
[15:05:08.4010] Issuing DNLOAD request
[15:05:08.4099] Issued GETSTATUS request: state = 5 status = 0
[15:05:08.4100] <DFU Device 0x7fa9eeefcc0>: operation 2 progress 28
[15:05:08.4101] Issuing DNLOAD request
[15:05:08.4178] Issued GETSTATUS request: state = 5 status = 0
[15:05:08.4179] <DFU Device 0x7fa9eeefcc0>: operation 2 progress 30
[15:05:08.4180] Issuing DNLOAD request
[15:05:08.4256] Issued GETSTATUS request: state = 5 status = 0
[15:05:08.4257] <DFU Device 0x7fa9eeefcc0>: operation 2 progress 33
[15:05:08.4258] Issuing DNLOAD request
[15:05:08.4336] Issued GETSTATUS request: state = 5 status = 0
[15:05:08.4337] <DFU Device 0x7fa9eeefcc0>: operation 2 progress 35

[15:05:08.4337] Issuing DNLOAD request
[15:05:08.4414] Issued GETSTATUS request: state = 5 status = 0
[15:05:08.4415] <DFU Device 0x7fa9eeefcc0>: operation 2 progress 38
[15:05:08.4416] Issuing DNLOAD request
[15:05:08.4497] Issued GETSTATUS request: state = 5 status = 0
[15:05:08.4498] <DFU Device 0x7fa9eeefcc0>: operation 2 progress 40
[15:05:08.4499] Issuing DNLOAD request
[15:05:08.4585] Issued GETSTATUS request: state = 5 status = 0
[15:05:08.4585] <DFU Device 0x7fa9eeefcc0>: operation 2 progress 43
[15:05:08.4586] Issuing DNLOAD request
[15:05:08.4661] Issued GETSTATUS request: state = 5 status = 0
[15:05:08.4662] <DFU Device 0x7fa9eeefcc0>: operation 2 progress 45
[15:05:08.4662] Issuing DNLOAD request
[15:05:08.4738] Issued GETSTATUS request: state = 5 status = 0
[15:05:08.4739] <DFU Device 0x7fa9eeefcc0>: operation 2 progress 48
[15:05:08.4739] Issuing DNLOAD request
[15:05:08.4815] Issued GETSTATUS request: state = 5 status = 0
[15:05:08.4816] <DFU Device 0x7fa9eeefcc0>: operation 2 progress 50
[15:05:08.4817] Issuing DNLOAD request
[15:05:08.4894] Issued GETSTATUS request: state = 5 status = 0
[15:05:08.4895] <DFU Device 0x7fa9eeefcc0>: operation 2 progress 53
[15:05:08.4896] Issuing DNLOAD request
[15:05:08.4971] Issued GETSTATUS request: state = 5 status = 0
[15:05:08.4971] <DFU Device 0x7fa9eeefcc0>: operation 2 progress 56
[15:05:08.4972] Issuing DNLOAD request
[15:05:08.5047] Issued GETSTATUS request: state = 5 status = 0
[15:05:08.5048] <DFU Device 0x7fa9eeefcc0>: operation 2 progress 58
[15:05:08.5048] Issuing DNLOAD request
[15:05:08.5125] Issued GETSTATUS request: state = 5 status = 0
[15:05:08.5126] <DFU Device 0x7fa9eeefcc0>: operation 2 progress 61
[15:05:08.5127] Issuing DNLOAD request
[15:05:08.5202] Issued GETSTATUS request: state = 5 status = 0
[15:05:08.5203] <DFU Device 0x7fa9eeefcc0>: operation 2 progress 63
[15:05:08.5204] Issuing DNLOAD request
[15:05:08.5280] Issued GETSTATUS request: state = 5 status = 0
[15:05:08.5281] <DFU Device 0x7fa9eeefcc0>: operation 2 progress 66
[15:05:08.5282] Issuing DNLOAD request
[15:05:08.5359] Issued GETSTATUS request: state = 5 status = 0
[15:05:08.5360] <DFU Device 0x7fa9eeefcc0>: operation 2 progress 68
[15:05:08.5361] Issuing DNLOAD request
[15:05:08.5439] Issued GETSTATUS request: state = 5 status = 0
[15:05:08.5440] <DFU Device 0x7fa9eeefcc0>: operation 2 progress 71
[15:05:08.5441] Issuing DNLOAD request
[15:05:08.5527] Issued GETSTATUS request: state = 5 status = 0
[15:05:08.5528] <DFU Device 0x7fa9eeefcc0>: operation 2 progress 73
[15:05:08.5529] Issuing DNLOAD request
[15:05:08.5612] Issued GETSTATUS request: state = 5 status = 0
[15:05:08.5613] <DFU Device 0x7fa9eeefcc0>: operation 2 progress 76
[15:05:08.5614] Issuing DNLOAD request
[15:05:08.5698] Issued GETSTATUS request: state = 5 status = 0
[15:05:08.5698] <DFU Device 0x7fa9eeefcc0>: operation 2 progress 78
[15:05:08.5699] Issuing DNLOAD request
[15:05:08.5782] Issued GETSTATUS request: state = 5 status = 0
[15:05:08.5782] <DFU Device 0x7fa9eeefcc0>: operation 2 progress 81
[15:05:08.5783] Issuing DNLOAD request
[15:05:08.5868] Issued GETSTATUS request: state = 5 status = 0
[15:05:08.5869] <DFU Device 0x7fa9eeefcc0>: operation 2 progress 84
[15:05:08.5869] Issuing DNLOAD request
[15:05:08.5954] Issued GETSTATUS request: state = 5 status = 0
[15:05:08.5955] <DFU Device 0x7fa9eeefcc0>: operation 2 progress 86
[15:05:08.5955] Issuing DNLOAD request
[15:05:08.6040] Issued GETSTATUS request: state = 5 status = 0
[15:05:08.6041] <DFU Device 0x7fa9eeefcc0>: operation 2 progress 89
[15:05:08.6042] Issuing DNLOAD request

[15:05:08.6121] Issued GETSTATUS request: state = 5 status = 0
[15:05:08.6122] <DFU Device 0x7fa9eeefcc0>: operation 2 progress 91
[15:05:08.6123] Issuing DNLOAD request
[15:05:08.6199] Issued GETSTATUS request: state = 5 status = 0
[15:05:08.6200] <DFU Device 0x7fa9eeefcc0>: operation 2 progress 94
[15:05:08.6201] Issuing DNLOAD request
[15:05:08.6277] Issued GETSTATUS request: state = 5 status = 0
[15:05:08.6278] <DFU Device 0x7fa9eeefcc0>: operation 2 progress 96
[15:05:08.6279] Issuing DNLOAD request
[15:05:08.6352] Issued GETSTATUS request: state = 5 status = 0
[15:05:08.6352] <DFU Device 0x7fa9eeefcc0>: operation 2 progress 99
[15:05:08.6353] Issuing DNLOAD request
[15:05:08.6383] Issued GETSTATUS request: state = 5 status = 0
[15:05:08.6384] Issuing DNLOAD request
[15:05:08.6395] Issued GETSTATUS request: state = 6 status = 0
[15:05:08.6956] Issued GETSTATUS request: state = 7 status = 0
[15:05:08.7512] <DFU Device 0x7fa9eeefcc0>: DFU succeeded
[15:05:08.7514] Finished DFU Restore Phase: Successful
[15:05:08.7523] DFU mode device disconnected
[15:05:08.7523] Device removed when in state Restoring, moving device to transition state
[15:05:08.7523] Changing state from 'Restoring' to 'Transitioning'
[15:05:08.7523] Creating timer to monitor transition
[15:10:08.7446] Restore completed, status:4005
[15:10:08.7446] Failure Description:
[15:10:08.7446] Depth:0 Error:Device disappeared during timed transition