

4/2/13 8:55:20.126 AM rpc.lockd: can't contact statd, 100024 RPC: Unknown host  
4/2/13 8:55:21.228 AM rpc.lockd: can't contact statd, 100024 RPC: Unknown host  
4/2/13 8:55:23.329 AM rpc.lockd: can't contact statd, 100024 RPC: Unknown host  
4/2/13 8:55:26.432 AM rpc.lockd: can't contact statd, 100024 RPC: Unknown host  
4/2/13 8:55:30.534 AM rpc.lockd: can't contact statd, 100024 RPC: Unknown host  
4/2/13 8:55:35.636 AM rpc.lockd: can't contact statd, 100024 RPC: Unknown host  
4/2/13 8:55:41.738 AM rpc.lockd: can't contact statd, 100024 RPC: Unknown host  
4/2/13 8:55:48.845 AM rpc.lockd: can't contact statd, 100024 RPC: Unknown host  
4/2/13 8:55:56.948 AM rpc.lockd: can't contact statd, 100024 RPC: Unknown host  
4/2/13 8:56:06.050 AM rpc.lockd: can't contact statd, 100024 RPC: Unknown host  
4/2/13 8:56:16.219 AM rpc.lockd: can't contact statd, 100024 RPC: Unknown host  
4/2/13 8:56:27.322 AM rpc.lockd: can't contact statd, 100024 RPC: Unknown host  
4/2/13 8:56:39.423 AM rpc.lockd: can't contact statd, 100024 RPC: Unknown host  
4/2/13 8:56:52.525 AM rpc.lockd: can't contact statd, 100024 RPC: Unknown host  
4/2/13 8:57:06.628 AM rpc.lockd: can't contact statd, 100024 RPC: Unknown host  
4/2/13 8:57:21.731 AM rpc.lockd: can't contact statd, 100024 RPC: Unknown host  
4/2/13 8:57:37.833 AM rpc.lockd: can't contact statd, 100024 RPC: Unknown host  
4/2/13 8:57:54.935 AM rpc.lockd: can't contact statd, 100024 RPC: Unknown host  
4/2/13 8:58:13.038 AM rpc.lockd: can't contact statd, 100024 RPC: Unknown host  
4/2/13 8:58:32.141 AM rpc.lockd: can't contact statd, 100024 RPC: Unknown host  
4/2/13 8:58:32.141 AM rpc.lockd: server init\_nsm failed! 100024 RPC: Unknown host  
4/2/13 8:58:32.142 AM rpc.lockd: Lockd got unexpected signal 20  
4/2/13 8:58:32.142 AM com.apple.launchd: (com.apple.lockd[9943]) Exited with code: 1  
4/2/13 8:58:32.257 AM rpc.lockd: can't contact statd, 100024 RPC: Unknown host  
4/2/13 8:58:33.359 AM rpc.lockd: can't contact statd, 100024 RPC: Unknown host  
4/2/13 8:58:35.462 AM rpc.lockd: can't contact statd, 100024 RPC: Unknown host  
4/2/13 8:58:38.565 AM rpc.lockd: can't contact statd, 100024 RPC: Unknown host  
4/2/13 8:58:42.668 AM rpc.lockd: can't contact statd, 100024 RPC: Unknown host  
4/2/13 8:58:47.771 AM rpc.lockd: can't contact statd, 100024 RPC: Unknown host  
4/2/13 8:58:53.873 AM rpc.lockd: can't contact statd, 100024 RPC: Unknown host  
4/2/13 8:59:00.976 AM rpc.lockd: can't contact statd, 100024 RPC: Unknown host  
4/2/13 8:59:09.078 AM rpc.lockd: can't contact statd, 100024 RPC: Unknown host  
4/2/13 8:59:18.190 AM rpc.lockd: can't contact statd, 100024 RPC: Unknown host  
4/2/13 8:59:28.293 AM rpc.lockd: can't contact statd, 100024 RPC: Unknown host  
4/2/13 9:00:57.000 AM bootlog: BOOT\_TIME 1364907657 0  
4/2/13 9:01:28.107 AM fseventsd: event logs in /.fseventsd out of sync with volume.  
destroying old logs. (165821 30 165940)  
4/2/13 9:01:30.000 AM kernel: Darwin Kernel Version 11.4.0: Mon Apr 9 19:32:15 PDT 2012;  
root:xnu-1699.26.8~1/RELEASE\_X86\_64  
4/2/13 9:01:30.000 AM kernel: vm\_page\_bootstrap: 1964100 free pages and 51132 wired  
pages  
4/2/13 9:01:30.000 AM kernel: kext submap [0xffffffff7f80732000 - 0xffffffff8000000000], kernel  
text [0xffffffff8000200000 - 0xffffffff8000732000]  
4/2/13 9:01:30.000 AM kernel: zone leak detection enabled  
4/2/13 9:01:30.000 AM kernel: standard timeslicing quantum is 10000 us  
4/2/13 9:01:30.000 AM kernel: mig\_table\_max\_displ = 73  
4/2/13 9:01:30.000 AM kernel: AppleACPICPU: ProcessorId=0 LocalApicId=0 Enabled  
4/2/13 9:01:30.000 AM kernel: AppleACPICPU: ProcessorId=1 LocalApicId=1 Enabled  
4/2/13 9:01:30.000 AM kernel: calling mpo\_policy\_init for TMSafetyNet  
4/2/13 9:01:30.000 AM kernel: Security policy loaded: Safety net for Time Machine

(TMSafetyNet)

4/2/13 9:01:30.000 AM kernel: calling mpo\_policy\_init for Sandbox  
4/2/13 9:01:30.000 AM kernel: Security policy loaded: Seatbelt sandbox policy (Sandbox)  
4/2/13 9:01:30.000 AM kernel: calling mpo\_policy\_init for Quarantine  
4/2/13 9:01:30.000 AM kernel: Security policy loaded: Quarantine policy (Quarantine)  
4/2/13 9:01:30.000 AM kernel: Copyright (c) 1982, 1986, 1989, 1991, 1993  
4/2/13 9:01:30.000 AM kernel: The Regents of the University of California. All rights reserved.  
4/2/13 9:01:30.000 AM kernel: MAC Framework successfully initialized  
4/2/13 9:01:30.000 AM kernel: using 16384 buffer headers and 10240 cluster IO buffer headers  
4/2/13 9:01:30.000 AM kernel: IOAPIC: Version 0x11 Vectors 64:87  
4/2/13 9:01:30.000 AM kernel: ACPI: System State [S0 S3 S4 S5]  
4/2/13 9:01:30.000 AM kernel: PFM64 (36 cpu) 0xf10000000, 0xf0000000  
4/2/13 9:01:30.000 AM kernel: [ PCI configuration begin ]  
4/2/13 9:01:30.000 AM kernel: console relocated to 0xf20010000  
4/2/13 9:01:30.000 AM kernel: PCI configuration changed (bridge=6 device=3 cardbus=0)  
4/2/13 9:01:30.000 AM kernel: [ PCI configuration end, bridges 7 devices 19 ]  
4/2/13 9:01:30.000 AM kernel: AppleIntelCPUPowerManagement: (built 19:39:51 Apr 9 2012) initialization complete  
4/2/13 9:01:30.000 AM kernel: mbinit: done [64 MB total pool size, (42/21) split]  
4/2/13 9:01:30.000 AM kernel: Pthread support ABORTS when sync kernel primitives misused  
4/2/13 9:01:30.000 AM kernel: com.apple.AppleFSCompressionTypeZlib kmod start  
4/2/13 9:01:30.000 AM kernel: com.apple.AppleFSCompressionTypeDataless kmod start  
4/2/13 9:01:30.000 AM kernel: com.apple.AppleFSCompressionTypeZlib load succeeded  
4/2/13 9:01:30.000 AM kernel: com.apple.AppleFSCompressionTypeDataless load succeeded  
4/2/13 9:01:30.000 AM kernel: AppleIntelCPUPowerManagementClient: ready  
4/2/13 9:01:30.000 AM kernel: BTCEXIST off  
4/2/13 9:01:30.000 AM kernel: wl0: Broadcom BCM432b 802.11 Wireless Controller  
4/2/13 9:01:30.000 AM kernel: 5.106.198.4  
4/2/13 9:01:30.000 AM kernel: FireWire (OHCI) Lucent ID 5901 built-in now active, GUID 00254bfffed7a0e0; max speed s800.  
4/2/13 9:01:30.000 AM kernel: [IOBluetoothHCIController::setConfigState] calling registerService  
4/2/13 9:01:30.000 AM kernel: rooting via boot-uuid from /chosen:  
F5ACEB33-56ED-399E-9BF3-D423F8A57A3C  
4/2/13 9:01:30.000 AM kernel: Waiting on <dict ID="0"><key>IOProviderClass</key><string ID="1">IOResources</string><key>IOResourceMatch</key><string ID="2">boot-uuid-media</string></dict>  
4/2/13 9:01:30.000 AM kernel: Got boot device = IOService:/AppleACPIPlatformExpert/PCI0@0/AppleACPIPCI/SATA@B/AppleMCP79AHCI/PRT0@0/IOAHCIDevice@0/AppleAHCIDiskDriver/IOAHCIBlockStorageDevice/IOBlockStorageDriver/Hitachi HTS545050B9SA02 Media/IOGUIDPartitionScheme/Customer@2  
4/2/13 9:01:30.000 AM kernel: BSD root: disk0s2, major 14, minor 2  
4/2/13 9:01:30.000 AM kernel: jnl: unknown-dev: replay\_journal: from: 10419200 to: 18460160 (joffset 0x75d9e000)  
4/2/13 9:01:30.000 AM kernel: jnl: unknown-dev: journal replay done.  
4/2/13 9:01:30.000 AM kernel: Kernel is LP64

4/2/13 9:01:30.000 AM kernel: hfs: Removed 70 orphaned / unlinked files and 1935 directories  
4/2/13 9:01:03.711 AM com.apple.launchd: \*\*\* launchd[1] has started up. \*\*\*  
4/2/13 9:01:28.001 AM com.apple.launchd: (com.bombich.ccc.scheduledtask.E1F9ECAE-4E15-4B3B-8A7D-D5331FC1096F) Unknown key for dictionary: cccTaskDict  
4/2/13 9:01:28.006 AM com.apple.launchd: (com.apple.powerd) Unknown value for key POSIXSpawnType: Interactive  
4/2/13 9:01:28.006 AM com.apple.launchd: (com.apple.sandboxd) Unknown value for key POSIXSpawnType: Interactive  
4/2/13 9:01:31.000 AM kernel: NVEthernet: Ethernet address 00:25:4b:d7:a0:e0  
4/2/13 9:01:31.000 AM kernel: AirPort\_Brcm4331: Ethernet address 00:26:08:e6:46:0d  
4/2/13 9:01:31.000 AM kernel: IO80211Controller::dataLinkLayerAttachComplete(): adding AppleEFINVRAM notification  
4/2/13 9:01:31.000 AM kernel: IO80211Interface::efiNVRAMPublished():  
4/2/13 9:01:33.079 AM com.apple.ucupdate.plist: ucupdate: Checked 1 update, no match found.  
4/2/13 9:01:33.096 AM com.apple.pfctl: No ALTQ support in kernel  
4/2/13 9:01:33.096 AM com.apple.pfctl: ALTQ related functions disabled  
4/2/13 9:01:36.376 AM fseventsd: log dir: /.fseventsd getting new uuid: 62572622-08C5-4697-99A2-AB74D85C2DEE  
4/2/13 9:01:39.410 AM com.freemacsoft.appcleanerd: Appcleanerd started successfully.  
4/2/13 9:01:44.054 AM UserEventAgent: starting CaptiveNetworkSupport as SystemEventAgent built May 25 2011 12:27:35  
4/2/13 9:01:44.058 AM UserEventAgent: CaptiveNetworkSupport:CreateInterfaceWatchList: 2788 WiFi Devices Found. :)  
4/2/13 9:01:44.058 AM UserEventAgent: CaptiveNetworkSupport:CaptivePublishState:1211 en1 - PreProbe  
4/2/13 9:01:44.058 AM UserEventAgent: CaptiveNetworkSupport:CaptiveSCRebuildCache:81 Failed to get service order  
4/2/13 9:01:44.059 AM UserEventAgent: CaptiveNetworkSupport:CaptiveSCRebuildCache:81 Failed to get service order  
4/2/13 9:01:44.059 AM UserEventAgent: CaptiveNetworkSupport:CaptivePublishState:1211 en1 - PreProbe  
4/2/13 9:01:44.059 AM UserEventAgent: CaptiveNetworkSupport:CaptiveSCRebuildCache:81 Failed to get service order  
4/2/13 9:01:44.059 AM UserEventAgent: CaptiveNetworkSupport:CaptiveSCRebuildCache:81 Failed to get service order  
4/2/13 9:01:45.000 AM kernel: Waiting for DSMOS...  
4/2/13 9:01:45.000 AM kernel: macx\_swapon SUCCESS  
4/2/13 9:01:45.428 AM mDNSResponder: mDNSResponder mDNSResponder-320.16 (Mar 17 2012 21:31:16) starting OSXVers 11  
4/2/13 9:01:45.670 AM com.apple.usbmuxd: usbmuxd-296.3 on Jul 25 2012 at 00:28:37, running 64 bit  
4/2/13 9:01:45.809 AM com.apple.launchd: (com.crashplan.engine[57]) Tried to setup shared memory more than once  
4/2/13 9:01:45.859 AM rpcbind: Could not join RPC bind multicast address  
4/2/13 9:01:47.000 AM kernel: NVDANV50HAL loaded and registered.  
4/2/13 9:01:47.000 AM kernel: AGC: 3.0.16, HW version=1.7.10, flags:0, features:4  
4/2/13 9:01:47.000 AM kernel: Previous Shutdown Cause: -1

4/2/13 9:01:47.000 AM kernel: SMC::smcInitHelper ERROR: MMIO regMap == NULL - fall back to old SMC mode  
4/2/13 9:01:47.000 AM kernel: NVDANV50HAL loaded and registered.  
4/2/13 9:01:47.000 AM kernel: SMC::smcReadKeyAction ERROR: smcReadData8 failed for key MOTP (kSMCKeyNotFound)  
4/2/13 9:01:47.000 AM kernel: DSMOS has arrived  
4/2/13 9:01:47.000 AM kernel: SMC::smcReadKeyAction ERROR: smcReadData8 failed for key BEMB (kSMCKeyNotFound)  
4/2/13 9:01:49.217 AM sandboxd: ([75]) rpcbind(75) deny job-creation  
4/2/13 9:01:50.186 AM mds: (Normal) FMW: FMW 0 0  
4/2/13 9:01:50.855 AM com.apple.SecurityServer: Session 100000 created  
4/2/13 9:01:51.052 AM com.apple.locationd: ERROR,Time,386600511.052,Function,"void CLDaemonCore::startRun()",locationd was started after an unclean shutdown  
4/2/13 9:01:51.052 AM com.apple.locationd: STACK,Time,386600511.052,1 locationd 0x00000000104ea4254 locationd + 176724  
4/2/13 9:01:51.052 AM com.apple.locationd: STACK,Time,386600511.052,2 locationd 0x00000000104ea51c6 locationd + 180678  
4/2/13 9:01:51.052 AM com.apple.locationd: STACK,Time,386600511.052,3 locationd 0x00000000104ed632c locationd + 381740  
4/2/13 9:01:51.052 AM com.apple.locationd: STACK,Time,386600511.052,4 locationd 0x00000000104e7afd8 locationd + 8152  
4/2/13 9:01:51.052 AM com.apple.locationd: STACK,Time,386600511.052,5 ??? 0x0000000000000001 0x0 + 1  
4/2/13 9:01:52.154 AM airportd: \_processDLILEvent: en1 attached (down)  
4/2/13 9:01:53.000 AM kernel: in func createVirtualInterface ifRole = 1  
4/2/13 9:01:53.000 AM kernel: Created virtif 0xfffff8013eda600 p2p0  
4/2/13 9:01:54.263 AM UserEventAgent: CaptiveNetworkSupport:CaptiveSCRebuildCache:81 Failed to get service order  
4/2/13 9:01:54.263 AM UserEventAgent: CaptiveNetworkSupport:CaptiveSCRebuildCache:81 Failed to get service order  
4/2/13 9:01:54.275 AM UserEventAgent: CaptiveNetworkSupport:CaptivePublishState:1211 en1 - PreProbe  
4/2/13 9:01:55.000 AM kernel: 00000000 00000020 NVEthernet::setLinkStatus - not Active  
4/2/13 9:01:55.000 AM kernel: AirPort: Link Down on en1. Reason 1 (Unspecified).  
4/2/13 9:01:55.198 AM configd: network configuration changed.  
4/2/13 9:01:55.200 AM configd: setting hostname to "Macintosh-4.local"  
4/2/13 9:01:56.234 AM com.apple.SystemStarter: debug.bpf\_bufsize: 4096 -> 524288  
4/2/13 9:01:56.226 AM sudo: root : TTY=unknown ; PWD=/ ; USER=root ; COMMAND=/usr/sbin/sysctl -w debug.bpf\_bufsize=524288  
4/2/13 9:02:00.047 AM com.apple.SecurityServer: Entering service  
4/2/13 9:02:00.128 AM UserEventAgent: ServermgrdRegistration cannot load config data  
4/2/13 9:02:00.142 AM UserEventAgent: get\_backup\_share\_points no AFP  
4/2/13 9:02:07.966 AM mDNSResponder: D2D\_IPC: Loaded  
4/2/13 9:02:07.966 AM mDNSResponder: D2DInitialize succeeded  
4/2/13 9:02:07.971 AM configd: network configuration changed.  
4/2/13 9:02:07.975 AM configd: network configuration changed.  
4/2/13 9:02:07.985 AM rpc.lockd: can't contact statd, 100024 RPC: Unknown host  
4/2/13 9:02:08.038 AM loginwindow: Login Window Application Started  
4/2/13 9:02:08.115 AM systemkeychain: done file: /var/run/systemkeychaincheck.done  
4/2/13 9:02:08.000 AM kernel: MacAuthEvent en1 Auth result for: 7c:03:d8:2a:d8:4d MAC

AUTH succeeded  
4/2/13 9:02:08.000 AM kernel: wEvent: en1 en1 Link UP virtIf = 0  
4/2/13 9:02:08.000 AM kernel: AirPort: Link Up on en1  
4/2/13 9:02:08.000 AM kernel: en1: BSSID changed to 7c:03:d8:2a:d8:4d  
4/2/13 9:02:09.000 AM kernel: AirPort: RSN handshake complete on en1  
4/2/13 9:02:09.087 AM rpc.lockd: can't contact statd, 100024 RPC: Unknown host  
4/2/13 9:02:10.012 AM netbiosd: Unable to start NetBIOS name service:  
4/2/13 9:02:11.190 AM rpc.lockd: can't contact statd, 100024 RPC: Unknown host  
4/2/13 9:02:14.293 AM rpc.lockd: can't contact statd, 100024 RPC: Unknown host  
4/2/13 9:02:15.040 AM rpcsvchost: sandbox\_init: [com.apple.msrpc.netlogon.sb](http://com.apple.msrpc.netlogon.sb) succeeded  
4/2/13 9:02:15.000 AM kernel: AppleLMUController found an AG vendor product (0x9cac),  
notifying SMC.  
4/2/13 9:02:15.812 AM configd: network configuration changed.  
4/2/13 9:02:15.851 AM UserEventAgent: CaptiveNetworkSupport:CaptivePublishState:1211  
en1 - Probe  
4/2/13 9:02:15.851 AM UserEventAgent:  
CaptiveNetworkSupport:CNSPreferencesBuildSSIDLookup:278 ssidLookup:  
4/2/13 9:02:15.851 AM UserEventAgent: <empty>  
4/2/13 9:02:15.855 AM UserEventAgent: CaptiveNetworkSupport:CaptiveStartDetect:2343  
Bypassing probe on WIN\_d84e because it is protected and not on the exception list  
4/2/13 9:02:15.857 AM UserEventAgent: CaptiveNetworkSupport:CaptivePublishState:1211  
en1 - Unknown  
4/2/13 9:02:15.858 AM configd: network configuration changed.  
4/2/13 9:02:18.467 AM rpc.lockd: can't contact statd, 100024 RPC: Unknown host  
4/2/13 9:02:23.569 AM rpc.lockd: can't contact statd, 100024 RPC: Unknown host  
4/2/13 9:02:29.744 AM rpc.lockd: can't contact statd, 100024 RPC: Unknown host  
4/2/13 9:02:31.476 AM loginwindow: \*\*DMPROXY\*\* Found `/System/Library/CoreServices/  
DMPProxy'.  
4/2/13 9:02:31.540 AM com.apple.launchctl.LoginWindow: com.apple.findmymacmessenger:  
Already loaded  
4/2/13 9:02:31.919 AM com.apple.SecurityServer: Session 100006 created  
4/2/13 9:02:31.920 AM loginwindow: Login Window Started Security Agent  
4/2/13 9:02:32.025 AM airportd: \_doAutoJoin: Already associated to "WIN\_d84e". Bailing on  
auto-join.  
4/2/13 9:02:32.073 AM SecurityAgent: Echo enabled  
4/2/13 9:02:32.073 AM SecurityAgent: Echo enabled  
4/2/13 9:02:32.580 AM SecurityAgent: User info context values set for oxband  
4/2/13 9:02:32.580 AM SecurityAgent: User info context values set for oxband  
4/2/13 9:02:33.586 AM WindowServer: kCGErrorFailure: Set a breakpoint @  
CGErrorBreakpoint() to catch errors as they are logged.  
4/2/13 9:02:33.589 AM loginwindow: Login Window - Returned from Security Agent  
4/2/13 9:02:33.656 AM loginwindow: USER\_PROCESS: 41 console  
4/2/13 9:02:34.186 AM com.apple.launchd.peruser.501: (com.divx.agent.postinstall)  
Unknown key: LimitToSessionType  
4/2/13 9:02:34.192 AM com.apple.launchd.peruser.501: (com.apple.ReportCrash) Falling  
back to default Mach exception handler. Could not find: com.apple.ReportCrash.Self  
4/2/13 9:02:34.195 AM com.apple.launchctl.Aqua: load: option requires an argument -- D  
4/2/13 9:02:34.195 AM com.apple.launchctl.Aqua: usage: launchctl load [-wF] [-D <user|  
local|network|system|all>] paths...  
4/2/13 9:02:34.488 AM com.apple.loginwindow: 2013-04-02 09:02:34.482 mdmclient[154:903]

Pre-login MDM check is disabled  
4/2/13 9:02:34.882 AM UserEventAgent:  
CaptiveNetworkSupport:CNSServerRegisterUserAgent:187 new user agent port: 26387  
4/2/13 9:02:34.895 AM mds: (Warning) Server: No stores registered for metascope  
"kMDQueryScopeComputerIndexed"  
4/2/13 9:02:34.898 AM com.apple.launchd.peruser.501: (com.apple.launchctl.Aqua[146])  
Exited with code: 1  
4/2/13 9:02:35.938 AM loginwindow: ISGetIconFamilyFromStorage: seed mismatch for  
200d0001, actual seed is 2443a858  
4/2/13 9:02:35.938 AM loginwindow: ISGetIconFamilyFromStorage: seed mismatch for  
2a310003, actual seed is 2d1d5ae9  
4/2/13 9:02:35.938 AM loginwindow: ISGetIconFamilyFromStorage: seed mismatch for  
200d0001, actual seed is 2443a858  
4/2/13 9:02:35.938 AM loginwindow: ISGetIconFamilyFromStorage: seed mismatch for  
2a310003, actual seed is 2d1d5ae9  
4/2/13 9:02:35.938 AM loginwindow: ISGetIconFamilyFromStorage: seed mismatch for  
200d0001, actual seed is 2443a858  
4/2/13 9:02:35.938 AM loginwindow: ISGetIconFamilyFromStorage: seed mismatch for  
2a310003, actual seed is 2d1d5ae9  
4/2/13 9:02:37.029 AM rpc.lockd: can't contact statd, 100024 RPC: Unknown host  
4/2/13 9:02:37.264 AM [0x0-0x6006].org.videolan.vlc: [0x10020a440] main libvlc: Running  
vlc with the default interface. Use 'cvlc' to use vlc without interface.  
4/2/13 9:02:37.826 AM com.apple.dock.extra: Could not connect the action buttonPressed:  
to target of class NSApplication  
4/2/13 9:02:37.826 AM com.apple.dock.extra: Could not connect the action buttonPressed:  
to target of class NSApplication  
4/2/13 9:02:37.827 AM com.apple.dock.extra: Could not connect the action buttonPressed:  
to target of class NSApplication  
4/2/13 9:02:37.827 AM com.apple.dock.extra: Could not connect the action buttonPressed:  
to target of class NSApplication  
4/2/13 9:02:37.828 AM com.apple.dock.extra: 2013-04-02 09:02:37.820  
com.apple.dock.extra[176:1707] Could not connect the action buttonPressed: to target of  
class NSApplication  
4/2/13 9:02:37.828 AM com.apple.dock.extra: 2013-04-02 09:02:37.826  
com.apple.dock.extra[176:1707] Could not connect the action buttonPressed: to target of  
class NSApplication  
4/2/13 9:02:37.828 AM com.apple.dock.extra: 2013-04-02 09:02:37.826  
com.apple.dock.extra[176:1707] Could not connect the action buttonPressed: to target of  
class NSApplication  
4/2/13 9:02:37.828 AM com.apple.dock.extra: 2013-04-02 09:02:37.826  
com.apple.dock.extra[176:1707] Could not connect the action buttonPressed: to target of  
class NSApplication  
4/2/13 9:02:41.000 AM kernel: CODE SIGNING: cs\_invalid\_page(0x1000): p=185[ksadmin]  
clearing CS\_VALID  
4/2/13 9:02:43.768 AM mds: (Warning) Server: No stores registered for metascope  
"kMDQueryScopeComputer"  
4/2/13 9:02:44.114 AM [0x0-0xb00b].com.backup42.desktop: [JavaAppLauncher] Requested  
[1.5\*], launching in [1.6] instead.  
4/2/13 9:02:45.217 AM rpc.lockd: can't contact statd, 100024 RPC: Unknown host  
4/2/13 9:02:46.874 AM [0x0-0xb00b].com.backup42.desktop: [04.02.13 09:02:46.872 INFO

```

main          root          ] CPDesktopWrapper.main() called
4/2/13 9:02:46.946 AM [0x0-0xb00b].com.backup42.desktop: [04.02.13 09:02:46.946 INFO
main          root          ]
*****
4/2/13 9:02:46.946 AM [0x0-0xb00b].com.backup42.desktop: [04.02.13 09:02:46.946 INFO
main          root          ]
*****
4/2/13 9:02:46.958 AM [0x0-0xb00b].com.backup42.desktop: [04.02.13 09:02:46.958 INFO
main          root          ] Loading lib/swt.jar, exists=true
4/2/13 9:02:46.959 AM [0x0-0xb00b].com.backup42.desktop: [04.02.13 09:02:46.959 INFO
main          root          ] [file:/Applications/CrashPlan.app/Contents/
Resources/Java/lib/com.backup42.desktop.jar, file:/Applications/CrashPlan.app/Contents/
Resources/Java/skin/, file:/Applications/CrashPlan.app/Contents/Resources/Java/lang/, file:/
Applications/CrashPlan.app/Contents/Resources/Java/lib/swt.jar]
4/2/13 9:02:46.964 AM [0x0-0xb00b].com.backup42.desktop: [04.02.13 09:02:46.963 INFO
main          root          ] STARTED CrashPlanDesktop
4/2/13 9:02:46.967 AM [0x0-0xb00b].com.backup42.desktop: [04.02.13 09:02:46.965 INFO
main          root          ] CPVERSION = 3.5.2 - 1360908000352
(2013-02-15T06:00:00:352+0000)
4/2/13 9:02:46.971 AM [0x0-0xb00b].com.backup42.desktop: [04.02.13 09:02:46.970 INFO
main          root          ] ARGS = [ ]
4/2/13 9:02:46.974 AM [0x0-0xb00b].com.backup42.desktop: [04.02.13 09:02:46.973 INFO
main          root          ] LOCALE = English (United States)
4/2/13 9:02:47.016 AM Finder: kCGErrorIllegalArgument: _CGSFindSharedWindow: WID 33
4/2/13 9:02:47.016 AM Finder: kCGErrorFailure: Set a breakpoint @ CGErrorBreakpoint() to
catch errors as they are logged.
4/2/13 9:02:47.016 AM Finder: kCGErrorIllegalArgument: CGSRemoveSurface: Invalid
window 0x21
4/2/13 9:02:47.083 AM [0x0-0xb00b].com.backup42.desktop: [04.02.13 09:02:47.082 INFO
main          com.backup42.desktop.model.ConfigModel ] ConfigModel.loaded=false
4/2/13 9:02:47.083 AM [0x0-0xb00b].com.backup42.desktop: [04.02.13 09:02:47.082 INFO
main          com.backup42.desktop.model.ConfigModel ]
ConfigModel.configDateMs=null
4/2/13 9:02:49.902 AM [0x0-0xb00b].com.backup42.desktop: [04.02.13 09:02:49.901 INFO
main          root          ] CpdFolders: appData = /Users/oxband/
Library/Application Support/CrashPlan/
4/2/13 9:02:49.912 AM [0x0-0xb00b].com.backup42.desktop: [04.02.13 09:02:49.901 INFO
main          root          ] CpdFoldersMigrate is not necessary. /Users/
oxband/Library/Application Support/CrashPlan/my.ui.properties file does not exists.
4/2/13 9:02:50.193 AM [0x0-0xb00b].com.backup42.desktop: [04.02.13 09:02:50.192 INFO
main          root          ] Log file: /Users/oxband/Library/Logs/
CrashPlan/ui.log
4/2/13 9:02:50.198 AM [0x0-0xb00b].com.backup42.desktop: log4j:WARN No appenders
could be found for logger (com.backup42.desktop.CPDesktop).
4/2/13 9:02:50.198 AM [0x0-0xb00b].com.backup42.desktop: log4j:WARN Please initialize
the log4j system properly.
4/2/13 9:02:50.198 AM [0x0-0xb00b].com.backup42.desktop: log4j:WARN See http://
logging.apache.org/log4j/1.2/faq.html#noconfig

```

for more info.

4/2/13 9:02:50.207 AM [0x0-0xb00b].com.backup42.desktop: jtux Loaded.  
4/2/13 9:02:51.000 AM kernel: CODE SIGNING: cs\_invalid\_page(0x1000): p=205[ksadmin]  
clearing CS\_VALID  
4/2/13 9:02:54.134 AM com.apple.launchd:  
(com.apple.coreservices.appleid.authentication[133]) Exit timeout elapsed (20 seconds).  
Killing  
4/2/13 9:02:54.318 AM rpc.lockd: can't contact statd, 100024 RPC: Unknown host  
4/2/13 9:02:55.019 AM talagent: CGSConnectionRelinquishWindowRights(cid,  
newWindowNumber, reservedRights): CGError 1001 on line 619  
4/2/13 9:02:55.480 AM [0x0-0x7007].com.google.Chrome:  
[158:42755:0402/090255:ERROR:backend\_impl.cc(1174)] Critical error found -8  
4/2/13 9:03:04.421 AM rpc.lockd: can't contact statd, 100024 RPC: Unknown host  
4/2/13 9:03:15.523 AM rpc.lockd: can't contact statd, 100024 RPC: Unknown host  
4/2/13 9:03:27.625 AM rpc.lockd: can't contact statd, 100024 RPC: Unknown host  
4/2/13 9:03:35.000 AM kernel: CODE SIGNING: cs\_invalid\_page(0x1000):  
p=234[GoogleSoftwareUp] clearing CS\_VALID  
4/2/13 9:03:36.822 AM com.apple.launchd.peruser.501:  
(com.facebook.videochat.oxband.updater[239]) Tried to setup shared memory more than  
once  
4/2/13 9:03:38.510 AM PopClip: [INFO] PopAppDelegate: PopClip Initializing.  
4/2/13 9:03:38.553 AM Alarm Clock: Initializing Prefs...  
4/2/13 9:03:38.554 AM Alarm Clock: Initializing AlarmScheduler...  
4/2/13 9:03:38.558 AM Alarm Clock: Initializing WindowManager...  
4/2/13 9:03:38.560 AM Alarm Clock: Initializing AlarmTasks...  
4/2/13 9:03:38.563 AM Alarm Clock: Registering for system power notifications...  
4/2/13 9:03:38.633 AM com.apple.launchd.peruser.501: (com.apple.mrt.uiagent[225]) Exited  
with code: 255  
4/2/13 9:03:38.696 AM Alarm Clock: Ready  
4/2/13 9:03:39.629 AM RSIGuard: NSDocumentController Info.plist warning: The values of  
CFBundleDocumentTypes entries must be arrays.  
4/2/13 9:03:40.727 AM rpc.lockd: can't contact statd, 100024 RPC: Unknown host  
4/2/13 9:03:43.202 AM com.apple.SecurityServer: Session 100008 created  
4/2/13 9:03:49.763 AM PopClip: Could not find image named 'BuyLabel'.  
4/2/13 9:03:49.766 AM PopClip: Could not find image named 'BlueTick'.  
4/2/13 9:03:49.812 AM 1PasswordAgent: Starting 1PasswordAgent 3.8.17 #31272 built Feb  
15 2012 16:15:57  
4/2/13 9:03:49.836 AM 1PasswordAgent: Trying to load Localizable.strings [English] from the  
main bundle  
4/2/13 9:03:50.560 AM 1PasswordAgent: Cannot find English version, using English  
localization for Localizable.strings  
4/2/13 9:03:50.561 AM RSIGuard: CFURLCreateWithString was passed this invalid URL  
string: '/System/Library/CoreServices/CommonCocoaPanels.bundle' (a file system path  
instead of an URL string). The URL created will not work with most file URL functions.  
CFURLCreateWithFilePath or CFURLCreateWithFilePathRelativeToBase  
should be used instead.  
4/2/13 9:03:54.063 AM 1PasswordAgent: reloadAllObjects  
4/2/13 9:03:54.829 AM rpc.lockd: can't contact statd, 100024 RPC: Unknown host  
4/2/13 9:03:55.707 AM 1PasswordAgent: Database (AGHtmlDatabase:file:///localhost/Users/  
oxband/Dropbox/1Password.agilekeychain/) load time [Cache]: 1.643+0.000 (104 objects)  
4/2/13 9:04:00.899 AM CrashPlan menu bar: MasterControlProgram connection attempt



made.

4/2/13 9:04:01.629 AM CrashPlan menu bar: CPConnectionNew Stream error occurred: Error code: 61

Error description: The operation couldn't be completed. Connection refused

4/2/13 9:04:01.629 AM CrashPlan menu bar: MasterControlProgram \*\* WE ARE \_\_NOT\_\_ CONNECTED \*\*

4/2/13 9:04:03.551 AM com.apple.launchd.peruser.501: (com.apple.CSConfigDotMacCert-oxband@me.com-SharedServices[240]) Exited with code: 1

4/2/13 9:04:04.630 AM CrashPlan menu bar: MasterControlProgram connection attempt made.

4/2/13 9:04:05.376 AM CrashPlan menu bar: CPConnectionNew Stream error occurred: Error code: 61

Error description: The operation couldn't be completed. Connection refused

4/2/13 9:04:05.376 AM CrashPlan menu bar: MasterControlProgram \*\* WE ARE \_\_NOT\_\_ CONNECTED \*\*

4/2/13 9:04:08.383 AM CrashPlan menu bar: MasterControlProgram connection attempt made.

4/2/13 9:04:08.384 AM CrashPlan menu bar: CPConnectionNew Stream error occurred: Error code: 61

Error description: The operation couldn't be completed. Connection refused

4/2/13 9:04:08.385 AM CrashPlan menu bar: MasterControlProgram \*\* WE ARE \_\_NOT\_\_ CONNECTED \*\*

4/2/13 9:04:09.352 AM GrowlHelperApp: in createPropertyListFromURL in CFGrowlAdditions: could not open stream for reading from URL file:///localhost/var/folders/zz/zyxvpxvq6csfxvn\_n0000000000000/T/Carbon%20Copy%20Cloner-58-BB793BB5-A4F4-4D5B-AF3A-4A9DE77DF698.growlRegDict

4/2/13 9:04:09.931 AM rpc.lockd: can't contact statd, 100024 RPC: Unknown host

4/2/13 9:04:10.396 AM Microsoft AU Daemon: CFURLCreateWithString was passed this invalid URL string: '/mac/autoupdate/0409MosA12.cat' (a file system path instead of an URL string). The URL created will not work with most file URL functions.

CFURLCreateWithFilePath or CFURLCreateWithFilePathRelativeToBase should be used instead.

4/2/13 9:04:10.397 AM Microsoft AU Daemon: CFURLCreateWithBytes was passed these invalid URLBytes: '/mac/autoupdate/0409MosA12.cat' (a file system path instead of an URL string). The URL created will not work with most file URL functions.

CFURLCreateFromFileSystemRepresentation should be used instead.

4/2/13 9:04:10.578 AM Microsoft AU Daemon: CFURLCreateWithString was passed this invalid URL string: '/mac/autoupdate/0409MosA12.xml' (a file system path instead of an URL string). The URL created will not work with most file URL functions.

CFURLCreateWithFilePath or CFURLCreateWithFilePathRelativeToBase should be used instead.

4/2/13 9:04:10.578 AM Microsoft AU Daemon: CFURLCreateWithBytes was passed these invalid URLBytes: '/mac/autoupdate/0409MosA12.xml' (a file system path instead of an URL string). The URL created will not work with most file URL functions.

CFURLCreateFromFileSystemRepresentation should be used instead.

4/2/13 9:04:10.913 AM Microsoft AU Daemon: CFURLCreateWithString was passed this invalid URL string: '/mac/autoupdate/0409XCEL12.cat' (a file system path instead of an URL string). The URL created will not work with most file URL functions.

CFURLCreateWithFilePath or CFURLCreateWithFilePathRelativeToBase should be used instead.

4/2/13 9:04:10.913 AM Microsoft AU Daemon: CFURLCreateWithBytes was passed these invalid URLBytes: '/mac/autoupdate/0409XCEL12.cat' (a file system path instead of an URL string). The URL created will not work with most file URL functions.  
CFURLCreateFromFileSystemRepresentation should be used instead.

4/2/13 9:04:11.397 AM CrashPlan menu bar: MasterControlProgram connection attempt made.

4/2/13 9:04:11.398 AM CrashPlan menu bar: CPConnectionNew Stream error occurred: Error code: 61  
Error description: The operation couldn't be completed. Connection refused

4/2/13 9:04:11.398 AM CrashPlan menu bar: MasterControlProgram \*\* WE ARE \_\_NOT\_\_ CONNECTED \*\*

4/2/13 9:04:14.399 AM CrashPlan menu bar: MasterControlProgram connection attempt made.

4/2/13 9:04:14.399 AM CrashPlan menu bar: CPConnectionNew Stream error occurred: Error code: 61  
Error description: The operation couldn't be completed. Connection refused

4/2/13 9:04:14.400 AM CrashPlan menu bar: MasterControlProgram \*\* WE ARE \_\_NOT\_\_ CONNECTED \*\*

4/2/13 9:04:17.401 AM CrashPlan menu bar: MasterControlProgram connection attempt made.

4/2/13 9:04:17.402 AM CrashPlan menu bar: CPConnectionNew Stream error occurred: Error code: 61  
Error description: The operation couldn't be completed. Connection refused

4/2/13 9:04:17.402 AM CrashPlan menu bar: MasterControlProgram \*\* WE ARE \_\_NOT\_\_ CONNECTED \*\*

4/2/13 9:04:20.403 AM CrashPlan menu bar: MasterControlProgram connection attempt made.

4/2/13 9:04:20.404 AM CrashPlan menu bar: CPConnectionNew Stream error occurred: Error code: 61  
Error description: The operation couldn't be completed. Connection refused

4/2/13 9:04:20.404 AM CrashPlan menu bar: MasterControlProgram \*\* WE ARE \_\_NOT\_\_ CONNECTED \*\*

4/2/13 9:04:23.406 AM CrashPlan menu bar: MasterControlProgram connection attempt made.

4/2/13 9:04:23.406 AM CrashPlan menu bar: CPConnectionNew Stream error occurred: Error code: 61  
Error description: The operation couldn't be completed. Connection refused

4/2/13 9:04:23.406 AM CrashPlan menu bar: MasterControlProgram \*\* WE ARE \_\_NOT\_\_ CONNECTED \*\*

4/2/13 9:04:26.107 AM rpc.lockd: can't contact statd, 100024 RPC: Unknown host

4/2/13 9:04:26.408 AM CrashPlan menu bar: MasterControlProgram connection attempt made.

4/2/13 9:04:26.409 AM CrashPlan menu bar: CPConnectionNew Stream error occurred: Error code: 61  
Error description: The operation couldn't be completed. Connection refused

4/2/13 9:04:26.411 AM CrashPlan menu bar: MasterControlProgram \*\* WE ARE \_\_NOT\_\_ CONNECTED \*\*

4/2/13 9:04:29.412 AM CrashPlan menu bar: MasterControlProgram connection attempt made.

4/2/13 9:04:29.413 AM CrashPlan menu bar: CPConnectionNew Stream error occurred: Error

code: 61

Error description: The operation couldn't be completed. Connection refused

4/2/13 9:04:29.413 AM CrashPlan menu bar: MasterControlProgram \*\* WE ARE \_\_NOT\_\_ CONNECTED \*\*

4/2/13 9:04:32.415 AM CrashPlan menu bar: MasterControlProgram connection attempt made.

4/2/13 9:04:33.773 AM CrashPlan menu bar: MasterControlProgram \*\* WE ARE CONNECTED \*\*

4/2/13 9:04:36.869 AM CrashPlan menu bar: CPMessageHandler Asked to change 'isConnected' status for GUID 469100836157390849, but I couldn't find any computer with that GUID.

4/2/13 9:04:43.209 AM rpc.lockd: can't contact statd, 100024 RPC: Unknown host

4/2/13 9:05:01.312 AM rpc.lockd: can't contact statd, 100024 RPC: Unknown host

4/2/13 9:05:05.421 AM iTunes: The plugin 'Quartz Composer Visualizer' failed to load because it has the wrong CPU architecture for this version of iTunes. (3585)

4/2/13 9:05:20.415 AM rpc.lockd: can't contact statd, 100024 RPC: Unknown host

4/2/13 9:05:20.415 AM rpc.lockd: server init\_nsm failed! 100024 RPC: Unknown host

4/2/13 9:05:20.415 AM rpc.lockd: Lockd got unexpected signal 20

4/2/13 9:05:20.416 AM com.apple.launchd: (com.apple.lockd[64]) Exited with code: 1

4/2/13 9:05:20.538 AM rpc.lockd: can't contact statd, 100024 RPC: Unknown host

4/2/13 9:05:21.641 AM rpc.lockd: can't contact statd, 100024 RPC: Unknown host

4/2/13 9:05:23.742 AM rpc.lockd: can't contact statd, 100024 RPC: Unknown host

4/2/13 9:05:26.844 AM rpc.lockd: can't contact statd, 100024 RPC: Unknown host

4/2/13 9:05:30.947 AM rpc.lockd: can't contact statd, 100024 RPC: Unknown host

4/2/13 9:05:36.050 AM rpc.lockd: can't contact statd, 100024 RPC: Unknown host

4/2/13 9:05:42.153 AM rpc.lockd: can't contact statd, 100024 RPC: Unknown host

4/2/13 9:05:49.255 AM rpc.lockd: can't contact statd, 100024 RPC: Unknown host

4/2/13 9:05:57.356 AM rpc.lockd: can't contact statd, 100024 RPC: Unknown host

4/2/13 9:06:06.532 AM rpc.lockd: can't contact statd, 100024 RPC: Unknown host

4/2/13 9:06:16.484 AM applepushserviced: Certificate is expired

4/2/13 9:06:16.907 AM applepushserviced: Certificate is expired

4/2/13 9:06:16.916 AM rpc.lockd: can't contact statd, 100024 RPC: Unknown host

4/2/13 9:06:16.992 AM applepushserviced: Certificate is expired

4/2/13 9:06:17.308 AM com.apple.Finder: Dropbox: Entered INJECT\_pthread\_entry

4/2/13 9:06:17.308 AM com.apple.Finder: Dropbox: Installing event loop timer

4/2/13 9:06:17.308 AM com.apple.Finder: Dropbox: proc: 0x103d77e53

4/2/13 9:06:17.308 AM com.apple.Finder: Dropbox: upp: 0x103d77e53

4/2/13 9:06:17.308 AM com.apple.Finder: Dropbox: InstallEventLoopTimer: 0x7fff8bd8a23a

4/2/13 9:06:17.308 AM com.apple.Finder: Dropbox: GetMainEventLoop: 0x7fff8bd4b95d

4/2/13 9:06:17.309 AM com.apple.Finder: Dropbox: timer installed!

4/2/13 9:06:17.309 AM com.apple.Finder: Dropbox: Loading /Library/DropboxHelperTools/Dropbox\_u501/DropboxBundle.bundle/Contents/MacOS/DropboxBundle

4/2/13 9:06:17.310 AM com.apple.Finder: Dropbox: dlopen returned: 0x7fbfe33cc5a0

4/2/13 9:06:17.310 AM com.apple.Finder: module initializer in main thread?: 1

4/2/13 9:06:21.462 AM [0x0-0x3e03e].com.apple.iTunes: <ba884515 28d87212 aa16b81a 13411acb f4232462 f247c08e 436a83a6 4970b5fe>

4/2/13 9:06:28.018 AM rpc.lockd: can't contact statd, 100024 RPC: Unknown host

4/2/13 9:06:40.120 AM rpc.lockd: can't contact statd, 100024 RPC: Unknown host

4/2/13 9:06:53.222 AM rpc.lockd: can't contact statd, 100024 RPC: Unknown host

4/2/13 9:06:58.745 AM helpd: Could not find access page in directory /Applications/

Switch.app/Contents/Resources/help  
4/2/13 9:06:58.753 AM helpd: Could not find access page in directory /Applications/  
Switch.app/Contents/Resources/help  
4/2/13 9:07:07.324 AM rpc.lockd: can't contact statd, 100024 RPC: Unknown host  
4/2/13 9:07:22.426 AM rpc.lockd: can't contact statd, 100024 RPC: Unknown host  
4/2/13 9:07:38.530 AM rpc.lockd: can't contact statd, 100024 RPC: Unknown host  
4/2/13 9:07:42.375 AM com.apple.launchd.peruser.501: (com.apple.helpd[229]) Job appears  
to have crashed: Segmentation fault: 11  
4/2/13 9:07:42.664 AM ReportCrash: Saved crash report for helpd[229] version 1.1.2 (72.2)  
to /Users/oxband/Library/Logs/DiagnosticReports/  
helpd\_2013-04-02-090742\_Macintosh-4.crash  
4/2/13 9:07:55.633 AM rpc.lockd: can't contact statd, 100024 RPC: Unknown host  
4/2/13 9:07:56.869 AM com.apple.SecurityServer: Session 100007 created  
4/2/13 9:08:09.783 AM mdworker32: kCGErrorFailure: Set a breakpoint @  
CGErrorBreakpoint() to catch errors as they are logged.  
4/2/13 9:08:12.067 AM com.apple.mdworker.isolation.0: Incorrect start/end range ordering;  
fixing.  
4/2/13 9:08:13.735 AM rpc.lockd: can't contact statd, 100024 RPC: Unknown host  
4/2/13 9:08:32.838 AM rpc.lockd: can't contact statd, 100024 RPC: Unknown host  
4/2/13 9:08:32.838 AM rpc.lockd: server init\_nsm failed! 100024 RPC: Unknown host  
4/2/13 9:08:32.839 AM rpc.lockd: Lockd got unexpected signal 20  
4/2/13 9:08:32.839 AM com.apple.launchd: (com.apple.lockd[296]) Exited with code: 1  
4/2/13 9:08:32.953 AM Google Chrome: Cannot find function pointer CMPluginInFactory for  
factory 3487BB5A-3E66-11D5-A64E-003065B300BC in CFBundle/CFPlugIn 0x6d2ab430 </  
Users/oxband/Library/Contextual Menu Items/Google Notifier Quick Add CM Plugin.plugin>  
(not loaded)  
4/2/13 9:08:32.987 AM rpc.lockd: can't contact statd, 100024 RPC: Unknown host  
4/2/13 9:08:34.089 AM rpc.lockd: can't contact statd, 100024 RPC: Unknown host  
4/2/13 9:08:35.997 AM com.apple.mdworker.isolation.0: Incorrect start/end range ordering;  
fixing.  
4/2/13 9:08:35.997 AM com.apple.mdworker.isolation.0: Incorrect start/end range ordering;  
fixing.  
4/2/13 9:08:36.098 AM com.apple.mdworker.isolation.0: syntax error, unexpected  
BEGINCODESPACERANGE.  
4/2/13 9:08:36.098 AM com.apple.mdworker.isolation.0: failed to parse embedded CMap.  
4/2/13 9:08:36.140 AM com.apple.mdworker.isolation.0: syntax error, unexpected  
BEGINCODESPACERANGE.  
4/2/13 9:08:36.141 AM com.apple.mdworker.isolation.0: failed to parse embedded CMap.  
4/2/13 9:08:36.141 AM com.apple.mdworker.isolation.0: syntax error, unexpected  
BEGINCODESPACERANGE.  
4/2/13 9:08:36.141 AM com.apple.mdworker.isolation.0: failed to parse embedded CMap.  
4/2/13 9:08:36.192 AM rpc.lockd: can't contact statd, 100024 RPC: Unknown host  
4/2/13 9:08:37.127 AM com.apple.mdworker.isolation.0: Incorrect start/end range ordering;  
fixing.  
4/2/13 9:08:37.128 AM com.apple.mdworker.isolation.0: Incorrect start/end range ordering;  
fixing.  
4/2/13 9:08:37.218 AM com.apple.mdworker.isolation.0: syntax error, unexpected  
BEGINCODESPACERANGE.  
4/2/13 9:08:37.218 AM com.apple.mdworker.isolation.0: failed to parse embedded CMap.  
4/2/13 9:08:37.219 AM com.apple.mdworker.isolation.0: syntax error, unexpected

BEGINCODESPACERANGE.

4/2/13 9:08:37.219 AM com.apple.mdworker.isolation.0: failed to parse embedded CMap.

4/2/13 9:08:37.219 AM com.apple.mdworker.isolation.0: syntax error, unexpected

BEGINCODESPACERANGE.

4/2/13 9:08:37.219 AM com.apple.mdworker.isolation.0: failed to parse embedded CMap.

4/2/13 9:08:39.293 AM rpc.lockd: can't contact statd, 100024 RPC: Unknown host

4/2/13 9:08:39.293 AM rpc.lockd: can't contact statd, 100024 RPC: Unknown host

4/2/13 9:34:37.000 AM bootlog: BOOT\_TIME 1364909677 0

4/2/13 9:35:04.000 AM kernel: Darwin Kernel Version 11.4.0: Mon Apr 9 19:32:15 PDT 2012;  
root:xnu-1699.26.8~1/RELEASE\_X86\_64

4/2/13 9:35:04.000 AM kernel: vm\_page\_bootstrap: 1964100 free pages and 51132 wired pages

4/2/13 9:35:04.000 AM kernel: kext submap [0xfffff7f80732000 - 0xfffff8000000000], kernel text  
[0xfffff8000200000 - 0xfffff8000732000]

4/2/13 9:35:04.000 AM kernel: zone leak detection enabled

4/2/13 9:35:04.000 AM kernel: standard timeslicing quantum is 10000 us

4/2/13 9:35:04.000 AM kernel: mig\_table\_max\_displ = 73

4/2/13 9:35:04.000 AM kernel: AppleACPICPU: ProcessorId=0 LocalApicId=0 Enabled

4/2/13 9:35:04.000 AM kernel: AppleACPICPU: ProcessorId=1 LocalApicId=1 Enabled

4/2/13 9:35:04.000 AM kernel: calling mpo\_policy\_init for TMSafetyNet

4/2/13 9:35:04.000 AM kernel: Security policy loaded: Safety net for Time Machine (TMSafetyNet)

4/2/13 9:35:04.000 AM kernel: calling mpo\_policy\_init for Sandbox

4/2/13 9:35:04.000 AM kernel: Security policy loaded: Seatbelt sandbox policy (Sandbox)

4/2/13 9:35:04.000 AM kernel: calling mpo\_policy\_init for Quarantine

4/2/13 9:35:04.000 AM kernel: Security policy loaded: Quarantine policy (Quarantine)

4/2/13 9:35:04.000 AM kernel: Copyright (c) 1982, 1986, 1989, 1991, 1993

4/2/13 9:35:04.000 AM kernel: The Regents of the University of California. All rights reserved.

4/2/13 9:35:04.000 AM kernel: MAC Framework successfully initialized

4/2/13 9:35:04.000 AM kernel: using 16384 buffer headers and 10240 cluster IO buffer headers

4/2/13 9:35:04.000 AM kernel: IOAPIC: Version 0x11 Vectors 64:87

4/2/13 9:35:04.000 AM kernel: ACPI: System State [S0 S3 S4 S5]

4/2/13 9:35:04.000 AM kernel: PFM64 (36 cpu) 0xf10000000, 0xf00000000

4/2/13 9:35:04.000 AM kernel: [ PCI configuration begin ]

4/2/13 9:35:04.000 AM kernel: console relocated to 0xf20010000

4/2/13 9:35:04.000 AM kernel: PCI configuration changed (bridge=6 device=3 cardbus=0)

4/2/13 9:35:04.000 AM kernel: [ PCI configuration end, bridges 7 devices 19 ]

4/2/13 9:35:04.000 AM kernel: AppleIntelCPUPowerManagement: (built 19:39:51 Apr 9 2012)  
initialization complete

4/2/13 9:35:04.000 AM kernel: mbinit: done [64 MB total pool size, (42/21) split]

4/2/13 9:35:04.000 AM kernel: Pthread support ABORTS when sync kernel primitives misused

4/2/13 9:35:04.000 AM kernel: com.apple.AppleFSCompressionTypeZlib kmod start

4/2/13 9:35:04.000 AM kernel: com.apple.AppleFSCompressionTypeDataless kmod start

4/2/13 9:35:03.660 AM fseventsd: event logs in /.fseventsd out of sync with volume. destroying old  
logs. (434 25 2007)

4/2/13 9:35:04.000 AM kernel: com.apple.AppleFSCompressionTypeZlib load succeeded

4/2/13 9:35:03.661 AM fseventsd: log dir: /.fseventsd getting new uuid: 031811C4-  
C054-42E7-9B97-2CCB17CA4C32

4/2/13 9:35:04.000 AM kernel: com.apple.AppleFSCompressionTypeDataless load succeeded

4/2/13 9:35:04.000 AM kernel: AppleIntelCPUPowerManagementClient: ready

4/2/13 9:35:04.000 AM kernel: BTCEXIST off

4/2/13 9:35:04.000 AM kernel: wl0: Broadcom BCM432b 802.11 Wireless Controller

4/2/13 9:35:04.000 AM kernel: 5.106.198.4

4/2/13 9:35:04.000 AM kernel: FireWire (OHCI) Lucent ID 5901 built-in now active, GUID

00254bfffed7a0e0; max speed s800.  
4/2/13 9:35:04.000 AM kernel: [IOBluetoothHCIController::setConfigState] calling registerService  
4/2/13 9:35:04.000 AM kernel: rooting via boot-uuid from /chosen: F5ACEB33-56ED-399E-9BF3-D423F8A57A3C  
4/2/13 9:35:04.000 AM kernel: Waiting on <dict ID="0"><key>IOProviderClass</key><string ID="1">IOResources</string><key>IOResourceMatch</key><string ID="2">boot-uuid-media</string></dict>  
4/2/13 9:35:04.000 AM kernel: Got boot device = IOService:/AppleACPIPlatformExpert/PCI0@0/AppleACPIPCI/SATA@B/AppleMCP79AHCI/PRT0@0/IOAHCIDevice@0/AppleAHCIDiskDriver/IOAHCIBlockStorageDevice/IOBlockStorageDriver/Hitachi HTS545050B9SA02 Media/IOGUIDPartitionScheme/Customer@2  
4/2/13 9:35:04.000 AM kernel: BSD root: disk0s2, major 14, minor 2  
4/2/13 9:35:04.000 AM kernel: jnl: unknown-dev: replay\_journal: from: 17149440 to: 26198016 (joffset 0x75d9e000)  
4/2/13 9:35:04.000 AM kernel: jnl: unknown-dev: examining extra transactions starting @ 26198016 / 0x18fc000  
4/2/13 9:35:04.000 AM kernel: jnl: unknown-dev: Extra txn replay stopped @ 27116032 / 0x19dc200  
4/2/13 9:35:04.000 AM kernel: jnl: unknown-dev: journal replay done.  
4/2/13 9:35:04.000 AM kernel: Kernel is LP64  
4/2/13 9:35:04.000 AM kernel: hfs: Removed 34 orphaned / unlinked files and 34 directories  
4/2/13 9:34:46.179 AM com.apple.launchd: \*\*\* launchd[1] has started up. \*\*\*  
4/2/13 9:35:03.557 AM com.apple.launchd: (com.bombich.ccc.scheduledtask.E1F9ECAE-4E15-4B3B-8A7D-D5331FC1096F) Unknown key for dictionary: cccTaskDict  
4/2/13 9:35:03.562 AM com.apple.launchd: (com.apple.powerd) Unknown value for key POSIXSpawnType: Interactive  
4/2/13 9:35:03.563 AM com.apple.launchd: (com.apple.sandboxd) Unknown value for key POSIXSpawnType: Interactive  
4/2/13 9:35:05.000 AM kernel: NVEthernet: Ethernet address 00:25:4b:d7:a0:e0  
4/2/13 9:35:05.000 AM kernel: AirPort\_Brcm4331: Ethernet address 00:26:08:e6:46:0d  
4/2/13 9:35:05.000 AM kernel: IO80211Controller::dataLinkLayerAttachComplete(): adding AppleEFINVRAM notification  
4/2/13 9:35:05.000 AM kernel: IO80211Interface::efiNVRAMPublished():  
4/2/13 9:35:08.654 AM com.apple.pfctl: No ALTQ support in kernel  
4/2/13 9:35:08.654 AM com.apple.pfctl: ALTQ related functions disabled  
4/2/13 9:35:08.654 AM com.apple.ucupdate.plist: ucupdate: Checked 1 update, no match found.  
4/2/13 9:35:11.956 AM com.freemacsoft.appcleanerd: Appcleanerd started successfully.  
4/2/13 9:35:13.000 AM kernel: macx\_swapon SUCCESS  
4/2/13 9:35:13.000 AM kernel: Waiting for DSMOS...  
4/2/13 9:35:13.132 AM UserEventAgent: starting CaptiveNetworkSupport as SystemEventAgent built May 25 2011 12:27:35  
4/2/13 9:35:13.135 AM UserEventAgent: CaptiveNetworkSupport:CreateInterfaceWatchList:2788 WiFi Devices Found. :)  
4/2/13 9:35:13.136 AM UserEventAgent: CaptiveNetworkSupport:CaptivePublishState:1211 en1 - PreProbe  
4/2/13 9:35:13.136 AM UserEventAgent: CaptiveNetworkSupport:CaptiveSCRebuildCache:81 Failed to get service order  
4/2/13 9:35:13.137 AM UserEventAgent: CaptiveNetworkSupport:CaptiveSCRebuildCache:81 Failed to get service order  
4/2/13 9:35:13.137 AM UserEventAgent: CaptiveNetworkSupport:CaptivePublishState:1211 en1 - PreProbe  
4/2/13 9:35:13.137 AM UserEventAgent: CaptiveNetworkSupport:CaptiveSCRebuildCache:81 Failed to get service order  
4/2/13 9:35:13.138 AM UserEventAgent: CaptiveNetworkSupport:CaptiveSCRebuildCache:81

Failed to get service order  
4/2/13 9:35:13.617 AM rpcbind: Could not join RPC bind multicast address  
4/2/13 9:35:13.860 AM mDNSResponder: mDNSResponder mDNSResponder-320.16 (Mar 17 2012 21:31:16) starting OSXVers 11  
4/2/13 9:35:13.918 AM com.apple.usbmuxd: usbmuxd-296.3 on Jul 25 2012 at 00:28:37, running 64 bit  
4/2/13 9:35:14.263 AM com.apple.launchd: (com.crashplan.engine[57]) Tried to setup shared memory more than once  
4/2/13 9:35:14.290 AM sandboxd: ([67]) rpcbind(67) deny job-creation  
4/2/13 9:35:15.000 AM kernel: NVDANV50HAL loaded and registered.  
4/2/13 9:35:15.000 AM kernel: AGC: 3.0.16, HW version=1.7.10, flags:0, features:4  
4/2/13 9:35:15.000 AM kernel: Previous Shutdown Cause: -1  
4/2/13 9:35:15.000 AM kernel: SMC::smcInitHelper ERROR: MMIO regMap == NULL - fall back to old SMC mode  
4/2/13 9:35:16.000 AM kernel: NVDANV50HAL loaded and registered.  
4/2/13 9:35:23.727 AM stackshot: Timed out waiting for IOKit to finish matching.  
4/2/13 9:35:25.775 AM com.apple.SecurityServer: Session 100000 created  
4/2/13 9:35:26.000 AM kernel: SMC::smcReadKeyAction ERROR: smcReadData8 failed for key MOTP (kSMCKeyNotFound)  
4/2/13 9:35:26.000 AM kernel: DSMOS has arrived  
4/2/13 9:35:26.000 AM kernel: SMC::smcReadKeyAction ERROR: smcReadData8 failed for key BEMB (kSMCKeyNotFound)  
4/2/13 9:35:26.600 AM com.apple.locationd: ERROR,Time,386602526.600,Function,"void CLDaemonCore::startRun()",locationd was started after an unclean shutdown  
4/2/13 9:35:26.600 AM com.apple.locationd: STACK,Time,386602526.600,1 locationd 0x000000001042c4254 locationd + 176724  
4/2/13 9:35:26.600 AM com.apple.locationd: STACK,Time,386602526.600,2 locationd 0x000000001042c51c6 locationd + 180678  
4/2/13 9:35:26.600 AM com.apple.locationd: STACK,Time,386602526.600,3 locationd 0x000000001042f632c locationd + 381740  
4/2/13 9:35:26.600 AM com.apple.locationd: STACK,Time,386602526.600,4 locationd 0x0000000010429afd8 locationd + 8152  
4/2/13 9:35:26.600 AM com.apple.locationd: STACK,Time,386602526.600,5 ??? 0x0000000000000001 0x0 + 1  
4/2/13 9:35:27.252 AM mds: (Normal) FMW: FMW 0 0  
4/2/13 9:35:27.288 AM airportd: \_processDLILEvent: en1 attached (down)  
4/2/13 9:35:27.000 AM kernel: in func createVirtualInterface ifRole = 1  
4/2/13 9:35:27.000 AM kernel: Created virtif 0xfffff8013465400 p2p0  
4/2/13 9:35:27.324 AM UserEventAgent: CaptiveNetworkSupport:CaptiveSCRebuildCache:81 Failed to get service order  
4/2/13 9:35:27.324 AM UserEventAgent: CaptiveNetworkSupport:CaptiveSCRebuildCache:81 Failed to get service order  
4/2/13 9:35:27.337 AM UserEventAgent: CaptiveNetworkSupport:CaptivePublishState:1211 en1 - PreProbe  
4/2/13 9:35:28.257 AM configd: setting hostname to "Macintosh-4.local"  
4/2/13 9:35:28.000 AM kernel: 00000000 00000020 NVEthernet::setLinkStatus - not Active  
4/2/13 9:35:28.000 AM kernel: AirPort: Link Down on en1. Reason 1 (Unspecified).  
4/2/13 9:35:28.261 AM configd: network configuration changed.  
4/2/13 9:35:29.285 AM sudo: root : TTY=unknown ; PWD=/ ; USER=root ; COMMAND=/usr/sbin/sysctl -w debug.bpf\_bufsize=524288  
4/2/13 9:35:29.293 AM com.apple.SystemStarter: debug.bpf\_bufsize: 4096 -> 524288  
4/2/13 9:35:34.537 AM com.apple.SecurityServer: Entering service  
4/2/13 9:35:34.572 AM systemkeychain: done file: /var/run/systemkeychaincheck.done  
4/2/13 9:35:34.593 AM mDNSResponder: D2D\_IPC: Loaded

4/2/13 9:35:34.593 AM mDNSResponder: D2DInitialize succeeded  
4/2/13 9:35:34.597 AM configd: network configuration changed.  
4/2/13 9:35:34.599 AM configd: network configuration changed.  
4/2/13 9:35:34.623 AM rpc.lockd: can't contact statd, 100024 RPC: Unknown host  
4/2/13 9:35:34.690 AM UserEventAgent: ServermgrdRegistration cannot load config data  
4/2/13 9:35:34.697 AM UserEventAgent: get\_backup\_share\_points no AFP  
4/2/13 9:35:35.725 AM rpc.lockd: can't contact statd, 100024 RPC: Unknown host  
4/2/13 9:35:35.864 AM loginwindow: Login Window Application Started  
4/2/13 9:35:36.326 AM netbiosd: Unable to start NetBIOS name service:  
4/2/13 9:35:37.826 AM rpc.lockd: can't contact statd, 100024 RPC: Unknown host  
4/2/13 9:35:40.928 AM rpc.lockd: can't contact statd, 100024 RPC: Unknown host  
4/2/13 9:35:45.029 AM rpc.lockd: can't contact statd, 100024 RPC: Unknown host  
4/2/13 9:35:45.165 AM rpcsvchost: sandbox\_init: com.apple.msrpc.netlogon.sb succeeded  
4/2/13 9:35:50.130 AM rpc.lockd: can't contact statd, 100024 RPC: Unknown host  
4/2/13 9:35:56.232 AM rpc.lockd: can't contact statd, 100024 RPC: Unknown host  
4/2/13 9:36:01.000 AM kernel: MacAuthEvent en1 Auth result for: 7c:03:d8:2a:d8:4d MAC AUTH succeeded  
4/2/13 9:36:01.000 AM kernel: wlEvent: en1 en1 Link UP virtIf = 0  
4/2/13 9:36:01.000 AM kernel: AirPort: Link Up on en1  
4/2/13 9:36:01.000 AM kernel: en1: BSSID changed to 7c:03:d8:2a:d8:4d  
4/2/13 9:36:02.000 AM kernel: AirPort: RSN handshake complete on en1  
4/2/13 9:36:02.000 AM kernel: AppleLMUController found an AG vendor product (0x9cac), notifying SMC.  
4/2/13 9:36:03.335 AM rpc.lockd: can't contact statd, 100024 RPC: Unknown host  
4/2/13 9:36:08.048 AM configd: network configuration changed.  
4/2/13 9:36:08.085 AM UserEventAgent: CaptiveNetworkSupport:CaptivePublishState:1211 en1 - Probe  
4/2/13 9:36:08.086 AM UserEventAgent:  
CaptiveNetworkSupport:CNSPreferencesBuildSSIDLookup:278 ssidLookup:  
4/2/13 9:36:08.086 AM UserEventAgent: <empty>  
4/2/13 9:36:08.591 AM airportd: \_doAutoJoin: Already associated to "WIN\_d84e". Bailing on auto-join.  
4/2/13 9:36:11.150 AM UserEventAgent: CaptiveNetworkSupport:CaptiveStartDetect:2343  
Bypassing probe on WIN\_d84e because it is protected and not on the exception list  
4/2/13 9:36:11.152 AM UserEventAgent: CaptiveNetworkSupport:CaptivePublishState:1211 en1 - Unknown  
4/2/13 9:36:11.153 AM configd: network configuration changed.  
4/2/13 9:36:11.795 AM rpc.lockd: can't contact statd, 100024 RPC: Unknown host  
4/2/13 9:36:13.972 AM loginwindow: \*\*DMPROXY\*\* Found `/System/Library/CoreServices/DMPProxy'.  
4/2/13 9:36:14.085 AM com.apple.launchctl.LoginWindow: com.apple.findmymacmessenger: Already loaded  
4/2/13 9:36:14.270 AM com.apple.SecurityServer: Session 100006 created  
4/2/13 9:36:14.272 AM loginwindow: Login Window Started Security Agent  
4/2/13 9:36:14.339 AM airportd: \_doAutoJoin: Already associated to "WIN\_d84e". Bailing on auto-join.  
4/2/13 9:36:14.394 AM SecurityAgent: Echo enabled  
4/2/13 9:36:14.394 AM SecurityAgent: Echo enabled  
4/2/13 9:36:14.502 AM SecurityAgent: User info context values set for oxband  
4/2/13 9:36:14.502 AM SecurityAgent: User info context values set for oxband  
4/2/13 9:36:15.488 AM WindowServer: kCGErrorFailure: Set a breakpoint @ CGErrorBreakpoint() to catch errors as they are logged.  
4/2/13 9:36:15.491 AM loginwindow: Login Window - Returned from Security Agent  
4/2/13 9:36:15.549 AM loginwindow: USER\_PROCESS: 41 console



4/2/13 9:36:16.074 AM com.apple.launchd.peruser.501: (com.divx.agent.postinstall) Unknown key: LimitToSessionType  
4/2/13 9:36:16.075 AM com.apple.launchd.peruser.501: (com.apple.ReportCrash) Falling back to default Mach exception handler. Could not find: com.apple.ReportCrash.Self  
4/2/13 9:36:16.078 AM com.apple.launchctl.Aqua: load: option requires an argument -- D  
4/2/13 9:36:16.078 AM com.apple.launchctl.Aqua: usage: launchctl load [-wF] [-D <user|local|network|system|all>] paths...  
4/2/13 9:36:16.423 AM com.apple.loginwindow: 2013-04-02 09:36:16.420 mdmclient[154:903] Pre-login MDM check is disabled  
4/2/13 9:36:16.449 AM UserEventAgent: CaptiveNetworkSupport:CNSServerRegisterUserAgent: 187 new user agent port: 27415  
4/2/13 9:36:16.730 AM mds: (Warning) Server: No stores registered for metaspope "kMDQueryScopeComputerIndexed"  
4/2/13 9:36:16.737 AM com.apple.launchd.peruser.501: (com.apple.launchctl.Aqua[146]) Exited with code: 1  
4/2/13 9:36:17.111 AM loginwindow: ISGetIconFamilyFromStorage: seed mismatch for 27b70001, actual seed is 2d1d5ae9  
4/2/13 9:36:17.111 AM loginwindow: ISGetIconFamilyFromStorage: seed mismatch for 24580003, actual seed is 6763845e  
4/2/13 9:36:17.111 AM loginwindow: ISGetIconFamilyFromStorage: seed mismatch for 27b70001, actual seed is 2d1d5ae9  
4/2/13 9:36:17.111 AM loginwindow: ISGetIconFamilyFromStorage: seed mismatch for 27b70001, actual seed is 2d1d5ae9  
4/2/13 9:36:17.111 AM loginwindow: ISGetIconFamilyFromStorage: seed mismatch for 27b70001, actual seed is 2d1d5ae9  
4/2/13 9:36:17.111 AM loginwindow: ISGetIconFamilyFromStorage: seed mismatch for 27b70001, actual seed is 2d1d5ae9  
4/2/13 9:36:17.111 AM loginwindow: ISGetIconFamilyFromStorage: seed mismatch for 27b70001, actual seed is 2d1d5ae9  
4/2/13 9:36:17.111 AM loginwindow: ISGetIconFamilyFromStorage: seed mismatch for 27b70001, actual seed is 2d1d5ae9  
4/2/13 9:36:17.111 AM loginwindow: ISGetIconFamilyFromStorage: seed mismatch for 24580003, actual seed is 6763845e  
4/2/13 9:36:17.111 AM loginwindow: ISGetIconFamilyFromStorage: seed mismatch for 27b70001, actual seed is 2d1d5ae9  
4/2/13 9:36:17.111 AM loginwindow: ISGetIconFamilyFromStorage: seed mismatch for 27b70001, actual seed is 2d1d5ae9  
4/2/13 9:36:17.124 AM loginwindow: ISGetIconFamilyFromStorage: seed mismatch for 24580003, actual seed is 6763845e  
4/2/13 9:36:17.125 AM loginwindow: ISGetIconFamilyFromStorage: seed mismatch for 27b70001, actual seed is 2d1d5ae9  
4/2/13 9:36:18.000 AM kernel: CODE SIGNING: cs\_invalid\_page(0x1000): p=174[ksadmin] clearing CS\_VALID  
4/2/13 9:36:20.106 AM com.apple.dock.extra: Could not connect the action buttonPressed: to target of class NSApplication  
4/2/13 9:36:20.107 AM com.apple.dock.extra: 2013-04-02 09:36:20.094  
com.apple.dock.extra[179:1707] Could not connect the action buttonPressed: to target of class NSApplication  
4/2/13 9:36:20.108 AM com.apple.dock.extra: 2013-04-02 09:36:20.106  
com.apple.dock.extra[179:1707] Could not connect the action buttonPressed: to target of class NSApplication  
4/2/13 9:36:20.108 AM com.apple.dock.extra: 2013-04-02 09:36:20.107  
com.apple.dock.extra[179:1707] Could not connect the action buttonPressed: to target of class NSApplication  
4/2/13 9:36:20.108 AM com.apple.dock.extra: Could not connect the action buttonPressed: to target of class NSApplication

```

4/2/13 9:36:20.108 AM com.apple.dock.extra: Could not connect the action buttonPressed: to target
of class NSApplication
4/2/13 9:36:20.110 AM com.apple.dock.extra: Could not connect the action buttonPressed: to target
of class NSApplication
4/2/13 9:36:20.110 AM com.apple.dock.extra: 2013-04-02 09:36:20.108
com.apple.dock.extra[179:1707] Could not connect the action buttonPressed: to target of class
NSApplication
4/2/13 9:36:20.863 AM [0x0-0x9009].com.backup42.desktop: [JavaAppLauncher] Requested [1.5*],
launching in [1.6] instead.
4/2/13 9:36:21.027 AM rpc.lockd: can't contact statd, 100024 RPC: Unknown host
4/2/13 9:36:21.244 AM [0x0-0x9009].com.backup42.desktop: [04.02.13 09:36:21.243 INFO   main
root                                ] CPDesktopWrapper.main() called
4/2/13 9:36:21.304 AM [0x0-0x9009].com.backup42.desktop: [04.02.13 09:36:21.303 INFO   main
root                                ] *****
4/2/13 9:36:21.304 AM [0x0-0x9009].com.backup42.desktop: [04.02.13 09:36:21.303 INFO   main
root                                ] *****
4/2/13 9:36:21.313 AM [0x0-0x9009].com.backup42.desktop: [04.02.13 09:36:21.312 INFO   main
root                                ] Loading lib/swt.jar, exists=true
4/2/13 9:36:21.314 AM [0x0-0x9009].com.backup42.desktop: [04.02.13 09:36:21.313 INFO   main
root                                ] [file:/Applications/CrashPlan.app/Contents/Resources/Java/lib/
com.backup42.desktop.jar, file:/Applications/CrashPlan.app/Contents/Resources/Java/skin/, file:/
Applications/CrashPlan.app/Contents/Resources/Java/lang/, file:/Applications/CrashPlan.app/
Contents/Resources/Java/lib/swt.jar]
4/2/13 9:36:21.317 AM [0x0-0x9009].com.backup42.desktop: [04.02.13 09:36:21.316 INFO   main
root                                ] STARTED CrashPlanDesktop
4/2/13 9:36:21.319 AM [0x0-0x9009].com.backup42.desktop: [04.02.13 09:36:21.318 INFO   main
root                                ] CPVERSION = 3.5.2 - 13609080000352 (2013-02-15T06:00:00:352+0000)
4/2/13 9:36:21.319 AM [0x0-0x9009].com.backup42.desktop: [04.02.13 09:36:21.319 INFO   main
root                                ] ARGS = [ ]
4/2/13 9:36:21.322 AM [0x0-0x9009].com.backup42.desktop: [04.02.13 09:36:21.321 INFO   main
root                                ] LOCALE = English (United States)
4/2/13 9:36:21.424 AM [0x0-0x9009].com.backup42.desktop: [04.02.13 09:36:21.423 INFO   main
com.backup42.desktop.model.ConfigModel ] ConfigModel.loaded=false
4/2/13 9:36:21.424 AM [0x0-0x9009].com.backup42.desktop: [04.02.13 09:36:21.423 INFO   main
com.backup42.desktop.model.ConfigModel ] ConfigModel.configDateMs=null
4/2/13 9:36:22.000 AM kernel: CODE SIGNING: cs_invalid_page(0x1000): p=186[ksadmin] clearing
CS_VALID
4/2/13 9:36:22.134 AM [0x0-0x9009].com.backup42.desktop: [04.02.13 09:36:22.133 INFO   main
root                                ] CpdFolders: appData = /Users/oxband/Library/Application Support/
CrashPlan/
4/2/13 9:36:22.135 AM [0x0-0x9009].com.backup42.desktop: [04.02.13 09:36:22.134 INFO   main
root                                ] CpdFoldersMigrate is not necessary. /Users/oxband/Library/Application
Support/CrashPlan/my.ui.properties file does not exists.
4/2/13 9:36:22.136 AM [0x0-0x9009].com.backup42.desktop: [04.02.13 09:36:22.135 INFO   main
root                                ] Log file: /Users/oxband/Library/Logs/CrashPlan/ui.log
4/2/13 9:36:22.139 AM [0x0-0x9009].com.backup42.desktop: log4j:WARN No appenders could be
found for logger (com.backup42.desktop.CPDesktop).
4/2/13 9:36:22.140 AM [0x0-0x9009].com.backup42.desktop: log4j:WARN Please initialize the log4j
system properly.
4/2/13 9:36:22.140 AM [0x0-0x9009].com.backup42.desktop: log4j:WARN See http://
logging.apache.org/log4j/1.2/faq.html#noconfig for more info.
4/2/13 9:36:22.288 AM [0x0-0x9009].com.backup42.desktop: jtux Loaded.
4/2/13 9:36:25.068 AM mds: (Warning) Server: No stores registered for metascope
"kMDQueryScopeComputer"

```

4/2/13 9:36:27.133 AM Finder: kCGErrorIllegalArgument: \_CGSFindSharedWindow: WID 33  
4/2/13 9:36:27.133 AM Finder: kCGErrorFailure: Set a breakpoint @ CGErrorBreakpoint() to catch errors as they are logged.  
4/2/13 9:36:27.133 AM Finder: kCGErrorIllegalArgument: CGSRemoveSurface: Invalid window 0x21  
4/2/13 9:36:31.233 AM rpc.lockd: can't contact statd, 100024 RPC: Unknown host  
4/2/13 9:36:35.136 AM talagent: CGSConnectionRelinquishWindowRights(cid, newWindowNumber, reservedRights): CGError 1001 on line 619  
4/2/13 9:36:36.046 AM com.apple.launchd: (com.apple.coreservices.appleid.authentication[134]) Exit timeout elapsed (20 seconds). Killing  
4/2/13 9:36:42.335 AM rpc.lockd: can't contact statd, 100024 RPC: Unknown host  
4/2/13 9:36:31.233 AM rpc.lockd: can't contact statd, 100024 RPC: Unknown host  
4/2/13 9:36:35.136 AM talagent: CGSConnectionRelinquishWindowRights(cid, newWindowNumber, reservedRights): CGError 1001 on line 619  
4/2/13 9:36:36.046 AM com.apple.launchd: (com.apple.coreservices.appleid.authentication[134]) Exit timeout elapsed (20 seconds). Killing  
4/2/13 9:36:42.335 AM rpc.lockd: can't contact statd, 100024 RPC: Unknown host  
4/2/13 9:36:48.690 AM iTunes: The plugin 'Quartz Composer Visualizer' failed to load because it has the wrong CPU architecture for this version of iTunes. (3585)  
4/2/13 9:36:54.436 AM rpc.lockd: can't contact statd, 100024 RPC: Unknown host  
4/2/13 9:36:31.233 AM rpc.lockd: can't contact statd, 100024 RPC: Unknown host  
4/2/13 9:36:35.136 AM talagent: CGSConnectionRelinquishWindowRights(cid, newWindowNumber, reservedRights): CGError 1001 on line 619  
4/2/13 9:36:36.046 AM com.apple.launchd: (com.apple.coreservices.appleid.authentication[134]) Exit timeout elapsed (20 seconds). Killing  
4/2/13 9:36:42.335 AM rpc.lockd: can't contact statd, 100024 RPC: Unknown host  
4/2/13 9:36:48.690 AM iTunes: The plugin 'Quartz Composer Visualizer' failed to load because it has the wrong CPU architecture for this version of iTunes. (3585)  
4/2/13 9:36:54.436 AM rpc.lockd: can't contact statd, 100024 RPC: Unknown host  
4/2/13 9:36:48.690 AM iTunes: The plugin 'Quartz Composer Visualizer' failed to load because it has the wrong CPU architecture for this version of iTunes. (3585)  
4/2/13 9:36:54.436 AM rpc.lockd: can't contact statd, 100024 RPC: Unknown host  
4/2/13 9:37:07.539 AM rpc.lockd: can't contact statd, 100024 RPC: Unknown host