

Anonymous UUID: C2057C73-CA22-14A2-90DA-042E89541358

Wed Nov 29 13:51:54 2017

*** Panic Report ***

Panic(CPU 0): Unresponsive processor (this CPU did not acknowledge interrupts) TLB state:0x0

RAX: 0x0000000000000000, RBX: 0x0000000011560008, RCX:

0x0000000011560210, RDX: 0xfffffe8300000000

RSP: 0xfffff80eb371db0, RBP: 0xfffff80eb371dc0, RSI: 0x000000004336d7a5, RDI: 0x0000000011560008

R8: 0x0000000000000000, R9: 0x0000000000000000, R10: 0xfffff8020121d58, R11: 0x000000a39a785786

R12: 0x00000000ffff000, R13: 0xfffff80daab6050, R14: 0x000000a39a86daff, R15: 0x0000000011560210

RFL: 0x0000000000000046, RIP: 0xfffff8009fc5050, CS: 0x0000000000000008, SS: 0x0000000000000000

Backtrace (CPU 0), Frame : Return Address

0xfffff80eb371c60 : 0xfffff8009fce0af

0xfffff80eb371cb0 : 0xfffff8009fed06f

0xfffff80eb371dc0 : 0xfffff7f8b57c5d0

0xfffff80eb371df0 : 0xfffff7f8b576e5f

0xfffff80eb371e40 : 0xfffff7f8b578589

0xfffff80eb371e90 : 0xfffff800a4b987e

0xfffff80eb371ed0 : 0xfffff800a4d91f3

0xfffff80eb371f10 : 0xfffff7f8c7ffa91

0xfffff80eb371f50 : 0xfffff7f8c837f5a

0xfffff80eb371f60 : 0xfffff7f8c840145

0xfffff80eb371f80 : 0xfffff8009fce0cc

0xfffff80eb371fd0 : 0xfffff8009fecf09

Kernel Extensions in backtrace:

com.apple.driver.AppleACPIPlatform(4.0)[A29C7512-D3A8-3AED-9721-3A5FF1A32EB2]@0xfffff7f8c831000->0xfffff7f8c890fff

dependency: com.apple.iokit.IOACPIFamily(1.4)[5D7574C3-8E90-3873-BAEB-D979FC215A7D]@0xfffff7f8aa86000

dependency: com.apple.iokit.IOPCIFamily(2.9)[6A2F4E4C-6CD1-3CA1-95C1-BB9864AC6D9A]@0xfffff7f8a72c000

com.apple.driver.AppleAPIC(1.7)[04696395-E633-3657-89BD-9908A5C60F56]@0xfffff7f8c7fe000->0xfffff7f8c800fff

com.apple.driver.usb.AppleUSBHID(1.0.1)[E90113BB-92F1-3D96-B2F5-F0B0CAAE6F4A]@0xfffff7f8b571000->0xfffff7f8b58efff

dependency: com.apple.driver.usb.AppleUSBHID(1.0.1)[0D241802-E006-3A72-B3C5-09ABDE37DAE0]@0xfffff7f8b506000

dependency: com.apple.iokit.IOUSBHostFamily(1.0.1)[79D250A3-843A-3750-BE64-A252CF17A148]@0xfffff7f8b290000

BSD process name corresponding to current thread: Maxthon Helper

Mac OS version:
15G17023

Kernel version:
Darwin Kernel Version 15.6.0: Mon Oct 2 22:20:08 PDT 2017; root:xnu-3248.71.4~1/RELEASE_X86_64
Kernel UUID: C132D1DA-3C39-3F1F-A265-219352AC3C9D
Kernel slide: 0x0000000009c00000
Kernel text base: 0xfffff8009e00000
__HIB text base: 0xfffff8009d00000
System model name: MacBookPro5,5 (Mac-F2268AC8)

System uptime in nanoseconds: 703181244507
last loaded kext at 247882661980: com.apple.filesystems.msdosfs 1.10 (addr 0xfffff7f8b159000, size 69632)
last unloaded kext at 337993493345: com.apple.driver.AppleUSBMergeNub 900.4.1 (addr 0xfffff7f8b611000, size 12288)
loaded kexts:
com.globaldelight.driver.Boom2Device 1.1
com.apple.filesystems.autofs 3.0
com.apple.driver.AppleHWSensor 1.9.5d0
com.apple.driver.AGPM 110.22.0
com.apple.driver.AudioAUUC 1.70
com.apple.driver.pmtelemetry 1
com.apple.iokit.IOUserEthernet 1.0.1
com.apple.iokit.IOBluetoothSerialManager 4.4.6f2
com.apple.Dont_Steal_Mac_OS_X 7.0.0
com.apple.driver.AppleOSXWatchdog 1
com.apple.driver.AppleMikeyHIDDriver 124
com.apple.driver.AppleHDA 274.12
com.apple.driver.AppleBacklight 170.8.9
com.apple.GeForceTesla 10.0.0
com.apple.driver.AppleUpstreamUserClient 3.6.1
com.apple.driver.SMCMotionSensor 3.0.4d1
com.apple.iokit.BroadcomBluetoothHostControllerUSBTransport 4.4.6f2
com.apple.driver.AppleSMCLMU 208
com.apple.driver.ACPI_SMC_PlatformPlugin 1.0.0
com.apple.driver.AppleMikeyDriver 274.12
com.apple.driver.AppleLPC 3.1
com.apple.driver.AppleHV 1
com.apple.driver.AppleIntelSlowAdaptiveClocking 4.0.0
com.apple.driver.AppleMCCSControl 1.2.13
com.apple.driver.AppleUSBTCTButtons 245.4
com.apple.driver.AppleUSBTCTKeyboard 245.4

com.apple.AppleFSCompression.AppleFSCompressionTypeDataless	1.0.0d1
com.apple.AppleFSCompression.AppleFSCompressionTypeZlib	1.0.0
com.apple.BootCache	38
com.apple.driver.AppleIRController	327.6
com.apple.driver.AppleUSBCardReader	3.7.1
com.apple.iokit.IOAHCIBlockStorage	2.8.5
com.apple.driver.AirPort.Brcm4331	800.21.28
com.apple.driver.usb.AppleUSBOHCIPCI	1.0.1
com.apple.driver.AppleFWOHCI	5.5.4
com.apple.driver.AppleAHCIPort	3.1.8
com.apple.nvenet	2.0.22
com.apple.driver.usb.AppleUSBEHCIPCI	1.0.1
com.apple.driver.AppleSmartBatteryManager	161.0.0
com.apple.driver.AppleRTC	2.0
com.apple.driver.AppleHPET	1.8
com.apple.driver.AppleACPIButtons	4.0
com.apple.driver.AppleSMBIOS	2.1
com.apple.driver.AppleACPIEC	4.0
com.apple.driver.AppleAPIC	1.7
com.apple.driver.AppleIntelCPUPowerManagementClient	218.0.0
com.apple.nke.applicationfirewall	163
com.apple.security.quarantine	3
com.apple.security.TMSafetyNet	8
com.apple.driver.AppleIntelCPUPowerManagement	218.0.0
com.apple.kext.triggers	1.0
com.apple.AppleGraphicsDeviceControl	3.12.9
com.apple.iokit.IOSurface	108.2.4
com.apple.iokit.IOSerialFamily	11
com.apple.driver.CoreCaptureResponder	1
com.apple.driver.DspFuncLib	274.12
com.apple.kext.OSvKernDSPLib	525
com.apple.driver.AppleBacklightExpert	1.1.0
com.apple.nvidia.classic.NVDANV50HalTesla	10.0.0
com.apple.nvidia.classic.NVDAResmanTesla	10.0.0
com.apple.driver.usb.IOUSBHostHIDDevice	1.0.1
com.apple.iokit.IOBluetoothHostControllerUSBTransport	4.4.6f2
com.apple.iokit.IOBluetoothFamily	4.4.6f2
com.apple.iokit.IOFireWireIP	2.2.6
com.apple.driver.AppleHDAController	274.12
com.apple.iokit.IOHDAFamily	274.12
com.apple.iokit.IOAudioFamily	204.4
com.apple.vecLib.kext	1.2.0
com.apple.driver.IOPlatformPluginLegacy	1.0.0
com.apple.driver.AppleSMBusPCI	1.0.14d1
com.apple.driver.IOPlatformPluginFamily	6.0.0d7
com.apple.iokit.IOSlowAdaptiveClockingFamily	1.0.0

```

com.apple.driver.AppleSMC3.1.9
com.apple.driver.AppleSMBusController 1.0.14d1
com.apple.iokit.IONDRVSupport 2.4.1
com.apple.iokit.IOGraphicsFamily 2.4.1
com.apple.driver.AppleUSBMultitouch 250.5
com.apple.driver.usb.AppleUSBHub 1.0.1
com.apple.iokit.IOUSBHIDDriver 900.4.1
com.apple.iokit.IOCSIBlockCommandsDevice 3.7.7
com.apple.iokit.IOUSBMassStorageDriver 1.0.0
com.apple.iokit.IOCSIArchitectureModelFamily 3.7.7
com.apple.driver.usb.cdc 5.0.0
com.apple.driver.usb.networking 5.0.0
com.apple.driver.usb.AppleUSBHostCompositeDevice 1.0.1
com.apple.iokit.IO80211Family 1110.26
com.apple.driver.corecapture 1.0.4
com.apple.driver.usb.AppleUSBOHCI 1.0.1
com.apple.iokit.IOFireWireFamily 4.6.1
com.apple.iokit.IOAHCIFamily 2.8.1
com.apple.iokit.IONetworkingFamily 3.2
com.apple.driver.usb.AppleUSBEOHCI 1.0.1
com.apple.iokit.IOUSBFamily 900.4.1
com.apple.driver.NVSMU 2.2.9
com.apple.driver.AppleEFINVRAM 2.0
com.apple.iokit.IOUSBHostFamily 1.0.1
com.apple.driver.AppleUSBHostMergeProperties 1.0.1
com.apple.driver.AppleEFIRuntime 2.0
com.apple.iokit.IOHIDFamily 2.0.0
com.apple.iokit.IOSMBusFamily 1.1
com.apple.security.sandbox 300.0
com.apple.kext.AppleMatch 1.0.0d1
com.apple.driver.AppleKeyStore 2
com.apple.driver.AppleMobileFileIntegrity 1.0.5
com.apple.driver.AppleCredentialManager 1.0
com.apple.driver.DiskImages 417.4
com.apple.iokit.IOStorageFamily 2.1
com.apple.iokit.IOReportFamily 31
com.apple.driver.AppleFDEKeyStore 28.30
com.apple.driver.AppleACPIPlatform 4.0
com.apple.iokit.IOPCIFamily 2.9
com.apple.iokit.IOACPIFamily 1.4
com.apple.kec.pthread 1
com.apple.kec.corecrypto 1.0
com.apple.kec.Libm 1
panic(cpu 1 caller 0xfffff8009fad52a): "TLB invalidation IPI timeout: " "CPU(s) failed
to respond to interrupts, unresponsive CPU bitmap: 0x1, NMIPi acks: orig: 0x0, now:

```

0x1"@/Library/Caches/com.apple.xbs/Sources/xnu/xnu-3248.71.4/osfmk/x86_64/pmap.c:2611
Backtrace (CPU 1), Frame : Return Address
0xffffffff8113133950 : 0xffffffff8009edab52
0xffffffff81131339d0 : 0xffffffff8009fad52a
0xffffffff8113133a70 : 0xffffffff8009fb453b
0xffffffff8113133b60 : 0xffffffff8009fb528c
0xffffffff8113133bd0 : 0xffffffff8009f6102d
0xffffffff8113133d00 : 0xffffffff8009f564ac
0xffffffff8113133d30 : 0xffffffff8009f51893
0xffffffff8113133d60 : 0xffffffff800a4577e0
0xffffffff8113133d80 : 0xffffffff800a4df149
0xffffffff8113133de0 : 0xffffffff8009f99aac
0xffffffff8113133e30 : 0xffffffff8009edf2c3
0xffffffff8113133e60 : 0xffffffff8009ec28f8
0xffffffff8113133ea0 : 0xffffffff8009ed26a5
0xffffffff8113133f10 : 0xffffffff8009fb92ba
0xffffffff8113133fb0 : 0xffffffff8009fed566

BSD process name corresponding to current thread: icdd
Model: MacBookPro5,5, BootROM MBP55.00AC.B03, 2 processors, Intel Core 2 Duo, 2,26 GHz, 8 GB, SMC 1.47f2
Graphics: NVIDIA GeForce 9400M, NVIDIA GeForce 9400M, PCI, 256 MB
Memory Module: BANK 0/DIMM0, 4 GB, DDR3, 1067 MHz, 0x0198, 0x393930353432382D3037382E4130304C4620
Memory Module: BANK 1/DIMM0, 4 GB, DDR3, 1067 MHz, 0x0198, 0x393930353432382D3037382E4130304C4620
AirPort: spairport_wireless_card_type_airport_extreme (0x14E4, 0x8D), Broadcom BCM43xx 1.0 (5.106.98.101.28)
Bluetooth: Version 4.4.6f2, 3 services, 18 devices, 1 incoming serial ports
Serial ATA Device: SanDisk SD8TB8U256G1001, 256,06 GB
Serial ATA Device: WDC WD5000LPVX-22V0TT0, 500,11 GB
USB Device: USB 2.0 Bus
USB Device: Built-in iSight
USB Device: USB 2.0 Bus
USB Device: Card Reader
USB Device: USB Bus
USB Device: USB Optical Mouse
USB Device: BRCM2046 Hub
USB Device: Bluetooth USB Host Controller
USB Device: USB Bus
USB Device: Apple Internal Keyboard / Trackpad
USB Device: IR Receiver
Thunderbolt Bus: