

```
==== Display starts at offset 6134 within file of length 137206. ====
==== Use File->Reload (Cmd-R) to display more. ====
power-mac-g5 diskarbitrationd[47]: disk2s3   hfs      D012D5CA-342E-38CF-B2EE-8BCA32D83173 DUDE 1
/Volumes/DUDE 1
Jul 13 14:42:19 dudes-power-mac-g5 configd[45]: executing /System/Library/SystemConfiguration/
Kicker.bundle/Contents/Resources/enable-network
Jul 13 14:42:19 dudes-power-mac-g5 configd[45]: posting notification
com.apple.system.config.network_change
Jul 13 14:42:19 dudes-power-mac-g5 lookupd[205]: lookupd (version 369.5) starting - Sun Jul 13 14:42:19
2008
Jul 13 14:42:19 dudes-power-mac-g5 ntpdate[217]: getnetnum: "time.apple.com" invalid host number, line
ignored
Jul 13 14:42:19 dudes-power-mac-g5 ntpdate[217]: no servers can be used, exiting
Jul 13 14:42:19 dudes-power-mac-g5 configd[45]: posting notification
com.apple.system.config.network_change
Jul 13 14:42:19 dudes-power-mac-g5 lookupd[248]: lookupd (version 369.5) starting - Sun Jul 13 14:42:19
2008
Jul 13 14:42:21 dudes-power-mac-g5 configd[45]: target=enable-network: disabled
Jul 13 14:42:22 dudes-power-mac-g5 configd[45]: AppleTalk startup complete
Jul 13 14:42:23 dudes-power-mac-g5 diskarbitrationd[47]: disk3s3   hfs      25BAEE61-
E0DB-36AC-90AF-48BAB00D2E61 DUDE 2
/Volumes/DUDE 2
Jul 13 14:45:00 dudes-power-mac-g5 FirewireComPort[113]: kIOFWMessageTopologyChanged Start\n
Jul 13 14:45:00 dudes-power-mac-g5 FirewireComPort[113]: kIOFWMessageTopologyChanged END\n
Jul 13 14:46:07 dudes-power-mac-g5 kernel[0]: /SourceCache/AppleFWOHCI/AppleFWOHCI-253.4.1/AppleFWOHCI.cpp
3539: ERROR: FireWire (OHCI) Apple ID 42 built-in: handleUnrecoverableErrorInt
Jul 13 14:57:14 dudes-power-mac-g5 kernel[0]: /SourceCache/AppleFWOHCI/AppleFWOHCI-253.4.1/AppleFWOHCI.cpp
3539: ERROR: FireWire (OHCI) Apple ID 42 built-in: handleUnrecoverableErrorInt
Jul 13 14:57:42 dudes-power-mac-g5 kernel[0]: Bad SelfID packet 1: 0x817fc4e4 != 0x817fc4e1!
Jul 13 15:01:47 dudes-power-mac-g5 kernel[0]: Bad SelfID packet 2: 0x827fc4b6 != 0x827fc4b7!
Jul 13 15:02:24 dudes-power-mac-g5 kernel[0]: Bad SelfID packet 3: 0x837fc4e6 != 0x837fc4a6!
Jul 13 15:02:47 dudes-power-mac-g5 kernel[0]: /SourceCache/AppleFWOHCI/AppleFWOHCI-253.4.1/AppleFWOHCI.cpp
3539: ERROR: FireWire (OHCI) Apple ID 42 built-in: handleUnrecoverableErrorInt
Jul 13 15:07:50 dudes-power-mac-g5 kernel[0]: FireWire (OHCI) Apple ID 42 built-in: handleSelfIDInt -
nodeID not valid (reset bus and retry 2)
Jul 13 15:08:50 dudes-power-mac-g5 kernel[0]: Bad SelfID packet 2: 0x827fc4b4 != 0x827fc4cc!
Jul 13 15:11:07 dudes-power-mac-g5 kernel[0]: AirPort: Link DOWN (AP deAuth 0)
Jul 13 15:11:07 dudes-power-mac-g5 configd[45]: AppleTalk shutdown
Jul 13 15:11:07 dudes-power-mac-g5 configd[45]: AppleTalk shutdown complete
Jul 13 15:11:07 dudes-power-mac-g5 /usr/sbin/AppleFileServer: AFPServer::AbnormalATListenerShutDown -
clear listener
Jul 13 15:11:07 dudes-power-mac-g5 kernel[0]: AirPort: Link Active: "linksys" - 000f66a5cc09 - chan 9
Jul 13 15:11:07 dudes-power-mac-g5 configd[45]: AppleTalk startup
Jul 13 15:11:07 dudes-power-mac-g5 configd[45]: SecKeychainFindGenericPassword err= -25308 ( =0xffff9d24,
secErrStr=User interaction is not allowed. ) (current= linksys)
Jul 13 15:11:13 dudes-power-mac-g5 configd[45]: AppleTalk startup complete
Jul 13 15:14:26 dudes-power-mac-g5 kernel[0]: /SourceCache/AppleFWOHCI/AppleFWOHCI-253.4.1/AppleFWOHCI.cpp
3539: ERROR: FireWire (OHCI) Apple ID 42 built-in: handleUnrecoverableErrorInt
Jul 13 15:15:46 dudes-power-mac-g5 kernel[0]: AirPort: Link DOWN (AP deAuth 0)
Jul 13 15:15:46 dudes-power-mac-g5 configd[45]: AppleTalk shutdown
Jul 13 15:15:46 dudes-power-mac-g5 /usr/sbin/AppleFileServer: AFPServer::AbnormalATListenerShutDown -
clear listener
Jul 13 15:15:46 dudes-power-mac-g5 configd[45]: AppleTalk shutdown complete
Jul 13 15:15:46 dudes-power-mac-g5 kernel[0]: AirPort: Link Active: "linksys" - 000f66a5cc09 - chan 9
Jul 13 15:15:46 dudes-power-mac-g5 configd[45]: AppleTalk startup
Jul 13 15:15:46 dudes-power-mac-g5 configd[45]: SecKeychainFindGenericPassword err= -25308 ( =0xffff9d24,
secErrStr=User interaction is not allowed. ) (current= linksys)
Jul 13 15:15:52 dudes-power-mac-g5 configd[45]: AppleTalk startup complete
Jul 13 15:18:48 dudes-power-mac-g5 kernel[0]: Bad SelfID packet 3: 0x837fc4e6 != 0x837fc46e!
Jul 13 15:19:24 dudes-power-mac-g5 kernel[0]: Bad SelfID packet 1: 0x817fc4e4 != 0x817fc4e5!
Jul 13 15:21:49 dudes-power-mac-g5 kernel[0]: AppleFWOHCI_AsyncTransmit::waitForDMA - context not going
```

inactive.  
Jul 13 15:23:00 dudes-power-mac-g5 kernel[0]: AirPort: Link DOWN (AP deAuth 0)  
Jul 13 15:23:00 dudes-power-mac-g5 configd[45]: AppleTalk shutdown  
Jul 13 15:23:00 dudes-power-mac-g5 /usr/sbin/AppleFileServer: AFPServer::AbnormalATListenerShutDown - clear listener  
Jul 13 15:23:00 dudes-power-mac-g5 configd[45]: AppleTalk shutdown complete  
Jul 13 15:23:00 dudes-power-mac-g5 kernel[0]: AirPort: Link Active: "linksys" - 000f66a5cc09 - chan 9  
Jul 13 15:23:00 dudes-power-mac-g5 configd[45]: AppleTalk startup  
Jul 13 15:23:00 dudes-power-mac-g5 configd[45]: SecKeychainFindGenericPassword err= -25308 ( =0xffff9d24, secErrStr=User interaction is not allowed. ) (current= linksys)  
Jul 13 15:23:06 dudes-power-mac-g5 configd[45]: AppleTalk startup complete  
Jul 13 15:23:36 dudes-power-mac-g5 kernel[0]: Bad SelfID packet 2: 0x827fc4b4 != 0x827fc4b5!  
Jul 13 15:25:02 dudes-power-mac-g5 kernel[0]: Bad SelfID packet 1: 0x817fc4e4 != 0x817fc434!  
Jul 13 15:25:04 dudes-power-mac-g5 kernel[0]: AirPort: Link DOWN (AP deAuth 0)  
Jul 13 15:25:04 dudes-power-mac-g5 configd[45]: AppleTalk shutdown  
Jul 13 15:25:04 dudes-power-mac-g5 /usr/sbin/AppleFileServer: AFPServer::AbnormalATListenerShutDown - clear listener  
Jul 13 15:25:04 dudes-power-mac-g5 configd[45]: AppleTalk shutdown complete  
Jul 13 15:25:04 dudes-power-mac-g5 kernel[0]: AirPort: Link Active: "linksys" - 000f66a5cc09 - chan 9  
Jul 13 15:25:04 dudes-power-mac-g5 configd[45]: AppleTalk startup  
Jul 13 15:25:04 dudes-power-mac-g5 configd[45]: SecKeychainFindGenericPassword err= -25308 ( =0xffff9d24, secErrStr=User interaction is not allowed. ) (current= linksys)  
Jul 13 15:25:10 dudes-power-mac-g5 configd[45]: AppleTalk startup complete  
Jul 13 15:25:12 dudes-power-mac-g5 kernel[0]: Bad SelfID packet 1: 0x817fc4e4 != 0x817fc4e5!  
Jul 13 15:26:49 dudes-power-mac-g5 kernel[0]: AppleFWOHCI\_AsyncTransmit::waitForDMA - context not going inactive.  
Jul 13 15:29:23 dudes-power-mac-g5 kernel[0]: FireWire (OHCI) Apple ID 42 built-in: handleSelfIDInt - nodeID not valid (reset bus and retry 2)  
Jul 13 15:29:26 dudes-power-mac-g5 kernel[0]: FireWire (OHCI) Apple ID 42 built-in: 21773 bus resets in last minute.  
Jul 13 15:29:26 dudes-power-mac-g5 kernel[0]: /SourceCache/AppleFWOHCI/AppleFWOHCI-253.4.1/AppleFWOHCI.cpp 3539: ERROR: FireWire (OHCI) Apple ID 42 built-in: handleUnrecoverableErrorInt  
Jul 13 15:30:30 dudes-power-mac-g5 kernel[0]: Bad SelfID packet 3: 0x837fc4e6 != 0x837fc496!  
Jul 13 15:34:53 dudes-power-mac-g5 kernel[0]: AirPort: Link DOWN (AP deAuth 0)  
Jul 13 15:34:53 dudes-power-mac-g5 configd[45]: AppleTalk shutdown  
Jul 13 15:34:53 dudes-power-mac-g5 /usr/sbin/AppleFileServer: AFPServer::AbnormalATListenerShutDown - clear listener  
Jul 13 15:34:53 dudes-power-mac-g5 configd[45]: AppleTalk shutdown complete  
Jul 13 15:34:53 dudes-power-mac-g5 kernel[0]: AirPort: Link Active: "linksys" - 000f66a5cc09 - chan 9  
Jul 13 15:34:53 dudes-power-mac-g5 configd[45]: AppleTalk startup  
Jul 13 15:34:53 dudes-power-mac-g5 configd[45]: SecKeychainFindGenericPassword err= -25308 ( =0xffff9d24, secErrStr=User interaction is not allowed. ) (current= linksys)  
Jul 13 15:34:59 dudes-power-mac-g5 configd[45]: AppleTalk startup complete  
Jul 13 15:35:49 dudes-power-mac-g5 kernel[0]: /SourceCache/AppleFWOHCI/AppleFWOHCI-253.4.1/AppleFWOHCI.cpp 3539: ERROR: FireWire (OHCI) Apple ID 42 built-in: handleUnrecoverableErrorInt  
Jul 13 15:45:51 dudes-power-mac-g5 kernel[0]: AppleFWOHCI\_AsyncTransmit::waitForDMA - context not going inactive.  
Jul 13 15:46:15 dudes-power-mac-g5 kernel[0]: Bad SelfID packet 1: 0x817fc4e4 != 0x817fc44c!  
Jul 13 15:47:48 dudes-power-mac-g5 kernel[0]: AirPort: Link DOWN (AP deAuth 0)  
Jul 13 15:47:48 dudes-power-mac-g5 configd[45]: AppleTalk shutdown  
Jul 13 15:47:48 dudes-power-mac-g5 /usr/sbin/AppleFileServer: AFPServer::AbnormalATListenerShutDown - clear listener  
Jul 13 15:47:48 dudes-power-mac-g5 configd[45]: AppleTalk shutdown complete  
Jul 13 15:47:48 dudes-power-mac-g5 kernel[0]: AirPort: Link Active: "linksys" - 000f66a5cc09 - chan 9  
Jul 13 15:47:48 dudes-power-mac-g5 configd[45]: AppleTalk startup  
Jul 13 15:47:48 dudes-power-mac-g5 configd[45]: SecKeychainFindGenericPassword err= -25308 ( =0xffff9d24, secErrStr=User interaction is not allowed. ) (current= linksys)  
Jul 13 15:47:54 dudes-power-mac-g5 configd[45]: AppleTalk startup complete  
Jul 13 15:49:20 dudes-power-mac-g5 kernel[0]: /SourceCache/AppleFWOHCI/AppleFWOHCI-253.4.1/AppleFWOHCI.cpp 3539: ERROR: FireWire (OHCI) Apple ID 42 built-in: handleUnrecoverableErrorInt

```
Jul 13 15:52:17 dudes-power-mac-g5 kernel[0]: FireWire (OHCI) Apple ID 42 built-in: 10820 bus resets in last minute.
Jul 13 15:52:17 dudes-power-mac-g5 kernel[0]: /SourceCache/AppleFWOHCI/AppleFWOHCI-253.4.1/AppleFWOHCI.cpp 3539: ERROR: FireWire (OHCI) Apple ID 42 built-in: handleUnrecoverableErrorInt
Jul 13 15:52:30 dudes-power-mac-g5 kernel[0]: Bad SelfID packet 1: 0x817fc4e4 != 0x8167c4e4!
Jul 13 15:54:01 dudes-power-mac-g5 kernel[0]: Bad SelfID packet 3: 0x837fc4e6 != 0x837fc4e2!
Jul 13 16:00:43 dudes-power-mac-g5 kernel[0]: AirPort: Link DOWN (AP deAuth 0)
Jul 13 16:00:43 dudes-power-mac-g5 configd[45]: AppleTalk shutdown
Jul 13 16:00:43 dudes-power-mac-g5 /usr/sbin/AppleFileServer: AFPServer::AbnormalATListenerShutDown - clear listener
Jul 13 16:00:43 dudes-power-mac-g5 configd[45]: AppleTalk shutdown complete
Jul 13 16:00:43 dudes-power-mac-g5 kernel[0]: AirPort: Link Active: "linksys" - 000f66a5cc09 - chan 9
Jul 13 16:00:43 dudes-power-mac-g5 configd[45]: AppleTalk startup
Jul 13 16:00:43 dudes-power-mac-g5 configd[45]: SecKeychainFindGenericPassword err= -25308 ( =0xffff9d24, secErrStr=User interaction is not allowed. ) (current= linksys)
Jul 13 16:00:49 dudes-power-mac-g5 configd[45]: AppleTalk startup complete
Jul 13 16:03:09 dudes-power-mac-g5 kernel[0]: FireWire (OHCI) Apple ID 42 built-in: handleSelfIDInt - received quads == 0. issuing bus reset
Jul 13 16:03:40 dudes-power-mac-g5 kernel[0]: AppleFWOHCI_AsyncTransmit::waitForDMA - context not going inactive.
Jul 13 16:06:52 dudes-power-mac-g5 kernel[0]: AirPort: Link DOWN (AP deAuth 0)
Jul 13 16:06:52 dudes-power-mac-g5 configd[45]: AppleTalk shutdown
Jul 13 16:06:52 dudes-power-mac-g5 /usr/sbin/AppleFileServer: AFPServer::AbnormalATListenerShutDown - clear listener
Jul 13 16:06:52 dudes-power-mac-g5 configd[45]: AppleTalk shutdown complete
Jul 13 16:06:52 dudes-power-mac-g5 kernel[0]: AirPort: Link Active: "linksys" - 000f66a5cc09 - chan 9
Jul 13 16:06:52 dudes-power-mac-g5 configd[45]: AppleTalk startup
Jul 13 16:06:52 dudes-power-mac-g5 configd[45]: SecKeychainFindGenericPassword err= -25308 ( =0xffff9d24, secErrStr=User interaction is not allowed. ) (current= linksys)
Jul 13 16:06:58 dudes-power-mac-g5 configd[45]: AppleTalk startup complete
Jul 13 16:07:31 dudes-power-mac-g5 FirewireComPort[113]: kIOFWMessageTopologyChanged Start\n
Jul 13 16:07:31 dudes-power-mac-g5 FirewireComPort[113]: kIOFWMessageTopologyChanged END\n
Jul 13 16:10:47 dudes-power-mac-g5 kernel[0]: /SourceCache/AppleFWOHCI/AppleFWOHCI-253.4.1/AppleFWOHCI.cpp 3539: ERROR: FireWire (OHCI) Apple ID 42 built-in: handleUnrecoverableErrorInt
Jul 13 16:12:23 dudes-power-mac-g5 kernel[0]: FireWire (OHCI) Apple ID 42 built-in: handleSelfIDInt - received quads == 0. issuing bus reset
Jul 13 16:12:23 dudes-power-mac-g5 kernel[0]: /SourceCache/AppleFWOHCI/AppleFWOHCI-253.4.1/AppleFWOHCI.cpp 3539: ERROR: FireWire (OHCI) Apple ID 42 built-in: handleUnrecoverableErrorInt
Jul 13 16:14:09 dudes-power-mac-g5 kernel[0]: /SourceCache/AppleFWOHCI/AppleFWOHCI-253.4.1/AppleFWOHCI.cpp 3539: ERROR: FireWire (OHCI) Apple ID 42 built-in: handleUnrecoverableErrorInt
Jul 13 16:18:09 dudes-power-mac-g5 kernel[0]: /SourceCache/AppleFWOHCI/AppleFWOHCI-253.4.1/AppleFWOHCI.cpp 3539: ERROR: FireWire (OHCI) Apple ID 42 built-in: handleUnrecoverableErrorInt
Jul 13 16:19:50 dudes-power-mac-g5 kernel[0]: AirPort: Link DOWN (AP deAuth 0)
Jul 13 16:19:50 dudes-power-mac-g5 configd[45]: AppleTalk shutdown
Jul 13 16:19:50 dudes-power-mac-g5 /usr/sbin/AppleFileServer: AFPServer::AbnormalATListenerShutDown - clear listener
Jul 13 16:19:50 dudes-power-mac-g5 configd[45]: AppleTalk shutdown complete
Jul 13 16:19:50 dudes-power-mac-g5 kernel[0]: AirPort: Link Active: "linksys" - 000f66a5cc09 - chan 9
Jul 13 16:19:50 dudes-power-mac-g5 configd[45]: AppleTalk startup
Jul 13 16:19:50 dudes-power-mac-g5 configd[45]: SecKeychainFindGenericPassword err= -25308 ( =0xffff9d24, secErrStr=User interaction is not allowed. ) (current= linksys)
Jul 13 16:19:56 dudes-power-mac-g5 configd[45]: AppleTalk startup complete
Jul 13 16:21:48 dudes-power-mac-g5 kernel[0]: FireWire (OHCI) Apple ID 42 built-in: handleSelfIDInt - nodeID not valid (reset bus and retry 2)
Jul 13 16:25:51 dudes-power-mac-g5 kernel[0]: Bad SelfID packet 1: 0x817fc4e4 != 0x817fc4e5!
Jul 13 16:25:57 dudes-power-mac-g5 kernel[0]: FireWire (OHCI) Apple ID 42 built-in: 16127 bus resets in last minute.
Jul 13 16:25:57 dudes-power-mac-g5 kernel[0]: /SourceCache/AppleFWOHCI/AppleFWOHCI-253.4.1/AppleFWOHCI.cpp 3539: ERROR: FireWire (OHCI) Apple ID 42 built-in: handleUnrecoverableErrorInt
Jul 13 16:25:59 dudes-power-mac-g5 kernel[0]: AirPort: Link DOWN (AP deAuth 0)
```

```
Jul 13 16:25:59 dudes-power-mac-g5 configd[45]: AppleTalk shutdown
Jul 13 16:25:59 dudes-power-mac-g5 /usr/sbin/AppleFileServer: AFPServer::AbnormalATListenerShutDown -
clear listener
Jul 13 16:25:59 dudes-power-mac-g5 configd[45]: AppleTalk shutdown complete
Jul 13 16:26:00 dudes-power-mac-g5 kernel[0]: AirPort: Link Active: "linksys" - 000f66a5cc09 - chan 9
Jul 13 16:26:00 dudes-power-mac-g5 configd[45]: AppleTalk startup
Jul 13 16:26:00 dudes-power-mac-g5 configd[45]: SecKeychainFindGenericPassword err= -25308 ( =0xffff9d24,
secErrStr=User interaction is not allowed. ) (current= linksys)
Jul 13 16:26:05 dudes-power-mac-g5 configd[45]: AppleTalk startup complete
Jul 13 16:26:14 dudes-power-mac-g5 kernel[0]: Bad SelfID packet 9: 0x0 != 0xffffffff!
Jul 13 16:28:13 dudes-power-mac-g5 kernel[0]: Bad SelfID packet 2: 0x827fc4b4 != 0x827fc4b1!
Jul 13 16:28:47 dudes-power-mac-g5 kernel[0]: /SourceCache/AppleFWOHCI/AppleFWOHCI-253.4.1/AppleFWOHCI.cpp
3539: ERROR: FireWire (OHCI) Apple ID 42 built-in: handleUnrecoverableErrorInt
Jul 13 16:30:01 dudes-power-mac-g5 kernel[0]: Bad SelfID packet 2: 0x827fc4b4 != 0x827fc4b0!
Jul 13 16:31:09 dudes-power-mac-g5 kernel[0]: Bad SelfID packet 3: 0x837fc4e6 != 0x837fc49e!
Jul 13 16:31:11 dudes-power-mac-g5 kernel[0]: /SourceCache/AppleFWOHCI/AppleFWOHCI-253.4.1/AppleFWOHCI.cpp
3539: ERROR: FireWire (OHCI) Apple ID 42 built-in: handleUnrecoverableErrorInt
Jul 13 16:31:21 dudes-power-mac-g5 kernel[0]: Bad SelfID packet 1: 0x817fc4e4 != 0x817fc5e4!
Jul 13 16:31:26 dudes-power-mac-g5 kernel[0]: Bad SelfID packet 2: 0x827fc4b4 != 0x827fc4c4!
Jul 13 16:32:09 dudes-power-mac-g5 kernel[0]: FireWire (OHCI) Apple ID 42 built-in: handleSelfIDInt -
received quads == 0. issuing bus reset
Jul 13 16:32:26 dudes-power-mac-g5 kernel[0]: Bad SelfID packet 3: 0x837fc4e6 != 0x837fc4e7!
Jul 13 16:33:47 dudes-power-mac-g5 kernel[0]: AirPort: Link DOWN (AP deAuth 0)
Jul 13 16:33:47 dudes-power-mac-g5 configd[45]: AppleTalk shutdown
Jul 13 16:33:47 dudes-power-mac-g5 /usr/sbin/AppleFileServer: AFPServer::AbnormalATListenerShutDown -
clear listener
Jul 13 16:33:47 dudes-power-mac-g5 configd[45]: AppleTalk shutdown complete
Jul 13 16:33:47 dudes-power-mac-g5 kernel[0]: AirPort: Link Active: "linksys" - 000f66a5cc09 - chan 9
Jul 13 16:33:47 dudes-power-mac-g5 configd[45]: AppleTalk startup
Jul 13 16:33:47 dudes-power-mac-g5 configd[45]: SecKeychainFindGenericPassword err= -25308 ( =0xffff9d24,
secErrStr=User interaction is not allowed. ) (current= linksys)
Jul 13 16:33:53 dudes-power-mac-g5 configd[45]: AppleTalk startup complete
Jul 13 16:36:36 dudes-power-mac-g5 kernel[0]: /SourceCache/AppleFWOHCI/AppleFWOHCI-253.4.1/AppleFWOHCI.cpp
3539: ERROR: FireWire (OHCI) Apple ID 42 built-in: handleUnrecoverableErrorInt
Jul 13 16:37:43 dudes-power-mac-g5 kernel[0]: Bad SelfID packet 1: 0x817fc4e4 != 0x817dc4e4!
Jul 13 16:46:10 localhost kernel[0]: standard timeslicing quantum is 10000 us
Jul 13 16:46:10 localhost mDNSResponder-108.4 (Jan 8 2007 20: 36:00)[36]: starting
Jul 13 16:46:11 localhost kernel[0]: vm_page_bootstrap: 632509 free pages
Jul 13 16:46:10 localhost memberd[44]: memberd starting up
Jul 13 16:46:11 localhost kernel[0]: mig_table_max_displ = 70
Jul 13 16:46:10 localhost DirectoryService[49]: Launched version 2.1 (v353.6)
Jul 13 16:46:11 localhost kernel[0]: 113 prelinked modules
Jul 13 16:46:11 localhost kernel[0]: Copyright (c) 1982, 1986, 1989, 1991, 1993
Jul 13 16:46:10 localhost lookupd[48]: lookupd (version 369.5) starting - Sun Jul 13 16:46:10 2008
Jul 13 16:46:11 localhost kernel[0]: The Regents of the University of California. All rights reserved.
Jul 13 16:46:11 localhost kernel[0]: using 6553 buffer headers and 4096 cluster IO buffer headers
Jul 13 16:46:11 localhost kernel[0]: DART enabled
Jul 13 16:46:11 localhost kernel[0]: FireWire (OHCI) Apple ID 42 built-in now active, GUID 000a95ff
fed56e30; max speed s800.
Jul 13 16:46:11 localhost kernel[0]: Security auditing service present
Jul 13 16:46:11 localhost kernel[0]: BSM auditing present
Jul 13 16:46:11 localhost kernel[0]: disabled
Jul 13 16:46:11 localhost kernel[0]: rooting via boot-uuid from /chosen: 6DC92AA7-F0CA-3BD5-96D3-
ABDD507A4DF
Jul 13 16:46:11 localhost kernel[0]: Waiting on <dict ID="0"><key>IOProviderClass</key><string
ID="1">IOResources</string><key>IOResourceMatch</key><string ID="2">boot-uuid-media</string></dict>
Jul 13 16:46:11 localhost kernel[0]: Got boot device = IOService:/MacRISC4PE/ht0,f2000000/AppleMacRiscHT/
pci@7/IOPCI2PCIBridge/k2-sata-root@C/AppleK2SATARoot/k2-sata@0/AppleK2SATA/ATADeviceNub@0/
IOATABlockStorageDriver/IOATABlockStorageDevice/IOBlockStorageDriver/ST3100340AS Media/
IOApplePartitionScheme/Apple_HFS_Untitled_1@3
```

Jul 13 16:46:11 localhost kernel[0]: BSD root: disk0s3, major 14, minor 15  
Jul 13 16:46:11 localhost kernel[0]: jnl: replay\_journal: from: 14473216 to: 4840960 (joffset 0x4dc000)  
Jul 13 16:46:11 localhost kernel[0]: HFS: Removed 2 orphaned unlinked files  
Jul 13 16:46:11 localhost kernel[0]: Jettisoning kernel linker.  
Jul 13 16:46:11 localhost kernel[0]: Resetting IOCatalogue.  
Jul 13 16:46:11 localhost kernel[0]: Matching service count = 1  
Jul 13 16:46:11 localhost kernel[0]: Matching service count = 7  
Jul 13 16:46:11 localhost kernel[0]: Matching service count = 7  
Jul 13 16:46:11 localhost kernel[0]: Matching service count = 7  
Jul 13 16:46:11 localhost kernel[0]: Matching service count = 7  
Jul 13 16:46:11 localhost kernel[0]: Matching service count = 7  
Jul 13 16:46:11 localhost kernel[0]: Matching service count = 80  
Jul 13 16:46:11 localhost kernel[0]: Matching service count = 80  
Jul 13 16:46:11 localhost kernel[0]: Matching service count = 80  
Jul 13 16:46:11 localhost kernel[0]: Matching service count = 80  
Jul 13 16:46:11 localhost kernel[0]: Matching service count = 80  
Jul 13 16:46:11 localhost kernel[0]: Matching service count = 80  
Jul 13 16:46:11 localhost kernel[0]: NVDANV30HAL loaded and registered.  
Jul 13 16:46:11 localhost kernel[0]: IOPlatformControl::registerDriver Control Driver AppleSlewClock did not supply target-value, using default  
Jul 13 16:46:11 localhost kernel[0]: KensingtonMouseDriver: QueueBackgroundEvent() unable to get com\_ptr  
Jul 13 16:46:11 localhost kernel[0]: LexiconPro Device CJ - 1.1.0.0 - Mar 31 2008 12:11:29 - (c) Singing Electrons Inc. 2004-2008  
Jul 13 16:46:11 localhost kernel[0]: IPv6 packet filtering initialized, default to accept, logging disabled  
Jul 13 16:46:11 localhost /Library/Application Support/LexiconPro/hiqnet/hiqnetLauncher[33]: hiqnetLauncher Using Firewirecomport as interface  
Jul 13 16:46:11 localhost kernel[0]: UniNEnet: Ethernet address 00:0a:95:d5:6e:30  
Jul 13 16:46:11 localhost launchd: Server 3313 in bootstrap 1103 uid 0: "/usr/sbin/lookup"[48]: exited abnormally: Hangup  
Jul 13 16:46:11 localhost kernel[0]: AirPortPCI\_MM: Ethernet address 00:0d:93:89:f5:5e  
Jul 13 16:46:11 localhost kernel[0]: NVDA,Display-A: vram [b8000000:08000000]  
Jul 13 16:46:11 localhost lookupd[75]: lookupd (version 369.5) starting - Sun Jul 13 16:46:11 2008  
Jul 13 16:46:12 localhost diskarbitrationd[43]: disk2s3 hfs D012D5CA-342E-38CF-B2EE-8BCA32D83173  
DUDE 1 [not mounted]  
Jul 13 16:46:12 localhost diskarbitrationd[43]: disk0s3 hfs 6DC92AA7-F0CA-3BD5-96D3-ABDDB507A4DF  
MAC /  
Jul 13 16:46:12 localhost kernel[0]: jnl: replay\_journal: from: 10989056 to: 15038976 (joffset 0x4db000)  
Jul 13 16:46:12 localhost /Library/Application Support/LexiconPro/hiqnet/macfirewirecomport: This Machines WWUID is FED56E30 000A95FF  
Jul 13 16:46:12 localhost kernel[0]: jnl: replay\_journal: from: 14153216 to: 15604736 (joffset 0x4dc000)  
Jul 13 16:46:12 localhost configd[41]: WirelessConfigure: 88001003  
Jul 13 16:46:12 localhost configd[41]: initCardWithStoredPrefs failed.  
Jul 13 16:46:12 localhost RouterComPort[108]: RouterComPort started  
Jul 13 16:46:12 localhost ApComPort[111]: ApComPort started  
Jul 13 16:46:12 localhost configd[41]: WirelessConfigure: 88001003  
Jul 13 16:46:12 localhost diskarbitrationd[43]: disk0s5 hfs 1123E808-3BC1-3C98-8A23-508866F2DD50  
MAC 2 /Volumes/MAC 2  
Jul 13 16:46:12 localhost kernel[0]: NVDA,Display-B: vram [ba000000:02000000]  
Jul 13 16:46:12 localhost diskarbitrationd[43]: disk1s3 hfs EA8F1946-F029-3644-AC1C-D0212AFF5AB4  
Untitled 1 /Volumes/Untitled 1  
Jul 13 16:46:12 localhost kernel[0]: jnl: replay\_journal: from: 5946368 to: 7348736 (joffset 0x4dc000)  
Jul 13 16:46:12 localhost kernel[0]: jnl: replay\_journal: from: 3981312 to: 5391872 (joffset 0x4db000)  
Jul 13 16:46:12 localhost diskarbitrationd[43]: disk0s7 hfs 613B8C3E-3F46-3C0E-87D3-5641A58C5B6B  
MAC 3 /Volumes/MAC 3  
Jul 13 16:46:13 localhost kernel[0]: jnl: replay\_journal: from: 5873664 to: 7276032 (joffset 0x4dc000)  
Jul 13 16:46:13 localhost diskarbitrationd[43]: disk1s5 hfs 64370BAF-0DF7-32CA-882F-7B90191B0713  
Untitled 2 /Volumes/Untitled 2  
Jul 13 16:46:13 localhost kernel[0]: jnl: replay\_journal: from: 3961344 to: 5371904 (joffset 0x4db000)  
Jul 13 16:46:13 localhost diskarbitrationd[43]: disk0s9 hfs 312D1165-0353-3B3D-9DF1-2E3424B5B07D

MAC 4 /Volumes/MAC 4  
Jul 13 16:46:13 localhost kernel[0]: jnl: replay\_journal: from: 5923328 to: 7325696 (joffset 0x4dc000)  
Jul 13 16:46:13 localhost diskarbitrationd[43]: disk1s7 hfs 68A5F38F-08D5-3BC8-9C9F-87C2FE83C039  
Untitled 3 /Volumes/Untitled 3  
Jul 13 16:46:13 localhost diskarbitrationd[43]: disk0s11 hfs 94B4FCF7-692B-32B5-A0D9-A9BFD3346DD7  
MAC 5 /Volumes/MAC 5  
Jul 13 16:46:13 localhost kernel[0]: jnl: replay\_journal: from: 5828096 to: 7230464 (joffset 0x4dc000)  
Jul 13 16:46:13 localhost diskarbitrationd[43]: disk1s9 hfs 9E5D74E1-78B1-3A8E-9775-59527501551D  
Untitled 4 /Volumes/Untitled 4  
Jul 13 16:46:13 localhost kernel[0]: jnl: replay\_journal: from: 3977728 to: 5388288 (joffset 0x4db000)  
Jul 13 16:46:13 localhost diskarbitrationd[43]: disk0s13 hfs B682947B-9E32-371F-BE3A-18BBF3B29DA2  
MAC 6 /Volumes/MAC 6  
Jul 13 16:46:13 localhost kernel[0]: jnl: replay\_journal: from: 3969536 to: 5380096 (joffset 0x4db000)  
Jul 13 16:46:13 localhost /System/Library/CoreServices/loginwindow.app/Contents/MacOS/loginwindow: Login Window Application Started  
Jul 13 16:46:14 localhost diskarbitrationd[43]: disk1s11 hfs CCC57CE3-DB13-3A82-BE38-36F95177AE5D  
Untitled 5 /Volumes/Untitled 5  
Jul 13 16:46:14 localhost kernel[0]: jnl: replay\_journal: from: 3956736 to: 5380096 (joffset 0x4e1000)  
Jul 13 16:46:14 localhost loginwindow[154]: Login Window Started Security Agent  
Jul 13 16:46:14 localhost kernel[0]: UniEnet::monitorLinkStatus - Link is up at 100 Mbps - Full Duplex  
Jul 13 16:46:14 localhost diskarbitrationd[43]: disk1s13 hfs F95FB50B-715F-3187-B2E0-54E737840FF4  
Untitled 6 /Volumes/Untitled 6  
Jul 13 16:46:14 localhost mDNSResponder: Adding browse domain local.  
Jul 13 16:46:14 dudes-power-mac-g5 configd[41]: setting hostname to "dudes-power-mac-g5.local"  
Jul 13 16:46:16 dudes-power-mac-g5 kernel[0]: AirPort: Link Active: "linksys" - 000f66a5cc09 - chan 9  
Jul 13 16:46:16 dudes-power-mac-g5 configd[41]: AppleTalk startup  
Jul 13 16:46:17 dudes-power-mac-g5 configd[41]: SecKeychainFindGenericPassword err= -25308 ( =0xffff9d24, secErrStr=User interaction is not allowed. ) (current= linksys)  
Jul 13 16:46:17 dudes-power-mac-g5 ApComPort[111]: Data flow on, no route to node 36741  
Jul 13 16:46:17 dudes-power-mac-g5 kernel[0]: jnl: replay\_journal: from: 41677312 to: 1355776 (joffset 0xe90000)  
Jul 13 16:46:17 dudes-power-mac-g5 diskarbitrationd[43]: disk2s3 hfs D012D5CA-342E-38CF-B2EE-8BCA32D83173 DUDE 1 /Volumes/DUDE 1  
Jul 13 16:46:19 dudes-power-mac-g5 configd[41]: executing /System/Library/SystemConfiguration/Kicker.bundle/Contents/Resources/enable-network  
Jul 13 16:46:19 dudes-power-mac-g5 configd[41]: posting notification com.apple.system.config.network\_change  
Jul 13 16:46:19 dudes-power-mac-g5 lookupd[204]: lookupd (version 369.5) starting - Sun Jul 13 16:46:19 2008  
Jul 13 16:46:23 dudes-power-mac-g5 configd[41]: AppleTalk startup complete  
Jul 13 16:46:23 dudes-power-mac-g5 configd[41]: target=enable-network: disabled  
Jul 13 16:46:26 dudes-power-mac-g5 diskarbitrationd[43]: disk3s3 hfs 25BAEE61-E0DB-36AC-90AF-48BAB00D2E61 DUDE 2 /Volumes/DUDE 2  
Jul 13 16:46:29 dudes-power-mac-g5 diskarbitrationd[43]: disk3s3 hfs 25BAEE61-E0DB-36AC-90AF-48BAB00D2E61 DUDE 2 /Volumes/DUDE 2  
Jul 13 16:46:59 dudes-power-mac-g5 kernel[0]: /SourceCache/AppleFWOHCI/AppleFWOHCI-253.4.1/AppleFWOHCI.cpp 3539: ERROR: FireWire (OHCI) Apple ID 42 built-in: handleUnrecoverableErrorInt  
Jul 13 16:48:43 dudes-power-mac-g5 kernel[0]: Bad SelfID packet 3: 0x837fc4e6 != 0x837fc436!  
Jul 13 16:50:24 dudes-power-mac-g5 kernel[0]: /SourceCache/AppleFWOHCI/AppleFWOHCI-253.4.1/AppleFWOHCI.cpp 3539: ERROR: FireWire (OHCI) Apple ID 42 built-in: handleUnrecoverableErrorInt  
Jul 13 16:52:12 dudes-power-mac-g5 kernel[0]: Bad SelfID packet 1: 0x817fc4e4 != 0x817dc4e4!  
Jul 13 16:52:55 dudes-power-mac-g5 kernel[0]: /SourceCache/AppleFWOHCI/AppleFWOHCI-253.4.1/AppleFWOHCI.cpp 3539: ERROR: FireWire (OHCI) Apple ID 42 built-in: handleUnrecoverableErrorInt  
Jul 13 16:54:38 dudes-power-mac-g5 kernel[0]: FireWire (OHCI) Apple ID 42 built-in: handleSelfIDInt - nodeID not valid (reset bus and retry 2)  
Jul 13 16:54:59 dudes-power-mac-g5 kernel[0]: FireWire (OHCI) Apple ID 42 built-in: handleSelfIDInt - nodeID not valid (reset bus and retry 2)  
Jul 13 16:55:59 dudes-power-mac-g5 kernel[0]: /SourceCache/AppleFWOHCI/AppleFWOHCI-253.4.1/AppleFWOHCI.cpp 3539: ERROR: FireWire (OHCI) Apple ID 42 built-in: handleUnrecoverableErrorInt  
Jul 13 16:56:02 dudes-power-mac-g5 kernel[0]: AirPort: Link DOWN (AP deAuth 0)

Jul 13 16:56:02 dudes-power-mac-g5 configd[41]: AppleTalk shutdown  
Jul 13 16:56:02 dudes-power-mac-g5 configd[41]: AppleTalk shutdown complete  
Jul 13 16:56:02 dudes-power-mac-g5 /usr/sbin/AppleFileServer: AFPServer::AbnormalATListenerShutDown - clear listener  
Jul 13 16:56:02 dudes-power-mac-g5 kernel[0]: AirPort: Link Active: "linksys" - 000f66a5cc09 - chan 9  
Jul 13 16:56:02 dudes-power-mac-g5 configd[41]: AppleTalk startup  
Jul 13 16:56:02 dudes-power-mac-g5 configd[41]: SecKeychainFindGenericPassword err= -25308 ( =0xffff9d24, secErrStr=User interaction is not allowed. ) (current= linksys)  
Jul 13 16:56:08 dudes-power-mac-g5 configd[41]: AppleTalk startup complete  
Jul 13 17:00:56 dudes-power-mac-g5 kernel[0]: Bad SelfID packet 3: 0x837fc4e6 != 0x837fc5e6!  
Jul 13 17:01:37 dudes-power-mac-g5 kernel[0]: Bad SelfID packet 1: 0x817fc4e4 != 0x817fb4e4!  
Jul 13 17:03:05 dudes-power-mac-g5 kernel[0]: FireWire (OHCI) Apple ID 42 built-in: handleSelfIDInt - nodeID not valid (reset bus and retry 2)  
Jul 13 17:03:40 dudes-power-mac-g5 kernel[0]: /SourceCache/AppleFWOHCI/AppleFWOHCI-253.4.1/AppleFWOHCI.cpp 3539: ERROR: FireWire (OHCI) Apple ID 42 built-in: handleUnrecoverableErrorInt  
Jul 13 17:05:27 dudes-power-mac-g5 kernel[0]: FireWire (OHCI) Apple ID 42 built-in: 9638 bus resets in last minute.  
Jul 13 17:05:27 dudes-power-mac-g5 kernel[0]: /SourceCache/AppleFWOHCI/AppleFWOHCI-253.4.1/AppleFWOHCI.cpp 3539: ERROR: FireWire (OHCI) Apple ID 42 built-in: handleUnrecoverableErrorInt  
Jul 13 17:08:19 dudes-power-mac-g5 kernel[0]: Bad SelfID packet 2: 0x827fc4b4 != 0x827fc1b4!  
Jul 13 17:10:11 dudes-power-mac-g5 kernel[0]: /SourceCache/AppleFWOHCI/AppleFWOHCI-253.4.1/AppleFWOHCI.cpp 3539: ERROR: FireWire (OHCI) Apple ID 42 built-in: handleUnrecoverableErrorInt  
Jul 13 17:11:01 dudes-power-mac-g5 kernel[0]: AirPort: Link DOWN (AP deAuth 0)  
Jul 13 17:11:01 dudes-power-mac-g5 configd[41]: AppleTalk shutdown  
Jul 13 17:11:01 dudes-power-mac-g5 /usr/sbin/AppleFileServer: AFPServer::AbnormalATListenerShutDown - clear listener  
Jul 13 17:11:01 dudes-power-mac-g5 configd[41]: AppleTalk shutdown complete  
Jul 13 17:11:01 dudes-power-mac-g5 kernel[0]: AirPort: Link Active: "linksys" - 000f66a5cc09 - chan 9  
Jul 13 17:11:01 dudes-power-mac-g5 configd[41]: AppleTalk startup  
Jul 13 17:11:01 dudes-power-mac-g5 configd[41]: SecKeychainFindGenericPassword err= -25308 ( =0xffff9d24, secErrStr=User interaction is not allowed. ) (current= linksys)  
Jul 13 17:11:07 dudes-power-mac-g5 configd[41]: AppleTalk startup complete  
Jul 13 17:12:53 dudes-power-mac-g5 kernel[0]: /SourceCache/AppleFWOHCI/AppleFWOHCI-253.4.1/AppleFWOHCI.cpp 3539: ERROR: FireWire (OHCI) Apple ID 42 built-in: handleUnrecoverableErrorInt  
Jul 13 17:13:21 dudes-power-mac-g5 kernel[0]: FireWire (OHCI) Apple ID 42 built-in: handleSelfIDInt - nodeID not valid (reset bus and retry 2)  
Jul 13 17:15:14 dudes-power-mac-g5 kernel[0]: /SourceCache/AppleFWOHCI/AppleFWOHCI-253.4.1/AppleFWOHCI.cpp 3539: ERROR: FireWire (OHCI) Apple ID 42 built-in: handleUnrecoverableErrorInt  
Jul 13 17:15:41 dudes-power-mac-g5 FirewireComPort[110]: kIOFWMessageTopologyChanged Start\n  
Jul 13 17:15:41 dudes-power-mac-g5 FirewireComPort[110]: kIOFWMessageTopologyChanged END\n  
Jul 13 17:16:37 dudes-power-mac-g5 kernel[0]: Bad SelfID packet 9: 0x0 != 0xffffffff!  
Jul 13 17:20:31 dudes-power-mac-g5 kernel[0]: Bad SelfID packet 2: 0x827fc4b4 != 0x827fc4b1!  
Jul 13 17:21:51 dudes-power-mac-g5 kernel[0]: Bad SelfID packet 1: 0x817fc4e4 != 0x817fc1e4!  
Jul 13 17:23:02 dudes-power-mac-g5 kernel[0]: FireWire (OHCI) Apple ID 42 built-in: handleSelfIDInt - received quads == 0. issuing bus reset  
Jul 13 17:24:08 dudes-power-mac-g5 kernel[0]: FireWire (OHCI) Apple ID 42 built-in: 9396 bus resets in last minute.  
Jul 13 17:24:08 dudes-power-mac-g5 kernel[0]: /SourceCache/AppleFWOHCI/AppleFWOHCI-253.4.1/AppleFWOHCI.cpp 3539: ERROR: FireWire (OHCI) Apple ID 42 built-in: handleUnrecoverableErrorInt  
Jul 13 17:25:16 dudes-power-mac-g5 kernel[0]: /SourceCache/AppleFWOHCI/AppleFWOHCI-253.4.1/AppleFWOHCI.cpp 3539: ERROR: FireWire (OHCI) Apple ID 42 built-in: handleUnrecoverableErrorInt  
Jul 13 17:25:19 dudes-power-mac-g5 kernel[0]: FireWire (OHCI) Apple ID 42 built-in: handleSelfIDInt - received quads == 0. issuing bus reset  
Jul 13 17:26:22 dudes-power-mac-g5 kernel[0]: /SourceCache/AppleFWOHCI/AppleFWOHCI-253.4.1/AppleFWOHCI.cpp 3539: ERROR: FireWire (OHCI) Apple ID 42 built-in: handleUnrecoverableErrorInt  
Jul 13 17:26:25 dudes-power-mac-g5 kernel[0]: /SourceCache/AppleFWOHCI/AppleFWOHCI-253.4.1/AppleFWOHCI.cpp 3539: ERROR: FireWire (OHCI) Apple ID 42 built-in: handleUnrecoverableErrorInt  
Jul 13 17:27:52 dudes-power-mac-g5 kernel[0]: FireWire (OHCI) Apple ID 42 built-in: handleSelfIDInt - nodeID not valid (reset bus and retry 2)  
Jul 13 17:28:42 dudes-power-mac-g5 kernel[0]: FireWire (OHCI) Apple ID 42 built-in: handleSelfIDInt -

nodeID not valid (reset bus and retry 2)  
Jul 13 17:29:06 dudes-power-mac-g5 kernel[0]: AirPort: Link DOWN (AP deAuth 0)  
Jul 13 17:29:06 dudes-power-mac-g5 configd[41]: AppleTalk shutdown  
Jul 13 17:29:06 dudes-power-mac-g5 /usr/sbin/AppleFileServer: AFPServer::AbnormalATListenerShutDown - clear listener  
Jul 13 17:29:06 dudes-power-mac-g5 configd[41]: AppleTalk shutdown complete  
Jul 13 17:29:06 dudes-power-mac-g5 kernel[0]: AirPort: Link Active: "linksys" - 000f66a5cc09 - chan 9  
Jul 13 17:29:06 dudes-power-mac-g5 configd[41]: AppleTalk startup  
Jul 13 17:29:06 dudes-power-mac-g5 configd[41]: SecKeychainFindGenericPassword err= -25308 ( =0xffff9d24, secErrStr=User interaction is not allowed. ) (current= linksys)  
Jul 13 17:29:12 dudes-power-mac-g5 configd[41]: AppleTalk startup complete  
Jul 13 17:29:20 dudes-power-mac-g5 kernel[0]: /SourceCache/AppleFWOHCI/AppleFWOHCI-253.4.1/AppleFWOHCI.cpp 3539: ERROR: FireWire (OHCI) Apple ID 42 built-in: handleUnrecoverableErrorInt  
Jul 13 17:30:49 dudes-power-mac-g5 kernel[0]: /SourceCache/AppleFWOHCI/AppleFWOHCI-253.4.1/AppleFWOHCI.cpp 3539: ERROR: FireWire (OHCI) Apple ID 42 built-in: handleUnrecoverableErrorInt  
Jul 13 17:31:51 dudes-power-mac-g5 kernel[0]: /SourceCache/AppleFWOHCI/AppleFWOHCI-253.4.1/AppleFWOHCI.cpp 3539: ERROR: FireWire (OHCI) Apple ID 42 built-in: handleUnrecoverableErrorInt  
Jul 13 17:32:05 dudes-power-mac-g5 kernel[0]: FireWire (OHCI) Apple ID 42 built-in: 4080 bus resets in last minute.  
Jul 13 17:32:05 dudes-power-mac-g5 kernel[0]: /SourceCache/AppleFWOHCI/AppleFWOHCI-253.4.1/AppleFWOHCI.cpp 3539: ERROR: FireWire (OHCI) Apple ID 42 built-in: handleUnrecoverableErrorInt  
Jul 13 17:34:45 dudes-power-mac-g5 kernel[0]: /SourceCache/AppleFWOHCI/AppleFWOHCI-253.4.1/AppleFWOHCI.cpp 3539: ERROR: FireWire (OHCI) Apple ID 42 built-in: handleUnrecoverableErrorInt  
Jul 13 17:35:08 dudes-power-mac-g5 kernel[0]: /SourceCache/AppleFWOHCI/AppleFWOHCI-253.4.1/AppleFWOHCI.cpp 3539: ERROR: FireWire (OHCI) Apple ID 42 built-in: handleUnrecoverableErrorInt  
Jul 13 17:37:36 dudes-power-mac-g5 kernel[0]: AppleFWOHCI\_AsyncTransmit::waitForDMA - context not going inactive.  
Jul 13 17:40:56 localhost kernel[0]: standard timeslicing quantum is 10000 us  
Jul 13 17:40:56 localhost memberd[44]: memberd starting up  
Jul 13 17:40:57 localhost kernel[0]: vm\_page\_bootstrap: 632510 free pages  
Jul 13 17:40:56 localhost mDNSResponder-108.4 (Jan 8 2007 20: 36:00)[36]: starting  
Jul 13 17:40:57 localhost kernel[0]: mig\_table\_max\_displ = 70  
Jul 13 17:40:56 localhost DirectoryService[49]: Launched version 2.1 (v353.6)  
Jul 13 17:40:57 localhost kernel[0]: 113 prelinked modules  
Jul 13 17:40:56 localhost lookupd[46]: lookupd (version 369.5) starting - Sun Jul 13 17:40:56 2008  
Jul 13 17:40:57 localhost kernel[0]: Copyright (c) 1982, 1986, 1989, 1991, 1993  
Jul 13 17:40:57 localhost kernel[0]: The Regents of the University of California. All rights reserved.  
Jul 13 17:40:57 localhost kernel[0]: using 6553 buffer headers and 4096 cluster IO buffer headers  
Jul 13 17:40:57 localhost kernel[0]: DART enabled  
Jul 13 17:40:57 localhost kernel[0]: FireWire (OHCI) Apple ID 42 built-in now active, GUID 000a95ff fed56e30; max speed s800.  
Jul 13 17:40:57 localhost kernel[0]: Security auditing service present  
Jul 13 17:40:57 localhost kernel[0]: BSM auditing present  
Jul 13 17:40:57 localhost kernel[0]: disabled  
Jul 13 17:40:57 localhost kernel[0]: rooting via boot-uuid from /chosen: 6DC92AA7-F0CA-3BD5-96D3-ABDD8507A4DF  
Jul 13 17:40:57 localhost kernel[0]: Waiting on <dict ID="0"><key>IOProviderClass</key><string ID="1">IOResources</string><key>IOResourceMatch</key><string ID="2">boot-uuid-media</string></dict>  
Jul 13 17:40:57 localhost kernel[0]: Got boot device = IOService:/MacRISC4PE/ht@0,f2000000/AppleMacRiscHT/pci@7/IOPCI2PCIBridge/k2-sata-root@C/AppleK2SATARoot/k2-sata@0/AppleK2SATA/ATADeviceNub@/IOATABlockStorageDriver/IOATABlockStorageDevice/IOBlockStorageDriver/ST31000340AS Media/IOApplePartitionScheme/Apple\_HFS\_Untitled\_1@3  
Jul 13 17:40:57 localhost kernel[0]: BSD root: disk1s3, major 14, minor 9  
Jul 13 17:40:57 localhost kernel[0]: jnl: replay\_journal: from: 3602432 to: 2188288 (joffset 0x4dc000)  
Jul 13 17:40:57 localhost kernel[0]: HFS: Removed 2 orphaned unlinked files  
Jul 13 17:40:57 localhost kernel[0]: Jettisoning kernel linker.  
Jul 13 17:40:57 localhost kernel[0]: Resetting IOCatalogue.  
Jul 13 17:40:57 localhost kernel[0]: Matching service count = 1  
Jul 13 17:40:57 localhost kernel[0]: Matching service count = 7  
Jul 13 17:40:57 localhost kernel[0]: Matching service count = 7

Jul 13 17:40:57 localhost kernel[0]: Matching service count = 7  
Jul 13 17:40:57 localhost kernel[0]: Matching service count = 7  
Jul 13 17:40:57 localhost kernel[0]: Matching service count = 7  
Jul 13 17:40:57 localhost kernel[0]: Matching service count = 80  
Jul 13 17:40:57 localhost kernel[0]: Matching service count = 80  
Jul 13 17:40:57 localhost kernel[0]: Matching service count = 80  
Jul 13 17:40:57 localhost kernel[0]: Matching service count = 80  
Jul 13 17:40:57 localhost kernel[0]: Matching service count = 80  
Jul 13 17:40:57 localhost kernel[0]: Matching service count = 80  
Jul 13 17:40:57 localhost kernel[0]: Matching service count = 80  
Jul 13 17:40:57 localhost kernel[0]: NVDANV30HAL loaded and registered.  
Jul 13 17:40:57 localhost kernel[0]: IOPlatformControl::registerDriver Control Driver AppleSlewClock did not supply target-value, using default  
Jul 13 17:40:57 localhost kernel[0]: KensingtonMouseDriver: QueueBackgroundEvent() unable to get com\_ptr  
Jul 13 17:40:57 localhost kernel[0]: LexiconPro Device CJ - 1.1.0.0 - Mar 31 2008 12:11:29 - (c) Singing Electrons Inc. 2004-2008  
Jul 13 17:40:57 localhost kernel[0]: IPv6 packet filtering initialized, default to accept, logging disabled  
Jul 13 17:40:57 localhost /Library/Application Support/LexiconPro/hiqnet/hiqnetLauncher[33]: hiqnetLauncher Using Firewirecomport as interface  
Jul 13 17:40:57 localhost kernel[0]: UniNEnet: Ethernet address 00:0a:95:d5:6e:30  
Jul 13 17:40:57 localhost kernel[0]: AirPortPCI\_MM: Ethernet address 00:0d:93:89:f5:5e  
Jul 13 17:40:57 localhost launchd: Server 0 in bootstrap 1103 uid 0: "/usr/sbin/lookupd"[46]: exited abnormally: Hangup  
Jul 13 17:40:57 localhost kernel[0]: NVDA,Display-A: vram [b8000000:08000000]  
Jul 13 17:40:57 localhost lookupd[75]: lookupd (version 369.5) starting - Sun Jul 13 17:40:57 2008  
Jul 13 17:40:58 localhost diskarbitrationd[43]: disk2s3 hfs D012D5CA-342E-38CF-B2EE-8BCA32D83173  
DUDE 1 [not mounted]  
Jul 13 17:40:58 localhost diskarbitrationd[43]: disk3s3 hfs 25BAEE61-E0DB-36AC-90AF-48BAB00D2E61  
DUDE 2 [not mounted]  
Jul 13 17:40:58 localhost diskarbitrationd[43]: disk1s3 hfs 6DC92AA7-F0CA-3BD5-96D3-ABDD507A4DF  
MAC /  
Jul 13 17:40:58 localhost kernel[0]: jnl: replay\_journal: from: 15038976 to: 2338816 (joffset 0x4db000)  
Jul 13 17:40:58 localhost /Library/Application Support/LexiconPro/hiqnet/macfirewirecomport: This Machines WWUID is FED56E30 000A95FF  
Jul 13 17:40:58 localhost kernel[0]: jnl: replay\_journal: from: 15604736 to: 16483328 (joffset 0x4dc000)  
Jul 13 17:40:58 localhost configd[41]: WirelessConfigure: 88001003  
Jul 13 17:40:58 localhost diskarbitrationd[43]: disk1s5 hfs 1123E808-3BC1-3C98-8A23-508866F2DD50  
MAC 2 /Volumes/MAC 2  
Jul 13 17:40:58 localhost configd[41]: initCardWithStoredPrefs failed.  
Jul 13 17:40:58 localhost configd[41]: WirelessConfigure: 88001003  
Jul 13 17:40:58 localhost RouterComPort[107]: RouterComPort started  
Jul 13 17:40:58 localhost ApComPort[110]: ApComPort started  
Jul 13 17:40:58 localhost diskarbitrationd[43]: disk0s3 hfs EA8F1946-F029-3644-AC1C-D0212AFF5AB4  
Untitled 1 /Volumes/Untitled 1  
Jul 13 17:40:58 localhost kernel[0]: NVDA,Display-B: vram [ba000000:02000000]  
Jul 13 17:40:58 localhost diskarbitrationd[43]: disk1s7 hfs 613B8C3E-3F46-3C0E-87D3-5641A58C5B6B  
MAC 3 /Volumes/MAC 3  
Jul 13 17:40:58 localhost kernel[0]: jnl: replay\_journal: from: 7348736 to: 8198656 (joffset 0x4dc000)  
Jul 13 17:40:58 localhost kernel[0]: jnl: replay\_journal: from: 5391872 to: 6241792 (joffset 0x4db000)  
Jul 13 17:40:58 localhost kernel[0]: jnl: replay\_journal: from: 7276032 to: 8130048 (joffset 0x4dc000)  
Jul 13 17:40:58 localhost diskarbitrationd[43]: disk0s5 hfs 64370BAF-0DF7-32CA-882F-7B90191B0713  
Untitled 2 /Volumes/Untitled 2  
Jul 13 17:40:59 localhost kernel[0]: jnl: replay\_journal: from: 5371904 to: 6230016 (joffset 0x4db000)  
Jul 13 17:40:59 localhost diskarbitrationd[43]: disk1s9 hfs 312D1165-0353-3B3D-9DF1-2E3424B5B07D  
MAC 4 /Volumes/MAC 4  
Jul 13 17:40:59 localhost diskarbitrationd[43]: disk0s7 hfs 68A5F38F-08D5-3BC8-9C9F-87C2FE83C039  
Untitled 3 /Volumes/Untitled 3  
Jul 13 17:40:59 localhost kernel[0]: jnl: replay\_journal: from: 5388288 to: 6238208 (joffset 0x4db000)  
Jul 13 17:40:59 localhost diskarbitrationd[43]: disk0s9 hfs 9E5D74E1-78B1-3A8E-9775-59527501551D  
Untitled 4 /Volumes/Untitled 4

```
Jul 13 17:40:59 localhost kernel[0]: jnl: replay_journal: from: 7325696 to: 8179712 (joffset 0x4dc000)
Jul 13 17:40:59 localhost diskarbitrationd[43]: disk1s11 hfs 94B4FCF7-692B-32B5-A0D9-A9BFD3346DD7
MAC 5 /Volumes/MAC 5
Jul 13 17:40:59 localhost kernel[0]: jnl: replay_journal: from: 7230464 to: 8084480 (joffset 0x4dc000)
Jul 13 17:40:59 localhost diskarbitrationd[43]: disk0s11 hfs CCC57CE3-DB13-3A82-BE38-36F95177AE5D
Untitled 5 /Volumes/Untitled 5
Jul 13 17:40:59 localhost kernel[0]: jnl: replay_journal: from: 5380096 to: 6246912 (joffset 0x4db000)
Jul 13 17:40:59 localhost diskarbitrationd[43]: disk1s13 hfs B682947B-9E32-371F-BE3A-18BBF3B29DA2
MAC 6 /Volumes/MAC 6
Jul 13 17:40:59 localhost kernel[0]: jnl: replay_journal: from: 5380096 to: 6254592 (joffset 0x4e1000)
Jul 13 17:40:59 localhost /System/Library/CoreServices/loginwindow.app/Contents/MacOS/loginwindow: Login
Window Application Started
Jul 13 17:40:59 localhost diskarbitrationd[43]: disk0s13 hfs F95FB50B-715F-3187-B2E0-54E737840FF4
Untitled 6 /Volumes/Untitled 6
Jul 13 17:41:00 localhost kernel[0]: UniENet::monitorLinkStatus - Link is up at 100 Mbps - Full Duplex
Jul 13 17:41:00 localhost loginwindow[155]: Login Window Started Security Agent
Jul 13 17:41:00 localhost mDNSResponder: Adding browse domain local.
Jul 13 17:41:00 dudes-power-mac-g5 configd[41]: setting hostname to "dudes-power-mac-g5.local"
Jul 13 17:41:03 dudes-power-mac-g5 ApComPort[110]: Data flow on, no route to node 36741
Jul 13 17:41:03 dudes-power-mac-g5 diskarbitrationd[43]: disk3s3 hfs 25BAEE61-
E0DB-36AC-90AF-48BAB00D2E61 DUDE 2 /Volumes/DUDE 2
Jul 13 17:41:03 dudes-power-mac-g5 diskarbitrationd[43]: disk2s3 hfs D012D5CA-342E-38CF-
B2EE-8BCA32D83173 DUDE 1 /Volumes/DUDE 1
Jul 13 17:41:06 dudes-power-mac-g5 configd[41]: executing /System/Library/SystemConfiguration/
Kicker.bundle/Contents/Resources/enable-network
Jul 13 17:41:06 dudes-power-mac-g5 configd[41]: posting notification
com.apple.system.config.network_change
Jul 13 17:41:06 dudes-power-mac-g5 lookupd[206]: lookupd (version 369.5) starting - Sun Jul 13 17:41:06
2008
Jul 13 17:41:06 dudes-power-mac-g5 ntpdate[218]: getnetnum: "time.apple.com" invalid host number, line
ignored
Jul 13 17:41:06 dudes-power-mac-g5 ntpdate[218]: no servers can be used, exiting
Jul 13 17:41:07 dudes-power-mac-g5 configd[41]: target=enable-network: disabled
Jul 13 17:41:08 dudes-power-mac-g5 ntpd_initres[227]: couldn't resolve `time.apple.com', giving up on it
Jul 13 17:42:53 dudes-power-mac-g5 kernel[0]: Bad SelfID packet 3: 0x837fc4e6 != 0x837fc5e6!
Jul 13 17:48:16 dudes-power-mac-g5 kernel[0]: /SourceCache/AppleFWOHCI/AppleFWOHCI-253.4.1/AppleFWOHCI.cpp
3539: ERROR: FireWire (OHCI) Apple ID 42 built-in: handleUnrecoverableErrorInt
Jul 13 17:54:47 dudes-power-mac-g5 kernel[0]: FireWire (OHCI) Apple ID 42 built-in: handleSelfIDInt -
nodeID not valid (reset bus and retry 2)
Jul 13 17:55:21 dudes-power-mac-g5 kernel[0]: FireWire (OHCI) Apple ID 42 built-in: handleSelfIDInt -
nodeID not valid (reset bus and retry 2)
Jul 13 17:58:20 dudes-power-mac-g5 kernel[0]: AppleFWOHCI_AsyncTransmit::waitForDMA - context not going
inactive.
Jul 13 17:58:40 dudes-power-mac-g5 kernel[0]: Bad SelfID packet 2: 0x827fc4b4 != 0x827fc4c4!
Jul 13 17:58:48 dudes-power-mac-g5 kernel[0]: /SourceCache/AppleFWOHCI/AppleFWOHCI-253.4.1/AppleFWOHCI.cpp
3539: ERROR: FireWire (OHCI) Apple ID 42 built-in: handleUnrecoverableErrorInt
Jul 13 17:59:27 dudes-power-mac-g5 kernel[0]: FireWire (OHCI) Apple ID 42 built-in: 9550 bus resets in
last minute.
Jul 13 17:59:27 dudes-power-mac-g5 kernel[0]: /SourceCache/AppleFWOHCI/AppleFWOHCI-253.4.1/AppleFWOHCI.cpp
3539: ERROR: FireWire (OHCI) Apple ID 42 built-in: handleUnrecoverableErrorInt
Jul 13 18:00:36 dudes-power-mac-g5 FirewireComPort[109]: kIOFWMessageTopologyChanged Start\n
Jul 13 18:00:36 dudes-power-mac-g5 FirewireComPort[109]: kIOFWMessageTopologyChanged END\n
Jul 13 18:04:36 dudes-power-mac-g5 kernel[0]: Bad SelfID packet 2: 0x827fc4b4 != 0x827fc404!
Jul 13 18:05:30 dudes-power-mac-g5 kernel[0]: /SourceCache/AppleFWOHCI/AppleFWOHCI-253.4.1/AppleFWOHCI.cpp
3539: ERROR: FireWire (OHCI) Apple ID 42 built-in: handleUnrecoverableErrorInt
Jul 13 18:05:30 dudes-power-mac-g5 kernel[0]: /SourceCache/AppleFWOHCI/AppleFWOHCI-253.4.1/AppleFWOHCI.cpp
3539: ERROR: FireWire (OHCI) Apple ID 42 built-in: handleUnrecoverableErrorInt
Jul 13 18:06:44 dudes-power-mac-g5 kernel[0]: /SourceCache/AppleFWOHCI/AppleFWOHCI-253.4.1/AppleFWOHCI.cpp
3539: ERROR: FireWire (OHCI) Apple ID 42 built-in: handleUnrecoverableErrorInt
Jul 13 18:07:58 dudes-power-mac-g5 kernel[0]: /SourceCache/AppleFWOHCI/AppleFWOHCI-253.4.1/AppleFWOHCI.cpp
```

3539: ERROR: FireWire (OHCI) Apple ID 42 built-in: handleUnrecoverableErrorInt  
Jul 13 18:09:12 dudes-power-mac-g5 kernel[0]: Bad SelfID packet 3: 0x837fc4e6 != 0x837fc46e!  
Jul 13 18:10:42 dudes-power-mac-g5 kernel[0]: Bad SelfID packet 2: 0x827fc4b4 != 0x827fc43c!  
Jul 13 18:13:23 dudes-power-mac-g5 kernel[0]: FireWire (OHCI) Apple ID 42 built-in: handleSelfIDInt -  
nodeID not valid (reset bus and retry 2)  
Jul 13 18:14:39 dudes-power-mac-g5 kernel[0]: /SourceCache/AppleFWOHCI/AppleFWOHCI-253.4.1/AppleFWOHCI.cpp  
3539: ERROR: FireWire (OHCI) Apple ID 42 built-in: handleUnrecoverableErrorInt  
Jul 13 18:15:08 dudes-power-mac-g5 kernel[0]: Bad SelfID packet 9: 0x0 != 0xffffffff!  
Jul 13 18:16:29 dudes-power-mac-g5 FirewireComPort[109]: kIOFWMessageTopologyChanged Start\n  
Jul 13 18:16:29 dudes-power-mac-g5 FirewireComPort[109]: kIOFWMessageTopologyChanged END\n  
Jul 13 18:19:19 dudes-power-mac-g5 kernel[0]: /SourceCache/AppleFWOHCI/AppleFWOHCI-253.4.1/AppleFWOHCI.cpp  
3539: ERROR: FireWire (OHCI) Apple ID 42 built-in: handleUnrecoverableErrorInt  
Jul 13 18:24:46 dudes-power-mac-g5 kernel[0]: FireWire (OHCI) Apple ID 42 built-in: 13327 bus resets in  
last minute.  
Jul 13 18:24:46 dudes-power-mac-g5 kernel[0]: /SourceCache/AppleFWOHCI/AppleFWOHCI-253.4.1/AppleFWOHCI.cpp  
3539: ERROR: FireWire (OHCI) Apple ID 42 built-in: handleUnrecoverableErrorInt  
Jul 13 18:25:50 dudes-power-mac-g5 kernel[0]: Bad SelfID packet 1: 0x817fc4e4 != 0x817fc4b4!  
Jul 13 18:26:04 dudes-power-mac-g5 kernel[0]: FireWire (OHCI) Apple ID 42 built-in: handleSelfIDInt -  
nodeID not valid (reset bus and retry 2)  
Jul 13 18:26:42 dudes-power-mac-g5 kernel[0]: /SourceCache/AppleFWOHCI/AppleFWOHCI-253.4.1/AppleFWOHCI.cpp  
3539: ERROR: FireWire (OHCI) Apple ID 42 built-in: handleUnrecoverableErrorInt  
Jul 13 18:27:54 dudes-power-mac-g5 kernel[0]: FireWire (OHCI) Apple ID 42 built-in: handleSelfIDInt -  
nodeID not valid (reset bus and retry 2)  
Jul 13 18:28:13 dudes-power-mac-g5 kernel[0]: Bad SelfID packet 2: 0x827fc4b4 != 0x827fc4cc!  
Jul 13 18:29:02 dudes-power-mac-g5 kernel[0]: /SourceCache/AppleFWOHCI/AppleFWOHCI-253.4.1/AppleFWOHCI.cpp  
3539: ERROR: FireWire (OHCI) Apple ID 42 built-in: handleUnrecoverableErrorInt  
Jul 13 18:30:25 dudes-power-mac-g5 kernel[0]: /SourceCache/AppleFWOHCI/AppleFWOHCI-253.4.1/AppleFWOHCI.cpp  
3539: ERROR: FireWire (OHCI) Apple ID 42 built-in: handleUnrecoverableErrorInt  
Jul 13 18:30:44 dudes-power-mac-g5 kernel[0]: FireWire (OHCI) Apple ID 42 built-in: handleSelfIDInt -  
received quads == 0. issuing bus reset  
Jul 13 18:31:32 dudes-power-mac-g5 kernel[0]: FireWire (OHCI) Apple ID 42 built-in: handleSelfIDInt -  
received quads == 0. issuing bus reset  
Jul 13 18:32:31 dudes-power-mac-g5 kernel[0]: /SourceCache/AppleFWOHCI/AppleFWOHCI-253.4.1/AppleFWOHCI.cpp  
3539: ERROR: FireWire (OHCI) Apple ID 42 built-in: handleUnrecoverableErrorInt  
Jul 13 18:34:30 dudes-power-mac-g5 kernel[0]: Bad SelfID packet 2: 0x827fc4b4 != 0x827fc1b4!  
Jul 13 18:35:31 dudes-power-mac-g5 kernel[0]: FireWire (OHCI) Apple ID 42 built-in: handleSelfIDInt -  
nodeID not valid (reset bus and retry 2)  
Jul 13 18:37:22 dudes-power-mac-g5 kernel[0]: /SourceCache/AppleFWOHCI/AppleFWOHCI-253.4.1/AppleFWOHCI.cpp  
3539: ERROR: FireWire (OHCI) Apple ID 42 built-in: handleUnrecoverableErrorInt  
Jul 13 18:37:28 dudes-power-mac-g5 kernel[0]: FireWire (OHCI) Apple ID 42 built-in: handleSelfIDInt -  
nodeID not valid (reset bus and retry 2)  
Jul 13 18:37:29 dudes-power-mac-g5 kernel[0]: FireWire (OHCI) Apple ID 42 built-in: handleSelfIDInt -  
nodeID not valid (reset bus and retry 2)  
Jul 13 18:38:43 dudes-power-mac-g5 kernel[0]: FireWire (OHCI) Apple ID 42 built-in: handleSelfIDInt -  
nodeID not valid (reset bus and retry 2)  
Jul 13 18:38:56 dudes-power-mac-g5 kernel[0]: Bad SelfID packet 9: 0x0 != 0xffffffff!  
Jul 13 18:39:03 dudes-power-mac-g5 kernel[0]: Bad SelfID packet 1: 0x817fc4e4 != 0x817fc1e4!  
Jul 13 18:42:17 dudes-power-mac-g5 kernel[0]: FireWire (OHCI) Apple ID 42 built-in: handleSelfIDInt -  
nodeID not valid (reset bus and retry 2)  
Jul 13 18:42:17 dudes-power-mac-g5 kernel[0]: FireWire (OHCI) Apple ID 42 built-in: handleSelfIDInt -  
nodeID not valid (reset bus and retry 3)  
Jul 13 18:46:28 dudes-power-mac-g5 kernel[0]: FireWire (OHCI) Apple ID 42 built-in: handleSelfIDInt -  
nodeID not valid (reset bus and retry 2)  
Jul 13 18:46:56 dudes-power-mac-g5 kernel[0]: FireWire (OHCI) Apple ID 42 built-in: handleSelfIDInt -  
received quads == 0. issuing bus reset  
Jul 13 18:47:49 dudes-power-mac-g5 kernel[0]: Bad SelfID packet 2: 0x827fc4b4 != 0x827fc4b5!  
Jul 13 18:50:37 dudes-power-mac-g5 kernel[0]: FireWire (OHCI) Apple ID 42 built-in: handleSelfIDInt -  
nodeID not valid (reset bus and retry 2)  
Jul 13 19:00:13 dudes-power-mac-g5 kernel[0]: FireWire (OHCI) Apple ID 42 built-in: 18842 bus resets in  
last minute.

Jul 13 19:00:13 dudes-power-mac-g5 kernel[0]: /SourceCache/AppleFWOHCI/AppleFWOHCI-253.4.1/AppleFWOHCI.cpp  
3539: ERROR: FireWire (OHCI) Apple ID 42 built-in: handleUnrecoverableErrorInt  
Jul 13 19:06:04 dudes-power-mac-g5 kernel[0]: AppleFWOHCI\_AsyncTransmit::waitForDMA - context not going  
inactive.  
Jul 13 19:09:25 dudes-power-mac-g5 kernel[0]: FireWire (OHCI) Apple ID 42 built-in: handleSelfIDInt -  
nodeID not valid (reset bus and retry 2)  
Jul 13 19:11:04 dudes-power-mac-g5 kernel[0]: Bad SelfID packet 2: 0x827fc4b4 != 0x822fc4b4!  
Jul 13 19:12:05 dudes-power-mac-g5 kernel[0]: Bad SelfID packet 9: 0x0 != 0xffffffff!  
Jul 13 19:13:56 dudes-power-mac-g5 kernel[0]: FireWire (OHCI) Apple ID 42 built-in: handleSelfIDInt -  
nodeID not valid (reset bus and retry 2)  
Jul 13 19:14:40 dudes-power-mac-g5 kernel[0]: FireWire (OHCI) Apple ID 42 built-in: handleSelfIDInt -  
nodeID not valid (reset bus and retry 2)  
Jul 13 19:15:55 dudes-power-mac-g5 kernel[0]: /SourceCache/AppleFWOHCI/AppleFWOHCI-253.4.1/AppleFWOHCI.cpp  
3539: ERROR: FireWire (OHCI) Apple ID 42 built-in: handleUnrecoverableErrorInt  
Jul 13 19:16:14 dudes-power-mac-g5 kernel[0]: /SourceCache/AppleFWOHCI/AppleFWOHCI-253.4.1/AppleFWOHCI.cpp  
3539: ERROR: FireWire (OHCI) Apple ID 42 built-in: handleUnrecoverableErrorInt  
Jul 13 19:16:33 dudes-power-mac-g5 kernel[0]: SelfIDs don't build a proper tree (missing selfIDs?)!!  
Jul 13 19:20:07 dudes-power-mac-g5 kernel[0]: FireWire (OHCI) Apple ID 42 built-in: handleSelfIDInt -  
nodeID not valid (reset bus and retry 2)  
Jul 13 19:20:54 dudes-power-mac-g5 kernel[0]: /SourceCache/AppleFWOHCI/AppleFWOHCI-253.4.1/AppleFWOHCI.cpp  
3539: ERROR: FireWire (OHCI) Apple ID 42 built-in: handleUnrecoverableErrorInt  
Jul 13 19:21:55 dudes-power-mac-g5 kernel[0]: FireWire (OHCI) Apple ID 42 built-in: handleSelfIDInt -  
nodeID not valid (reset bus and retry 2)  
Jul 13 19:22:11 dudes-power-mac-g5 kernel[0]: FireWire (OHCI) Apple ID 42 built-in: 11688 bus resets in  
last minute.  
Jul 13 19:22:11 dudes-power-mac-g5 kernel[0]: /SourceCache/AppleFWOHCI/AppleFWOHCI-253.4.1/AppleFWOHCI.cpp  
3539: ERROR: FireWire (OHCI) Apple ID 42 built-in: handleUnrecoverableErrorInt  
Jul 13 19:23:21 dudes-power-mac-g5 kernel[0]: Bad SelfID packet 9: 0x0 != 0xffffffff!  
Jul 13 19:23:58 dudes-power-mac-g5 kernel[0]: FireWire (OHCI) Apple ID 42 built-in: handleSelfIDInt -  
nodeID not valid (reset bus and retry 2)  
Jul 13 19:25:03 dudes-power-mac-g5 kernel[0]: FireWire (OHCI) Apple ID 42 built-in: handleSelfIDInt -  
nodeID not valid (reset bus and retry 2)  
Jul 13 19:25:30 dudes-power-mac-g5 kernel[0]: FireWire (OHCI) Apple ID 42 built-in: handleSelfIDInt -  
nodeID not valid (reset bus and retry 2)  
Jul 13 19:25:32 dudes-power-mac-g5 kernel[0]: /SourceCache/AppleFWOHCI/AppleFWOHCI-253.4.1/AppleFWOHCI.cpp  
3539: ERROR: FireWire (OHCI) Apple ID 42 built-in: handleUnrecoverableErrorInt  
Jul 13 19:25:48 dudes-power-mac-g5 kernel[0]: FireWire (OHCI) Apple ID 42 built-in: handleSelfIDInt -  
nodeID not valid (reset bus and retry 2)  
Jul 13 19:25:48 dudes-power-mac-g5 kernel[0]: FireWire (OHCI) Apple ID 42 built-in: handleSelfIDInt -  
nodeID not valid (reset bus and retry 3)  
Jul 13 19:26:44 dudes-power-mac-g5 kernel[0]: FireWire (OHCI) Apple ID 42 built-in: handleSelfIDInt -  
nodeID not valid (reset bus and retry 2)  
Jul 13 19:27:39 dudes-power-mac-g5 kernel[0]: Bad SelfID packet 1: 0x817fc4e4 != 0x817fb4e4!  
Jul 13 19:28:17 dudes-power-mac-g5 kernel[0]: FireWire (OHCI) Apple ID 42 built-in: handleSelfIDInt -  
nodeID not valid (reset bus and retry 2)  
Jul 13 19:28:36 dudes-power-mac-g5 kernel[0]: FireWire (OHCI) Apple ID 42 built-in: Bad selfIDs, issuing  
bus reset (retry 2)  
Jul 13 19:28:44 dudes-power-mac-g5 kernel[0]: /SourceCache/AppleFWOHCI/AppleFWOHCI-253.4.1/AppleFWOHCI.cpp  
3539: ERROR: FireWire (OHCI) Apple ID 42 built-in: handleUnrecoverableErrorInt  
Jul 13 19:29:12 dudes-power-mac-g5 kernel[0]: FireWire (OHCI) Apple ID 42 built-in: handleSelfIDInt -  
nodeID not valid (reset bus and retry 2)  
Jul 13 19:29:34 dudes-power-mac-g5 kernel[0]: Missing self ID for node 1!  
Jul 13 19:31:45 dudes-power-mac-g5 kernel[0]: FireWire (OHCI) Apple ID 42 built-in: handleSelfIDInt -  
nodeID not valid (reset bus and retry 2)  
Jul 13 19:34:07 dudes-power-mac-g5 kernel[0]: /SourceCache/AppleFWOHCI/AppleFWOHCI-253.4.1/AppleFWOHCI.cpp  
3539: ERROR: FireWire (OHCI) Apple ID 42 built-in: handleUnrecoverableErrorInt  
Jul 13 19:36:16 dudes-power-mac-g5 kernel[0]: FireWire (OHCI) Apple ID 42 built-in: handleSelfIDInt -  
nodeID not valid (reset bus and retry 2)  
Jul 13 19:37:13 dudes-power-mac-g5 kernel[0]: Bad SelfID packet 9: 0x0 != 0xffffffff!  
Jul 13 19:39:02 dudes-power-mac-g5 kernel[0]: /SourceCache/AppleFWOHCI/AppleFWOHCI-253.4.1/AppleFWOHCI.cpp



Jul 14 12:16:54 localhost kernel[0]: KensingtonMouseDriver: QueueBackgroundEvent() unable to get com\_ptr  
Jul 14 12:16:54 localhost kernel[0]: LexiconPro Device CJ - 1.1.0.0 - Mar 31 2008 12:11:29 - (c) Singing  
Electrons Inc. 2004-2008  
Jul 14 12:16:54 localhost kernel[0]: IOPlatformControl::registerDriver Control Driver AppleSlewClock did  
not supply target-value, using default  
Jul 14 12:16:54 localhost kernel[0]: USBF: 30.608 AppleUSB0HCI[0x3b16000]: Found a transaction which  
hasn't moved in 5 seconds on bus 43, timing out!  
Jul 14 12:16:54 localhost kernel[0]: IPv6 packet filtering initialized, default to accept, logging  
disabled  
Jul 14 12:16:55 localhost /Library/Application Support/LexiconPro/hiqnet/hiqnetLauncher[33]:  
hiqnetLauncher Using Firewirecomport as interface  
Jul 14 12:16:55 localhost kernel[0]: UniNEnet: Ethernet address 00:0a:95:d5:6e:30  
Jul 14 12:16:55 localhost kernel[0]: AirPortPCI\_MM: Ethernet address 00:0d:93:89:f5:5e  
Jul 14 12:16:55 localhost kernel[0]: NVDA,Display-B: vram [b8000000:08000000]  
Jul 14 12:16:55 localhost lookupd[75]: lookupd (version 369.5) starting - Mon Jul 14 12:16:55 2008  
Jul 14 12:16:55 localhost diskarbitrationd[43]: disk2s3 hfs D012D5CA-342E-38CF-B2EE-8BCA32D83173  
DUDE 1 [not mounted]  
Jul 14 12:16:55 localhost diskarbitrationd[43]: disk0s3 hfs 6DC92AA7-F0CA-3BD5-96D3-ABDD8507A4DF  
MAC /  
Jul 14 12:16:56 localhost diskarbitrationd[43]: disk1s3 hfs EA8F1946-F029-3644-AC1C-D0212AFF5AB4  
Untitled 1 /Volumes/Untitled 1  
Jul 14 12:16:56 localhost diskarbitrationd[43]: disk0s5 hfs 1123E808-3BC1-3C98-8A23-508866F2DD50  
MAC 2 /Volumes/MAC 2  
Jul 14 12:16:56 localhost kernel[0]: NVDA,Display-A: vram [00000000:01000000]  
Jul 14 12:16:56 localhost diskarbitrationd[43]: disk1s5 hfs 64370BAF-0DF7-32CA-882F-7B90191B0713  
Untitled 2 /Volumes/Untitled 2  
Jul 14 12:16:56 localhost configd[41]: WirelessConfigure: 88001003  
Jul 14 12:16:56 localhost configd[41]: initCardWithStoredPrefs failed.  
Jul 14 12:16:56 localhost configd[41]: WirelessConfigure: 88001003  
Jul 14 12:16:56 localhost /Library/Application Support/LexiconPro/hiqnet/macfirewirecomport: This Machines  
WWUID is FED56E30 000A95FF  
Jul 14 12:16:56 localhost diskarbitrationd[43]: disk0s7 hfs 613B8C3E-3F46-3C0E-87D3-5641A58C5B6B  
MAC 3 /Volumes/MAC 3  
Jul 14 12:16:56 localhost diskarbitrationd[43]: disk1s7 hfs 68A5F38F-08D5-3BC8-9C9F-87C2FE83C039  
Untitled 3 /Volumes/Untitled 3  
Jul 14 12:16:56 localhost RouterComPort[117]: RouterComPort started  
Jul 14 12:16:56 localhost ApComPort[120]: ApComPort started  
Jul 14 12:16:56 localhost diskarbitrationd[43]: disk0s9 hfs 312D1165-0353-3B3D-9DF1-2E3424B5B07D  
MAC 4 /Volumes/MAC 4  
Jul 14 12:16:56 localhost diskarbitrationd[43]: disk1s9 hfs 9E5D74E1-78B1-3A8E-9775-59527501551D  
Untitled 4 /Volumes/Untitled 4  
Jul 14 12:16:56 localhost diskarbitrationd[43]: disk0s11 hfs 94B4FCF7-692B-32B5-A0D9-A9BFD3346DD7  
MAC 5 /Volumes/MAC 5  
Jul 14 12:16:56 localhost diskarbitrationd[43]: disk1s11 hfs CCC57CE3-DB13-3A82-BE38-36F95177AE5D  
Untitled 5 /Volumes/Untitled 5  
Jul 14 12:16:56 localhost diskarbitrationd[43]: disk0s13 hfs B682947B-9E32-371F-BE3A-18BBF3B29DA2  
MAC 6 /Volumes/MAC 6  
Jul 14 12:16:56 localhost diskarbitrationd[43]: disk1s13 hfs F95FB50B-715F-3187-B2E0-54E737840FF4  
Untitled 6 /Volumes/Untitled 6  
Jul 14 12:16:57 localhost /System/Library/CoreServices/loginwindow.app/Contents/MacOS/loginwindow: Login  
Window Application Started  
Jul 14 12:16:57 localhost loginwindow[153]: Login Window Started Security Agent  
Jul 14 12:16:57 localhost diskarbitrationd[43]: disk3s3 hfs 25BAEE61-E0DB-36AC-90AF-48BAB00D2E61  
DUDE 2 [not mounted]  
Jul 14 12:16:58 localhost kernel[0]: UniNEnet::monitorLinkStatus - Link is up at 100 Mbps - Full Duplex  
Jul 14 12:16:58 localhost mDNSResponder: Adding browse domain local.  
Jul 14 12:16:58 dudes-power-mac-g5 configd[41]: setting hostname to "dudes-power-mac-g5.local"  
Jul 14 12:17:01 dudes-power-mac-g5 diskarbitrationd[43]: disk3s3 hfs 25BAEE61-  
E0DB-36AC-90AF-48BAB00D2E61 DUDE 2 /Volumes/DUDE 2  
Jul 14 12:17:01 dudes-power-mac-g5 diskarbitrationd[43]: disk2s3 hfs D012D5CA-342E-38CF-

B2EE-8BCA32D83173 DUDE 1 /Volumes/DUDE 1  
Jul 14 12:17:01 dudes-power-mac-g5 kernel[0]: AirPort: Link Active: "linksys" - 000f66a5cc09 - chan 9  
Jul 14 12:17:01 dudes-power-mac-g5 ApComPort[120]: Data flow on, no route to node 36741  
Jul 14 12:17:01 dudes-power-mac-g5 configd[41]: AppleTalk startup  
Jul 14 12:17:01 dudes-power-mac-g5 configd[41]: SecKeychainFindGenericPassword err= -25308 ( =0xffff9d24, secErrStr=User interaction is not allowed. ) (current= linksys)  
Jul 14 12:17:03 dudes-power-mac-g5 configd[41]: posting notification  
com.apple.system.config.network\_change  
Jul 14 12:17:03 dudes-power-mac-g5 configd[41]: executing /System/Library/SystemConfiguration/Kicker.bundle/Contents/Resources/enable-network  
Jul 14 12:17:03 dudes-power-mac-g5 lookupd[208]: lookupd (version 369.5) starting - Mon Jul 14 12:17:03 2008  
Jul 14 12:17:04 dudes-power-mac-g5 ntpdate[220]: getnetnum: "time.apple.com" invalid host number, line ignored  
Jul 14 12:17:04 dudes-power-mac-g5 ntpdate[220]: no servers can be used, exiting  
Jul 14 12:17:05 dudes-power-mac-g5 configd[41]: posting notification  
com.apple.system.config.network\_change  
Jul 14 12:17:05 dudes-power-mac-g5 lookupd[251]: lookupd (version 369.5) starting - Mon Jul 14 12:17:05 2008  
Jul 14 12:17:06 dudes-power-mac-g5 configd[41]: target=enable-network: disabled  
Jul 14 12:17:07 dudes-power-mac-g5 configd[41]: AppleTalk startup complete  
Jul 14 12:17:50 dudes-power-mac-g5 kernel[0]: Bad SelfID packet 1: 0x817fc4e4 != 0x817fc5e4!  
Jul 14 12:21:21 dudes-power-mac-g5 kernel[0]: AirPort: Link DOWN (AP deAuth 0)  
Jul 14 12:21:21 dudes-power-mac-g5 configd[41]: AppleTalk shutdown  
Jul 14 12:21:21 dudes-power-mac-g5 configd[41]: AppleTalk shutdown complete  
Jul 14 12:21:21 dudes-power-mac-g5 /usr/sbin/AppleFileServer: AFPServer::AbnormalATListenerShutDown - clear listener  
Jul 14 12:21:24 dudes-power-mac-g5 kernel[0]: AirPort: Link Active: "linksys" - 000f66a5cc09 - chan 9  
Jul 14 12:21:24 dudes-power-mac-g5 configd[41]: AppleTalk startup  
Jul 14 12:21:24 dudes-power-mac-g5 configd[41]: SecKeychainFindGenericPassword err= -25308 ( =0xffff9d24, secErrStr=User interaction is not allowed. ) (current= linksys)  
Jul 14 12:21:29 dudes-power-mac-g5 configd[41]: AppleTalk startup complete  
Jul 14 12:23:03 dudes-power-mac-g5 kernel[0]: Bad SelfID packet 9: 0x0 != 0xffffffff!  
Jul 14 12:23:51 dudes-power-mac-g5 kernel[0]: Bad SelfID packet 9: 0x0 != 0xffffffff!  
Jul 14 12:25:20 dudes-power-mac-g5 kernel[0]: /SourceCache/AppleFWOHCI/AppleFWOHCI-253.4.1/AppleFWOHCI.cpp 3539: ERROR: FireWire (OHCI) Apple ID 42 built-in: handleUnrecoverableErrorInt  
Jul 14 12:28:06 dudes-power-mac-g5 kernel[0]: FireWire (OHCI) Apple ID 42 built-in: handleSelfIDInt - nodeID not valid (reset bus and retry 2)  
Jul 14 12:30:08 dudes-power-mac-g5 kernel[0]: Bad SelfID packet 3: 0x837fc4e4 != 0x837fc4e6!  
Jul 14 12:30:20 dudes-power-mac-g5 kernel[0]: AirPort: Link DOWN (AP deAuth 0)  
Jul 14 12:30:20 dudes-power-mac-g5 configd[41]: AppleTalk shutdown  
Jul 14 12:30:20 dudes-power-mac-g5 /usr/sbin/AppleFileServer: AFPServer::AbnormalATListenerShutDown - clear listener  
Jul 14 12:30:20 dudes-power-mac-g5 configd[41]: AppleTalk shutdown complete  
Jul 14 12:30:21 dudes-power-mac-g5 kernel[0]: AirPort: Link Active: "linksys" - 000f66a5cc09 - chan 9  
Jul 14 12:30:21 dudes-power-mac-g5 configd[41]: AppleTalk startup  
Jul 14 12:30:22 dudes-power-mac-g5 configd[41]: SecKeychainFindGenericPassword err= -25308 ( =0xffff9d24, secErrStr=User interaction is not allowed. ) (current= linksys)  
Jul 14 12:30:27 dudes-power-mac-g5 configd[41]: AppleTalk startup complete  
Jul 14 12:31:18 dudes-power-mac-g5 kernel[0]: AirPort: Link DOWN (AP deAuth 0)  
Jul 14 12:31:18 dudes-power-mac-g5 configd[41]: AppleTalk shutdown  
Jul 14 12:31:18 dudes-power-mac-g5 /usr/sbin/AppleFileServer: AFPServer::AbnormalATListenerShutDown - clear listener  
Jul 14 12:31:18 dudes-power-mac-g5 configd[41]: AppleTalk shutdown complete  
Jul 14 12:31:18 dudes-power-mac-g5 kernel[0]: AirPort: Link Active: "linksys" - 000f66a5cc09 - chan 9  
Jul 14 12:31:18 dudes-power-mac-g5 configd[41]: AppleTalk startup  
Jul 14 12:31:18 dudes-power-mac-g5 configd[41]: SecKeychainFindGenericPassword err= -25308 ( =0xffff9d24, secErrStr=User interaction is not allowed. ) (current= linksys)  
Jul 14 12:31:24 dudes-power-mac-g5 configd[41]: AppleTalk startup complete  
Jul 14 12:32:17 dudes-power-mac-g5 kernel[0]: AirPort: Link DOWN (AP deAuth 0)

Jul 14 12:32:17 dudes-power-mac-g5 configd[41]: AppleTalk shutdown  
Jul 14 12:32:17 dudes-power-mac-g5 /usr/sbin/AppleFileServer: AFPServer::AbnormalATListenerShutDown - clear listener  
Jul 14 12:32:17 dudes-power-mac-g5 configd[41]: AppleTalk shutdown complete  
Jul 14 12:32:18 dudes-power-mac-g5 kernel[0]: AirPort: Link Active: "linksys" - 000f66a5cc09 - chan 9  
Jul 14 12:32:18 dudes-power-mac-g5 configd[41]: AppleTalk startup  
Jul 14 12:32:19 dudes-power-mac-g5 configd[41]: SecKeychainFindGenericPassword err= -25308 ( =0xffff9d24, secErrStr=User interaction is not allowed. ) (current= linksys)  
Jul 14 12:32:23 dudes-power-mac-g5 configd[41]: AppleTalk startup complete  
Jul 14 12:33:39 dudes-power-mac-g5 kernel[0]: AppleFWOHCI\_AsyncTransmit::waitForDMA - context not going inactive.  
Jul 14 12:34:21 dudes-power-mac-g5 kernel[0]: FireWire (OHCI) Apple ID 42 built-in: handleSelfIDInt - received quads == 0. issuing bus reset  
Jul 14 12:34:21 dudes-power-mac-g5 kernel[0]: Bad SelfID packet 1: 0x817fc4e4 != 0x817fc1e4!  
Jul 14 12:34:28 dudes-power-mac-g5 kernel[0]: AirPort: Link DOWN (AP deAuth 0)  
Jul 14 12:34:28 dudes-power-mac-g5 configd[41]: AppleTalk shutdown  
Jul 14 12:34:28 dudes-power-mac-g5 /usr/sbin/AppleFileServer: AFPServer::AbnormalATListenerShutDown - clear listener  
Jul 14 12:34:28 dudes-power-mac-g5 configd[41]: AppleTalk shutdown complete  
Jul 14 12:34:29 dudes-power-mac-g5 kernel[0]: AirPort: Link Active: "linksys" - 000f66a5cc09 - chan 9  
Jul 14 12:34:29 dudes-power-mac-g5 configd[41]: AppleTalk startup  
Jul 14 12:34:29 dudes-power-mac-g5 configd[41]: SecKeychainFindGenericPassword err= -25308 ( =0xffff9d24, secErrStr=User interaction is not allowed. ) (current= linksys)  
Jul 14 12:34:34 dudes-power-mac-g5 configd[41]: AppleTalk startup complete  
Jul 14 12:35:52 dudes-power-mac-g5 kernel[0]: /SourceCache/AppleFWOHCI/AppleFWOHCI-253.4.1/AppleFWOHCI.cpp 3539: ERROR: FireWire (OHCI) Apple ID 42 built-in: handleUnrecoverableErrorInt  
Jul 14 12:36:33 dudes-power-mac-g5 kernel[0]: FireWire (OHCI) Apple ID 42 built-in: handleSelfIDInt - nodeID not valid (reset bus and retry 2)  
Jul 14 12:38:40 dudes-power-mac-g5 kernel[0]: FireWire (OHCI) Apple ID 42 built-in: 8975 bus resets in last minute.  
Jul 14 12:38:40 dudes-power-mac-g5 kernel[0]: /SourceCache/AppleFWOHCI/AppleFWOHCI-253.4.1/AppleFWOHCI.cpp 3539: ERROR: FireWire (OHCI) Apple ID 42 built-in: handleUnrecoverableErrorInt  
Jul 14 12:40:40 dudes-power-mac-g5 kernel[0]: AirPort: Link DOWN (AP deAuth 0)  
Jul 14 12:40:40 dudes-power-mac-g5 configd[41]: AppleTalk shutdown  
Jul 14 12:40:40 dudes-power-mac-g5 /usr/sbin/AppleFileServer: AFPServer::AbnormalATListenerShutDown - clear listener  
Jul 14 12:40:40 dudes-power-mac-g5 configd[41]: AppleTalk shutdown complete  
Jul 14 12:40:41 dudes-power-mac-g5 kernel[0]: AirPort: Link Active: "linksys" - 000f66a5cc09 - chan 9  
Jul 14 12:40:41 dudes-power-mac-g5 configd[41]: AppleTalk startup  
Jul 14 12:40:42 dudes-power-mac-g5 configd[41]: SecKeychainFindGenericPassword err= -25308 ( =0xffff9d24, secErrStr=User interaction is not allowed. ) (current= linksys)  
Jul 14 12:40:46 dudes-power-mac-g5 configd[41]: AppleTalk startup complete  
Jul 14 12:40:51 dudes-power-mac-g5 kernel[0]: /SourceCache/AppleFWOHCI/AppleFWOHCI-253.4.1/AppleFWOHCI.cpp 3539: ERROR: FireWire (OHCI) Apple ID 42 built-in: handleUnrecoverableErrorInt  
Jul 14 12:45:19 dudes-power-mac-g5 kernel[0]: AirPort: Link DOWN (AP deAuth 0)  
Jul 14 12:45:19 dudes-power-mac-g5 configd[41]: AppleTalk shutdown  
Jul 14 12:45:19 dudes-power-mac-g5 /usr/sbin/AppleFileServer: AFPServer::AbnormalATListenerShutDown - clear listener  
Jul 14 12:45:19 dudes-power-mac-g5 configd[41]: AppleTalk shutdown complete  
Jul 14 12:45:19 dudes-power-mac-g5 kernel[0]: AirPort: Link Active: "linksys" - 000f66a5cc09 - chan 9  
Jul 14 12:45:19 dudes-power-mac-g5 configd[41]: AppleTalk startup  
Jul 14 12:45:19 dudes-power-mac-g5 configd[41]: SecKeychainFindGenericPassword err= -25308 ( =0xffff9d24, secErrStr=User interaction is not allowed. ) (current= linksys)  
Jul 14 12:45:25 dudes-power-mac-g5 configd[41]: AppleTalk startup complete  
Jul 14 12:45:27 dudes-power-mac-g5 kernel[0]: Bad SelfID packet 1: 0x817fc4e4 != 0x817fc44c!  
Jul 14 12:45:29 dudes-power-mac-g5 kernel[0]: FireWire (OHCI) Apple ID 42 built-in: handleSelfIDInt - nodeID not valid (reset bus and retry 2)  
Jul 14 12:46:58 dudes-power-mac-g5 kernel[0]: Bad SelfID packet 1: 0x817fc4e4 != 0x817fc49c!  
Jul 14 12:47:01 dudes-power-mac-g5 kernel[0]: AppleFWOHCI\_AsyncTransmit::waitForDMA - context not going inactive.

```
Jul 14 12:48:11 dudes-power-mac-g5 kernel[0]: Bad SelfID packet 2: 0x827fc4b4 != 0x827f44b4!
Jul 14 12:50:29 dudes-power-mac-g5 kernel[0]: AirPort: Link DOWN (AP deAuth 0)
Jul 14 12:50:29 dudes-power-mac-g5 configd[41]: AppleTalk shutdown
Jul 14 12:50:29 dudes-power-mac-g5 /usr/sbin/AppleFileServer: AFPServer::AbnormalATListenerShutDown -
clear listener
Jul 14 12:50:29 dudes-power-mac-g5 configd[41]: AppleTalk shutdown complete
Jul 14 12:50:29 dudes-power-mac-g5 kernel[0]: AirPort: Link Active: "linksys" - 000f66a5cc09 - chan 9
Jul 14 12:50:29 dudes-power-mac-g5 configd[41]: AppleTalk startup
Jul 14 12:50:29 dudes-power-mac-g5 configd[41]: SecKeychainFindGenericPassword err= -25308 ( =0xffff9d24,
secErrStr=User interaction is not allowed. ) (current= linksys)
Jul 14 12:50:35 dudes-power-mac-g5 configd[41]: AppleTalk startup complete
Jul 14 12:50:54 dudes-power-mac-g5 kernel[0]: Bad SelfID packet 3: 0x837fc4e4 != 0x837f84e4!
Jul 14 12:52:12 dudes-power-mac-g5 kernel[0]: AppleFWOHCI_AsyncTransmit::waitForDMA - context not going
inactive.
Jul 14 12:52:13 dudes-power-mac-g5 kernel[0]: /SourceCache/AppleFWOHCI/AppleFWOHCI-253.4.1/AppleFWOHCI.cpp
3539: ERROR: FireWire (OHCI) Apple ID 42 built-in: handleUnrecoverableErrorInt
Jul 14 12:52:33 dudes-power-mac-g5 kernel[0]: AirPort: Link DOWN (AP deAuth 0)
Jul 14 12:52:33 dudes-power-mac-g5 configd[41]: AppleTalk shutdown
Jul 14 12:52:33 dudes-power-mac-g5 /usr/sbin/AppleFileServer: AFPServer::AbnormalATListenerShutDown -
clear listener
Jul 14 12:52:33 dudes-power-mac-g5 configd[41]: AppleTalk shutdown complete
Jul 14 12:52:36 dudes-power-mac-g5 kernel[0]: AirPort: Link Active: "linksys" - 000f66a5cc09 - chan 9
Jul 14 12:52:36 dudes-power-mac-g5 configd[41]: AppleTalk startup
Jul 14 12:52:36 dudes-power-mac-g5 configd[41]: SecKeychainFindGenericPassword err= -25308 ( =0xffff9d24,
secErrStr=User interaction is not allowed. ) (current= linksys)
Jul 14 12:52:41 dudes-power-mac-g5 configd[41]: AppleTalk startup complete
Jul 14 12:53:19 dudes-power-mac-g5 kernel[0]: AirPort: Link DOWN (AP deAuth 0)
Jul 14 12:53:19 dudes-power-mac-g5 configd[41]: AppleTalk shutdown
Jul 14 12:53:19 dudes-power-mac-g5 /usr/sbin/AppleFileServer: AFPServer::AbnormalATListenerShutDown -
clear listener
Jul 14 12:53:19 dudes-power-mac-g5 configd[41]: AppleTalk shutdown complete
Jul 14 12:53:23 dudes-power-mac-g5 kernel[0]: AirPort: Link Active: "linksys" - 000f66a5cc09 - chan 9
Jul 14 12:53:23 dudes-power-mac-g5 configd[41]: posting notification
com.apple.system.config.network_change
Jul 14 12:53:23 dudes-power-mac-g5 configd[41]: AppleTalk startup
Jul 14 12:53:23 dudes-power-mac-g5 lookupd[5966]: lookupd (version 369.5) starting - Mon Jul 14 12:53:23
2008
Jul 14 12:53:25 dudes-power-mac-g5 configd[41]: SecKeychainFindGenericPassword err= -25308 ( =0xffff9d24,
secErrStr=User interaction is not allowed. ) (current= linksys)
Jul 14 12:53:28 dudes-power-mac-g5 configd[41]: AppleTalk startup complete
Jul 14 12:53:29 dudes-power-mac-g5 configd[41]: posting notification
com.apple.system.config.network_change
Jul 14 12:53:29 dudes-power-mac-g5 lookupd[5981]: lookupd (version 369.5) starting - Mon Jul 14 12:53:29
2008
Jul 14 12:53:31 dudes-power-mac-g5 mDNSResponder: Repeated transitions for interface en1 (192.168.1.114);
delaying packets by 5 seconds
Jul 14 12:54:40 dudes-power-mac-g5 kernel[0]: /SourceCache/AppleFWOHCI/AppleFWOHCI-253.4.1/AppleFWOHCI.cpp
3539: ERROR: FireWire (OHCI) Apple ID 42 built-in: handleUnrecoverableErrorInt
Jul 14 12:55:35 dudes-power-mac-g5 kernel[0]: AirPort: Link DOWN (AP deAuth 0)
Jul 14 12:55:35 dudes-power-mac-g5 configd[41]: AppleTalk shutdown
Jul 14 12:55:35 dudes-power-mac-g5 /usr/sbin/AppleFileServer: AFPServer::AbnormalATListenerShutDown -
clear listener
Jul 14 12:55:35 dudes-power-mac-g5 configd[41]: AppleTalk shutdown complete
Jul 14 12:55:38 dudes-power-mac-g5 kernel[0]: AirPort: Link Active: "linksys" - 000f66a5cc09 - chan 9
Jul 14 12:55:38 dudes-power-mac-g5 configd[41]: AppleTalk startup
Jul 14 12:55:38 dudes-power-mac-g5 configd[41]: SecKeychainFindGenericPassword err= -25308 ( =0xffff9d24,
secErrStr=User interaction is not allowed. ) (current= linksys)
Jul 14 12:55:43 dudes-power-mac-g5 configd[41]: AppleTalk startup complete
Jul 14 12:57:39 dudes-power-mac-g5 kernel[0]: AirPort: Link DOWN (AP deAuth 0)
Jul 14 12:57:39 dudes-power-mac-g5 configd[41]: AppleTalk shutdown
```

Jul 14 12:57:39 dudes-power-mac-g5 /usr/sbin/AppleFileServer: AFPServer::AbnormalATListenerShutDown - clear listener  
Jul 14 12:57:39 dudes-power-mac-g5 configd[41]: AppleTalk shutdown complete  
Jul 14 12:57:42 dudes-power-mac-g5 kernel[0]: AirPort: Link Active: "linksys" - 000f66a5cc09 - chan 9  
Jul 14 12:57:42 dudes-power-mac-g5 configd[41]: AppleTalk startup  
Jul 14 12:57:44 dudes-power-mac-g5 configd[41]: SecKeychainFindGenericPassword err= -25308 ( =0xffff9d24, secErrStr=User interaction is not allowed. ) (current= linksys)  
Jul 14 12:57:47 dudes-power-mac-g5 configd[41]: AppleTalk startup complete  
Jul 14 12:58:24 dudes-power-mac-g5 kernel[0]: FireWire (OHCI) Apple ID 42 built-in: 8948 bus resets in last minute.  
Jul 14 12:58:24 dudes-power-mac-g5 kernel[0]: /SourceCache/AppleFWOHCI/AppleFWOHCI-253.4.1/AppleFWOHCI.cpp 3539: ERROR: FireWire (OHCI) Apple ID 42 built-in: handleUnrecoverableErrorInt  
Jul 14 12:59:43 dudes-power-mac-g5 kernel[0]: AirPort: Link DOWN (AP deAuth 0)  
Jul 14 12:59:43 dudes-power-mac-g5 configd[41]: AppleTalk shutdown  
Jul 14 12:59:43 dudes-power-mac-g5 /usr/sbin/AppleFileServer: AFPServer::AbnormalATListenerShutDown - clear listener  
Jul 14 12:59:43 dudes-power-mac-g5 configd[41]: AppleTalk shutdown complete  
Jul 14 12:59:46 dudes-power-mac-g5 kernel[0]: AirPort: Link Active: "linksys" - 000f66a5cc09 - chan 9  
Jul 14 12:59:46 dudes-power-mac-g5 configd[41]: AppleTalk startup  
Jul 14 12:59:51 dudes-power-mac-g5 kernel[0]: AirPort: Link DOWN (AP deAuth 0)  
Jul 14 12:59:51 dudes-power-mac-g5 kernel[0]: AppleFWOHCI\_AsyncTransmit::waitForDMA - context not going inactive.  
Jul 14 12:59:51 dudes-power-mac-g5 kernel[0]: AirPort: Link Active: "linksys" - 000f66a5cc09 - chan 9  
Jul 14 12:59:51 dudes-power-mac-g5 configd[41]: AppleTalk startup complete  
Jul 14 12:59:51 dudes-power-mac-g5 configd[41]: AppleTalk shutdown  
Jul 14 12:59:51 dudes-power-mac-g5 configd[41]: AppleTalk shutdown complete  
Jul 14 12:59:51 dudes-power-mac-g5 configd[41]: AppleTalk startup  
Jul 14 12:59:57 dudes-power-mac-g5 configd[41]: AppleTalk startup complete  
Jul 14 12:59:58 dudes-power-mac-g5 configd[41]: posting notification  
com.apple.system.config.network\_change  
Jul 14 12:59:58 dudes-power-mac-g5 lookupd[6996]: lookupd (version 369.5) starting - Mon Jul 14 12:59:58 2008  
Jul 14 13:00:56 dudes-power-mac-g5 kernel[0]: Bad SelfID packet 1: 0x817fc4e4 != 0x817f84e4!  
Jul 14 13:01:07 dudes-power-mac-g5 kernel[0]: /SourceCache/AppleFWOHCI/AppleFWOHCI-253.4.1/AppleFWOHCI.cpp 3539: ERROR: FireWire (OHCI) Apple ID 42 built-in: handleUnrecoverableErrorInt  
Jul 14 13:03:57 dudes-power-mac-g5 kernel[0]: /SourceCache/AppleFWOHCI/AppleFWOHCI-253.4.1/AppleFWOHCI.cpp 3539: ERROR: FireWire (OHCI) Apple ID 42 built-in: handleUnrecoverableErrorInt  
Jul 14 13:06:51 dudes-power-mac-g5 kernel[0]: Bad SelfID packet 3: 0x837fc4e6 != 0x837f6ce6!  
Jul 14 13:08:58 dudes-power-mac-g5 kernel[0]: FireWire (OHCI) Apple ID 42 built-in: handleSelfIDInt - nodeID not valid (reset bus and retry 2)  
Jul 14 13:09:15 dudes-power-mac-g5 kernel[0]: FireWire (OHCI) Apple ID 42 built-in: handleSelfIDInt - nodeID not valid (reset bus and retry 2)  
Jul 14 13:09:42 dudes-power-mac-g5 kernel[0]: /SourceCache/AppleFWOHCI/AppleFWOHCI-253.4.1/AppleFWOHCI.cpp 3539: ERROR: FireWire (OHCI) Apple ID 42 built-in: handleUnrecoverableErrorInt  
Jul 14 13:11:18 dudes-power-mac-g5 kernel[0]: FireWire (OHCI) Apple ID 42 built-in: handleSelfIDInt - received quads == 0. issuing bus reset  
Jul 14 13:11:28 dudes-power-mac-g5 kernel[0]: Bad SelfID packet 9: 0x0 != 0xffffffff!  
Jul 14 13:13:15 dudes-power-mac-g5 kernel[0]: Bad SelfID packet 2: 0x827fc4b4 != 0x82cfc4b4!  
Jul 14 13:19:11 dudes-power-mac-g5 kernel[0]: FireWire (OHCI) Apple ID 42 built-in: 9513 bus resets in last minute.  
Jul 14 13:19:11 dudes-power-mac-g5 kernel[0]: /SourceCache/AppleFWOHCI/AppleFWOHCI-253.4.1/AppleFWOHCI.cpp 3539: ERROR: FireWire (OHCI) Apple ID 42 built-in: handleUnrecoverableErrorInt  
Jul 14 13:20:39 dudes-power-mac-g5 kernel[0]: Missing self ID for node 1!  
Jul 14 13:21:34 dudes-power-mac-g5 kernel[0]: /SourceCache/AppleFWOHCI/AppleFWOHCI-253.4.1/AppleFWOHCI.cpp 3539: ERROR: FireWire (OHCI) Apple ID 42 built-in: handleUnrecoverableErrorInt  
Jul 14 13:22:23 dudes-power-mac-g5 kernel[0]: Bad SelfID packet 3: 0x837fc4e6 != 0x837fc4ce!  
Jul 14 13:27:09 dudes-power-mac-g5 kernel[0]: FireWire (OHCI) Apple ID 42 built-in: handleSelfIDInt - received quads == 0. issuing bus reset  
Jul 14 13:27:46 dudes-power-mac-g5 kernel[0]: AppleFWOHCI\_AsyncTransmit::waitForDMA - context not going inactive.

Jul 14 13:28:38 dudes-power-mac-g5 kernel[0]: Bad SelfID packet 9: 0x0 != 0xffffffff!  
Jul 14 13:28:45 dudes-power-mac-g5 kernel[0]: /SourceCache/AppleFWOHCI/AppleFWOHCI-253.4.1/AppleFWOHCI.cpp  
3539: ERROR: FireWire (OHCI) Apple ID 42 built-in: handleUnrecoverableErrorInt  
Jul 14 13:30:16 dudes-power-mac-g5 kernel[0]: FireWire (OHCI) Apple ID 42 built-in: handleSelfIDInt -  
nodeID not valid (reset bus and retry 2)  
Jul 14 13:34:50 dudes-power-mac-g5 kernel[0]: FireWire (OHCI) Apple ID 42 built-in: handleSelfIDInt -  
nodeID not valid (reset bus and retry 2)  
Jul 14 13:36:21 dudes-power-mac-g5 kernel[0]: FireWire (OHCI) Apple ID 42 built-in: handleSelfIDInt -  
nodeID not valid (reset bus and retry 2)  
Jul 14 13:36:21 dudes-power-mac-g5 kernel[0]: FireWire (OHCI) Apple ID 42 built-in: handleSelfIDInt -  
nodeID not valid (reset bus and retry 3)  
Jul 14 13:38:52 dudes-power-mac-g5 kernel[0]: FireWire (OHCI) Apple ID 42 built-in: handleSelfIDInt -  
nodeID not valid (reset bus and retry 2)  
Jul 14 13:40:31 dudes-power-mac-g5 kernel[0]: FireWire (OHCI) Apple ID 42 built-in: handleSelfIDInt -  
received quads == 0. issuing bus reset  
Jul 14 13:41:27 dudes-power-mac-g5 kernel[0]: Bad SelfID packet 1: 0x817fc4e4 != 0x817fc4e1!  
Jul 14 13:41:52 dudes-power-mac-g5 kernel[0]: AppleFWOHCI\_AsyncTransmit::waitForDMA - context not going  
inactive.  
Jul 14 13:43:59 dudes-power-mac-g5 kernel[0]: AppleFWOHCI\_AsyncTransmit::waitForDMA - context not going  
inactive.  
Jul 14 13:46:01 dudes-power-mac-g5 kernel[0]: AppleFWOHCI\_AsyncTransmit::waitForDMA - context not going  
inactive.  
Jul 14 13:46:20 dudes-power-mac-g5 kernel[0]: FireWire (OHCI) Apple ID 42 built-in: handleSelfIDInt -  
nodeID not valid (reset bus and retry 2)  
Jul 14 13:46:23 dudes-power-mac-g5 kernel[0]: /SourceCache/AppleFWOHCI/AppleFWOHCI-253.4.1/AppleFWOHCI.cpp  
3539: ERROR: FireWire (OHCI) Apple ID 42 built-in: handleUnrecoverableErrorInt  
Jul 14 13:46:55 dudes-power-mac-g5 kernel[0]: AppleFWOHCI\_AsyncTransmit::waitForDMA - context not going  
inactive.  
Jul 14 13:47:44 dudes-power-mac-g5 kernel[0]: FireWire (OHCI) Apple ID 42 built-in: handleSelfIDInt -  
nodeID not valid (reset bus and retry 2)  
Jul 14 13:48:05 dudes-power-mac-g5 kernel[0]: FireWire (OHCI) Apple ID 42 built-in: handleSelfIDInt -  
received quads == 0. issuing bus reset  
Jul 14 13:52:37 dudes-power-mac-g5 kernel[0]: /SourceCache/AppleFWOHCI/AppleFWOHCI-253.4.1/AppleFWOHCI.cpp  
3539: ERROR: FireWire (OHCI) Apple ID 42 built-in: handleUnrecoverableErrorInt  
Jul 14 13:55:47 dudes-power-mac-g5 kernel[0]: AppleFWOHCI\_AsyncTransmit::waitForDMA - context not going  
inactive.  
Jul 14 14:00:57 dudes-power-mac-g5 kernel[0]: Bad SelfID packet 3: 0x837fc4e6 != 0x837fc4b6!  
Jul 14 14:03:51 dudes-power-mac-g5 kernel[0]: FireWire (OHCI) Apple ID 42 built-in: handleSelfIDInt -  
received quads == 0. issuing bus reset  
Jul 14 14:04:33 dudes-power-mac-g5 kernel[0]: AppleFWOHCI\_AsyncTransmit::waitForDMA - context not going  
inactive.  
Jul 14 14:07:42 dudes-power-mac-g5 kernel[0]: FireWire (OHCI) Apple ID 42 built-in: handleSelfIDInt -  
nodeID not valid (reset bus and retry 2)  
Jul 14 14:09:29 dudes-power-mac-g5 kernel[0]: FireWire (OHCI) Apple ID 42 built-in: handleSelfIDInt -  
nodeID not valid (reset bus and retry 2)  
Jul 14 14:10:16 dudes-power-mac-g5 kernel[0]: Bad SelfID packet 3: 0x837fc4e4 != 0x837fc4e5!  
Jul 14 14:10:54 dudes-power-mac-g5 kernel[0]: /SourceCache/AppleFWOHCI/AppleFWOHCI-253.4.1/AppleFWOHCI.cpp  
3539: ERROR: FireWire (OHCI) Apple ID 42 built-in: handleUnrecoverableErrorInt  
Jul 14 14:10:57 dudes-power-mac-g5 kernel[0]: /SourceCache/AppleFWOHCI/AppleFWOHCI-253.4.1/AppleFWOHCI.cpp  
3539: ERROR: FireWire (OHCI) Apple ID 42 built-in: handleUnrecoverableErrorInt  
Jul 14 14:11:16 dudes-power-mac-g5 kernel[0]: /SourceCache/AppleFWOHCI/AppleFWOHCI-253.4.1/AppleFWOHCI.cpp  
3539: ERROR: FireWire (OHCI) Apple ID 42 built-in: handleUnrecoverableErrorInt  
Jul 14 14:11:49 dudes-power-mac-g5 kernel[0]: FireWire (OHCI) Apple ID 42 built-in: handleSelfIDInt -  
nodeID not valid (reset bus and retry 2)  
Jul 14 14:13:12 dudes-power-mac-g5 kernel[0]: FireWire (OHCI) Apple ID 42 built-in: handleSelfIDInt -  
nodeID not valid (reset bus and retry 2)  
Jul 14 14:13:14 dudes-power-mac-g5 kernel[0]: Bad SelfID packet 3: 0x837fc4e4 != 0x837fc4e5!  
Jul 14 14:13:52 dudes-power-mac-g5 kernel[0]: FireWire (OHCI) Apple ID 42 built-in: 26697 bus resets in  
last minute.  
Jul 14 14:13:52 dudes-power-mac-g5 kernel[0]: /SourceCache/AppleFWOHCI/AppleFWOHCI-253.4.1/AppleFWOHCI.cpp

3539: ERROR: FireWire (OHCI) Apple ID 42 built-in: handleUnrecoverableErrorInt  
Jul 14 14:14:40 dudes-power-mac-g5 kernel[0]: /SourceCache/AppleFWOHCI/AppleFWOHCI-253.4.1/AppleFWOHCI.cpp  
3539: ERROR: FireWire (OHCI) Apple ID 42 built-in: handleUnrecoverableErrorInt  
Jul 14 14:16:27 dudes-power-mac-g5 kernel[0]: /SourceCache/AppleFWOHCI/AppleFWOHCI-253.4.1/AppleFWOHCI.cpp  
3539: ERROR: FireWire (OHCI) Apple ID 42 built-in: handleUnrecoverableErrorInt  
Jul 14 14:17:13 dudes-power-mac-g5 kernel[0]: AppleFWOHCI\_AsyncTransmit::waitForDMA - context not going inactive.  
Jul 14 14:18:18 dudes-power-mac-g5 kernel[0]: /SourceCache/AppleFWOHCI/AppleFWOHCI-253.4.1/AppleFWOHCI.cpp  
3539: ERROR: FireWire (OHCI) Apple ID 42 built-in: handleUnrecoverableErrorInt  
Jul 14 14:20:33 dudes-power-mac-g5 kernel[0]: /SourceCache/AppleFWOHCI/AppleFWOHCI-253.4.1/AppleFWOHCI.cpp  
3539: ERROR: FireWire (OHCI) Apple ID 42 built-in: handleUnrecoverableErrorInt  
Jul 14 14:22:22 dudes-power-mac-g5 kernel[0]: AppleFWOHCI\_AsyncTransmit::waitForDMA - context not going inactive.  
Jul 14 14:22:57 dudes-power-mac-g5 kernel[0]: FireWire (OHCI) Apple ID 42 built-in: handleSelfIDInt - received quads == 0. issuing bus reset  
Jul 14 14:26:46 dudes-power-mac-g5 kernel[0]: Bad SelfID packet 1: 0x817fc4e4 != 0x817fc46c!  
Jul 14 14:32:36 dudes-power-mac-g5 kernel[0]: FireWire (OHCI) Apple ID 42 built-in: handleSelfIDInt - nodeID not valid (reset bus and retry 2)  
Jul 14 14:34:24 dudes-power-mac-g5 kernel[0]: AirPort: Link DOWN (Client disAssoc 0)  
Jul 14 14:34:24 dudes-power-mac-g5 configd[41]: AppleTalk shutdown  
Jul 14 14:34:24 dudes-power-mac-g5 kernel[0]: AirPort: Link DOWN (AP deAuth 0)  
Jul 14 14:34:24 dudes-power-mac-g5 /usr/sbin/AppleFileServer: AFPServer::AbnormalATListenerShutDown - clear listener  
Jul 14 14:34:24 dudes-power-mac-g5 configd[41]: AppleTalk shutdown complete  
Jul 14 14:34:25 dudes-power-mac-g5 kernel[0]: AirPort: Link Active: "linksys" - 000f66a5cc09 - chan 9  
Jul 14 14:34:25 dudes-power-mac-g5 configd[41]: AppleTalk startup  
Jul 14 14:34:25 dudes-power-mac-g5 configd[41]: SecKeychainFindGenericPassword err= -25308 ( =0xffff9d24, secErrStr=User interaction is not allowed. ) (current= linksys)  
Jul 14 14:34:29 dudes-power-mac-g5 launchd: Server 0 in bootstrap 1103 uid 0: "/usr/sbin/lookupd"[6996]: exited abnormally: Hangup  
Jul 14 14:34:29 dudes-power-mac-g5 configd[41]: posting notification  
com.apple.system.config.network\_change  
Jul 14 14:34:29 dudes-power-mac-g5 lookupd[21592]: lookupd (version 369.5) starting - Mon Jul 14 14:34:29 2008  
Jul 14 14:34:31 dudes-power-mac-g5 configd[41]: AppleTalk startup complete  
Jul 14 14:37:16 dudes-power-mac-g5 kernel[0]: /SourceCache/AppleFWOHCI/AppleFWOHCI-253.4.1/AppleFWOHCI.cpp  
3539: ERROR: FireWire (OHCI) Apple ID 42 built-in: handleUnrecoverableErrorInt  
Jul 14 14:37:37 dudes-power-mac-g5 kernel[0]: AirPort: Link DOWN (AP deAuth 0)  
Jul 14 14:37:37 dudes-power-mac-g5 configd[41]: AppleTalk shutdown  
Jul 14 14:37:37 dudes-power-mac-g5 /usr/sbin/AppleFileServer: AFPServer::AbnormalATListenerShutDown - clear listener  
Jul 14 14:37:37 dudes-power-mac-g5 configd[41]: AppleTalk shutdown complete  
Jul 14 14:37:37 dudes-power-mac-g5 kernel[0]: AirPort: Link Active: "linksys" - 000f66a5cc09 - chan 9  
Jul 14 14:37:37 dudes-power-mac-g5 configd[41]: AppleTalk startup  
Jul 14 14:37:39 dudes-power-mac-g5 configd[41]: SecKeychainFindGenericPassword err= -25308 ( =0xffff9d24, secErrStr=User interaction is not allowed. ) (current= linksys)  
Jul 14 14:37:43 dudes-power-mac-g5 configd[41]: AppleTalk startup complete  
Jul 14 14:38:21 dudes-power-mac-g5 kernel[0]: AirPort: Link DOWN (AP deAuth 0)  
Jul 14 14:38:21 dudes-power-mac-g5 configd[41]: AppleTalk shutdown  
Jul 14 14:38:21 dudes-power-mac-g5 /usr/sbin/AppleFileServer: AFPServer::AbnormalATListenerShutDown - clear listener  
Jul 14 14:38:21 dudes-power-mac-g5 configd[41]: AppleTalk shutdown complete  
Jul 14 14:38:21 dudes-power-mac-g5 kernel[0]: AirPort: Link Active: "linksys" - 000f66a5cc09 - chan 9  
Jul 14 14:38:21 dudes-power-mac-g5 configd[41]: AppleTalk startup  
Jul 14 14:38:21 dudes-power-mac-g5 configd[41]: SecKeychainFindGenericPassword err= -25308 ( =0xffff9d24, secErrStr=User interaction is not allowed. ) (current= linksys)  
Jul 14 14:38:27 dudes-power-mac-g5 configd[41]: AppleTalk startup complete  
Jul 14 14:39:04 dudes-power-mac-g5 kernel[0]: FireWire (OHCI) Apple ID 42 built-in: handleSelfIDInt - nodeID not valid (reset bus and retry 2)  
Jul 14 14:41:12 dudes-power-mac-g5 kernel[0]: Bad SelfID packet 3: 0x837fc4e4 != 0x837fece4!

Jul 14 14:42:26 dudes-power-mac-g5 kernel[0]: Bad SelfID packet 1: 0x817fc4e4 != 0x817fc46c!  
Jul 14 14:43:42 dudes-power-mac-g5 kernel[0]: /SourceCache/AppleFWOHCI/AppleFWOHCI-253.4.1/AppleFWOHCI.cpp  
3539: ERROR: FireWire (OHCI) Apple ID 42 built-in: handleUnrecoverableErrorInt  
Jul 14 14:46:16 dudes-power-mac-g5 kernel[0]: Bad SelfID packet 1: 0x817fc4e4 != 0x817fc4e7!  
Jul 14 14:50:02 dudes-power-mac-g5 kernel[0]: FireWire (OHCI) Apple ID 42 built-in: handleSelfIDInt -  
nodeID not valid (reset bus and retry 2)  
Jul 14 14:51:38 dudes-power-mac-g5 kernel[0]: Bad SelfID packet 3: 0x837fc4e4 != 0x837f44e4!  
Jul 14 14:52:42 dudes-power-mac-g5 kernel[0]: FireWire (OHCI) Apple ID 42 built-in: 19449 bus resets in  
last minute.  
Jul 14 14:52:42 dudes-power-mac-g5 kernel[0]: /SourceCache/AppleFWOHCI/AppleFWOHCI-253.4.1/AppleFWOHCI.cpp  
3539: ERROR: FireWire (OHCI) Apple ID 42 built-in: handleUnrecoverableErrorInt  
Jul 14 14:54:16 dudes-power-mac-g5 kernel[0]: /SourceCache/AppleFWOHCI/AppleFWOHCI-253.4.1/AppleFWOHCI.cpp  
3539: ERROR: FireWire (OHCI) Apple ID 42 built-in: handleUnrecoverableErrorInt  
Jul 14 14:54:17 dudes-power-mac-g5 kernel[0]: /SourceCache/AppleFWOHCI/AppleFWOHCI-253.4.1/AppleFWOHCI.cpp  
3539: ERROR: FireWire (OHCI) Apple ID 42 built-in: handleUnrecoverableErrorInt  
Jul 14 14:55:42 dudes-power-mac-g5 kernel[0]: AirPort: Link DOWN (AP deAuth 0)  
Jul 14 14:55:42 dudes-power-mac-g5 configd[41]: AppleTalk shutdown  
Jul 14 14:55:42 dudes-power-mac-g5 /usr/sbin/AppleFileServer: AFPServer::AbnormalATListenerShutDown -  
clear listener  
Jul 14 14:55:42 dudes-power-mac-g5 configd[41]: AppleTalk shutdown complete  
Jul 14 14:55:42 dudes-power-mac-g5 kernel[0]: AirPort: Link Active: "linksys" - 000f66a5cc09 - chan 9  
Jul 14 14:55:42 dudes-power-mac-g5 configd[41]: AppleTalk startup  
Jul 14 14:55:42 dudes-power-mac-g5 configd[41]: SecKeychainFindGenericPassword err= -25308 ( =0xffff9d24,  
secErrStr=User interaction is not allowed. ) (current= linksys)  
Jul 14 14:55:48 dudes-power-mac-g5 configd[41]: AppleTalk startup complete  
Jul 14 14:57:24 dudes-power-mac-g5 FirewireComPort[119]: kIOFWMessageTopologyChanged Start\n  
Jul 14 14:57:24 dudes-power-mac-g5 FirewireComPort[119]: kIOFWMessageTopologyChanged END\n  
Jul 14 14:57:46 dudes-power-mac-g5 kernel[0]: AirPort: Link DOWN (AP deAuth 0)  
Jul 14 14:57:46 dudes-power-mac-g5 configd[41]: AppleTalk shutdown  
Jul 14 14:57:46 dudes-power-mac-g5 /usr/sbin/AppleFileServer: AFPServer::AbnormalATListenerShutDown -  
clear listener  
Jul 14 14:57:46 dudes-power-mac-g5 configd[41]: AppleTalk shutdown complete  
Jul 14 14:57:47 dudes-power-mac-g5 kernel[0]: AirPort: Link Active: "linksys" - 000f66a5cc09 - chan 9  
Jul 14 14:57:47 dudes-power-mac-g5 configd[41]: AppleTalk startup  
Jul 14 14:57:47 dudes-power-mac-g5 configd[41]: SecKeychainFindGenericPassword err= -25308 ( =0xffff9d24,  
secErrStr=User interaction is not allowed. ) (current= linksys)  
Jul 14 14:57:52 dudes-power-mac-g5 configd[41]: AppleTalk startup complete  
Jul 14 14:59:06 dudes-power-mac-g5 kernel[0]: /SourceCache/AppleFWOHCI/AppleFWOHCI-253.4.1/AppleFWOHCI.cpp  
3539: ERROR: FireWire (OHCI) Apple ID 42 built-in: handleUnrecoverableErrorInt  
Jul 14 14:59:46 dudes-power-mac-g5 kernel[0]: Bad SelfID packet 2: 0x827fc4b4 != 0x827fc4e4!  
Jul 14 15:00:33 dudes-power-mac-g5 kernel[0]: Bad SelfID packet 1: 0x817fc4e4 != 0x817fc4e1!  
Jul 14 15:00:49 dudes-power-mac-g5 kernel[0]: FireWire (OHCI) Apple ID 42 built-in: handleSelfIDInt -  
nodeID not valid (reset bus and retry 2)  
Jul 14 15:01:23 dudes-power-mac-g5 kernel[0]: AirPort: Link DOWN (AP deAuth 0)  
Jul 14 15:01:23 dudes-power-mac-g5 configd[41]: AppleTalk shutdown  
Jul 14 15:01:23 dudes-power-mac-g5 /usr/sbin/AppleFileServer: AFPServer::AbnormalATListenerShutDown -  
clear listener  
Jul 14 15:01:23 dudes-power-mac-g5 configd[41]: AppleTalk shutdown complete  
Jul 14 15:01:24 dudes-power-mac-g5 kernel[0]: AirPort: Link Active: "linksys" - 000f66a5cc09 - chan 9  
Jul 14 15:01:24 dudes-power-mac-g5 configd[41]: AppleTalk startup  
Jul 14 15:01:24 dudes-power-mac-g5 configd[41]: SecKeychainFindGenericPassword err= -25308 ( =0xffff9d24,  
secErrStr=User interaction is not allowed. ) (current= linksys)  
Jul 14 15:01:29 dudes-power-mac-g5 configd[41]: AppleTalk startup complete  
Jul 14 15:01:34 dudes-power-mac-g5 kernel[0]: Bad SelfID packet 9: 0x0 != 0xffffffff!  
Jul 14 15:02:17 dudes-power-mac-g5 kernel[0]: AppleFWOHCI\_AsyncTransmit::waitForDMA - context not going  
inactive.  
Jul 14 15:03:31 dudes-power-mac-g5 kernel[0]: FireWire (OHCI) Apple ID 42 built-in: handleSelfIDInt -  
received quads == 0. issuing bus reset  
Jul 14 15:05:13 dudes-power-mac-g5 kernel[0]: SelfIDs don't build a proper tree (missing selfIDs?)!!  
Jul 14 15:06:10 dudes-power-mac-g5 kernel[0]: Bad SelfID packet 9: 0x0 != 0xffffffff!

Jul 14 15:06:46 dudes-power-mac-g5 kernel[0]: FireWire (OHCI) Apple ID 42 built-in: 7063 bus resets in last minute.

Jul 14 15:06:46 dudes-power-mac-g5 kernel[0]: /SourceCache/AppleFWOHCI/AppleFWOHCI-253.4.1/AppleFWOHCI.cpp 3539: ERROR: FireWire (OHCI) Apple ID 42 built-in: handleUnrecoverableErrorInt

Jul 14 15:09:14 dudes-power-mac-g5 kernel[0]: Bad SelfID packet 3: 0x837fc4e4 != 0x837fc4e1!

Jul 14 15:09:59 dudes-power-mac-g5 kernel[0]: /SourceCache/AppleFWOHCI/AppleFWOHCI-253.4.1/AppleFWOHCI.cpp 3539: ERROR: FireWire (OHCI) Apple ID 42 built-in: handleUnrecoverableErrorInt

Jul 14 15:10:09 dudes-power-mac-g5 kernel[0]: FireWire (OHCI) Apple ID 42 built-in: handleSelfIDInt - nodeID not valid (reset bus and retry 2)

Jul 14 15:10:41 dudes-power-mac-g5 kernel[0]: AirPort: Link DOWN (AP deAuth 0)

Jul 14 15:10:41 dudes-power-mac-g5 configd[41]: AppleTalk shutdown

Jul 14 15:10:41 dudes-power-mac-g5 configd[41]: AppleTalk shutdown complete

Jul 14 15:10:41 dudes-power-mac-g5 kernel[0]: AirPort: Link Active: "linksys" - 000f66a5cc09 - chan 9

Jul 14 15:10:41 dudes-power-mac-g5 configd[41]: AppleTalk startup

Jul 14 15:10:41 dudes-power-mac-g5 configd[41]: SecKeychainFindGenericPassword err= -25308 ( =0xffff9d24, secErrStr=User interaction is not allowed. ) (current= linksys)

Jul 14 15:10:47 dudes-power-mac-g5 configd[41]: AppleTalk startup complete

Jul 14 15:12:40 dudes-power-mac-g5 kernel[0]: Bad SelfID packet 1: 0x817fc4e4 != 0x817fc49c!

Jul 14 15:12:45 dudes-power-mac-g5 kernel[0]: AirPort: Link DOWN (AP deAuth 0)

Jul 14 15:12:45 dudes-power-mac-g5 configd[41]: AppleTalk shutdown

Jul 14 15:12:45 dudes-power-mac-g5 configd[41]: AppleTalk shutdown complete

Jul 14 15:12:45 dudes-power-mac-g5 kernel[0]: AirPort: Link Active: "linksys" - 000f66a5cc09 - chan 9

Jul 14 15:12:45 dudes-power-mac-g5 configd[41]: AppleTalk startup

Jul 14 15:12:45 dudes-power-mac-g5 configd[41]: SecKeychainFindGenericPassword err= -25308 ( =0xffff9d24, secErrStr=User interaction is not allowed. ) (current= linksys)

Jul 14 15:12:51 dudes-power-mac-g5 configd[41]: AppleTalk startup complete

Jul 14 15:13:27 dudes-power-mac-g5 kernel[0]: Missing self ID for node 1!

Jul 14 15:14:12 dudes-power-mac-g5 kernel[0]: /SourceCache/AppleFWOHCI/AppleFWOHCI-253.4.1/AppleFWOHCI.cpp 3539: ERROR: FireWire (OHCI) Apple ID 42 built-in: handleUnrecoverableErrorInt

Jul 14 15:14:46 dudes-power-mac-g5 kernel[0]: FireWire (OHCI) Apple ID 42 built-in: handleSelfIDInt - received quads == 0. issuing bus reset

Jul 14 15:16:02 dudes-power-mac-g5 kernel[0]: /SourceCache/AppleFWOHCI/AppleFWOHCI-253.4.1/AppleFWOHCI.cpp 3539: ERROR: FireWire (OHCI) Apple ID 42 built-in: handleUnrecoverableErrorInt

Jul 14 15:16:37 dudes-power-mac-g5 kernel[0]: FireWire (OHCI) Apple ID 42 built-in: 5091 bus resets in last minute.

Jul 14 15:16:37 dudes-power-mac-g5 kernel[0]: /SourceCache/AppleFWOHCI/AppleFWOHCI-253.4.1/AppleFWOHCI.cpp 3539: ERROR: FireWire (OHCI) Apple ID 42 built-in: handleUnrecoverableErrorInt

Jul 14 15:16:55 dudes-power-mac-g5 kernel[0]: /SourceCache/AppleFWOHCI/AppleFWOHCI-253.4.1/AppleFWOHCI.cpp 3539: ERROR: FireWire (OHCI) Apple ID 42 built-in: handleUnrecoverableErrorInt

Jul 14 15:17:20 dudes-power-mac-g5 kernel[0]: Bad SelfID packet 1: 0x817fc4e4 != 0x817fc44c!

Jul 14 15:17:48 dudes-power-mac-g5 kernel[0]: FireWire (OHCI) Apple ID 42 built-in: handleSelfIDInt - nodeID not valid (reset bus and retry 2)

Jul 14 15:17:53 dudes-power-mac-g5 kernel[0]: /SourceCache/AppleFWOHCI/AppleFWOHCI-253.4.1/AppleFWOHCI.cpp 3539: ERROR: FireWire (OHCI) Apple ID 42 built-in: handleUnrecoverableErrorInt

Jul 14 15:19:36 dudes-power-mac-g5 kernel[0]: /SourceCache/AppleFWOHCI/AppleFWOHCI-253.4.1/AppleFWOHCI.cpp 3539: ERROR: FireWire (OHCI) Apple ID 42 built-in: handleUnrecoverableErrorInt

Jul 14 15:19:45 dudes-power-mac-g5 kernel[0]: /SourceCache/AppleFWOHCI/AppleFWOHCI-253.4.1/AppleFWOHCI.cpp 3539: ERROR: FireWire (OHCI) Apple ID 42 built-in: handleUnrecoverableErrorInt

Jul 14 15:20:28 dudes-power-mac-g5 kernel[0]: Bad SelfID packet 9: 0x0 != 0xffffffff!

Jul 14 15:20:30 dudes-power-mac-g5 kernel[0]: AirPort: Link DOWN (AP deAuth 0)

Jul 14 15:20:30 dudes-power-mac-g5 configd[41]: AppleTalk shutdown

Jul 14 15:20:30 dudes-power-mac-g5 configd[41]: AppleTalk shutdown complete

Jul 14 15:20:30 dudes-power-mac-g5 kernel[0]: AirPort: Link Active: "linksys" - 000f66a5cc09 - chan 9

Jul 14 15:20:30 dudes-power-mac-g5 configd[41]: AppleTalk startup

Jul 14 15:20:30 dudes-power-mac-g5 configd[41]: SecKeychainFindGenericPassword err= -25308 ( =0xffff9d24, secErrStr=User interaction is not allowed. ) (current= linksys)

Jul 14 15:20:36 dudes-power-mac-g5 configd[41]: AppleTalk startup complete

Jul 14 15:21:07 dudes-power-mac-g5 kernel[0]: /SourceCache/AppleFWOHCI/AppleFWOHCI-253.4.1/AppleFWOHCI.cpp 3539: ERROR: FireWire (OHCI) Apple ID 42 built-in: handleUnrecoverableErrorInt

Jul 14 15:25:40 dudes-power-mac-g5 kernel[0]: AirPort: Link DOWN (AP deAuth 0)

```
Jul 14 15:25:40 dudes-power-mac-g5 configd[41]: AppleTalk shutdown
Jul 14 15:25:40 dudes-power-mac-g5 configd[41]: AppleTalk shutdown complete
Jul 14 15:25:40 dudes-power-mac-g5 kernel[0]: AirPort: Link Active: "linksys" - 000f66a5cc09 - chan 9
Jul 14 15:25:40 dudes-power-mac-g5 configd[41]: AppleTalk startup
Jul 14 15:25:40 dudes-power-mac-g5 configd[41]: SecKeychainFindGenericPassword err= -25308 (=0xffff9d24,
secErrStr=User interaction is not allowed.) (current= linksys)
Jul 14 15:25:46 dudes-power-mac-g5 configd[41]: AppleTalk startup complete
Jul 14 15:26:21 dudes-power-mac-g5 kernel[0]: /SourceCache/AppleFWOHCI/AppleFWOHCI-253.4.1/AppleFWOHCI.cpp
3539: ERROR: FireWire (OHCI) Apple ID 42 built-in: handleUnrecoverableErrorInt
Jul 14 15:26:56 dudes-power-mac-g5 FirewireComPort[119]: kIOFWMessageTopologyChanged Start\n
Jul 14 15:26:56 dudes-power-mac-g5 FirewireComPort[119]: kIOFWMessageTopologyChanged END\n
Jul 14 15:27:44 dudes-power-mac-g5 kernel[0]: AirPort: Link DOWN (AP deAuth 0)
Jul 14 15:27:44 dudes-power-mac-g5 configd[41]: AppleTalk shutdown
Jul 14 15:27:44 dudes-power-mac-g5 configd[41]: AppleTalk shutdown complete
Jul 14 15:27:44 dudes-power-mac-g5 kernel[0]: AirPort: Link Active: "linksys" - 000f66a5cc09 - chan 9
Jul 14 15:27:44 dudes-power-mac-g5 configd[41]: AppleTalk startup
Jul 14 15:27:44 dudes-power-mac-g5 configd[41]: SecKeychainFindGenericPassword err= -25308 (=0xffff9d24,
secErrStr=User interaction is not allowed.) (current= linksys)
Jul 14 15:27:50 dudes-power-mac-g5 configd[41]: AppleTalk startup complete
Jul 14 15:28:01 dudes-power-mac-g5 kernel[0]: FireWire (OHCI) Apple ID 42 built-in: handleSelfIDInt -
nodeID not valid (reset bus and retry 2)
Jul 14 15:29:33 dudes-power-mac-g5 kernel[0]: FireWire (OHCI) Apple ID 42 built-in: 6578 bus resets in
last minute.
Jul 14 15:29:33 dudes-power-mac-g5 kernel[0]: /SourceCache/AppleFWOHCI/AppleFWOHCI-253.4.1/AppleFWOHCI.cpp
3539: ERROR: FireWire (OHCI) Apple ID 42 built-in: handleUnrecoverableErrorInt
Jul 14 15:33:25 dudes-power-mac-g5 kernel[0]: AirPort: Link DOWN (AP deAuth 0)
Jul 14 15:33:25 dudes-power-mac-g5 configd[41]: AppleTalk shutdown
Jul 14 15:33:25 dudes-power-mac-g5 configd[41]: AppleTalk shutdown complete
Jul 14 15:33:25 dudes-power-mac-g5 kernel[0]: AirPort: Link Active: "linksys" - 000f66a5cc09 - chan 9
Jul 14 15:33:25 dudes-power-mac-g5 configd[41]: AppleTalk startup
Jul 14 15:33:25 dudes-power-mac-g5 configd[41]: SecKeychainFindGenericPassword err= -25308 (=0xffff9d24,
secErrStr=User interaction is not allowed.) (current= linksys)
Jul 14 15:33:31 dudes-power-mac-g5 configd[41]: AppleTalk startup complete
Jul 14 15:36:10 dudes-power-mac-g5 kernel[0]: /SourceCache/AppleFWOHCI/AppleFWOHCI-253.4.1/AppleFWOHCI.cpp
3539: ERROR: FireWire (OHCI) Apple ID 42 built-in: handleUnrecoverableErrorInt
Jul 14 15:37:37 dudes-power-mac-g5 kernel[0]: Bad SelfID packet 2: 0x827fc4b4 != 0x827fc4b1!
Jul 14 15:37:40 dudes-power-mac-g5 kernel[0]: Bad SelfID packet 9: 0x0 != 0xffffffff!
Jul 14 15:38:53 dudes-power-mac-g5 kernel[0]: FireWire (OHCI) Apple ID 42 built-in: handleSelfIDInt -
nodeID not valid (reset bus and retry 2)
Jul 14 15:45:51 localhost kernel[0]: standard timeslicing quantum is 10000 us
Jul 14 15:45:50 localhost memberd[44]: memberd starting up
Jul 14 15:45:51 localhost kernel[0]: vm_page_bootstrap: 632510 free pages
Jul 14 15:45:50 localhost mDNSResponder-108.4 (Jan 8 2007 20: 36:00)[36]: starting
Jul 14 15:45:51 localhost kernel[0]: mig_table_max_displ = 70
Jul 14 15:45:50 localhost DirectoryService[49]: Launched version 2.1 (v353.6)
Jul 14 15:45:51 localhost kernel[0]: 113 prelinked modules
Jul 14 15:45:51 localhost kernel[0]: Copyright (c) 1982, 1986, 1989, 1991, 1993
Jul 14 15:45:51 localhost kernel[0]: The Regents of the University of California. All rights reserved.
Jul 14 15:45:51 localhost lookupd[47]: lookupd (version 369.5) starting - Mon Jul 14 15:45:51 2008
Jul 14 15:45:51 localhost kernel[0]: using 6553 buffer headers and 4096 cluster IO buffer headers
Jul 14 15:45:51 localhost kernel[0]: DART enabled
Jul 14 15:45:51 localhost kernel[0]: FireWire (OHCI) Apple ID 42 built-in now active, GUID 000a95ff
fed56e30; max speed s800.
Jul 14 15:45:51 localhost kernel[0]: Security auditing service present
Jul 14 15:45:51 localhost kernel[0]: BSM auditing present
Jul 14 15:45:51 localhost kernel[0]: disabled
Jul 14 15:45:51 localhost kernel[0]: rooting via boot-uuid from /chosen: 6DC92AA7-F0CA-3BD5-96D3-
ABDD507A4DF
Jul 14 15:45:51 localhost kernel[0]: Waiting on <dict ID="0"><key>IOProviderClass</key><string
ID="1">IOResources</string><key>IOResourceMatch</key><string ID="2">boot-uuid-media</string></dict>
```

Jul 14 15:45:51 localhost kernel[0]: Got boot device = IOService:/MacRISC4PE/ht@0,f2000000/AppleMacRiscHT/  
pci@7/IOPCI2PCIBridge/k2-sata-root@C/AppleK2SATARoot/k2-sata@0/AppleK2SATA/ATADeviceNub@0/  
IOATABlockStorageDriver/IOATABlockStorageDevice/IOBlockStorageDriver/ST31000340AS Media/  
IOApplePartitionScheme/Apple\_HFS\_Untitled\_1@3

Jul 14 15:45:51 localhost kernel[0]: BSD root: disk1s3, major 14, minor 9

Jul 14 15:45:51 localhost kernel[0]: jnl: replay\_journal: from: 3477504 to: 14355968 (joffset 0x4dc000)

Jul 14 15:45:51 localhost kernel[0]: HFS: Removed 1 orphaned unlinked files

Jul 14 15:45:51 localhost kernel[0]: Jettisoning kernel linker.

Jul 14 15:45:51 localhost kernel[0]: Resetting IOCatalogue.

Jul 14 15:45:51 localhost kernel[0]: Matching service count = 1

Jul 14 15:45:51 localhost kernel[0]: Matching service count = 7

Jul 14 15:45:51 localhost kernel[0]: Matching service count = 7

Jul 14 15:45:51 localhost kernel[0]: Matching service count = 7

Jul 14 15:45:51 localhost kernel[0]: Matching service count = 7

Jul 14 15:45:51 localhost kernel[0]: Matching service count = 7

Jul 14 15:45:51 localhost kernel[0]: Matching service count = 78

Jul 14 15:45:51 localhost kernel[0]: Matching service count = 78

Jul 14 15:45:51 localhost kernel[0]: Matching service count = 78

Jul 14 15:45:51 localhost kernel[0]: Matching service count = 78

Jul 14 15:45:51 localhost kernel[0]: Matching service count = 78

Jul 14 15:45:51 localhost kernel[0]: Matching service count = 78

Jul 14 15:45:51 localhost kernel[0]: Matching service count = 78

Jul 14 15:45:51 localhost kernel[0]: NVDANV30HAL loaded and registered.

Jul 14 15:45:51 localhost kernel[0]: IOPlatformControl::registerDriver Control Driver AppleSlewClock did  
not supply target-value, using default

Jul 14 15:45:51 localhost kernel[0]: KensingtonMouseDriver: QueueBackgroundEvent() unable to get com\_ptr

Jul 14 15:45:51 localhost kernel[0]: LexiconPro Device CJ - 1.1.0.0 - Mar 31 2008 12:11:29 - (c) Singing  
Electrons Inc. 2004-2008

Jul 14 15:45:51 localhost kernel[0]: IPv6 packet filtering initialized, default to accept, logging  
disabled

Jul 14 15:45:51 localhost /Library/Application Support/LexiconPro/hiqnet/hiqnetLauncher[33]:  
hiqnetLauncher Using Firewirecomport as interface

Jul 14 15:45:51 localhost kernel[0]: UniENet: Ethernet address 00:0a:95:d5:6e:30

Jul 14 15:45:51 localhost kernel[0]: AirPortPCI\_MM: Ethernet address 00:0d:93:89:f5:5e

Jul 14 15:45:52 localhost kernel[0]: NVDA,Display-A: vram [b8000000:08000000]

Jul 14 15:45:52 localhost lookupd[74]: lookupd (version 369.5) starting - Mon Jul 14 15:45:52 2008

Jul 14 15:45:52 localhost diskarbitrationd[43]: disk2s3 hfs D012D5CA-342E-38CF-B2EE-8BCA32D83173  
DUDE 1 [not mounted]

Jul 14 15:45:52 localhost diskarbitrationd[43]: disk1s3 hfs 6DC92AA7-F0CA-3BD5-96D3-ABDDB507A4DF  
MAC /

Jul 14 15:45:52 localhost kernel[0]: jnl: replay\_journal: from: 3361280 to: 4926464 (joffset 0x4db000)

Jul 14 15:45:52 localhost diskarbitrationd[43]: disk1s5 hfs 1123E808-3BC1-3C98-8A23-508866F2DD50  
MAC 2 /Volumes/MAC 2

Jul 14 15:45:52 localhost kernel[0]: jnl: replay\_journal: from: 688128 to: 2220544 (joffset 0x4dc000)

Jul 14 15:45:52 localhost ApComPort[111]: ApComPort started

Jul 14 15:45:52 localhost /Library/Application Support/LexiconPro/hiqnet/macfirewirecomport: This Machines  
WWUID is FED56E30 000A95FF

Jul 14 15:45:52 localhost diskarbitrationd[43]: disk0s3 hfs EA8F1946-F029-3644-AC1C-D0212AFF5AB4  
Untitled 1 /Volumes/Untitled 1

Jul 14 15:45:52 localhost configd[41]: WirelessConfigure: 88001003

Jul 14 15:45:52 localhost RouterComPort[108]: RouterComPort started

Jul 14 15:45:52 localhost configd[41]: initCardWithStoredPrefs failed.

Jul 14 15:45:52 localhost configd[41]: WirelessConfigure: 88001003

Jul 14 15:45:52 localhost kernel[0]: NVDA,Display-B: vram [ba000000:02000000]

Jul 14 15:45:52 localhost diskarbitrationd[43]: disk1s7 hfs 613B8C3E-3F46-3C0E-87D3-5641A58C5B6B  
MAC 3 /Volumes/MAC 3

Jul 14 15:45:52 localhost kernel[0]: jnl: replay\_journal: from: 9155584 to: 10614272 (joffset 0x4dc000)

Jul 14 15:45:52 localhost kernel[0]: jnl: replay\_journal: from: 7206912 to: 8665600 (joffset 0x4db000)

Jul 14 15:45:53 localhost kernel[0]: jnl: replay\_journal: from: 9095168 to: 10553856 (joffset 0x4dc000)

Jul 14 15:45:53 localhost diskarbitrationd[43]: disk0s5 hfs 64370BAF-0DF7-32CA-882F-7B90191B0713  
Untitled 2 /Volumes/Untitled 2

```
Jul 14 15:45:53 localhost kernel[0]: jnl: replay_journal: from: 7195136 to: 8653824 (joffset 0x4db000)
Jul 14 15:45:53 localhost diskarbitrationd[43]: disk1s9 hfs 312D1165-0353-3B3D-9DF1-2E3424B5B07D
MAC 4 /Volumes/MAC 4
Jul 14 15:45:53 localhost diskarbitrationd[43]: disk0s7 hfs 68A5F38F-08D5-3BC8-9C9F-87C2FE83C039
Untitled 3 /Volumes/Untitled 3
Jul 14 15:45:53 localhost kernel[0]: jnl: replay_journal: from: 9144832 to: 10603520 (joffset 0x4dc000)
Jul 14 15:45:53 localhost diskarbitrationd[43]: disk1s11 hfs 94B4FCF7-692B-32B5-A0D9-A9BFD3346DD7
MAC 5 /Volumes/MAC 5
Jul 14 15:45:53 localhost kernel[0]: jnl: replay_journal: from: 7203328 to: 8662016 (joffset 0x4db000)
Jul 14 15:45:53 localhost kernel[0]: jnl: replay_journal: from: 9049600 to: 10508288 (joffset 0x4dc000)
Jul 14 15:45:53 localhost diskarbitrationd[43]: disk0s9 hfs 9E5D74E1-78B1-3A8E-9775-59527501551D
Untitled 4 /Volumes/Untitled 4
Jul 14 15:45:53 localhost kernel[0]: jnl: replay_journal: from: 7212032 to: 8695296 (joffset 0x4db000)
Jul 14 15:45:53 localhost diskarbitrationd[43]: disk0s11 hfs CCC57CE3-DB13-3A82-BE38-36F95177AE5D
Untitled 5 /Volumes/Untitled 5
Jul 14 15:45:53 localhost diskarbitrationd[43]: disk1s13 hfs B682947B-9E32-371F-BE3A-18BBF3B29DA2
MAC 6 /Volumes/MAC 6
Jul 14 15:45:54 localhost kernel[0]: jnl: replay_journal: from: 7219712 to: 11491328 (joffset 0x4e1000)
Jul 14 15:45:54 localhost /System/Library/CoreServices/loginwindow.app/Contents/MacOS/loginwindow: Login
Window Application Started
Jul 14 15:45:54 localhost kernel[0]: UniEnet::monitorLinkStatus - Link is up at 100 Mbps - Full Duplex
Jul 14 15:45:54 localhost loginwindow[155]: Login Window Started Security Agent
Jul 14 15:45:54 localhost diskarbitrationd[43]: disk0s13 hfs F95FB50B-715F-3187-B2E0-54E737840FF4
Untitled 6 /Volumes/Untitled 6
Jul 14 15:45:54 localhost mDNSResponder: Adding browse domain local.
Jul 14 15:45:55 dudes-power-mac-g5 configd[41]: setting hostname to "dudes-power-mac-g5.local"
Jul 14 15:45:57 dudes-power-mac-g5 kernel[0]: AirPort: Link Active: "linksys" - 000f66a5cc09 - chan 9
Jul 14 15:45:57 dudes-power-mac-g5 configd[41]: AppleTalk startup
Jul 14 15:45:57 dudes-power-mac-g5 configd[41]: SecKeychainFindGenericPassword err= -25308 ( =0xfffff9d24,
secErrStr=User interaction is not allowed. ) (current= linksys)
Jul 14 15:45:57 dudes-power-mac-g5 ApComPort[111]: Data flow on, no route to node 36741
Jul 14 15:45:58 dudes-power-mac-g5 kernel[0]: jnl: replay_journal: from: 2244608 to: 3991552 (joffset
0xe90000)
Jul 14 15:45:58 dudes-power-mac-g5 diskarbitrationd[43]: disk2s3 hfs D012D5CA-342E-38CF-
B2EE-8BCA32D83173 DUDE 1 /Volumes/DUDE 1
Jul 14 15:45:59 dudes-power-mac-g5 launchd: Server 0 in bootstrap 1103 uid 0: "/usr/sbin/lookupd"[74]:
exited abnormally: Hangup
Jul 14 15:45:59 dudes-power-mac-g5 configd[41]: executing /System/Library/SystemConfiguration/
Kicker.bundle/Contents/Resources/enable-network
Jul 14 15:45:59 dudes-power-mac-g5 configd[41]: posting notification
com.apple.system.config.network_change
Jul 14 15:45:59 dudes-power-mac-g5 lookupd[203]: lookupd (version 369.5) starting - Mon Jul 14 15:45:59
2008
Jul 14 15:46:03 dudes-power-mac-g5 configd[41]: AppleTalk startup complete
Jul 14 15:46:03 dudes-power-mac-g5 configd[41]: target=enable-network: disabled
Jul 14 15:46:05 dudes-power-mac-g5 diskarbitrationd[43]: disk3s3 hfs 25BAEE61-
E0DB-36AC-90AF-48BAB00D2E61 DUDE 2 /Volumes/DUDE 2
Jul 14 15:46:07 dudes-power-mac-g5 diskarbitrationd[43]: disk3s3 hfs 25BAEE61-
E0DB-36AC-90AF-48BAB00D2E61 DUDE 2 /Volumes/DUDE 2
Jul 14 15:47:36 dudes-power-mac-g5 kernel[0]: /SourceCache/AppleFWOHCI/AppleFWOHCI-253.4.1/AppleFWOHCI.cpp
3539: ERROR: FireWire (OHCI) Apple ID 42 built-in: handleUnrecoverableErrorInt
Jul 14 15:49:29 dudes-power-mac-g5 kernel[0]: Bad SelfID packet 9: 0x0 != 0xffffffff!
Jul 14 15:50:33 dudes-power-mac-g5 kernel[0]: /SourceCache/AppleFWOHCI/AppleFWOHCI-253.4.1/AppleFWOHCI.cpp
3539: ERROR: FireWire (OHCI) Apple ID 42 built-in: handleUnrecoverableErrorInt
Jul 14 15:50:34 dudes-power-mac-g5 kernel[0]: AppleFWOHCI_AsyncTransmit::waitForDMA - context not going
inactive.
Jul 14 15:50:43 dudes-power-mac-g5 kernel[0]: FireWire (OHCI) Apple ID 42 built-in: handleSelfIDInt -
nodeID not valid (reset bus and retry 2)
Jul 14 15:51:14 dudes-power-mac-g5 kernel[0]: FireWire (OHCI) Apple ID 42 built-in: handleSelfIDInt -
nodeID not valid (reset bus and retry 2)
```

Jul 14 15:52:38 dudes-power-mac-g5 kernel[0]: /SourceCache/AppleFWOHCI/AppleFWOHCI-253.4.1/AppleFWOHCI.cpp  
3539: ERROR: FireWire (OHCI) Apple ID 42 built-in: handleUnrecoverableErrorInt  
Jul 14 15:55:24 dudes-power-mac-g5 kernel[0]: FireWire (OHCI) Apple ID 42 built-in: handleSelfIDInt -  
nodeID not valid (reset bus and retry 2)  
Jul 14 15:55:55 dudes-power-mac-g5 kernel[0]: SelfIDs don't build a proper tree (missing selfIDs?)!!  
Jul 14 15:57:04 dudes-power-mac-g5 kernel[0]: /SourceCache/AppleFWOHCI/AppleFWOHCI-253.4.1/AppleFWOHCI.cpp  
3539: ERROR: FireWire (OHCI) Apple ID 42 built-in: handleUnrecoverableErrorInt  
Jul 14 16:00:10 dudes-power-mac-g5 kernel[0]: FireWire (OHCI) Apple ID 42 built-in: handleSelfIDInt -  
nodeID not valid (reset bus and retry 2)  
Jul 14 16:00:35 dudes-power-mac-g5 kernel[0]: Bad SelfID packet 9: 0x0 != 0xffffffff!  
Jul 14 16:00:36 dudes-power-mac-g5 kernel[0]: /SourceCache/AppleFWOHCI/AppleFWOHCI-253.4.1/AppleFWOHCI.cpp  
3539: ERROR: FireWire (OHCI) Apple ID 42 built-in: handleUnrecoverableErrorInt  
Jul 14 16:01:23 dudes-power-mac-g5 kernel[0]: FireWire (OHCI) Apple ID 42 built-in: handleSelfIDInt -  
nodeID not valid (reset bus and retry 2)  
Jul 14 16:02:20 dudes-power-mac-g5 kernel[0]: Bad SelfID packet 3: 0x837fc4e4 != 0x837fc46c!  
Jul 14 16:05:07 dudes-power-mac-g5 kernel[0]: FireWire (OHCI) Apple ID 42 built-in: handleSelfIDInt -  
nodeID not valid (reset bus and retry 2)  
Jul 14 16:07:28 dudes-power-mac-g5 kernel[0]: FireWire (OHCI) Apple ID 42 built-in: 11562 bus resets in  
last minute.  
Jul 14 16:07:28 dudes-power-mac-g5 kernel[0]: /SourceCache/AppleFWOHCI/AppleFWOHCI-253.4.1/AppleFWOHCI.cpp  
3539: ERROR: FireWire (OHCI) Apple ID 42 built-in: handleUnrecoverableErrorInt  
Jul 14 16:07:34 dudes-power-mac-g5 kernel[0]: AirPort: Link DOWN (AP deAuth 0)  
Jul 14 16:07:34 dudes-power-mac-g5 configd[41]: AppleTalk shutdown  
Jul 14 16:07:34 dudes-power-mac-g5 configd[41]: AppleTalk shutdown complete  
Jul 14 16:07:34 dudes-power-mac-g5 /usr/sbin/AppleFileServer: AFPServer::AbnormalATListenerShutDown -  
clear listener  
Jul 14 16:07:35 dudes-power-mac-g5 kernel[0]: AirPort: Link Active: "linksys" - 000f66a5cc09 - chan 9  
Jul 14 16:07:35 dudes-power-mac-g5 configd[41]: AppleTalk startup  
Jul 14 16:07:35 dudes-power-mac-g5 configd[41]: SecKeychainFindGenericPassword err= -25308 ( =0xffff9d24,  
secErrStr=User interaction is not allowed. ) (current= linksys)  
Jul 14 16:07:40 dudes-power-mac-g5 configd[41]: AppleTalk startup complete  
Jul 14 16:07:58 dudes-power-mac-g5 kernel[0]: /SourceCache/AppleFWOHCI/AppleFWOHCI-253.4.1/AppleFWOHCI.cpp  
3539: ERROR: FireWire (OHCI) Apple ID 42 built-in: handleUnrecoverableErrorInt  
Jul 14 16:08:35 dudes-power-mac-g5 kernel[0]: FireWire (OHCI) Apple ID 42 built-in: handleSelfIDInt -  
received quads == 0. issuing bus reset  
Jul 14 16:10:56 dudes-power-mac-g5 kernel[0]: /SourceCache/AppleFWOHCI/AppleFWOHCI-253.4.1/AppleFWOHCI.cpp  
3539: ERROR: FireWire (OHCI) Apple ID 42 built-in: handleUnrecoverableErrorInt  
Jul 14 16:11:42 dudes-power-mac-g5 kernel[0]: AirPort: Link DOWN (AP deAuth 0)  
Jul 14 16:11:42 dudes-power-mac-g5 configd[41]: AppleTalk shutdown  
Jul 14 16:11:42 dudes-power-mac-g5 /usr/sbin/AppleFileServer: AFPServer::AbnormalATListenerShutDown -  
clear listener  
Jul 14 16:11:42 dudes-power-mac-g5 configd[41]: AppleTalk shutdown complete  
Jul 14 16:11:43 dudes-power-mac-g5 kernel[0]: AirPort: Link Active: "linksys" - 000f66a5cc09 - chan 9  
Jul 14 16:11:43 dudes-power-mac-g5 configd[41]: AppleTalk startup  
Jul 14 16:11:47 dudes-power-mac-g5 kernel[0]: AirPort: Link DOWN (AP deAuth 0)  
Jul 14 16:11:47 dudes-power-mac-g5 configd[41]: SecKeychainFindGenericPassword err= -25308 ( =0xffff9d24,  
secErrStr=User interaction is not allowed. ) (current= linksys)  
Jul 14 16:11:47 dudes-power-mac-g5 kernel[0]: AirPort: Link Active: "linksys" - 000f66a5cc09 - chan 9  
Jul 14 16:11:48 dudes-power-mac-g5 configd[41]: AppleTalk startup complete  
Jul 14 16:11:48 dudes-power-mac-g5 configd[41]: AppleTalk shutdown  
Jul 14 16:11:48 dudes-power-mac-g5 configd[41]: AppleTalk shutdown complete  
Jul 14 16:11:48 dudes-power-mac-g5 configd[41]: AppleTalk startup  
Jul 14 16:11:54 dudes-power-mac-g5 configd[41]: AppleTalk startup complete  
Jul 14 16:13:56 dudes-power-mac-g5 kernel[0]: FireWire (OHCI) Apple ID 42 built-in: 3522 bus resets in  
last minute.  
Jul 14 16:13:56 dudes-power-mac-g5 kernel[0]: /SourceCache/AppleFWOHCI/AppleFWOHCI-253.4.1/AppleFWOHCI.cpp  
3539: ERROR: FireWire (OHCI) Apple ID 42 built-in: handleUnrecoverableErrorInt  
Jul 14 16:14:41 dudes-power-mac-g5 kernel[0]: Bad SelfID packet 1: 0x817fc4e4 != 0x817fc49c!  
Jul 14 16:14:52 dudes-power-mac-g5 kernel[0]: /SourceCache/AppleFWOHCI/AppleFWOHCI-253.4.1/AppleFWOHCI.cpp  
3539: ERROR: FireWire (OHCI) Apple ID 42 built-in: handleUnrecoverableErrorInt

Jul 14 16:17:10 dudes-power-mac-g5 kernel[0]: Bad SelfID packet 3: 0x837fc4e6 != 0x837fc4e3!  
Jul 14 16:17:34 dudes-power-mac-g5 kernel[0]: Bad SelfID packet 3: 0x837fc4e4 != 0x837fc494!  
Jul 14 16:17:51 dudes-power-mac-g5 kernel[0]: /SourceCache/AppleFWOHCI/AppleFWOHCI-253.4.1/AppleFWOHCI.cpp  
3539: ERROR: FireWire (OHCI) Apple ID 42 built-in: handleUnrecoverableErrorInt  
Jul 14 16:20:35 dudes-power-mac-g5 kernel[0]: FireWire (OHCI) Apple ID 42 built-in: handleSelfIDInt -  
nodeID not valid (reset bus and retry 2)  
Jul 14 16:22:47 dudes-power-mac-g5 kernel[0]: FireWire (OHCI) Apple ID 42 built-in: 4921 bus resets in  
last minute.  
Jul 14 16:22:47 dudes-power-mac-g5 kernel[0]: /SourceCache/AppleFWOHCI/AppleFWOHCI-253.4.1/AppleFWOHCI.cpp  
3539: ERROR: FireWire (OHCI) Apple ID 42 built-in: handleUnrecoverableErrorInt  
Jul 14 16:23:02 dudes-power-mac-g5 kernel[0]: /SourceCache/AppleFWOHCI/AppleFWOHCI-253.4.1/AppleFWOHCI.cpp  
3539: ERROR: FireWire (OHCI) Apple ID 42 built-in: handleUnrecoverableErrorInt  
Jul 14 16:25:07 dudes-power-mac-g5 kernel[0]: /SourceCache/AppleFWOHCI/AppleFWOHCI-253.4.1/AppleFWOHCI.cpp  
3539: ERROR: FireWire (OHCI) Apple ID 42 built-in: handleUnrecoverableErrorInt  
Jul 14 16:25:38 dudes-power-mac-g5 kernel[0]: FireWire (OHCI) Apple ID 42 built-in: 1548 bus resets in  
last minute.  
Jul 14 16:25:38 dudes-power-mac-g5 kernel[0]: /SourceCache/AppleFWOHCI/AppleFWOHCI-253.4.1/AppleFWOHCI.cpp  
3539: ERROR: FireWire (OHCI) Apple ID 42 built-in: handleUnrecoverableErrorInt  
Jul 14 16:26:17 dudes-power-mac-g5 kernel[0]: Bad SelfID packet 2: 0x827fc4b4 != 0x827fc4cc!  
Jul 14 16:26:37 dudes-power-mac-g5 diskarbitrationd[43]: disk0s3 hfs EA8F1946-F029-3644-AC1C-  
D0212AFF5AB4 Untitled 1 /Volumes/Untitled 1  
Jul 14 16:26:38 dudes-power-mac-g5 kernel[0]: jnl: close: flushing the buffer cache (start 0x87c200 end  
0x880400)  
Jul 14 16:26:38 dudes-power-mac-g5 diskarbitrationd[43]: disk0s5 hfs  
64370BAF-0DF7-32CA-882F-7B90191B0713 Untitled 2 /Volumes/Untitled 2  
Jul 14 16:26:40 dudes-power-mac-g5 diskarbitrationd[43]: disk0s7 hfs  
68A5F38F-08D5-3BC8-9C9F-87C2FE83C039 Untitled 3 /Volumes/Untitled 3  
Jul 14 16:26:41 dudes-power-mac-g5 diskarbitrationd[43]: disk0s9 hfs  
9E5D74E1-78B1-3A8E-9775-59527501551D Untitled 4 /Volumes/Untitled 4  
Jul 14 16:26:42 dudes-power-mac-g5 diskarbitrationd[43]: disk0s11 hfs CCC57CE3-DB13-3A82-  
BE38-36F95177AE5D Untitled 5 /Volumes/Untitled 5  
Jul 14 16:26:44 dudes-power-mac-g5 diskarbitrationd[43]: disk0s13 hfs F95FB50B-715F-3187-  
B2E0-54E737840FF4 Untitled 6 /Volumes/Untitled 6  
Jul 14 16:27:07 dudes-power-mac-g5 kernel[0]: jnl: close: flushing the buffer cache (start 0x256a00 end  
0x25ac00)  
Jul 14 16:27:08 dudes-power-mac-g5 diskarbitrationd[43]: disk1s5 hfs  
1123E808-3BC1-3C98-8A23-508866F2DD50 MAC 2 /Volumes/MAC 2  
Jul 14 16:27:09 dudes-power-mac-g5 diskarbitrationd[43]: disk1s7 hfs  
613B8C3E-3F46-3C0E-87D3-5641A58C5B6B MAC 3 /Volumes/MAC 3  
Jul 14 16:27:10 dudes-power-mac-g5 diskarbitrationd[43]: disk1s9 hfs  
312D1165-0353-3B3D-9DF1-2E3424B5B07D MAC 4 /Volumes/MAC 4  
Jul 14 16:27:11 dudes-power-mac-g5 diskarbitrationd[43]: disk1s11 hfs 94B4FCF7-692B-32B5-A0D9-  
A9BFD3346DD7 MAC 5 /Volumes/MAC 5  
Jul 14 16:27:12 dudes-power-mac-g5 diskarbitrationd[43]: disk1s13 hfs B682947B-9E32-371F-  
BE3A-18BBF3B29DA2 MAC 6 /Volumes/MAC 6  
Jul 14 16:27:36 dudes-power-mac-g5 diskarbitrationd[43]: disk2s3 hfs D012D5CA-342E-38CF-  
B2EE-8BCA32D83173 DUDE 1 /Volumes/DUDE 1  
Jul 14 16:27:41 dudes-power-mac-g5 diskarbitrationd[43]: disk3s3 hfs 25BAEE61-  
E0DB-36AC-90AF-48BAB00D2E61 DUDE 2 /Volumes/DUDE 2  
Jul 14 16:28:48 dudes-power-mac-g5 kernel[0]: Bad SelfID packet 1: 0x817fc4e4 != 0x817fc4e7!  
Jul 14 16:28:58 dudes-power-mac-g5 kernel[0]: Bad SelfID packet 3: 0x837fc4e6 != 0x837fc496!  
Jul 14 16:29:15 dudes-power-mac-g5 kernel[0]: FireWire (OHCI) Apple ID 42 built-in: handleSelfIDInt -  
nodeID not valid (reset bus and retry 2)  
Jul 14 16:29:29 dudes-power-mac-g5 kernel[0]: Bad SelfID packet 3: 0x837fc4e6 != 0x837fc416!  
Jul 14 16:30:22 dudes-power-mac-g5 kernel[0]: /SourceCache/AppleFWOHCI/AppleFWOHCI-253.4.1/AppleFWOHCI.cpp  
3539: ERROR: FireWire (OHCI) Apple ID 42 built-in: handleUnrecoverableErrorInt  
Jul 14 16:33:50 dudes-power-mac-g5 kernel[0]: Bad SelfID packet 1: 0x817fc4e4 != 0x817fc49c!  
Jul 14 16:35:24 dudes-power-mac-g5 kernel[0]: /SourceCache/AppleFWOHCI/AppleFWOHCI-253.4.1/AppleFWOHCI.cpp  
3539: ERROR: FireWire (OHCI) Apple ID 42 built-in: handleUnrecoverableErrorInt  
Jul 14 16:36:14 dudes-power-mac-g5 kernel[0]: Bad SelfID packet 1: 0x817fc4e4 != 0x817fc1e4!

```
Jul 14 16:36:33 dudes-power-mac-g5 kernel[0]: AppleFWOHCI_AsyncTransmit::waitForDMA - context not going inactive.
Jul 14 16:38:08 dudes-power-mac-g5 kernel[0]: /SourceCache/AppleFWOHCI/AppleFWOHCI-253.4.1/AppleFWOHCI.cpp 3539: ERROR: FireWire (OHCI) Apple ID 42 built-in: handleUnrecoverableErrorInt
Jul 14 16:40:28 dudes-power-mac-g5 kernel[0]: Bad SelfID packet 3: 0x837fc4e6 != 0x837fc4e7!
Jul 14 16:44:02 dudes-power-mac-g5 kernel[0]: FireWire (OHCI) Apple ID 42 built-in: handleSelfIDInt - nodeID not valid (reset bus and retry 2)
Jul 14 16:46:10 dudes-power-mac-g5 kernel[0]: FireWire (OHCI) Apple ID 42 built-in: handleSelfIDInt - nodeID not valid (reset bus and retry 2)
Jul 14 16:47:07 dudes-power-mac-g5 kernel[0]: /SourceCache/AppleFWOHCI/AppleFWOHCI-253.4.1/AppleFWOHCI.cpp 3539: ERROR: FireWire (OHCI) Apple ID 42 built-in: handleUnrecoverableErrorInt
Jul 14 16:50:09 dudes-power-mac-g5 kernel[0]: FireWire (OHCI) Apple ID 42 built-in: handleSelfIDInt - nodeID not valid (reset bus and retry 2)
Jul 14 16:50:10 dudes-power-mac-g5 kernel[0]: FireWire (OHCI) Apple ID 42 built-in: 13135 bus resets in last minute.
Jul 14 16:50:10 dudes-power-mac-g5 kernel[0]: /SourceCache/AppleFWOHCI/AppleFWOHCI-253.4.1/AppleFWOHCI.cpp 3539: ERROR: FireWire (OHCI) Apple ID 42 built-in: handleUnrecoverableErrorInt
Jul 14 16:50:28 dudes-power-mac-g5 kernel[0]: /SourceCache/AppleFWOHCI/AppleFWOHCI-253.4.1/AppleFWOHCI.cpp 3539: ERROR: FireWire (OHCI) Apple ID 42 built-in: handleUnrecoverableErrorInt
Jul 14 16:51:29 dudes-power-mac-g5 kernel[0]: AirPort: Link DOWN (AP deAuth 0)
Jul 14 16:51:29 dudes-power-mac-g5 configd[41]: AppleTalk shutdown
Jul 14 16:51:29 dudes-power-mac-g5 /usr/sbin/AppleFileServer: AFPServer::AbnormalATListenerShutDown - clear listener
Jul 14 16:51:29 dudes-power-mac-g5 configd[41]: AppleTalk shutdown complete
Jul 14 16:51:29 dudes-power-mac-g5 kernel[0]: AirPort: Link Active: "linksys" - 000f66a5cc09 - chan 9
Jul 14 16:51:29 dudes-power-mac-g5 configd[41]: AppleTalk startup
Jul 14 16:51:29 dudes-power-mac-g5 configd[41]: SecKeychainFindGenericPassword err= -25308 ( =0xffff9d24, secErrStr=User interaction is not allowed. ) (current= linksys)
Jul 14 16:51:35 dudes-power-mac-g5 configd[41]: AppleTalk startup complete
Jul 14 16:55:18 dudes-power-mac-g5 kernel[0]: Bad SelfID packet 2: 0x827fc4b4 != 0x827fc4c4!
Jul 14 16:56:17 dudes-power-mac-g5 kernel[0]: /SourceCache/AppleFWOHCI/AppleFWOHCI-253.4.1/AppleFWOHCI.cpp 3539: ERROR: FireWire (OHCI) Apple ID 42 built-in: handleUnrecoverableErrorInt
Jul 14 16:56:44 dudes-power-mac-g5 kernel[0]: /SourceCache/AppleFWOHCI/AppleFWOHCI-253.4.1/AppleFWOHCI.cpp 3539: ERROR: FireWire (OHCI) Apple ID 42 built-in: handleUnrecoverableErrorInt
Jul 14 16:57:23 dudes-power-mac-g5 kernel[0]: /SourceCache/AppleFWOHCI/AppleFWOHCI-253.4.1/AppleFWOHCI.cpp 3539: ERROR: FireWire (OHCI) Apple ID 42 built-in: handleUnrecoverableErrorInt
Jul 14 16:57:30 dudes-power-mac-g5 kernel[0]: Bad SelfID packet 2: 0x827fc4b4 != 0x827fc4b5!
Jul 14 16:57:39 dudes-power-mac-g5 kernel[0]: /SourceCache/AppleFWOHCI/AppleFWOHCI-253.4.1/AppleFWOHCI.cpp 3539: ERROR: FireWire (OHCI) Apple ID 42 built-in: handleUnrecoverableErrorInt
Jul 14 16:57:39 dudes-power-mac-g5 kernel[0]: /SourceCache/AppleFWOHCI/AppleFWOHCI-253.4.1/AppleFWOHCI.cpp 3539: ERROR: FireWire (OHCI) Apple ID 42 built-in: handleUnrecoverableErrorInt
Jul 14 16:57:39 dudes-power-mac-g5 kernel[0]: /SourceCache/AppleFWOHCI/AppleFWOHCI-253.4.1/AppleFWOHCI.cpp 3539: ERROR: FireWire (OHCI) Apple ID 42 built-in: handleUnrecoverableErrorInt
Jul 14 16:58:01 dudes-power-mac-g5 kernel[0]: FireWire (OHCI) Apple ID 42 built-in: handleSelfIDInt - received quads == 0. issuing bus reset
Jul 14 16:58:11 dudes-power-mac-g5 kernel[0]: /SourceCache/AppleFWOHCI/AppleFWOHCI-253.4.1/AppleFWOHCI.cpp 3539: ERROR: FireWire (OHCI) Apple ID 42 built-in: handleUnrecoverableErrorInt
Jul 14 16:58:32 dudes-power-mac-g5 kernel[0]: FireWire (OHCI) Apple ID 42 built-in: handleSelfIDInt - nodeID not valid (reset bus and retry 2)
Jul 14 16:59:20 dudes-power-mac-g5 kernel[0]: FireWire (OHCI) Apple ID 42 built-in: handleSelfIDInt - nodeID not valid (reset bus and retry 2)
Jul 14 17:02:32 dudes-power-mac-g5 kernel[0]: FireWire (OHCI) Apple ID 42 built-in: handleSelfIDInt - nodeID not valid (reset bus and retry 2)
Jul 14 17:02:51 dudes-power-mac-g5 kernel[0]: AirPort: Link DOWN (AP deAuth 0)
Jul 14 17:02:51 dudes-power-mac-g5 configd[41]: AppleTalk shutdown
Jul 14 17:02:51 dudes-power-mac-g5 /usr/sbin/AppleFileServer: AFPServer::AbnormalATListenerShutDown - clear listener
Jul 14 17:02:51 dudes-power-mac-g5 configd[41]: AppleTalk shutdown complete
Jul 14 17:02:51 dudes-power-mac-g5 kernel[0]: AirPort: Link Active: "linksys" - 000f66a5cc09 - chan 9
Jul 14 17:02:51 dudes-power-mac-g5 configd[41]: AppleTalk startup
```

```
Jul 14 17:02:51 dudes-power-mac-g5 configd[41]: SecKeychainFindGenericPassword err= -25308 ( =0xffff9d24,
secErrStr=User interaction is not allowed. ) (current= linksys)
Jul 14 17:02:57 dudes-power-mac-g5 configd[41]: AppleTalk startup complete
Jul 14 17:05:26 dudes-power-mac-g5 kernel[0]: AirPort: Link DOWN (AP deAuth 0)
Jul 14 17:05:26 dudes-power-mac-g5 configd[41]: AppleTalk shutdown
Jul 14 17:05:26 dudes-power-mac-g5 /usr/sbin/AppleFileServer: AFPServer::AbnormalATListenerShutDown -
clear listener
Jul 14 17:05:26 dudes-power-mac-g5 configd[41]: AppleTalk shutdown complete
Jul 14 17:05:26 dudes-power-mac-g5 kernel[0]: AirPort: Link Active: "linksys" - 000f66a5cc09 - chan 9
Jul 14 17:05:26 dudes-power-mac-g5 configd[41]: AppleTalk startup
Jul 14 17:05:27 dudes-power-mac-g5 configd[41]: SecKeychainFindGenericPassword err= -25308 ( =0xffff9d24,
secErrStr=User interaction is not allowed. ) (current= linksys)
Jul 14 17:05:32 dudes-power-mac-g5 configd[41]: AppleTalk startup complete
Jul 14 17:06:09 dudes-power-mac-g5 kernel[0]: FireWire (OHCI) Apple ID 42 built-in: 8649 bus resets in
last minute.
Jul 14 17:06:09 dudes-power-mac-g5 kernel[0]: /SourceCache/AppleFWOHCI/AppleFWOHCI-253.4.1/AppleFWOHCI.cpp
3539: ERROR: FireWire (OHCI) Apple ID 42 built-in: handleUnrecoverableErrorInt
Jul 14 17:06:22 dudes-power-mac-g5 kernel[0]: /SourceCache/AppleFWOHCI/AppleFWOHCI-253.4.1/AppleFWOHCI.cpp
3539: ERROR: FireWire (OHCI) Apple ID 42 built-in: handleUnrecoverableErrorInt
```