

Last login: Fri Oct 25 18:52:47 on console

The default interactive shell is now zsh.

To update your account to use zsh, please run `chsh -s /bin/zsh`.

For more details, please visit <https://support.apple.com/kb/HT208050>.

```
MacBook-Pro:~ BBere$ log show -last 8h --style syslog | fgrep -e "Wake " -e " Sleep "
```

```
2019-10-26 00:24:13.074011+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler -
Dark Wake IOPMSYSTEMPowerStateCapabilities - Sleep
2019-10-26 00:24:13.076633+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CSHostDaemonMac
_isWakeReasonVoiceTrigger] Wake reason: <private>
2019-10-26 00:24:13.076649+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CSHostDaemonMac
_getPowerAssertionIfWokenByVoiceTriggerNotFromS3Sleep] Wake reason
is not VoiceTrigger or it woke from S3
2019-10-26 00:24:13.093359+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State
changed: Sleep -> DarkWake, 0x1 < DarkWake >
2019-10-26 00:24:13.142097+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time
calculated as - [Sat Oct 26 00:54:28 2019]
2019-10-26 00:24:13.358067+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason:
Host (0x01)
2019-10-26 00:24:13.688271+0200 localhost kernel[0]:
(AppleIntelCFLGraphicsFramebuffer) [IGFB][INFO ] FB0 power state
transition Sleep to Doze
2019-10-26 00:24:14.110857+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler -
Dark Wake IOPMSYSTEMPowerStateCapabilities - Sleep
2019-10-26 00:24:14.112773+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time
calculated as - [Sat Oct 26 00:54:28 2019]
2019-10-26 00:24:14.118062+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason:
Host (0x01)
2019-10-26 00:24:20.407056+0200 localhost powerd[103]:
[powerd:sleepWake] Entering Sleep state due to 'Maintenance Sleep'
2019-10-26 00:24:20.407623+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State
changed: DarkWake -> Sleep, 0x20 < Sleep >
2019-10-26 00:24:20.407629+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: Sleep
async ack
2019-10-26 00:24:20.408434+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Network off
sleep date is not setup yet. Wake date cannot be calculated without
baseline.
2019-10-26 00:24:27.883212+0200 localhost kernel[0]:
```

(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT (Maintenance)
2019-10-26 00:24:27.883212+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT (Maintenance)
2019-10-26 00:24:55.494992+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CSHostDaemonMac _isWakeReasonVoiceTrigger] Wake reason: <private>
2019-10-26 00:24:55.495165+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CSHostDaemonMac _getPowerAssertionIfWakenByVoiceTriggerNotFromS3Sleep] Wake reason is not VoiceTrigger or it woke from S3
2019-10-26 00:24:55.498328+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State changed: Sleep -> DarkWake, 0x1 < DarkWake >
2019-10-26 00:24:55.519583+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler - Dark Wake IOPMSYSTEMPowerStateCapabilities - Sleep
2019-10-26 00:24:55.530350+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time calculated as - [Sat Oct 26 00:54:28 2019]
2019-10-26 00:24:55.684144+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason: Host (0x01)
2019-10-26 00:24:56.136386+0200 localhost kernel[0]:
(AppleIntelCFLGraphicsFramebuffer) [IGFB][INFO] FB0 power state transition Sleep to Doze
2019-10-26 00:24:56.567826+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler - Dark Wake IOPMSYSTEMPowerStateCapabilities - Sleep
2019-10-26 00:24:56.569133+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time calculated as - [Sat Oct 26 00:54:28 2019]
2019-10-26 00:24:56.573766+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason: Host (0x01)
2019-10-26 00:25:02.817569+0200 localhost powerd[103]:
[powerd:sleepWake] Entering Sleep state due to 'Maintenance Sleep'
2019-10-26 00:25:02.818139+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State changed: DarkWake -> Sleep, 0x20 < Sleep >
2019-10-26 00:25:02.818146+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: Sleep async ack
2019-10-26 00:25:02.819307+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Network off sleep date is not setup yet. Wake date cannot be calculated without baseline.
2019-10-26 00:25:10.266141+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT (Maintenance)
2019-10-26 00:25:10.266141+0200 localhost kernel[0]:

(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT (Maintenance)
2019-10-26 00:25:37.905562+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler - Dark Wake IOPMSystemPowerStateCapabilities - Sleep
2019-10-26 00:25:37.909143+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CSHostDaemonMac _isWakeReasonVoiceTrigger] Wake reason: <private>
2019-10-26 00:25:37.909148+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CSHostDaemonMac _getPowerAssertionIfWakenByVoiceTriggerNotFromS3Sleep] Wake reason is not VoiceTrigger or it woke from S3
2019-10-26 00:25:37.929671+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time calculated as - [Sat Oct 26 00:54:28 2019]
2019-10-26 00:25:37.937132+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State changed: Sleep -> DarkWake, 0x1 < DarkWake >
2019-10-26 00:25:38.111641+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason: Host (0x01)
2019-10-26 00:25:38.541418+0200 localhost kernel[0]:
(AppleIntelCFLGraphicsFramebuffer) [IGFB][INFO] FB0 power state transition Sleep to Doze
2019-10-26 00:25:38.961208+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler - Dark Wake IOPMSystemPowerStateCapabilities - Sleep
2019-10-26 00:25:38.962903+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time calculated as - [Sat Oct 26 00:54:28 2019]
2019-10-26 00:25:38.966857+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason: Host (0x01)
2019-10-26 00:25:45.249399+0200 localhost powerd[103]:
[powerd:sleepWake] Entering Sleep state due to 'Maintenance Sleep'
2019-10-26 00:25:45.249968+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State changed: DarkWake -> Sleep, 0x20 < Sleep >
2019-10-26 00:25:45.249974+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: Sleep async ack
2019-10-26 00:25:45.250579+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Network off sleep date is not setup yet. Wake date cannot be calculated without baseline.
2019-10-26 00:25:52.720823+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT (Maintenance)
2019-10-26 00:25:52.720824+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT (Maintenance)
2019-10-26 00:26:20.388207+0200 localhost bluetoothd[145]:

(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler - Dark Wake IOPMSYSTEMPowerStateCapabilities - Sleep
2019-10-26 00:26:20.388694+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State changed: Sleep -> DarkWake, 0x1 < DarkWake >
2019-10-26 00:26:20.391236+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CSHostDaemonMac _isWakeReasonVoiceTrigger] Wake reason: <private>
2019-10-26 00:26:20.391241+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CSHostDaemonMac _getPowerAssertionIfWakenByVoiceTriggerNotFromS3Sleep] Wake reason is not VoiceTrigger or it woke from S3
2019-10-26 00:26:20.415641+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time calculated as - [Sat Oct 26 00:54:28 2019]
2019-10-26 00:26:20.696217+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason: Host (0x01)
2019-10-26 00:26:21.002201+0200 localhost kernel[0]:
(AppleIntelCFLGraphicsFramebuffer) [IGFB][INFO] FB0 power state transition Sleep to Doze
2019-10-26 00:26:21.429223+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler - Dark Wake IOPMSYSTEMPowerStateCapabilities - Sleep
2019-10-26 00:26:21.430710+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time calculated as - [Sat Oct 26 00:54:28 2019]
2019-10-26 00:26:21.437024+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason: Host (0x01)
2019-10-26 00:26:31.384825+0200 localhost powerd[103]:
[powerd:sleepWake] Entering Sleep state due to 'Maintenance Sleep'
2019-10-26 00:26:31.385439+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State changed: DarkWake -> Sleep, 0x20 < Sleep >
2019-10-26 00:26:31.385443+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: Sleep async ack
2019-10-26 00:26:31.385908+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Network off sleep date is not setup yet. Wake date cannot be calculated without baseline.
2019-10-26 00:26:40.827047+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT (Maintenance)
2019-10-26 00:26:40.827048+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT (Maintenance)
2019-10-26 00:27:08.468183+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler - Dark Wake IOPMSYSTEMPowerStateCapabilities - Sleep
2019-10-26 00:27:08.471358+0200 localhost rapportd[371]:

(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State changed: Sleep -> DarkWake, 0x1 < DarkWake >
2019-10-26 00:27:08.487907+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time calculated as - [Sat Oct 26 00:54:28 2019]
2019-10-26 00:27:08.523020+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CSHostDaemonMac _isWakeReasonVoiceTrigger] Wake reason: <private>
2019-10-26 00:27:08.523035+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CSHostDaemonMac _getPowerAssertionIfWakenedByVoiceTriggerNotFromS3Sleep] Wake reason is not VoiceTrigger or it woke from S3
2019-10-26 00:27:08.708836+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason: Host (0x01)
2019-10-26 00:27:09.091540+0200 localhost kernel[0]:
(AppleIntelCFLGraphicsFramebuffer) [IGFB][INFO] FB0 power state transition Sleep to Doze
2019-10-26 00:27:09.516686+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler - Dark Wake IOPMSystemPowerStateCapabilities - Sleep
2019-10-26 00:27:09.518113+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time calculated as - [Sat Oct 26 00:54:28 2019]
2019-10-26 00:27:09.530034+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason: Host (0x01)
2019-10-26 00:27:15.835257+0200 localhost powerd[103]:
[powerd:sleepWake] Entering Sleep state due to 'Maintenance Sleep'
2019-10-26 00:27:15.835805+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State changed: DarkWake -> Sleep, 0x20 < Sleep >
2019-10-26 00:27:15.835809+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: Sleep async ack
2019-10-26 00:27:15.836472+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Network off sleep date is not setup yet. Wake date cannot be calculated without baseline.
2019-10-26 00:27:23.239646+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT (Maintenance)
2019-10-26 00:27:23.239646+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT (Maintenance)
2019-10-26 00:27:50.917173+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler - Dark Wake IOPMSystemPowerStateCapabilities - Sleep
2019-10-26 00:27:50.928312+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State changed: Sleep -> DarkWake, 0x1 < DarkWake >
2019-10-26 00:27:50.945850+0200 localhost corespeechd[443]:

[com.apple.corespeech:Framework] -[CShostDaemonMac
_isWakeReasonVoiceTrigger] Wake reason: <private>
2019-10-26 00:27:50.945860+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CShostDaemonMac
_getPowerAssertionIfWakenByVoiceTriggerNotFromS3Sleep] Wake reason
is not VoiceTrigger or it woke from S3
2019-10-26 00:27:50.989686+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time
calculated as - [Sat Oct 26 00:54:28 2019]
2019-10-26 00:27:51.112754+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason:
Host (0x01)
2019-10-26 00:27:51.539108+0200 localhost kernel[0]:
(AppleIntelCFLGraphicsFramebuffer) [IGFB][INFO] FB0 power state
transition Sleep to Doze
2019-10-26 00:27:51.965651+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler -
Dark Wake IOPMSYSTEMPowerStateCapabilities - Sleep
2019-10-26 00:27:51.967870+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time
calculated as - [Sat Oct 26 00:54:28 2019]
2019-10-26 00:27:51.971211+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason:
Host (0x01)
2019-10-26 00:27:58.260220+0200 localhost powerd[103]:
[powerd:sleepWake] Entering Sleep state due to 'Maintenance Sleep'
2019-10-26 00:27:58.260740+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State
changed: DarkWake -> Sleep, 0x20 < Sleep >
2019-10-26 00:27:58.260746+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: Sleep
async ack
2019-10-26 00:27:58.261673+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Network off
sleep date is not setup yet. Wake date cannot be calculated without
baseline.
2019-10-26 00:28:05.734185+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT
(Maintenance)
2019-10-26 00:28:05.734185+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT
(Maintenance)
2019-10-26 00:28:33.318984+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler -
Dark Wake IOPMSYSTEMPowerStateCapabilities - Sleep
2019-10-26 00:28:33.320707+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State
changed: Sleep -> DarkWake, 0x1 < DarkWake >
2019-10-26 00:28:33.321376+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CShostDaemonMac
_isWakeReasonVoiceTrigger] Wake reason: <private>
2019-10-26 00:28:33.321421+0200 localhost corespeechd[443]:

```
[com.apple.corespeech:Framework] -[CShostDaemonMac
_getPowerAssertionIfWakenByVoiceTriggerNotFromS3Sleep] Wake reason
is not VoiceTrigger or it woke from S3
2019-10-26 00:28:33.356136+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time
calculated as - [Sat Oct 26 00:54:28 2019]
2019-10-26 00:28:33.506486+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason:
Host (0x01)
2019-10-26 00:28:33.972462+0200 localhost kernel[0]:
(AppleIntelCFLGraphicsFramebuffer) [IGFB][INFO ] FB0 power state
transition Sleep to Doze
2019-10-26 00:28:34.397719+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler -
Dark Wake IOPMSYSTEMPowerStateCapabilities - Sleep
2019-10-26 00:28:34.399057+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time
calculated as - [Sat Oct 26 00:54:28 2019]
2019-10-26 00:28:34.403949+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason:
Host (0x01)
2019-10-26 00:28:40.707764+0200 localhost powerd[103]:
[powerd:sleepWake] Entering Sleep state due to 'Maintenance Sleep'
2019-10-26 00:28:40.708303+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State
changed: DarkWake -> Sleep, 0x20 < Sleep >
2019-10-26 00:28:40.708309+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: Sleep
async ack
2019-10-26 00:28:40.709398+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Network off
sleep date is not setup yet. Wake date cannot be calculated without
baseline.
2019-10-26 00:28:48.152988+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.RTC
(Alarm)
2019-10-26 00:28:48.152988+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.RTC
(Alarm)
2019-10-26 00:33:47.004835+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler -
Dark Wake IOPMSYSTEMPowerStateCapabilities - Sleep
2019-10-26 00:33:47.006766+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State
changed: Sleep -> DarkWake, 0x1 < DarkWake >
2019-10-26 00:33:47.008155+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CShostDaemonMac
_isWakeReasonVoiceTrigger] Wake reason: <private>
2019-10-26 00:33:47.008167+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CShostDaemonMac
_getPowerAssertionIfWakenByVoiceTriggerNotFromS3Sleep] Wake reason
is not VoiceTrigger or it woke from S3
```

2019-10-26 00:33:47.030420+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time
calculated as - [Sat Oct 26 00:54:28 2019]
2019-10-26 00:33:47.266342+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason:
Host (0x01)
2019-10-26 00:33:47.649634+0200 localhost kernel[0]:
(AppleIntelCFLGraphicsFramebuffer) [IGFB][INFO] FB0 power state
transition Sleep to Doze
2019-10-26 00:33:48.057775+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler -
Dark Wake IOPMSYSTEMPowerStateCapabilities - Sleep
2019-10-26 00:33:48.059108+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time
calculated as - [Sat Oct 26 00:54:28 2019]
2019-10-26 00:33:48.064010+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason:
Host (0x01)
2019-10-26 00:33:54.311468+0200 localhost powerd[103]:
[powerd:sleepWake] Entering Sleep state due to 'Maintenance Sleep'
2019-10-26 00:33:54.312107+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State
changed: DarkWake -> Sleep, 0x20 < Sleep >
2019-10-26 00:33:54.312113+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: Sleep
async ack
2019-10-26 00:33:54.313582+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Network off
sleep date is not setup yet. Wake date cannot be calculated without
baseline.
2019-10-26 00:34:01.798823+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT
(Maintenance)
2019-10-26 00:34:01.798823+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT
(Maintenance)
2019-10-26 00:34:29.442850+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CSHostDaemonMac
_isWakeReasonVoiceTrigger] Wake reason: <private>
2019-10-26 00:34:29.442856+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CSHostDaemonMac
_getPowerAssertionIfWakenByVoiceTriggerNotFromS3Sleep] Wake reason
is not VoiceTrigger or it woke from S3
2019-10-26 00:34:29.444174+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler -
Dark Wake IOPMSYSTEMPowerStateCapabilities - Sleep
2019-10-26 00:34:29.444681+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State
changed: Sleep -> DarkWake, 0x1 < DarkWake >
2019-10-26 00:34:29.474914+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time
calculated as - [Sat Oct 26 00:54:28 2019]

2019-10-26 00:34:29.650560+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason:
Host (0x01)
2019-10-26 00:34:30.060538+0200 localhost kernel[0]:
(AppleIntelCFLGraphicsFramebuffer) [IGFB][INFO] FB0 power state
transition Sleep to Doze
2019-10-26 00:34:30.485607+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler -
Dark Wake IOPMSYSTEMPowerStateCapabilities - Sleep
2019-10-26 00:34:30.487096+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time
calculated as - [Sat Oct 26 00:54:28 2019]
2019-10-26 00:34:30.491745+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason:
Host (0x01)
2019-10-26 00:34:36.784908+0200 localhost powerd[103]:
[powerd:sleepWake] Entering Sleep state due to 'Maintenance Sleep'
2019-10-26 00:34:36.785570+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State
changed: DarkWake -> Sleep, 0x20 < Sleep >
2019-10-26 00:34:36.785602+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: Sleep
async ack
2019-10-26 00:34:36.786526+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Network off
sleep date is not setup yet. Wake date cannot be calculated without
baseline.
2019-10-26 00:34:44.158396+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT
(Maintenance)
2019-10-26 00:34:44.158429+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT
(Maintenance)
2019-10-26 00:35:11.801424+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State
changed: Sleep -> DarkWake, 0x1 < DarkWake >
2019-10-26 00:35:11.807005+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CSHostDaemonMac
_isWakeReasonVoiceTrigger] Wake reason: <private>
2019-10-26 00:35:11.807030+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CSHostDaemonMac
_getPowerAssertionIfWokenByVoiceTriggerNotFromS3Sleep] Wake reason
is not VoiceTrigger or it woke from S3
2019-10-26 00:35:11.807884+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler -
Dark Wake IOPMSYSTEMPowerStateCapabilities - Sleep
2019-10-26 00:35:11.838290+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time
calculated as - [Sat Oct 26 00:54:28 2019]
2019-10-26 00:35:11.954099+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason:

Host (0x01)
2019-10-26 00:35:12.392531+0200 localhost kernel[0]:
(AppleIntelCFLGraphicsFramebuffer) [IGFB][INFO] FB0 power state
transition Sleep to Doze
2019-10-26 00:35:12.813317+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler -
Dark Wake IOPMSystemPowerStateCapabilities - Sleep
2019-10-26 00:35:12.814882+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time
calculated as - [Sat Oct 26 00:54:28 2019]
2019-10-26 00:35:12.824388+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason:
Host (0x01)
2019-10-26 00:35:19.088646+0200 localhost powerd[103]:
[powerd:sleepWake] Entering Sleep state due to 'Maintenance Sleep'
2019-10-26 00:35:19.089198+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State
changed: DarkWake -> Sleep, 0x20 < Sleep >
2019-10-26 00:35:19.089204+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: Sleep
async ack
2019-10-26 00:35:19.090124+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Network off
sleep date is not setup yet. Wake date cannot be calculated without
baseline.
2019-10-26 00:35:26.430003+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT
(Maintenance)
2019-10-26 00:35:26.430004+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT
(Maintenance)
2019-10-26 00:35:54.064054+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler -
Dark Wake IOPMSystemPowerStateCapabilities - Sleep
2019-10-26 00:35:54.064146+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State
changed: Sleep -> DarkWake, 0x1 < DarkWake >
2019-10-26 00:35:54.097542+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time
calculated as - [Sat Oct 26 00:54:28 2019]
2019-10-26 00:35:54.113598+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CSHostDaemonMac
_isWakeReasonVoiceTrigger] Wake reason: <private>
2019-10-26 00:35:54.113603+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CSHostDaemonMac
_getPowerAssertionIfWakenByVoiceTriggerNotFromS3Sleep] Wake reason
is not VoiceTrigger or it woke from S3
2019-10-26 00:35:54.275239+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason:
Host (0x01)
2019-10-26 00:35:54.701524+0200 localhost kernel[0]:
(AppleIntelCFLGraphicsFramebuffer) [IGFB][INFO] FB0 power state

transition Sleep to Doze
2019-10-26 00:35:55.133666+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler -
Dark Wake IOPMSystemPowerStateCapabilities - Sleep
2019-10-26 00:35:55.135415+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time
calculated as - [Sat Oct 26 00:54:28 2019]
2019-10-26 00:35:55.142231+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason:
Host (0x01)
2019-10-26 00:36:01.443978+0200 localhost powerd[103]:
[powerd:sleepWake] Entering Sleep state due to 'Maintenance Sleep'
2019-10-26 00:36:01.444467+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State
changed: DarkWake -> Sleep, 0x20 < Sleep >
2019-10-26 00:36:01.444471+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: Sleep
async ack
2019-10-26 00:36:01.445125+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Network off
sleep date is not setup yet. Wake date cannot be calculated without
baseline.
2019-10-26 00:36:08.840146+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT
(Maintenance)
2019-10-26 00:36:08.840147+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT
(Maintenance)
2019-10-26 00:36:36.472403+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler -
Dark Wake IOPMSystemPowerStateCapabilities - Sleep
2019-10-26 00:36:36.476546+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State
changed: Sleep -> DarkWake, 0x1 < DarkWake >
2019-10-26 00:36:36.479067+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CSHostDaemonMac
_isWakeReasonVoiceTrigger] Wake reason: <private>
2019-10-26 00:36:36.479080+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CSHostDaemonMac
_getPowerAssertionIfWakenByVoiceTriggerNotFromS3Sleep] Wake reason
is not VoiceTrigger or it woke from S3
2019-10-26 00:36:36.544094+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time
calculated as - [Sat Oct 26 00:54:28 2019]
2019-10-26 00:36:36.675853+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason:
Host (0x01)
2019-10-26 00:36:37.104679+0200 localhost kernel[0]:
(AppleIntelCFLGraphicsFramebuffer) [IGFB][INFO] FB0 power state
transition Sleep to Doze
2019-10-26 00:36:37.527790+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler -

Dark Wake IOPMSysPowerStateCapabilities - Sleep
2019-10-26 00:36:37.529114+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time
calculated as - [Sat Oct 26 00:54:28 2019]
2019-10-26 00:36:37.535360+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason:
Host (0x01)
2019-10-26 00:36:43.807431+0200 localhost powerd[103]:
[powerd:sleepWake] Entering Sleep state due to 'Maintenance Sleep'
2019-10-26 00:36:43.808103+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State
changed: DarkWake -> Sleep, 0x20 < Sleep >
2019-10-26 00:36:43.808155+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: Sleep
async ack
2019-10-26 00:36:43.808885+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Network off
sleep date is not setup yet. Wake date cannot be calculated without
baseline.
2019-10-26 00:36:51.405137+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT
(Maintenance)
2019-10-26 00:36:51.405138+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT
(Maintenance)
2019-10-26 00:37:19.052211+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler -
Dark Wake IOPMSysPowerStateCapabilities - Sleep
2019-10-26 00:37:19.053952+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CSHostDaemonMac
_isWakeReasonVoiceTrigger] Wake reason: <private>
2019-10-26 00:37:19.053979+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CSHostDaemonMac
_getPowerAssertionIfWakenByVoiceTriggerNotFromS3Sleep] Wake reason
is not VoiceTrigger or it woke from S3
2019-10-26 00:37:19.058493+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State
changed: Sleep -> DarkWake, 0x1 < DarkWake >
2019-10-26 00:37:19.098236+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time
calculated as - [Sat Oct 26 00:54:28 2019]
2019-10-26 00:37:19.309879+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason:
Host (0x01)
2019-10-26 00:37:19.684462+0200 localhost kernel[0]:
(AppleIntelCFLGraphicsFramebuffer) [IGFB][INFO] FB0 power state
transition Sleep to Doze
2019-10-26 00:37:20.105727+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler -
Dark Wake IOPMSysPowerStateCapabilities - Sleep
2019-10-26 00:37:20.107289+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time

calculated as - [Sat Oct 26 00:54:28 2019]
2019-10-26 00:37:20.111754+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason:
Host (0x01)
2019-10-26 00:37:31.390506+0200 localhost powerd[103]:
[powerd:sleepWake] Entering Sleep state due to 'Maintenance Sleep'
2019-10-26 00:37:31.391050+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State
changed: DarkWake -> Sleep, 0x20 < Sleep >
2019-10-26 00:37:31.391060+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: Sleep
async ack
2019-10-26 00:37:31.391839+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Network off
sleep date is not setup yet. Wake date cannot be calculated without
baseline.
2019-10-26 00:37:39.985381+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT
(Maintenance)
2019-10-26 00:37:39.985382+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT
(Maintenance)
2019-10-26 00:38:07.627760+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler -
Dark Wake IOPMSYSTEMPowerStateCapabilities - Sleep
2019-10-26 00:38:07.630522+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CSHostDaemonMac
_isWakeReasonVoiceTrigger] Wake reason: <private>
2019-10-26 00:38:07.630528+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CSHostDaemonMac
_getPowerAssertionIfWakenByVoiceTriggerNotFromS3Sleep] Wake reason
is not VoiceTrigger or it woke from S3
2019-10-26 00:38:07.636353+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State
changed: Sleep -> DarkWake, 0x1 < DarkWake >
2019-10-26 00:38:07.681521+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time
calculated as - [Sat Oct 26 00:54:28 2019]
2019-10-26 00:38:07.791576+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason:
Host (0x01)
2019-10-26 00:38:08.230526+0200 localhost kernel[0]:
(AppleIntelCFLGraphicsFramebuffer) [IGFB][INFO] FB0 power state
transition Sleep to Doze
2019-10-26 00:38:08.648842+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler -
Dark Wake IOPMSYSTEMPowerStateCapabilities - Sleep
2019-10-26 00:38:08.650374+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time
calculated as - [Sat Oct 26 00:54:28 2019]
2019-10-26 00:38:08.661092+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]

AppleDeviceManagementHIDEventService::processWakeReason Wake reason:
Host (0x01)
2019-10-26 00:38:14.954563+0200 localhost powerd[103]:
[powerd:sleepWake] Entering Sleep state due to 'Maintenance Sleep'
2019-10-26 00:38:14.955132+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State
changed: DarkWake -> Sleep, 0x20 < Sleep >
2019-10-26 00:38:14.955138+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: Sleep
async ack
2019-10-26 00:38:14.956229+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Network off
sleep date is not setup yet. Wake date cannot be calculated without
baseline.
2019-10-26 00:38:22.355245+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT
(Maintenance)
2019-10-26 00:38:22.355246+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT
(Maintenance)
2019-10-26 00:38:49.976248+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State
changed: Sleep -> DarkWake, 0x1 < DarkWake >
2019-10-26 00:38:49.978729+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CSHostDaemonMac
_isWakeReasonVoiceTrigger] Wake reason: <private>
2019-10-26 00:38:49.978733+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CSHostDaemonMac
_getPowerAssertionIfWakenByVoiceTriggerNotFromS3Sleep] Wake reason
is not VoiceTrigger or it woke from S3
2019-10-26 00:38:49.985968+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler -
Dark Wake IOPMSYSTEMPowerStateCapabilities - Sleep
2019-10-26 00:38:50.257979+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time
calculated as - [Sat Oct 26 00:54:28 2019]
2019-10-26 00:38:50.408670+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason:
Host (0x01)
2019-10-26 00:38:50.629470+0200 localhost kernel[0]:
(AppleIntelCFLGraphicsFramebuffer) [IGFB][INFO] FB0 power state
transition Sleep to Doze
2019-10-26 00:38:51.045862+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler -
Dark Wake IOPMSYSTEMPowerStateCapabilities - Sleep
2019-10-26 00:38:51.047450+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time
calculated as - [Sat Oct 26 00:54:28 2019]
2019-10-26 00:38:51.052999+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason:
Host (0x01)
2019-10-26 00:38:57.453528+0200 localhost powerd[103]:

[powerd:sleepWake] Entering Sleep state due to 'Maintenance Sleep'
2019-10-26 00:38:57.454127+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State
changed: DarkWake -> Sleep, 0x20 < Sleep >
2019-10-26 00:38:57.454174+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: Sleep
async ack
2019-10-26 00:38:57.455022+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Network off
sleep date is not setup yet. Wake date cannot be calculated without
baseline.
2019-10-26 00:39:04.939674+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.RTC
(Alarm)
2019-10-26 00:39:04.939674+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.RTC
(Alarm)
2019-10-26 00:47:58.076077+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler -
Dark Wake IOPMSYSTEMPowerStateCapabilities - Sleep
2019-10-26 00:47:58.078475+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CSHostDaemonMac
_isWakeReasonVoiceTrigger] Wake reason: <private>
2019-10-26 00:47:58.078482+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CSHostDaemonMac
_getPowerAssertionIfWakenByVoiceTriggerNotFromS3Sleep] Wake reason
is not VoiceTrigger or it woke from S3
2019-10-26 00:47:58.093610+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State
changed: Sleep -> DarkWake, 0x1 < DarkWake >
2019-10-26 00:47:58.134349+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time
calculated as - [Sat Oct 26 00:54:28 2019]
2019-10-26 00:47:58.264186+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason:
Host (0x01)
2019-10-26 00:47:58.699877+0200 localhost kernel[0]:
(AppleIntelCFLGraphicsFramebuffer) [IGFB][INFO] FB0 power state
transition Sleep to Doze
2019-10-26 00:47:59.118296+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler -
Dark Wake IOPMSYSTEMPowerStateCapabilities - Sleep
2019-10-26 00:47:59.119712+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time
calculated as - [Sat Oct 26 00:54:28 2019]
2019-10-26 00:47:59.126773+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason:
Host (0x01)
2019-10-26 00:48:05.390834+0200 localhost powerd[103]:
[powerd:sleepWake] Entering Sleep state due to 'Maintenance Sleep'
2019-10-26 00:48:05.391336+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State

changed: DarkWake -> Sleep, 0x20 < Sleep >
2019-10-26 00:48:05.391348+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: Sleep
async ack
2019-10-26 00:48:05.392079+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Network off
sleep date is not setup yet. Wake date cannot be calculated without
baseline.
2019-10-26 00:48:12.903985+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT
(Maintenance)
2019-10-26 00:48:12.903986+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT
(Maintenance)
2019-10-26 00:48:40.534174+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler -
Dark Wake IOPMSYSTEMPowerStateCapabilities - Sleep
2019-10-26 00:48:40.537851+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CSHostDaemonMac
_isWakeReasonVoiceTrigger] Wake reason: <private>
2019-10-26 00:48:40.537856+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CSHostDaemonMac
_getPowerAssertionIfWakenByVoiceTriggerNotFromS3Sleep] Wake reason
is not VoiceTrigger or it woke from S3
2019-10-26 00:48:40.555005+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State
changed: Sleep -> DarkWake, 0x1 < DarkWake >
2019-10-26 00:48:40.585574+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time
calculated as - [Sat Oct 26 00:54:28 2019]
2019-10-26 00:48:40.751414+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason:
Host (0x01)
2019-10-26 00:48:41.150497+0200 localhost kernel[0]:
(AppleIntelCFLGraphicsFramebuffer) [IGFB][INFO] FB0 power state
transition Sleep to Doze
2019-10-26 00:48:41.575074+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler -
Dark Wake IOPMSYSTEMPowerStateCapabilities - Sleep
2019-10-26 00:48:41.576529+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time
calculated as - [Sat Oct 26 00:54:28 2019]
2019-10-26 00:48:41.586323+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason:
Host (0x01)
2019-10-26 00:48:47.954291+0200 localhost powerd[103]:
[powerd:sleepWake] Entering Sleep state due to 'Maintenance Sleep'
2019-10-26 00:48:47.954910+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State
changed: DarkWake -> Sleep, 0x20 < Sleep >
2019-10-26 00:48:47.954917+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: Sleep

async ack
2019-10-26 00:48:47.955518+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Network off
sleep date is not setup yet. Wake date cannot be calculated without
baseline.
2019-10-26 00:48:55.344341+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT
(Maintenance)
2019-10-26 00:48:55.344342+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT
(Maintenance)
2019-10-26 00:49:22.976252+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State
changed: Sleep -> DarkWake, 0x1 < DarkWake >
2019-10-26 00:49:22.978119+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CSHostDaemonMac
_isWakeReasonVoiceTrigger] Wake reason: <private>
2019-10-26 00:49:22.978126+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CSHostDaemonMac
_getPowerAssertionIfWakenByVoiceTriggerNotFromS3Sleep] Wake reason
is not VoiceTrigger or it woke from S3
2019-10-26 00:49:23.012090+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time
calculated as - [Sat Oct 26 00:54:28 2019]
2019-10-26 00:49:23.188646+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason:
Host (0x01)
2019-10-26 00:49:23.267796+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler -
Dark Wake IOPMSYSTEMPowerStateCapabilities - Sleep
2019-10-26 00:49:23.599775+0200 localhost kernel[0]:
(AppleIntelCFLGraphicsFramebuffer) [IGFB][INFO] FB0 power state
transition Sleep to Doze
2019-10-26 00:49:24.019610+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler -
Dark Wake IOPMSYSTEMPowerStateCapabilities - Sleep
2019-10-26 00:49:24.020863+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time
calculated as - [Sat Oct 26 00:54:28 2019]
2019-10-26 00:49:24.025867+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason:
Host (0x01)
2019-10-26 00:49:30.320560+0200 localhost powerd[103]:
[powerd:sleepWake] Entering Sleep state due to 'Maintenance Sleep'
2019-10-26 00:49:30.321213+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State
changed: DarkWake -> Sleep, 0x20 < Sleep >
2019-10-26 00:49:30.321218+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: Sleep
async ack
2019-10-26 00:49:30.321851+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Network off

sleep date is not setup yet. Wake date cannot be calculated without baseline.

2019-10-26 00:49:37.889710+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT (Maintenance)

2019-10-26 00:49:37.889711+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT (Maintenance)

2019-10-26 00:50:05.518449+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State changed: Sleep -> DarkWake, 0x1 < DarkWake >

2019-10-26 00:50:05.526629+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CSHostDaemonMac _isWakeReasonVoiceTrigger] Wake reason: <private>

2019-10-26 00:50:05.526705+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CSHostDaemonMac _getPowerAssertionIfWakenByVoiceTriggerNotFromS3Sleep] Wake reason is not VoiceTrigger or it woke from S3

2019-10-26 00:50:05.528661+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler - Dark Wake IOPMSYSTEMPowerStateCapabilities - Sleep

2019-10-26 00:50:05.572988+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time calculated as - [Sat Oct 26 00:54:28 2019]

2019-10-26 00:50:05.802335+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason: Host (0x01)

2019-10-26 00:50:06.175026+0200 localhost kernel[0]:
(AppleIntelCFLGraphicsFramebuffer) [IGFB] [INFO] FB0 power state transition Sleep to Doze

2019-10-26 00:50:06.599793+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler - Dark Wake IOPMSYSTEMPowerStateCapabilities - Sleep

2019-10-26 00:50:06.601426+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time calculated as - [Sat Oct 26 00:54:28 2019]

2019-10-26 00:50:06.609277+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason: Host (0x01)

2019-10-26 00:50:12.933436+0200 localhost powerd[103]:
[powerd:sleepWake] Entering Sleep state due to 'Maintenance Sleep'

2019-10-26 00:50:12.934037+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State changed: DarkWake -> Sleep, 0x20 < Sleep >

2019-10-26 00:50:12.934079+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: Sleep async ack

2019-10-26 00:50:12.935472+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Network off

sleep date is not setup yet. Wake date cannot be calculated without baseline.

2019-10-26 00:50:20.343063+0200 localhost kernel[0]:

(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT (Maintenance)
2019-10-26 00:50:20.343064+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT (Maintenance)
2019-10-26 00:50:47.973492+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State changed: Sleep -> DarkWake, 0x1 < DarkWake >
2019-10-26 00:50:47.977175+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CSHostDaemonMac _isWakeReasonVoiceTrigger] Wake reason: <private>
2019-10-26 00:50:47.977181+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CSHostDaemonMac _getPowerAssertionIfWakenByVoiceTriggerNotFromS3Sleep] Wake reason is not VoiceTrigger or it woke from S3
2019-10-26 00:50:47.985824+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler - Dark Wake IOPMSYSTEMPowerStateCapabilities - Sleep
2019-10-26 00:50:48.006730+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time calculated as - [Sat Oct 26 00:54:28 2019]
2019-10-26 00:50:48.259235+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason: Host (0x01)
2019-10-26 00:50:48.601094+0200 localhost kernel[0]:
(AppleIntelCFLGraphicsFramebuffer) [IGFB][INFO] FB0 power state transition Sleep to Doze
2019-10-26 00:50:49.018660+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler - Dark Wake IOPMSYSTEMPowerStateCapabilities - Sleep
2019-10-26 00:50:49.020241+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time calculated as - [Sat Oct 26 00:54:28 2019]
2019-10-26 00:50:49.024896+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason: Host (0x01)
2019-10-26 00:50:55.380022+0200 localhost powerd[103]:
[powerd:sleepWake] Entering Sleep state due to 'Maintenance Sleep'
2019-10-26 00:50:55.380634+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State changed: DarkWake -> Sleep, 0x20 < Sleep >
2019-10-26 00:50:55.380640+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: Sleep async ack
2019-10-26 00:50:55.381556+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Network off sleep date is not setup yet. Wake date cannot be calculated without baseline.
2019-10-26 00:51:02.912928+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT (Maintenance)
2019-10-26 00:51:02.912929+0200 localhost kernel[0]:

(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT (Maintenance)
2019-10-26 00:51:30.537837+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler - Dark Wake IOPMSystemPowerStateCapabilities - Sleep
2019-10-26 00:51:30.538136+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State changed: Sleep -> DarkWake, 0x1 < DarkWake >
2019-10-26 00:51:30.539118+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CSHostDaemonMac _isWakeReasonVoiceTrigger] Wake reason: <private>
2019-10-26 00:51:30.539122+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CSHostDaemonMac _getPowerAssertionIfWakenByVoiceTriggerNotFromS3Sleep] Wake reason is not VoiceTrigger or it woke from S3
2019-10-26 00:51:30.583092+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time calculated as - [Sat Oct 26 00:54:28 2019]
2019-10-26 00:51:30.870144+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason: Host (0x01)
2019-10-26 00:51:31.168778+0200 localhost kernel[0]:
(AppleIntelCFLGraphicsFramebuffer) [IGFB][INFO] FB0 power state transition Sleep to Doze
2019-10-26 00:51:31.592292+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler - Dark Wake IOPMSystemPowerStateCapabilities - Sleep
2019-10-26 00:51:31.593750+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time calculated as - [Sat Oct 26 00:54:28 2019]
2019-10-26 00:51:31.603891+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason: Host (0x01)
2019-10-26 00:51:37.991518+0200 localhost powerd[103]:
[powerd:sleepWake] Entering Sleep state due to 'Maintenance Sleep'
2019-10-26 00:51:37.992061+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State changed: DarkWake -> Sleep, 0x20 < Sleep >
2019-10-26 00:51:37.992068+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: Sleep async ack
2019-10-26 00:51:37.992801+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Network off sleep date is not setup yet. Wake date cannot be calculated without baseline.
2019-10-26 00:51:45.444690+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT (Maintenance)
2019-10-26 00:51:45.444691+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT (Maintenance)
2019-10-26 00:52:13.051908+0200 localhost bluetoothd[145]:

(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler -
Dark Wake IOPMSYSTEMPowerStateCapabilities - Sleep
2019-10-26 00:52:13.055166+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CSHostDaemonMac
_isWakeReasonVoiceTrigger] Wake reason: <private>
2019-10-26 00:52:13.055171+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CSHostDaemonMac
_getPowerAssertionIfWokenByVoiceTriggerNotFromS3Sleep] Wake reason
is not VoiceTrigger or it woke from S3
2019-10-26 00:52:13.073752+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State
changed: Sleep -> DarkWake, 0x1 < DarkWake >
2019-10-26 00:52:13.087425+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time
calculated as - [Sat Oct 26 00:54:28 2019]
2019-10-26 00:52:13.244808+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason:
Host (0x01)
2019-10-26 00:52:13.678441+0200 localhost kernel[0]:
(AppleIntelCFLGraphicsFramebuffer) [IGFB][INFO] FB0 power state
transition Sleep to Doze
2019-10-26 00:52:14.099147+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler -
Dark Wake IOPMSYSTEMPowerStateCapabilities - Sleep
2019-10-26 00:52:14.100384+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time
calculated as - [Sat Oct 26 00:54:28 2019]
2019-10-26 00:52:14.111823+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason:
Host (0x01)
2019-10-26 00:52:20.385931+0200 localhost powerd[103]:
[powerd:sleepWake] Entering Sleep state due to 'Maintenance Sleep'
2019-10-26 00:52:20.386491+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State
changed: DarkWake -> Sleep, 0x20 < Sleep >
2019-10-26 00:52:20.386520+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: Sleep
async ack
2019-10-26 00:52:20.387344+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Network off
sleep date is not setup yet. Wake date cannot be calculated without
baseline.
2019-10-26 00:52:27.798165+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT
(Maintenance)
2019-10-26 00:52:27.798166+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT
(Maintenance)
2019-10-26 00:52:55.421055+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CSHostDaemonMac
_isWakeReasonVoiceTrigger] Wake reason: <private>
2019-10-26 00:52:55.421843+0200 localhost rapportd[371]:

(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State changed: Sleep -> DarkWake, 0x1 < DarkWake >
2019-10-26 00:52:55.434716+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler - Dark Wake IOPMSystemPowerStateCapabilities - Sleep
2019-10-26 00:52:55.472727+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time calculated as - [Sat Oct 26 00:54:28 2019]
2019-10-26 00:52:55.622929+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason: Host (0x01)
2019-10-26 00:52:55.666336+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CSHostDaemonMac _getPowerAssertionIfWakenedByVoiceTriggerNotFromS3Sleep] Wake reason is not VoiceTrigger or it woke from S3
2019-10-26 00:52:56.075420+0200 localhost kernel[0]:
(AppleIntelCFLGraphicsFramebuffer) [IGFB][INFO] FB0 power state transition Sleep to Doze
2019-10-26 00:52:56.497162+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler - Dark Wake IOPMSystemPowerStateCapabilities - Sleep
2019-10-26 00:52:56.498567+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time calculated as - [Sat Oct 26 00:54:28 2019]
2019-10-26 00:52:56.507397+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason: Host (0x01)
2019-10-26 00:53:02.732074+0200 localhost powerd[103]:
[powerd:sleepWake] Entering Sleep state due to 'Maintenance Sleep'
2019-10-26 00:53:02.732723+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State changed: DarkWake -> Sleep, 0x20 < Sleep >
2019-10-26 00:53:02.732730+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: Sleep async ack
2019-10-26 00:53:02.733596+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Network off sleep date is not setup yet. Wake date cannot be calculated without baseline.
2019-10-26 00:53:10.121581+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.RTC (Alarm)
2019-10-26 00:53:10.121581+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.RTC (Alarm)
2019-10-26 01:02:03.058559+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler - Dark Wake IOPMSystemPowerStateCapabilities - Sleep
2019-10-26 01:02:03.059190+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State changed: Sleep -> DarkWake, 0x1 < DarkWake >
2019-10-26 01:02:03.062190+0200 localhost corespeechd[443]:

[com.apple.corespeech:Framework] -[CShostDaemonMac
_isWakeReasonVoiceTrigger] Wake reason: <private>
2019-10-26 01:02:03.062203+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CShostDaemonMac
_getPowerAssertionIfWakenByVoiceTriggerNotFromS3Sleep] Wake reason
is not VoiceTrigger or it woke from S3
2019-10-26 01:02:03.074365+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time
calculated as - [Sat Oct 26 02:02:03 2019]
2019-10-26 01:02:03.252389+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason:
Host (0x01)
2019-10-26 01:02:03.694042+0200 localhost kernel[0]:
(AppleIntelCFLGraphicsFramebuffer) [IGFB][INFO] FB0 power state
transition Sleep to Doze
2019-10-26 01:02:04.143082+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler -
Dark Wake IOPMSYSTEMPowerStateCapabilities - Sleep
2019-10-26 01:02:04.144563+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time
calculated as - [Sat Oct 26 04:02:03 2019]
2019-10-26 01:02:04.155534+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason:
Host (0x01)
2019-10-26 01:02:10.346983+0200 localhost powerd[103]:
[powerd:sleepWake] Entering Sleep state due to 'Maintenance Sleep'
2019-10-26 01:02:10.347488+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State
changed: DarkWake -> Sleep, 0x20 < Sleep >
2019-10-26 01:02:10.347493+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: Sleep
async ack
2019-10-26 01:02:10.348830+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Network off
sleep date is not setup yet. Wake date cannot be calculated without
baseline.
2019-10-26 01:02:17.956678+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT
(Maintenance)
2019-10-26 01:02:17.956679+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT
(Maintenance)
2019-10-26 01:02:45.554561+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler -
Dark Wake IOPMSYSTEMPowerStateCapabilities - Sleep
2019-10-26 01:02:45.555341+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CShostDaemonMac
_isWakeReasonVoiceTrigger] Wake reason: <private>
2019-10-26 01:02:45.555369+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CShostDaemonMac
_getPowerAssertionIfWakenByVoiceTriggerNotFromS3Sleep] Wake reason
is not VoiceTrigger or it woke from S3

2019-10-26 01:02:45.563342+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State
changed: Sleep -> DarkWake, 0x1 < DarkWake >
2019-10-26 01:02:45.582662+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time
calculated as - [Sat Oct 26 04:02:03 2019]
2019-10-26 01:02:45.815758+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason:
Host (0x01)
2019-10-26 01:02:46.196668+0200 localhost kernel[0]:
(AppleIntelCFLGraphicsFramebuffer) [IGFB][INFO] FB0 power state
transition Sleep to Doze
2019-10-26 01:02:46.630092+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler -
Dark Wake IOPMSYSTEMPowerStateCapabilities - Sleep
2019-10-26 01:02:46.631456+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time
calculated as - [Sat Oct 26 04:02:03 2019]
2019-10-26 01:02:46.636289+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason:
Host (0x01)
2019-10-26 01:02:52.946918+0200 localhost powerd[103]:
[powerd:sleepWake] Entering Sleep state due to 'Maintenance Sleep'
2019-10-26 01:02:52.947529+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State
changed: DarkWake -> Sleep, 0x20 < Sleep >
2019-10-26 01:02:52.947543+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: Sleep
async ack
2019-10-26 01:02:52.948250+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Network off
sleep date is not setup yet. Wake date cannot be calculated without
baseline.
2019-10-26 01:03:00.337502+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT
(Maintenance)
2019-10-26 01:03:00.337503+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT
(Maintenance)
2019-10-26 01:03:28.008822+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State
changed: Sleep -> DarkWake, 0x1 < DarkWake >
2019-10-26 01:03:28.012298+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CSHostDaemonMac
_isWakeReasonVoiceTrigger] Wake reason: <private>
2019-10-26 01:03:28.012309+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CSHostDaemonMac
_getPowerAssertionIfWakenByVoiceTriggerNotFromS3Sleep] Wake reason
is not VoiceTrigger or it woke from S3
2019-10-26 01:03:28.012546+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler -
Dark Wake IOPMSYSTEMPowerStateCapabilities - Sleep

2019-10-26 01:03:28.043051+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time
calculated as - [Sat Oct 26 04:02:03 2019]
2019-10-26 01:03:28.143192+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason:
Host (0x01)
2019-10-26 01:03:28.618193+0200 localhost kernel[0]:
(AppleIntelCFLGraphicsFramebuffer) [IGFB][INFO] FB0 power state
transition Sleep to Doze
2019-10-26 01:03:29.040351+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler -
Dark Wake IOPMSYSTEMPowerStateCapabilities - Sleep
2019-10-26 01:03:29.041696+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time
calculated as - [Sat Oct 26 04:02:03 2019]
2019-10-26 01:03:29.046927+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason:
Host (0x01)
2019-10-26 01:03:35.335933+0200 localhost powerd[103]:
[powerd:sleepWake] Entering Sleep state due to 'Maintenance Sleep'
2019-10-26 01:03:35.336476+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State
changed: DarkWake -> Sleep, 0x20 < Sleep >
2019-10-26 01:03:35.336482+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: Sleep
async ack
2019-10-26 01:03:35.337665+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Network off
sleep date is not setup yet. Wake date cannot be calculated without
baseline.
2019-10-26 01:03:42.771337+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT
(Maintenance)
2019-10-26 01:03:42.771338+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT
(Maintenance)
2019-10-26 01:04:10.358508+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State
changed: Sleep -> DarkWake, 0x1 < DarkWake >
2019-10-26 01:04:10.359515+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler -
Dark Wake IOPMSYSTEMPowerStateCapabilities - Sleep
2019-10-26 01:04:10.360612+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CSHostDaemonMac
_isWakeReasonVoiceTrigger] Wake reason: <private>
2019-10-26 01:04:10.360616+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CSHostDaemonMac
_getPowerAssertionIfWakenByVoiceTriggerNotFromS3Sleep] Wake reason
is not VoiceTrigger or it woke from S3
2019-10-26 01:04:10.419452+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time
calculated as - [Sat Oct 26 04:02:03 2019]

2019-10-26 01:04:10.573483+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason:
Host (0x01)
2019-10-26 01:04:11.000560+0200 localhost kernel[0]:
(AppleIntelCFLGraphicsFramebuffer) [IGFB][INFO] FB0 power state
transition Sleep to Doze
2019-10-26 01:04:11.425496+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler -
Dark Wake IOPMSYSTEMPowerStateCapabilities - Sleep
2019-10-26 01:04:11.426958+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time
calculated as - [Sat Oct 26 04:02:03 2019]
2019-10-26 01:04:11.431815+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason:
Host (0x01)
2019-10-26 01:04:17.699397+0200 localhost powerd[103]:
[powerd:sleepWake] Entering Sleep state due to 'Maintenance Sleep'
2019-10-26 01:04:17.699947+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State
changed: DarkWake -> Sleep, 0x20 < Sleep >
2019-10-26 01:04:17.699981+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: Sleep
async ack
2019-10-26 01:04:17.700957+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Network off
sleep date is not setup yet. Wake date cannot be calculated without
baseline.
2019-10-26 01:04:25.174501+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT
(Maintenance)
2019-10-26 01:04:25.174502+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT
(Maintenance)
2019-10-26 01:04:52.815006+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State
changed: Sleep -> DarkWake, 0x1 < DarkWake >
2019-10-26 01:04:52.815086+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler -
Dark Wake IOPMSYSTEMPowerStateCapabilities - Sleep
2019-10-26 01:04:52.818132+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CSHostDaemonMac
_isWakeReasonVoiceTrigger] Wake reason: <private>
2019-10-26 01:04:52.818140+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CSHostDaemonMac
_getPowerAssertionIfWakenByVoiceTriggerNotFromS3Sleep] Wake reason
is not VoiceTrigger or it woke from S3
2019-10-26 01:04:52.884597+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time
calculated as - [Sat Oct 26 04:02:03 2019]
2019-10-26 01:04:53.051098+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason:

Host (0x01)
2019-10-26 01:04:53.469253+0200 localhost kernel[0]:
(AppleIntelCFLGraphicsFramebuffer) [IGFB][INFO] FB0 power state
transition Sleep to Doze
2019-10-26 01:04:53.893070+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler -
Dark Wake IOPMSystemPowerStateCapabilities - Sleep
2019-10-26 01:04:53.894732+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time
calculated as - [Sat Oct 26 04:02:03 2019]
2019-10-26 01:04:53.899558+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason:
Host (0x01)
2019-10-26 01:05:00.255706+0200 localhost powerd[103]:
[powerd:sleepWake] Entering Sleep state due to 'Maintenance Sleep'
2019-10-26 01:05:00.256291+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State
changed: DarkWake -> Sleep, 0x20 < Sleep >
2019-10-26 01:05:00.256366+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: Sleep
async ack
2019-10-26 01:05:00.257039+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Network off
sleep date is not setup yet. Wake date cannot be calculated without
baseline.
2019-10-26 01:05:07.645625+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT
(Maintenance)
2019-10-26 01:05:07.645626+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT
(Maintenance)
2019-10-26 01:05:35.294653+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler -
Dark Wake IOPMSystemPowerStateCapabilities - Sleep
2019-10-26 01:05:35.304971+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State
changed: Sleep -> DarkWake, 0x1 < DarkWake >
2019-10-26 01:05:35.327797+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time
calculated as - [Sat Oct 26 04:02:03 2019]
2019-10-26 01:05:35.330129+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CSHostDaemonMac
_isWakeReasonVoiceTrigger] Wake reason: <private>
2019-10-26 01:05:35.330145+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CSHostDaemonMac
_getPowerAssertionIfWakenByVoiceTriggerNotFromS3Sleep] Wake reason
is not VoiceTrigger or it woke from S3
2019-10-26 01:05:35.506720+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason:
Host (0x01)
2019-10-26 01:05:35.898343+0200 localhost kernel[0]:
(AppleIntelCFLGraphicsFramebuffer) [IGFB][INFO] FB0 power state

transition Sleep to Doze
2019-10-26 01:05:36.322562+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler -
Dark Wake IOPMSystemPowerStateCapabilities - Sleep
2019-10-26 01:05:36.324384+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time
calculated as - [Sat Oct 26 04:02:03 2019]
2019-10-26 01:05:36.329135+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason:
Host (0x01)
2019-10-26 01:05:42.699667+0200 localhost powerd[103]:
[powerd:sleepWake] Entering Sleep state due to 'Maintenance Sleep'
2019-10-26 01:05:42.700375+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State
changed: DarkWake -> Sleep, 0x20 < Sleep >
2019-10-26 01:05:42.700400+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: Sleep
async ack
2019-10-26 01:05:42.701694+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Network off
sleep date is not setup yet. Wake date cannot be calculated without
baseline.
2019-10-26 01:05:50.059526+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT
(Maintenance)
2019-10-26 01:05:50.059527+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT
(Maintenance)
2019-10-26 01:06:17.688845+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler -
Dark Wake IOPMSystemPowerStateCapabilities - Sleep
2019-10-26 01:06:17.689300+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CSHostDaemonMac
_isWakeReasonVoiceTrigger] Wake reason: <private>
2019-10-26 01:06:17.689362+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CSHostDaemonMac
_getPowerAssertionIfWakenByVoiceTriggerNotFromS3Sleep] Wake reason
is not VoiceTrigger or it woke from S3
2019-10-26 01:06:17.689862+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State
changed: Sleep -> DarkWake, 0x1 < DarkWake >
2019-10-26 01:06:17.874692+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time
calculated as - [Sat Oct 26 04:02:03 2019]
2019-10-26 01:06:17.951029+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason:
Host (0x01)
2019-10-26 01:06:18.329058+0200 localhost kernel[0]:
(AppleIntelCFLGraphicsFramebuffer) [IGFB][INFO] FB0 power state
transition Sleep to Doze
2019-10-26 01:06:18.754661+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler -

Dark Wake IOPMSysPowerStateCapabilities - Sleep
2019-10-26 01:06:18.756095+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time
calculated as - [Sat Oct 26 04:02:03 2019]
2019-10-26 01:06:18.767650+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason:
Host (0x01)
2019-10-26 01:06:25.096275+0200 localhost powerd[103]:
[powerd:sleepWake] Entering Sleep state due to 'Maintenance Sleep'
2019-10-26 01:06:25.096778+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State
changed: DarkWake -> Sleep, 0x20 < Sleep >
2019-10-26 01:06:25.096785+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: Sleep
async ack
2019-10-26 01:06:25.099057+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Network off
sleep date is not setup yet. Wake date cannot be calculated without
baseline.
2019-10-26 01:06:32.578430+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT
(Maintenance)
2019-10-26 01:06:32.578431+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT
(Maintenance)
2019-10-26 01:07:00.235665+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler -
Dark Wake IOPMSysPowerStateCapabilities - Sleep
2019-10-26 01:07:00.296905+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CSHostDaemonMac
_isWakeReasonVoiceTrigger] Wake reason: <private>
2019-10-26 01:07:00.296915+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CSHostDaemonMac
_getPowerAssertionIfWakenByVoiceTriggerNotFromS3Sleep] Wake reason
is not VoiceTrigger or it woke from S3
2019-10-26 01:07:00.300614+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time
calculated as - [Sat Oct 26 04:02:03 2019]
2019-10-26 01:07:00.399612+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State
changed: Sleep -> DarkWake, 0x1 < DarkWake >
2019-10-26 01:07:00.434407+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason:
Host (0x01)
2019-10-26 01:07:00.847433+0200 localhost kernel[0]:
(AppleIntelCFLGraphicsFramebuffer) [IGFB][INFO] FB0 power state
transition Sleep to Doze
2019-10-26 01:07:01.271577+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler -
Dark Wake IOPMSysPowerStateCapabilities - Sleep
2019-10-26 01:07:01.273084+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time

calculated as - [Sat Oct 26 04:02:03 2019]
2019-10-26 01:07:01.277922+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason:
Host (0x01)
2019-10-26 01:07:07.628420+0200 localhost powerd[103]:
[powerd:sleepWake] Entering Sleep state due to 'Maintenance Sleep'
2019-10-26 01:07:07.628988+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State
changed: DarkWake -> Sleep, 0x20 < Sleep >
2019-10-26 01:07:07.629036+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: Sleep
async ack
2019-10-26 01:07:07.630063+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Network off
sleep date is not setup yet. Wake date cannot be calculated without
baseline.
2019-10-26 01:07:15.083826+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT
(Maintenance)
2019-10-26 01:07:15.083827+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT
(Maintenance)
2019-10-26 01:07:42.713709+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State
changed: Sleep -> DarkWake, 0x1 < DarkWake >
2019-10-26 01:07:42.725868+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler -
Dark Wake IOPMSYSTEMPowerStateCapabilities - Sleep
2019-10-26 01:07:42.731729+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CSHostDaemonMac
_isWakeReasonVoiceTrigger] Wake reason: <private>
2019-10-26 01:07:42.731738+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CSHostDaemonMac
_getPowerAssertionIfWokenByVoiceTriggerNotFromS3Sleep] Wake reason
is not VoiceTrigger or it woke from S3
2019-10-26 01:07:42.763614+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time
calculated as - [Sat Oct 26 04:02:03 2019]
2019-10-26 01:07:42.906612+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason:
Host (0x01)
2019-10-26 01:07:43.357318+0200 localhost kernel[0]:
(AppleIntelCFLGraphicsFramebuffer) [IGFB][INFO] FB0 power state
transition Sleep to Doze
2019-10-26 01:07:43.776539+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler -
Dark Wake IOPMSYSTEMPowerStateCapabilities - Sleep
2019-10-26 01:07:43.777868+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time
calculated as - [Sat Oct 26 04:02:03 2019]
2019-10-26 01:07:43.783026+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]

AppleDeviceManagementHIDEventService::processWakeReason Wake reason:
Host (0x01)
2019-10-26 01:07:50.085771+0200 localhost powerd[103]:
[powerd:sleepWake] Entering Sleep state due to 'Maintenance Sleep'
2019-10-26 01:07:50.086308+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State
changed: DarkWake -> Sleep, 0x20 < Sleep >
2019-10-26 01:07:50.086313+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: Sleep
async ack
2019-10-26 01:07:50.087335+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Network off
sleep date is not setup yet. Wake date cannot be calculated without
baseline.
2019-10-26 01:07:57.505148+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.RTC
(Alarm)
2019-10-26 01:07:57.505149+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.RTC
(Alarm)
2019-10-26 01:16:12.242295+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler -
Dark Wake IOPMSYSTEMPowerStateCapabilities - Sleep
2019-10-26 01:16:12.245147+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CSHostDaemonMac
_isWakeReasonVoiceTrigger] Wake reason: <private>
2019-10-26 01:16:12.245156+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CSHostDaemonMac
_getPowerAssertionIfWakenByVoiceTriggerNotFromS3Sleep] Wake reason
is not VoiceTrigger or it woke from S3
2019-10-26 01:16:12.247660+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State
changed: Sleep -> DarkWake, 0x1 < DarkWake >
2019-10-26 01:16:12.264278+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time
calculated as - [Sat Oct 26 04:02:03 2019]
2019-10-26 01:16:12.340981+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason:
Host (0x01)
2019-10-26 01:16:12.716660+0200 localhost kernel[0]:
(AppleIntelCFLGraphicsFramebuffer) [IGFB][INFO] FB0 power state
transition Sleep to Doze
2019-10-26 01:16:13.133726+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler -
Dark Wake IOPMSYSTEMPowerStateCapabilities - Sleep
2019-10-26 01:16:13.135234+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time
calculated as - [Sat Oct 26 04:02:03 2019]
2019-10-26 01:16:13.140671+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason:
Host (0x01)
2019-10-26 01:16:19.399347+0200 localhost powerd[103]:

[powerd:sleepWake] Entering Sleep state due to 'Maintenance Sleep'
2019-10-26 01:16:19.399919+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State
changed: DarkWake -> Sleep, 0x20 < Sleep >
2019-10-26 01:16:19.399925+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: Sleep
async ack
2019-10-26 01:16:19.400891+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Network off
sleep date is not setup yet. Wake date cannot be calculated without
baseline.
2019-10-26 01:16:26.882092+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT
(Maintenance)
2019-10-26 01:16:26.882092+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT
(Maintenance)
2019-10-26 01:16:54.505994+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler -
Dark Wake IOPMSYSTEMPowerStateCapabilities - Sleep
2019-10-26 01:16:54.507641+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State
changed: Sleep -> DarkWake, 0x1 < DarkWake >
2019-10-26 01:16:54.525216+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CSHostDaemonMac
_isWakeReasonVoiceTrigger] Wake reason: <private>
2019-10-26 01:16:54.525246+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CSHostDaemonMac
_getPowerAssertionIfWakenByVoiceTriggerNotFromS3Sleep] Wake reason
is not VoiceTrigger or it woke from S3
2019-10-26 01:16:54.532397+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time
calculated as - [Sat Oct 26 04:02:03 2019]
2019-10-26 01:16:54.724919+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason:
Host (0x01)
2019-10-26 01:16:55.130245+0200 localhost kernel[0]:
(AppleIntelCFLGraphicsFramebuffer) [IGFB][INFO] FB0 power state
transition Sleep to Doze
2019-10-26 01:16:55.559581+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler -
Dark Wake IOPMSYSTEMPowerStateCapabilities - Sleep
2019-10-26 01:16:55.561080+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time
calculated as - [Sat Oct 26 04:02:03 2019]
2019-10-26 01:16:55.566061+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason:
Host (0x01)
2019-10-26 01:17:01.872909+0200 localhost powerd[103]:
[powerd:sleepWake] Entering Sleep state due to 'Maintenance Sleep'
2019-10-26 01:17:01.873363+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State

changed: DarkWake -> Sleep, 0x20 < Sleep >
2019-10-26 01:17:01.873369+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: Sleep
async ack
2019-10-26 01:17:01.874716+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Network off
sleep date is not setup yet. Wake date cannot be calculated without
baseline.
2019-10-26 01:17:09.227657+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT
(Maintenance)
2019-10-26 01:17:09.227658+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT
(Maintenance)
2019-10-26 01:17:36.872351+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler -
Dark Wake IOPMSYSTEMPowerStateCapabilities - Sleep
2019-10-26 01:17:36.873590+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CSHostDaemonMac
_isWakeReasonVoiceTrigger] Wake reason: <private>
2019-10-26 01:17:36.873621+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CSHostDaemonMac
_getPowerAssertionIfWakenByVoiceTriggerNotFromS3Sleep] Wake reason
is not VoiceTrigger or it woke from S3
2019-10-26 01:17:36.890871+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State
changed: Sleep -> DarkWake, 0x1 < DarkWake >
2019-10-26 01:17:36.924509+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time
calculated as - [Sat Oct 26 04:02:03 2019]
2019-10-26 01:17:37.092010+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason:
Host (0x01)
2019-10-26 01:17:37.518479+0200 localhost kernel[0]:
(AppleIntelCFLGraphicsFramebuffer) [IGFB][INFO] FB0 power state
transition Sleep to Doze
2019-10-26 01:17:37.940288+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler -
Dark Wake IOPMSYSTEMPowerStateCapabilities - Sleep
2019-10-26 01:17:37.941834+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time
calculated as - [Sat Oct 26 04:02:03 2019]
2019-10-26 01:17:37.950526+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason:
Host (0x01)
2019-10-26 01:17:44.266004+0200 localhost powerd[103]:
[powerd:sleepWake] Entering Sleep state due to 'Maintenance Sleep'
2019-10-26 01:17:44.266462+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State
changed: DarkWake -> Sleep, 0x20 < Sleep >
2019-10-26 01:17:44.266468+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: Sleep

async ack
2019-10-26 01:17:44.266998+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Network off
sleep date is not setup yet. Wake date cannot be calculated without
baseline.
2019-10-26 01:17:51.745553+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT
(Maintenance)
2019-10-26 01:17:51.745554+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT
(Maintenance)
2019-10-26 01:18:19.419202+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State
changed: Sleep -> DarkWake, 0x1 < DarkWake >
2019-10-26 01:18:19.419795+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler -
Dark Wake IOPMSYSTEMPowerStateCapabilities - Sleep
2019-10-26 01:18:19.481556+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time
calculated as - [Sat Oct 26 04:02:03 2019]
2019-10-26 01:18:19.612077+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason:
Host (0x01)
2019-10-26 01:18:19.636342+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CSHostDaemonMac
_isWakeReasonVoiceTrigger] Wake reason: <private>
2019-10-26 01:18:19.636356+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CSHostDaemonMac
_getPowerAssertionIfWakenByVoiceTriggerNotFromS3Sleep] Wake reason
is not VoiceTrigger or it woke from S3
2019-10-26 01:18:20.043591+0200 localhost kernel[0]:
(AppleIntelCFLGraphicsFramebuffer) [IGFB][INFO] FB0 power state
transition Sleep to Doze
2019-10-26 01:18:20.474270+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler -
Dark Wake IOPMSYSTEMPowerStateCapabilities - Sleep
2019-10-26 01:18:20.476011+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time
calculated as - [Sat Oct 26 04:02:03 2019]
2019-10-26 01:18:20.483351+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason:
Host (0x01)
2019-10-26 01:18:26.816522+0200 localhost powerd[103]:
[powerd:sleepWake] Entering Sleep state due to 'Maintenance Sleep'
2019-10-26 01:18:26.817095+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State
changed: DarkWake -> Sleep, 0x20 < Sleep >
2019-10-26 01:18:26.817103+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: Sleep
async ack
2019-10-26 01:18:26.817712+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Network off

sleep date is not setup yet. Wake date cannot be calculated without baseline.

2019-10-26 01:18:34.281777+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT (Maintenance)

2019-10-26 01:18:34.281777+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT (Maintenance)

2019-10-26 01:19:01.908884+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CSHostDaemonMac _isWakeReasonVoiceTrigger] Wake reason: <private>

2019-10-26 01:19:01.908891+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CSHostDaemonMac _getPowerAssertionIfWakenByVoiceTriggerNotFromS3Sleep] Wake reason is not VoiceTrigger or it woke from S3

2019-10-26 01:19:01.931190+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State changed: Sleep -> DarkWake, 0x1 < DarkWake >

2019-10-26 01:19:01.935637+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler - Dark Wake IOPMSYSTEMPowerStateCapabilities - Sleep

2019-10-26 01:19:01.963032+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time calculated as - [Sat Oct 26 04:02:03 2019]

2019-10-26 01:19:02.134800+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason: Host (0x01)

2019-10-26 01:19:02.557931+0200 localhost kernel[0]:
(AppleIntelCFLGraphicsFramebuffer) [IGFB] [INFO] FB0 power state transition Sleep to Doze

2019-10-26 01:19:02.976770+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler - Dark Wake IOPMSYSTEMPowerStateCapabilities - Sleep

2019-10-26 01:19:02.978581+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time calculated as - [Sat Oct 26 04:02:03 2019]

2019-10-26 01:19:02.990888+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason: Host (0x01)

2019-10-26 01:19:09.278327+0200 localhost powerd[103]:
[powerd:sleepWake] Entering Sleep state due to 'Maintenance Sleep'

2019-10-26 01:19:09.278995+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State changed: DarkWake -> Sleep, 0x20 < Sleep >

2019-10-26 01:19:09.279020+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: Sleep async ack

2019-10-26 01:19:09.279850+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Network off

sleep date is not setup yet. Wake date cannot be calculated without baseline.

2019-10-26 01:19:16.863076+0200 localhost kernel[0]:

(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT (Maintenance)
2019-10-26 01:19:16.863077+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT (Maintenance)
2019-10-26 01:19:44.488944+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler - Dark Wake IOPMSYSTEMPowerStateCapabilities - Sleep
2019-10-26 01:19:44.502638+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State changed: Sleep -> DarkWake, 0x1 < DarkWake >
2019-10-26 01:19:44.505786+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CSHostDaemonMac _isWakeReasonVoiceTrigger] Wake reason: <private>
2019-10-26 01:19:44.505810+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CSHostDaemonMac _getPowerAssertionIfWokenByVoiceTriggerNotFromS3Sleep] Wake reason is not VoiceTrigger or it woke from S3
2019-10-26 01:19:44.713900+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time calculated as - [Sat Oct 26 04:02:03 2019]
2019-10-26 01:19:44.739279+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason: Host (0x01)
2019-10-26 01:19:45.111720+0200 localhost kernel[0]:
(AppleIntelCFLGraphicsFramebuffer) [IGFB][INFO] FB0 power state transition Sleep to Doze
2019-10-26 01:19:45.534475+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler - Dark Wake IOPMSYSTEMPowerStateCapabilities - Sleep
2019-10-26 01:19:45.536038+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time calculated as - [Sat Oct 26 04:02:03 2019]
2019-10-26 01:19:45.541399+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason: Host (0x01)
2019-10-26 01:19:51.931918+0200 localhost powerd[103]:
[powerd:sleepWake] Entering Sleep state due to 'Maintenance Sleep'
2019-10-26 01:19:51.932460+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State changed: DarkWake -> Sleep, 0x20 < Sleep >
2019-10-26 01:19:51.932469+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: Sleep async ack
2019-10-26 01:19:51.933034+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Network off sleep date is not setup yet. Wake date cannot be calculated without baseline.
2019-10-26 01:19:59.269599+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT (Maintenance)
2019-10-26 01:19:59.269600+0200 localhost kernel[0]:

(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT (Maintenance)
2019-10-26 01:20:26.933101+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler - Dark Wake IOPMSystemPowerStateCapabilities - Sleep
2019-10-26 01:20:26.934092+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State changed: Sleep -> DarkWake, 0x1 < DarkWake >
2019-10-26 01:20:26.941780+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CSHostDaemonMac _isWakeReasonVoiceTrigger] Wake reason: <private>
2019-10-26 01:20:26.941792+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CSHostDaemonMac _getPowerAssertionIfWakenByVoiceTriggerNotFromS3Sleep] Wake reason is not VoiceTrigger or it woke from S3
2019-10-26 01:20:26.969433+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time calculated as - [Sat Oct 26 04:02:03 2019]
2019-10-26 01:20:27.123157+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason: Host (0x01)
2019-10-26 01:20:27.556869+0200 localhost kernel[0]:
(AppleIntelCFLGraphicsFramebuffer) [IGFB][INFO] FB0 power state transition Sleep to Doze
2019-10-26 01:20:27.976313+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler - Dark Wake IOPMSystemPowerStateCapabilities - Sleep
2019-10-26 01:20:27.978576+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time calculated as - [Sat Oct 26 04:02:03 2019]
2019-10-26 01:20:27.989235+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason: Host (0x01)
2019-10-26 01:20:34.312087+0200 localhost powerd[103]:
[powerd:sleepWake] Entering Sleep state due to 'Maintenance Sleep'
2019-10-26 01:20:34.312679+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State changed: DarkWake -> Sleep, 0x20 < Sleep >
2019-10-26 01:20:34.312691+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: Sleep async ack
2019-10-26 01:20:34.313241+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Network off sleep date is not setup yet. Wake date cannot be calculated without baseline.
2019-10-26 01:20:41.711333+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.RTC (Alarm)
2019-10-26 01:20:41.711366+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.RTC (Alarm)
2019-10-26 01:25:45.092955+0200 localhost bluetoothd[145]:

(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler -
Dark Wake IOPMSYSTEMPowerStateCapabilities - Sleep
2019-10-26 01:25:45.093514+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State
changed: Sleep -> DarkWake, 0x1 < DarkWake >
2019-10-26 01:25:45.095174+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CSHostDaemonMac
_isWakeReasonVoiceTrigger] Wake reason: <private>
2019-10-26 01:25:45.095179+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CSHostDaemonMac
_getPowerAssertionIfWakenByVoiceTriggerNotFromS3Sleep] Wake reason
is not VoiceTrigger or it woke from S3
2019-10-26 01:25:45.142637+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time
calculated as - [Sat Oct 26 04:02:03 2019]
2019-10-26 01:25:45.301782+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason:
Host (0x01)
2019-10-26 01:25:45.722865+0200 localhost kernel[0]:
(AppleIntelCFLGraphicsFramebuffer) [IGFB][INFO] FB0 power state
transition Sleep to Doze
2019-10-26 01:25:46.177996+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler -
Dark Wake IOPMSYSTEMPowerStateCapabilities - Sleep
2019-10-26 01:25:46.179413+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time
calculated as - [Sat Oct 26 04:02:03 2019]
2019-10-26 01:25:46.184684+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason:
Host (0x01)
2019-10-26 01:25:56.034573+0200 localhost powerd[103]:
[powerd:sleepWake] Entering Sleep state due to 'Maintenance Sleep'
2019-10-26 01:25:56.035116+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State
changed: DarkWake -> Sleep, 0x20 < Sleep >
2019-10-26 01:25:56.035121+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: Sleep
async ack
2019-10-26 01:25:56.036006+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Network off
sleep date is not setup yet. Wake date cannot be calculated without
baseline.
2019-10-26 01:26:04.442438+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT
(Maintenance)
2019-10-26 01:26:04.442439+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT
(Maintenance)
2019-10-26 01:26:32.103717+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CSHostDaemonMac
_isWakeReasonVoiceTrigger] Wake reason: <private>
2019-10-26 01:26:32.103736+0200 localhost corespeechd[443]:

```
[com.apple.corespeech:Framework] -[CShostDaemonMac
_getPowerAssertionIfWakenByVoiceTriggerNotFromS3Sleep] Wake reason
is not VoiceTrigger or it woke from S3
2019-10-26 01:26:32.104518+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State
changed: Sleep -> DarkWake, 0x1 < DarkWake >
2019-10-26 01:26:32.105428+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler -
Dark Wake IOPMSystemPowerStateCapabilities - Sleep
2019-10-26 01:26:32.126657+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time
calculated as - [Sat Oct 26 04:02:03 2019]
2019-10-26 01:26:32.359833+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason:
Host (0x01)
2019-10-26 01:26:32.708064+0200 localhost kernel[0]:
(AppleIntelCFLGraphicsFramebuffer) [IGFB][INFO ] FB0 power state
transition Sleep to Doze
2019-10-26 01:26:33.134515+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler -
Dark Wake IOPMSystemPowerStateCapabilities - Sleep
2019-10-26 01:26:33.136017+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time
calculated as - [Sat Oct 26 04:02:03 2019]
2019-10-26 01:26:33.142795+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason:
Host (0x01)
2019-10-26 01:26:39.586790+0200 localhost powerd[103]:
[powerd:sleepWake] Entering Sleep state due to 'Maintenance Sleep'
2019-10-26 01:26:39.587444+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State
changed: DarkWake -> Sleep, 0x20 < Sleep >
2019-10-26 01:26:39.587453+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: Sleep
async ack
2019-10-26 01:26:39.588185+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Network off
sleep date is not setup yet. Wake date cannot be calculated without
baseline.
2019-10-26 01:26:47.036210+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT
(Maintenance)
2019-10-26 01:26:47.036211+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT
(Maintenance)
2019-10-26 01:27:14.683253+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler -
Dark Wake IOPMSystemPowerStateCapabilities - Sleep
2019-10-26 01:27:14.684678+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State
changed: Sleep -> DarkWake, 0x1 < DarkWake >
2019-10-26 01:27:14.685631+0200 localhost corespeechd[443]:
```

[com.apple.corespeech:Framework] -[CShostDaemonMac
_isWakeReasonVoiceTrigger] Wake reason: <private>
2019-10-26 01:27:14.685635+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CShostDaemonMac
_getPowerAssertionIfWakenByVoiceTriggerNotFromS3Sleep] Wake reason
is not VoiceTrigger or it woke from S3
2019-10-26 01:27:14.703904+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time
calculated as - [Sat Oct 26 04:02:03 2019]
2019-10-26 01:27:14.858335+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason:
Host (0x01)
2019-10-26 01:27:15.321823+0200 localhost kernel[0]:
(AppleIntelCFLGraphicsFramebuffer) [IGFB][INFO] FB0 power state
transition Sleep to Doze
2019-10-26 01:27:15.745631+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler -
Dark Wake IOPMSYSTEMPowerStateCapabilities - Sleep
2019-10-26 01:27:15.747057+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time
calculated as - [Sat Oct 26 04:02:03 2019]
2019-10-26 01:27:15.751855+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason:
Host (0x01)
2019-10-26 01:27:26.040914+0200 localhost powerd[103]:
[powerd:sleepWake] Entering Sleep state due to 'Maintenance Sleep'
2019-10-26 01:27:26.041501+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State
changed: DarkWake -> Sleep, 0x20 < Sleep >
2019-10-26 01:27:26.041507+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: Sleep
async ack
2019-10-26 01:27:26.042592+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Network off
sleep date is not setup yet. Wake date cannot be calculated without
baseline.
2019-10-26 01:27:35.187317+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT
(Maintenance)
2019-10-26 01:27:35.187319+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT
(Maintenance)
2019-10-26 01:28:02.818960+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler -
Dark Wake IOPMSYSTEMPowerStateCapabilities - Sleep
2019-10-26 01:28:02.823702+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CShostDaemonMac
_isWakeReasonVoiceTrigger] Wake reason: <private>
2019-10-26 01:28:02.823708+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CShostDaemonMac
_getPowerAssertionIfWakenByVoiceTriggerNotFromS3Sleep] Wake reason
is not VoiceTrigger or it woke from S3

2019-10-26 01:28:02.830055+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State
changed: Sleep -> DarkWake, 0x1 < DarkWake >
2019-10-26 01:28:02.856326+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time
calculated as - [Sat Oct 26 04:02:03 2019]
2019-10-26 01:28:03.009780+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason:
Host (0x01)
2019-10-26 01:28:03.431578+0200 localhost kernel[0]:
(AppleIntelCFLGraphicsFramebuffer) [IGFB][INFO] FB0 power state
transition Sleep to Doze
2019-10-26 01:28:03.859489+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler -
Dark Wake IOPMSYSTEMPowerStateCapabilities - Sleep
2019-10-26 01:28:03.861034+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time
calculated as - [Sat Oct 26 04:02:03 2019]
2019-10-26 01:28:03.865794+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason:
Host (0x01)
2019-10-26 01:28:10.148015+0200 localhost powerd[103]:
[powerd:sleepWake] Entering Sleep state due to 'Maintenance Sleep'
2019-10-26 01:28:10.148573+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State
changed: DarkWake -> Sleep, 0x20 < Sleep >
2019-10-26 01:28:10.148576+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: Sleep
async ack
2019-10-26 01:28:10.149153+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Network off
sleep date is not setup yet. Wake date cannot be calculated without
baseline.
2019-10-26 01:28:17.570755+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT
(Maintenance)
2019-10-26 01:28:17.570756+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT
(Maintenance)
2019-10-26 01:28:45.228039+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State
changed: Sleep -> DarkWake, 0x1 < DarkWake >
2019-10-26 01:28:45.230899+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CSHostDaemonMac
_isWakeReasonVoiceTrigger] Wake reason: <private>
2019-10-26 01:28:45.230904+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CSHostDaemonMac
_getPowerAssertionIfWakenByVoiceTriggerNotFromS3Sleep] Wake reason
is not VoiceTrigger or it woke from S3
2019-10-26 01:28:45.254031+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time
calculated as - [Sat Oct 26 04:02:03 2019]

2019-10-26 01:28:45.266594+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler -
Dark Wake IOPMSYSTEMPowerStateCapabilities - Sleep
2019-10-26 01:28:45.415847+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason:
Host (0x01)
2019-10-26 01:28:45.843913+0200 localhost kernel[0]:
(AppleIntelCFLGraphicsFramebuffer) [IGFB][INFO] FB0 power state
transition Sleep to Doze
2019-10-26 01:28:46.264010+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler -
Dark Wake IOPMSYSTEMPowerStateCapabilities - Sleep
2019-10-26 01:28:46.265342+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time
calculated as - [Sat Oct 26 04:02:03 2019]
2019-10-26 01:28:46.270250+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason:
Host (0x01)
2019-10-26 01:28:56.045145+0200 localhost powerd[103]:
[powerd:sleepWake] Entering Sleep state due to 'Maintenance Sleep'
2019-10-26 01:28:56.045709+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State
changed: DarkWake -> Sleep, 0x20 < Sleep >
2019-10-26 01:28:56.045717+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: Sleep
async ack
2019-10-26 01:28:56.046542+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Network off
sleep date is not setup yet. Wake date cannot be calculated without
baseline.
2019-10-26 01:29:04.022139+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT
(Maintenance)
2019-10-26 01:29:04.022140+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT
(Maintenance)
2019-10-26 01:29:31.620507+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler -
Dark Wake IOPMSYSTEMPowerStateCapabilities - Sleep
2019-10-26 01:29:31.622781+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State
changed: Sleep -> DarkWake, 0x1 < DarkWake >
2019-10-26 01:29:31.640340+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time
calculated as - [Sat Oct 26 04:02:03 2019]
2019-10-26 01:29:31.648791+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CSHostDaemonMac
_isWakeReasonVoiceTrigger] Wake reason: <private>
2019-10-26 01:29:31.648812+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CSHostDaemonMac
_getPowerAssertionIfWokenByVoiceTriggerNotFromS3Sleep] Wake reason
is not VoiceTrigger or it woke from S3

2019-10-26 01:29:31.814996+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason:
Host (0x01)
2019-10-26 01:29:32.236680+0200 localhost kernel[0]:
(AppleIntelCFLGraphicsFramebuffer) [IGFB][INFO] FB0 power state
transition Sleep to Doze
2019-10-26 01:29:32.664310+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler -
Dark Wake IOPMSYSTEMPowerStateCapabilities - Sleep
2019-10-26 01:29:32.665722+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time
calculated as - [Sat Oct 26 04:02:03 2019]
2019-10-26 01:29:32.676505+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason:
Host (0x01)
2019-10-26 01:29:38.974912+0200 localhost powerd[103]:
[powerd:sleepWake] Entering Sleep state due to 'Maintenance Sleep'
2019-10-26 01:29:38.975436+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State
changed: DarkWake -> Sleep, 0x20 < Sleep >
2019-10-26 01:29:38.975511+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: Sleep
async ack
2019-10-26 01:29:38.976604+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Network off
sleep date is not setup yet. Wake date cannot be calculated without
baseline.
2019-10-26 01:29:46.297451+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT
(Maintenance)
2019-10-26 01:29:46.297451+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT
(Maintenance)
2019-10-26 01:30:13.938320+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State
changed: Sleep -> DarkWake, 0x1 < DarkWake >
2019-10-26 01:30:13.939004+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler -
Dark Wake IOPMSYSTEMPowerStateCapabilities - Sleep
2019-10-26 01:30:13.940139+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CSHostDaemonMac
_isWakeReasonVoiceTrigger] Wake reason: <private>
2019-10-26 01:30:13.940145+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CSHostDaemonMac
_getPowerAssertionIfWakenByVoiceTriggerNotFromS3Sleep] Wake reason
is not VoiceTrigger or it woke from S3
2019-10-26 01:30:13.972869+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time
calculated as - [Sat Oct 26 04:02:03 2019]
2019-10-26 01:30:14.263230+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason:

Host (0x01)
2019-10-26 01:30:14.567469+0200 localhost kernel[0]:
(AppleIntelCFLGraphicsFramebuffer) [IGFB][INFO] FB0 power state
transition Sleep to Doze
2019-10-26 01:30:14.989324+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler -
Dark Wake IOPMSystemPowerStateCapabilities - Sleep
2019-10-26 01:30:14.990726+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time
calculated as - [Sat Oct 26 04:02:03 2019]
2019-10-26 01:30:14.999909+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason:
Host (0x01)
2019-10-26 01:30:26.039452+0200 localhost powerd[103]:
[powerd:sleepWake] Entering Sleep state due to 'Maintenance Sleep'
2019-10-26 01:30:26.040110+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State
changed: DarkWake -> Sleep, 0x20 < Sleep >
2019-10-26 01:30:26.040146+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: Sleep
async ack
2019-10-26 01:30:26.040838+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Network off
sleep date is not setup yet. Wake date cannot be calculated without
baseline.
2019-10-26 01:30:34.577215+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT
(Maintenance)
2019-10-26 01:30:34.577216+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT
(Maintenance)
2019-10-26 01:31:02.218441+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler -
Dark Wake IOPMSystemPowerStateCapabilities - Sleep
2019-10-26 01:31:02.218841+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State
changed: Sleep -> DarkWake, 0x1 < DarkWake >
2019-10-26 01:31:02.220388+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CSHostDaemonMac
_isWakeReasonVoiceTrigger] Wake reason: <private>
2019-10-26 01:31:02.220392+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CSHostDaemonMac
_getPowerAssertionIfWakenByVoiceTriggerNotFromS3Sleep] Wake reason
is not VoiceTrigger or it woke from S3
2019-10-26 01:31:02.253111+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time
calculated as - [Sat Oct 26 04:02:03 2019]
2019-10-26 01:31:02.422912+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason:
Host (0x01)
2019-10-26 01:31:02.845997+0200 localhost kernel[0]:
(AppleIntelCFLGraphicsFramebuffer) [IGFB][INFO] FB0 power state

transition Sleep to Doze
2019-10-26 01:31:03.265006+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler -
Dark Wake IOPMSystemPowerStateCapabilities - Sleep
2019-10-26 01:31:03.266344+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time
calculated as - [Sat Oct 26 04:02:03 2019]
2019-10-26 01:31:03.271166+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason:
Host (0x01)
2019-10-26 01:31:09.557645+0200 localhost powerd[103]:
[powerd:sleepWake] Entering Sleep state due to 'Maintenance Sleep'
2019-10-26 01:31:09.558206+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State
changed: DarkWake -> Sleep, 0x20 < Sleep >
2019-10-26 01:31:09.558213+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: Sleep
async ack
2019-10-26 01:31:09.559426+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Network off
sleep date is not setup yet. Wake date cannot be calculated without
baseline.
2019-10-26 01:31:17.053999+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.RTC
(Alarm)
2019-10-26 01:31:17.054000+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.RTC
(Alarm)
2019-10-26 01:40:10.048853+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State
changed: Sleep -> DarkWake, 0x1 < DarkWake >
2019-10-26 01:40:10.049411+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler -
Dark Wake IOPMSystemPowerStateCapabilities - Sleep
2019-10-26 01:40:10.050090+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CSHostDaemonMac
_isWakeReasonVoiceTrigger] Wake reason: <private>
2019-10-26 01:40:10.050096+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CSHostDaemonMac
_getPowerAssertionIfWakenByVoiceTriggerNotFromS3Sleep] Wake reason
is not VoiceTrigger or it woke from S3
2019-10-26 01:40:10.087964+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time
calculated as - [Sat Oct 26 04:02:03 2019]
2019-10-26 01:40:10.331821+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason:
Host (0x01)
2019-10-26 01:40:10.705471+0200 localhost kernel[0]:
(AppleIntelCFLGraphicsFramebuffer) [IGFB][INFO] FB0 power state
transition Sleep to Doze
2019-10-26 01:40:11.124916+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler -

Dark Wake IOPMSysPowerStateCapabilities - Sleep
2019-10-26 01:40:11.126343+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time
calculated as - [Sat Oct 26 04:02:03 2019]
2019-10-26 01:40:11.131700+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason:
Host (0x01)
2019-10-26 01:40:17.397088+0200 localhost powerd[103]:
[powerd:sleepWake] Entering Sleep state due to 'Maintenance Sleep'
2019-10-26 01:40:17.397759+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State
changed: DarkWake -> Sleep, 0x20 < Sleep >
2019-10-26 01:40:17.397790+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: Sleep
async ack
2019-10-26 01:40:17.398764+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Network off
sleep date is not setup yet. Wake date cannot be calculated without
baseline.
2019-10-26 01:40:24.957353+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT
(Maintenance)
2019-10-26 01:40:24.957353+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT
(Maintenance)
2019-10-26 01:40:52.601959+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler -
Dark Wake IOPMSysPowerStateCapabilities - Sleep
2019-10-26 01:40:52.602385+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CSHostDaemonMac
_isWakeReasonVoiceTrigger] Wake reason: <private>
2019-10-26 01:40:52.602398+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CSHostDaemonMac
_getPowerAssertionIfWakenByVoiceTriggerNotFromS3Sleep] Wake reason
is not VoiceTrigger or it woke from S3
2019-10-26 01:40:52.607745+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State
changed: Sleep -> DarkWake, 0x1 < DarkWake >
2019-10-26 01:40:52.648495+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time
calculated as - [Sat Oct 26 04:02:03 2019]
2019-10-26 01:40:52.790467+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason:
Host (0x01)
2019-10-26 01:40:53.230760+0200 localhost kernel[0]:
(AppleIntelCFLGraphicsFramebuffer) [IGFB][INFO] FB0 power state
transition Sleep to Doze
2019-10-26 01:40:53.652706+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler -
Dark Wake IOPMSysPowerStateCapabilities - Sleep
2019-10-26 01:40:53.654871+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time

calculated as - [Sat Oct 26 04:02:03 2019]
2019-10-26 01:40:53.659261+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason:
Host (0x01)
2019-10-26 01:40:59.965996+0200 localhost powerd[103]:
[powerd:sleepWake] Entering Sleep state due to 'Maintenance Sleep'
2019-10-26 01:40:59.966724+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State
changed: DarkWake -> Sleep, 0x20 < Sleep >
2019-10-26 01:40:59.966730+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: Sleep
async ack
2019-10-26 01:40:59.967717+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Network off
sleep date is not setup yet. Wake date cannot be calculated without
baseline.
2019-10-26 01:41:07.381841+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT
(Maintenance)
2019-10-26 01:41:07.381842+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT
(Maintenance)
2019-10-26 01:41:34.976444+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CSHostDaemonMac
_isWakeReasonVoiceTrigger] Wake reason: <private>
2019-10-26 01:41:34.976477+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CSHostDaemonMac
_getPowerAssertionIfWakenByVoiceTriggerNotFromS3Sleep] Wake reason
is not VoiceTrigger or it woke from S3
2019-10-26 01:41:34.983560+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler -
Dark Wake IOPMSYSTEMPowerStateCapabilities - Sleep
2019-10-26 01:41:34.999848+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State
changed: Sleep -> DarkWake, 0x1 < DarkWake >
2019-10-26 01:41:35.013809+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time
calculated as - [Sat Oct 26 04:02:03 2019]
2019-10-26 01:41:35.199645+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason:
Host (0x01)
2019-10-26 01:41:35.628981+0200 localhost kernel[0]:
(AppleIntelCFLGraphicsFramebuffer) [IGFB][INFO] FB0 power state
transition Sleep to Doze
2019-10-26 01:41:36.056067+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler -
Dark Wake IOPMSYSTEMPowerStateCapabilities - Sleep
2019-10-26 01:41:36.057615+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time
calculated as - [Sat Oct 26 04:02:03 2019]
2019-10-26 01:41:36.072520+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]

AppleDeviceManagementHIDEventService::processWakeReason Wake reason:
Host (0x01)
2019-10-26 01:41:42.397004+0200 localhost powerd[103]:
[powerd:sleepWake] Entering Sleep state due to 'Maintenance Sleep'
2019-10-26 01:41:42.397672+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State
changed: DarkWake -> Sleep, 0x20 < Sleep >
2019-10-26 01:41:42.397704+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: Sleep
async ack
2019-10-26 01:41:42.398433+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Network off
sleep date is not setup yet. Wake date cannot be calculated without
baseline.
2019-10-26 01:41:49.855304+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT
(Maintenance)
2019-10-26 01:41:49.855304+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT
(Maintenance)
2019-10-26 01:42:17.483478+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler -
Dark Wake IOPMSYSTEMPowerStateCapabilities - Sleep
2019-10-26 01:42:17.486994+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State
changed: Sleep -> DarkWake, 0x1 < DarkWake >
2019-10-26 01:42:17.487739+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CSHostDaemonMac
_isWakeReasonVoiceTrigger] Wake reason: <private>
2019-10-26 01:42:17.487746+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CSHostDaemonMac
_getPowerAssertionIfWokenByVoiceTriggerNotFromS3Sleep] Wake reason
is not VoiceTrigger or it woke from S3
2019-10-26 01:42:17.540236+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time
calculated as - [Sat Oct 26 04:02:03 2019]
2019-10-26 01:42:17.754295+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason:
Host (0x01)
2019-10-26 01:42:18.092540+0200 localhost kernel[0]:
(AppleIntelCFLGraphicsFramebuffer) [IGFB][INFO] FB0 power state
transition Sleep to Doze
2019-10-26 01:42:18.510809+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler -
Dark Wake IOPMSYSTEMPowerStateCapabilities - Sleep
2019-10-26 01:42:18.512153+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time
calculated as - [Sat Oct 26 04:02:03 2019]
2019-10-26 01:42:18.516646+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason:
Host (0x01)
2019-10-26 01:42:24.926677+0200 localhost powerd[103]:

[powerd:sleepWake] Entering Sleep state due to 'Maintenance Sleep'
2019-10-26 01:42:24.927217+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State
changed: DarkWake -> Sleep, 0x20 < Sleep >
2019-10-26 01:42:24.927276+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: Sleep
async ack
2019-10-26 01:42:24.929140+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Network off
sleep date is not setup yet. Wake date cannot be calculated without
baseline.
2019-10-26 01:42:32.370502+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT
(Maintenance)
2019-10-26 01:42:32.370503+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT
(Maintenance)
2019-10-26 01:43:00.040179+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler -
Dark Wake IOPMSYSTEMPowerStateCapabilities - Sleep
2019-10-26 01:43:00.045198+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State
changed: Sleep -> DarkWake, 0x1 < DarkWake >
2019-10-26 01:43:00.045553+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CSHostDaemonMac
_isWakeReasonVoiceTrigger] Wake reason: <private>
2019-10-26 01:43:00.045568+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CSHostDaemonMac
_getPowerAssertionIfWakenByVoiceTriggerNotFromS3Sleep] Wake reason
is not VoiceTrigger or it woke from S3
2019-10-26 01:43:00.109580+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time
calculated as - [Sat Oct 26 04:02:03 2019]
2019-10-26 01:43:00.222283+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason:
Host (0x01)
2019-10-26 01:43:00.631052+0200 localhost kernel[0]:
(AppleIntelCFLGraphicsFramebuffer) [IGFB][INFO] FB0 power state
transition Sleep to Doze
2019-10-26 01:43:01.055154+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler -
Dark Wake IOPMSYSTEMPowerStateCapabilities - Sleep
2019-10-26 01:43:01.056359+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time
calculated as - [Sat Oct 26 04:02:03 2019]
2019-10-26 01:43:01.061768+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason:
Host (0x01)
2019-10-26 01:43:07.400380+0200 localhost powerd[103]:
[powerd:sleepWake] Entering Sleep state due to 'Maintenance Sleep'
2019-10-26 01:43:07.400903+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State

changed: DarkWake -> Sleep, 0x20 < Sleep >
2019-10-26 01:43:07.400910+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: Sleep
async ack
2019-10-26 01:43:07.401656+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Network off
sleep date is not setup yet. Wake date cannot be calculated without
baseline.
2019-10-26 01:43:14.789242+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT
(Maintenance)
2019-10-26 01:43:14.789242+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT
(Maintenance)
2019-10-26 01:43:42.395972+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State
changed: Sleep -> DarkWake, 0x1 < DarkWake >
2019-10-26 01:43:42.396128+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler -
Dark Wake IOPMSYSTEMPowerStateCapabilities - Sleep
2019-10-26 01:43:42.398201+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CSHostDaemonMac
_isWakeReasonVoiceTrigger] Wake reason: <private>
2019-10-26 01:43:42.398208+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CSHostDaemonMac
_getPowerAssertionIfWakenByVoiceTriggerNotFromS3Sleep] Wake reason
is not VoiceTrigger or it woke from S3
2019-10-26 01:43:42.444017+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time
calculated as - [Sat Oct 26 04:02:03 2019]
2019-10-26 01:43:42.604153+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason:
Host (0x01)
2019-10-26 01:43:43.045741+0200 localhost kernel[0]:
(AppleIntelCFLGraphicsFramebuffer) [IGFB][INFO] FB0 power state
transition Sleep to Doze
2019-10-26 01:43:43.467078+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler -
Dark Wake IOPMSYSTEMPowerStateCapabilities - Sleep
2019-10-26 01:43:43.468535+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time
calculated as - [Sat Oct 26 04:02:03 2019]
2019-10-26 01:43:43.473550+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason:
Host (0x01)
2019-10-26 01:43:49.736034+0200 localhost powerd[103]:
[powerd:sleepWake] Entering Sleep state due to 'Maintenance Sleep'
2019-10-26 01:43:49.736643+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State
changed: DarkWake -> Sleep, 0x20 < Sleep >
2019-10-26 01:43:49.736648+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: Sleep

async ack
2019-10-26 01:43:49.737537+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Network off
sleep date is not setup yet. Wake date cannot be calculated without
baseline.
2019-10-26 01:43:57.105095+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT
(Maintenance)
2019-10-26 01:43:57.105095+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT
(Maintenance)
2019-10-26 01:44:24.808609+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler -
Dark Wake IOPMSYSTEMPowerStateCapabilities - Sleep
2019-10-26 01:44:24.829301+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State
changed: Sleep -> DarkWake, 0x1 < DarkWake >
2019-10-26 01:44:24.829988+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CSHostDaemonMac
_isWakeReasonVoiceTrigger] Wake reason: <private>
2019-10-26 01:44:24.830044+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CSHostDaemonMac
_getPowerAssertionIfWakenByVoiceTriggerNotFromS3Sleep] Wake reason
is not VoiceTrigger or it woke from S3
2019-10-26 01:44:24.837050+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time
calculated as - [Sat Oct 26 04:02:03 2019]
2019-10-26 01:44:24.978427+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason:
Host (0x01)
2019-10-26 01:44:25.363528+0200 localhost kernel[0]:
(AppleIntelCFLGraphicsFramebuffer) [IGFB][INFO] FB0 power state
transition Sleep to Doze
2019-10-26 01:44:25.783660+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler -
Dark Wake IOPMSYSTEMPowerStateCapabilities - Sleep
2019-10-26 01:44:25.785281+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time
calculated as - [Sat Oct 26 04:02:03 2019]
2019-10-26 01:44:25.789847+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason:
Host (0x01)
2019-10-26 01:44:32.670398+0200 localhost powerd[103]:
[powerd:sleepWake] Entering Sleep state due to 'Maintenance Sleep'
2019-10-26 01:44:32.670968+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State
changed: DarkWake -> Sleep, 0x20 < Sleep >
2019-10-26 01:44:32.670974+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: Sleep
async ack
2019-10-26 01:44:32.671642+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Network off

sleep date is not setup yet. Wake date cannot be calculated without baseline.

2019-10-26 01:44:40.033511+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT (Maintenance)

2019-10-26 01:44:40.033512+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT (Maintenance)

2019-10-26 01:45:07.685183+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler - Dark Wake IOPMSYSTEMPowerStateCapabilities - Sleep

2019-10-26 01:45:07.696260+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State changed: Sleep -> DarkWake, 0x1 < DarkWake >

2019-10-26 01:45:07.703739+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CSHostDaemonMac _isWakeReasonVoiceTrigger] Wake reason: <private>

2019-10-26 01:45:07.703749+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CSHostDaemonMac _getPowerAssertionIfWakenByVoiceTriggerNotFromS3Sleep] Wake reason is not VoiceTrigger or it woke from S3

2019-10-26 01:45:07.842905+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time calculated as - [Sat Oct 26 04:02:03 2019]

2019-10-26 01:45:07.875768+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason: Host (0x01)

2019-10-26 01:45:08.287046+0200 localhost kernel[0]:
(AppleIntelCFLGraphicsFramebuffer) [IGFB] [INFO] FB0 power state transition Sleep to Doze

2019-10-26 01:45:08.711863+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler - Dark Wake IOPMSYSTEMPowerStateCapabilities - Sleep

2019-10-26 01:45:08.713448+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time calculated as - [Sat Oct 26 04:02:03 2019]

2019-10-26 01:45:08.718412+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason: Host (0x01)

2019-10-26 01:45:15.003420+0200 localhost powerd[103]:
[powerd:sleepWake] Entering Sleep state due to 'Maintenance Sleep'

2019-10-26 01:45:15.004139+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State changed: DarkWake -> Sleep, 0x20 < Sleep >

2019-10-26 01:45:15.004179+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: Sleep async ack

2019-10-26 01:45:15.004756+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Network off
sleep date is not setup yet. Wake date cannot be calculated without baseline.

2019-10-26 01:45:22.349955+0200 localhost kernel[0]:

(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.RTC (Alarm)
2019-10-26 01:45:22.349956+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.RTC (Alarm)
2019-10-26 01:54:15.121153+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler - Dark Wake IOPMSYSTEMPowerStateCapabilities - Sleep
2019-10-26 01:54:15.121323+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State changed: Sleep -> DarkWake, 0x1 < DarkWake >
2019-10-26 01:54:15.121951+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CSHostDaemonMac _isWakeReasonVoiceTrigger] Wake reason: <private>
2019-10-26 01:54:15.121961+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CSHostDaemonMac _getPowerAssertionIfWokenByVoiceTriggerNotFromS3Sleep] Wake reason is not VoiceTrigger or it woke from S3
2019-10-26 01:54:15.315586+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time calculated as - [Sat Oct 26 04:02:03 2019]
2019-10-26 01:54:15.431007+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason: Host (0x01)
2019-10-26 01:54:15.720105+0200 localhost kernel[0]:
(AppleIntelCFLGraphicsFramebuffer) [IGFB][INFO] FB0 power state transition Sleep to Doze
2019-10-26 01:54:16.132753+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler - Dark Wake IOPMSYSTEMPowerStateCapabilities - Sleep
2019-10-26 01:54:16.134236+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time calculated as - [Sat Oct 26 04:02:03 2019]
2019-10-26 01:54:16.138897+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason: Host (0x01)
2019-10-26 01:54:22.483285+0200 localhost powerd[103]:
[powerd:sleepWake] Entering Sleep state due to 'Maintenance Sleep'
2019-10-26 01:54:22.483921+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State changed: DarkWake -> Sleep, 0x20 < Sleep >
2019-10-26 01:54:22.483943+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: Sleep async ack
2019-10-26 01:54:22.484527+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Network off sleep date is not setup yet. Wake date cannot be calculated without baseline.
2019-10-26 01:54:29.949008+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT (Maintenance)
2019-10-26 01:54:29.949009+0200 localhost kernel[0]:

(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT (Maintenance)
2019-10-26 01:54:57.586018+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CSHostDaemonMac _isWakeReasonVoiceTrigger] Wake reason: <private>
2019-10-26 01:54:57.586024+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CSHostDaemonMac _getPowerAssertionIfWakenByVoiceTriggerNotFromS3Sleep] Wake reason is not VoiceTrigger or it woke from S3
2019-10-26 01:54:57.596466+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State changed: Sleep -> DarkWake, 0x1 < DarkWake >
2019-10-26 01:54:57.613488+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler - Dark Wake IOPMSYSTEMPowerStateCapabilities - Sleep
2019-10-26 01:54:57.623449+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time calculated as - [Sat Oct 26 04:02:03 2019]
2019-10-26 01:54:57.802344+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason: Host (0x01)
2019-10-26 01:54:58.204950+0200 localhost kernel[0]:
(AppleIntelCFLGraphicsFramebuffer) [IGFB][INFO] FB0 power state transition Sleep to Doze
2019-10-26 01:54:58.634507+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler - Dark Wake IOPMSYSTEMPowerStateCapabilities - Sleep
2019-10-26 01:54:58.635762+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time calculated as - [Sat Oct 26 04:02:03 2019]
2019-10-26 01:54:58.641017+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason: Host (0x01)
2019-10-26 01:55:04.962507+0200 localhost powerd[103]:
[powerd:sleepWake] Entering Sleep state due to 'Maintenance Sleep'
2019-10-26 01:55:04.963024+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State changed: DarkWake -> Sleep, 0x20 < Sleep >
2019-10-26 01:55:04.963049+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: Sleep async ack
2019-10-26 01:55:04.963694+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Network off sleep date is not setup yet. Wake date cannot be calculated without baseline.
2019-10-26 01:55:12.371970+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT (Maintenance)
2019-10-26 01:55:12.371971+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT (Maintenance)
2019-10-26 01:55:39.979265+0200 localhost rapportd[371]:

(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State changed: Sleep -> DarkWake, 0x1 < DarkWake >
2019-10-26 01:55:39.986808+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CShostDaemonMac _isWakeReasonVoiceTrigger] Wake reason: <private>
2019-10-26 01:55:39.986813+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CShostDaemonMac _getPowerAssertionIfWakenByVoiceTriggerNotFromS3Sleep] Wake reason is not VoiceTrigger or it woke from S3
2019-10-26 01:55:40.007499+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler - Dark Wake IOPMSYSTEMPowerStateCapabilities - Sleep
2019-10-26 01:55:40.013097+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time calculated as - [Sat Oct 26 04:02:03 2019]
2019-10-26 01:55:40.261227+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason: Host (0x01)
2019-10-26 01:55:40.614168+0200 localhost kernel[0]:
(AppleIntelCFLGraphicsFramebuffer) [IGFB][INFO] FB0 power state transition Sleep to Doze
2019-10-26 01:55:41.041815+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler - Dark Wake IOPMSYSTEMPowerStateCapabilities - Sleep
2019-10-26 01:55:41.043117+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time calculated as - [Sat Oct 26 04:02:03 2019]
2019-10-26 01:55:41.054386+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason: Host (0x01)
2019-10-26 01:55:47.404069+0200 localhost powerd[103]:
[powerd:sleepWake] Entering Sleep state due to 'Maintenance Sleep'
2019-10-26 01:55:47.404730+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State changed: DarkWake -> Sleep, 0x20 < Sleep >
2019-10-26 01:55:47.404735+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: Sleep async ack
2019-10-26 01:55:47.405447+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Network off sleep date is not setup yet. Wake date cannot be calculated without baseline.
2019-10-26 01:55:54.786513+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT (Maintenance)
2019-10-26 01:55:54.786514+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT (Maintenance)
2019-10-26 01:56:22.369364+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler - Dark Wake IOPMSYSTEMPowerStateCapabilities - Sleep
2019-10-26 01:56:22.372094+0200 localhost corespeechd[443]:

```
[com.apple.corespeech:Framework] -[CShostDaemonMac
_isWakeReasonVoiceTrigger] Wake reason: <private>
2019-10-26 01:56:22.372107+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CShostDaemonMac
_getPowerAssertionIfWakenByVoiceTriggerNotFromS3Sleep] Wake reason
is not VoiceTrigger or it woke from S3
2019-10-26 01:56:22.388025+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State
changed: Sleep -> DarkWake, 0x1 < DarkWake >
2019-10-26 01:56:22.458327+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time
calculated as - [Sat Oct 26 04:02:03 2019]
2019-10-26 01:56:22.601922+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason:
Host (0x01)
2019-10-26 01:56:23.017379+0200 localhost kernel[0]:
(AppleIntelCFLGraphicsFramebuffer) [IGFB][INFO ] FB0 power state
transition Sleep to Doze
2019-10-26 01:56:23.441201+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler -
Dark Wake IOPMSYSTEMPowerStateCapabilities - Sleep
2019-10-26 01:56:23.442548+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time
calculated as - [Sat Oct 26 04:02:03 2019]
2019-10-26 01:56:23.453044+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason:
Host (0x01)
2019-10-26 01:56:29.758394+0200 localhost powerd[103]:
[powerd:sleepWake] Entering Sleep state due to 'Maintenance Sleep'
2019-10-26 01:56:29.759004+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State
changed: DarkWake -> Sleep, 0x20 < Sleep >
2019-10-26 01:56:29.759010+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: Sleep
async ack
2019-10-26 01:56:29.760365+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Network off
sleep date is not setup yet. Wake date cannot be calculated without
baseline.
2019-10-26 01:56:37.117750+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT
(Maintenance)
2019-10-26 01:56:37.117751+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT
(Maintenance)
2019-10-26 01:57:04.745334+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State
changed: Sleep -> DarkWake, 0x1 < DarkWake >
2019-10-26 01:57:04.745601+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler -
Dark Wake IOPMSYSTEMPowerStateCapabilities - Sleep
2019-10-26 01:57:04.758530+0200 localhost corespeechd[443]:
```


[com.apple.corespeech:Framework] -[CShostDaemonMac
_isWakeReasonVoiceTrigger] Wake reason: <private>
2019-10-26 01:57:04.758538+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CShostDaemonMac
_getPowerAssertionIfWakenByVoiceTriggerNotFromS3Sleep] Wake reason
is not VoiceTrigger or it woke from S3
2019-10-26 01:57:04.811837+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time
calculated as - [Sat Oct 26 04:02:03 2019]
2019-10-26 01:57:04.933382+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason:
Host (0x01)
2019-10-26 01:57:05.385287+0200 localhost kernel[0]:
(AppleIntelCFLGraphicsFramebuffer) [IGFB][INFO] FB0 power state
transition Sleep to Doze
2019-10-26 01:57:05.805674+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler -
Dark Wake IOPMSYSTEMPowerStateCapabilities - Sleep
2019-10-26 01:57:05.806952+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time
calculated as - [Sat Oct 26 04:02:03 2019]
2019-10-26 01:57:05.811940+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason:
Host (0x01)
2019-10-26 01:57:12.096090+0200 localhost powerd[103]:
[powerd:sleepWake] Entering Sleep state due to 'Maintenance Sleep'
2019-10-26 01:57:12.096693+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State
changed: DarkWake -> Sleep, 0x20 < Sleep >
2019-10-26 01:57:12.096699+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: Sleep
async ack
2019-10-26 01:57:12.097675+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Network off
sleep date is not setup yet. Wake date cannot be calculated without
baseline.
2019-10-26 01:57:19.469137+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT
(Maintenance)
2019-10-26 01:57:19.469137+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT
(Maintenance)
2019-10-26 01:57:47.069081+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler -
Dark Wake IOPMSYSTEMPowerStateCapabilities - Sleep
2019-10-26 01:57:47.071035+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CShostDaemonMac
_isWakeReasonVoiceTrigger] Wake reason: <private>
2019-10-26 01:57:47.071040+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CShostDaemonMac
_getPowerAssertionIfWakenByVoiceTriggerNotFromS3Sleep] Wake reason
is not VoiceTrigger or it woke from S3

2019-10-26 01:57:47.097198+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State
changed: Sleep -> DarkWake, 0x1 < DarkWake >
2019-10-26 01:57:47.133095+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time
calculated as - [Sat Oct 26 04:02:03 2019]
2019-10-26 01:57:47.269912+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason:
Host (0x01)
2019-10-26 01:57:47.703198+0200 localhost kernel[0]:
(AppleIntelCFLGraphicsFramebuffer) [IGFB][INFO] FB0 power state
transition Sleep to Doze
2019-10-26 01:57:48.120723+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler -
Dark Wake IOPMSYSTEMPowerStateCapabilities - Sleep
2019-10-26 01:57:48.122225+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time
calculated as - [Sat Oct 26 04:02:03 2019]
2019-10-26 01:57:48.129269+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason:
Host (0x01)
2019-10-26 01:57:54.426891+0200 localhost powerd[103]:
[powerd:sleepWake] Entering Sleep state due to 'Maintenance Sleep'
2019-10-26 01:57:54.427466+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State
changed: DarkWake -> Sleep, 0x20 < Sleep >
2019-10-26 01:57:54.427489+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: Sleep
async ack
2019-10-26 01:57:54.428495+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Network off
sleep date is not setup yet. Wake date cannot be calculated without
baseline.
2019-10-26 01:58:01.838549+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT
(Maintenance)
2019-10-26 01:58:01.838550+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT
(Maintenance)
2019-10-26 01:58:29.443346+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler -
Dark Wake IOPMSYSTEMPowerStateCapabilities - Sleep
2019-10-26 01:58:29.458869+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State
changed: Sleep -> DarkWake, 0x1 < DarkWake >
2019-10-26 01:58:29.461426+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CSHostDaemonMac
_isWakeReasonVoiceTrigger] Wake reason: <private>
2019-10-26 01:58:29.461433+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CSHostDaemonMac
_getPowerAssertionIfWokenByVoiceTriggerNotFromS3Sleep] Wake reason
is not VoiceTrigger or it woke from S3

2019-10-26 01:58:29.494279+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time
calculated as - [Sat Oct 26 04:02:03 2019]
2019-10-26 01:58:29.666126+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason:
Host (0x01)
2019-10-26 01:58:30.083403+0200 localhost kernel[0]:
(AppleIntelCFLGraphicsFramebuffer) [IGFB][INFO] FB0 power state
transition Sleep to Doze
2019-10-26 01:58:30.507736+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler -
Dark Wake IOPMSYSTEMPowerStateCapabilities - Sleep
2019-10-26 01:58:30.509490+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time
calculated as - [Sat Oct 26 04:02:03 2019]
2019-10-26 01:58:30.514727+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason:
Host (0x01)
2019-10-26 01:58:36.919133+0200 localhost powerd[103]:
[powerd:sleepWake] Entering Sleep state due to 'Maintenance Sleep'
2019-10-26 01:58:36.919697+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State
changed: DarkWake -> Sleep, 0x20 < Sleep >
2019-10-26 01:58:36.919704+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: Sleep
async ack
2019-10-26 01:58:36.920408+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Network off
sleep date is not setup yet. Wake date cannot be calculated without
baseline.
2019-10-26 01:58:44.334617+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.RTC
(Alarm)
2019-10-26 01:58:44.334618+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.RTC
(Alarm)
2019-10-26 02:03:48.164599+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler -
Dark Wake IOPMSYSTEMPowerStateCapabilities - Sleep
2019-10-26 02:03:48.170101+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State
changed: Sleep -> DarkWake, 0x1 < DarkWake >
2019-10-26 02:03:48.171534+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CSHostDaemonMac
_isWakeReasonVoiceTrigger] Wake reason: <private>
2019-10-26 02:03:48.171544+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CSHostDaemonMac
_getPowerAssertionIfWokenByVoiceTriggerNotFromS3Sleep] Wake reason
is not VoiceTrigger or it woke from S3
2019-10-26 02:03:48.206270+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time
calculated as - [Sat Oct 26 04:02:03 2019]

2019-10-26 02:03:48.378133+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason:
Host (0x01)
2019-10-26 02:03:48.752100+0200 localhost kernel[0]:
(AppleIntelCFLGraphicsFramebuffer) [IGFB][INFO] FB0 power state
transition Sleep to Doze
2019-10-26 02:03:49.170155+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler -
Dark Wake IOPMSYSTEMPowerStateCapabilities - Sleep
2019-10-26 02:03:49.171707+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time
calculated as - [Sat Oct 26 04:02:03 2019]
2019-10-26 02:03:49.181719+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason:
Host (0x01)
2019-10-26 02:03:59.965467+0200 localhost powerd[103]:
[powerd:sleepWake] Entering Sleep state due to 'Maintenance Sleep'
2019-10-26 02:03:59.965992+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State
changed: DarkWake -> Sleep, 0x20 < Sleep >
2019-10-26 02:03:59.966013+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: Sleep
async ack
2019-10-26 02:03:59.966849+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Network off
sleep date is not setup yet. Wake date cannot be calculated without
baseline.
2019-10-26 02:04:08.795260+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT
(Maintenance)
2019-10-26 02:04:08.795261+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT
(Maintenance)
2019-10-26 02:04:36.472365+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CSHostDaemonMac
_isWakeReasonVoiceTrigger] Wake reason: <private>
2019-10-26 02:04:36.472372+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CSHostDaemonMac
_getPowerAssertionIfWakenByVoiceTriggerNotFromS3Sleep] Wake reason
is not VoiceTrigger or it woke from S3
2019-10-26 02:04:36.473199+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State
changed: Sleep -> DarkWake, 0x1 < DarkWake >
2019-10-26 02:04:36.492238+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler -
Dark Wake IOPMSYSTEMPowerStateCapabilities - Sleep
2019-10-26 02:04:36.533661+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time
calculated as - [Sat Oct 26 04:02:03 2019]
2019-10-26 02:04:36.699016+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason:

Host (0x01)
2019-10-26 02:04:37.084295+0200 localhost kernel[0]:
(AppleIntelCFLGraphicsFramebuffer) [IGFB][INFO] FB0 power state
transition Sleep to Doze
2019-10-26 02:04:37.513342+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler -
Dark Wake IOPMSystemPowerStateCapabilities - Sleep
2019-10-26 02:04:37.514594+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time
calculated as - [Sat Oct 26 04:02:03 2019]
2019-10-26 02:04:37.524999+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason:
Host (0x01)
2019-10-26 02:04:43.850728+0200 localhost powerd[103]:
[powerd:sleepWake] Entering Sleep state due to 'Maintenance Sleep'
2019-10-26 02:04:43.851256+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State
changed: DarkWake -> Sleep, 0x20 < Sleep >
2019-10-26 02:04:43.851269+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: Sleep
async ack
2019-10-26 02:04:43.851920+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Network off
sleep date is not setup yet. Wake date cannot be calculated without
baseline.
2019-10-26 02:04:51.331941+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT
(Maintenance)
2019-10-26 02:04:51.331942+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT
(Maintenance)
2019-10-26 02:05:19.016619+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler -
Dark Wake IOPMSystemPowerStateCapabilities - Sleep
2019-10-26 02:05:19.020482+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CSHostDaemonMac
_isWakeReasonVoiceTrigger] Wake reason: <private>
2019-10-26 02:05:19.020492+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CSHostDaemonMac
_getPowerAssertionIfWakenByVoiceTriggerNotFromS3Sleep] Wake reason
is not VoiceTrigger or it woke from S3
2019-10-26 02:05:19.034570+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State
changed: Sleep -> DarkWake, 0x1 < DarkWake >
2019-10-26 02:05:19.048938+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time
calculated as - [Sat Oct 26 04:02:03 2019]
2019-10-26 02:05:19.200889+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason:
Host (0x01)
2019-10-26 02:05:19.609562+0200 localhost kernel[0]:
(AppleIntelCFLGraphicsFramebuffer) [IGFB][INFO] FB0 power state

transition Sleep to Doze
2019-10-26 02:05:20.035364+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler -
Dark Wake IOPMSystemPowerStateCapabilities - Sleep
2019-10-26 02:05:20.037109+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time
calculated as - [Sat Oct 26 04:02:03 2019]
2019-10-26 02:05:20.043872+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason:
Host (0x01)
2019-10-26 02:05:26.340326+0200 localhost powerd[103]:
[powerd:sleepWake] Entering Sleep state due to 'Maintenance Sleep'
2019-10-26 02:05:26.340880+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State
changed: DarkWake -> Sleep, 0x20 < Sleep >
2019-10-26 02:05:26.340887+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: Sleep
async ack
2019-10-26 02:05:26.341910+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Network off
sleep date is not setup yet. Wake date cannot be calculated without
baseline.
2019-10-26 02:05:33.742675+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT
(Maintenance)
2019-10-26 02:05:33.742676+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT
(Maintenance)
2019-10-26 02:06:01.380158+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State
changed: Sleep -> DarkWake, 0x1 < DarkWake >
2019-10-26 02:06:01.383291+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CShostDaemonMac
_isWakeReasonVoiceTrigger] Wake reason: <private>
2019-10-26 02:06:01.383297+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CShostDaemonMac
_getPowerAssertionIfWakenByVoiceTriggerNotFromS3Sleep] Wake reason
is not VoiceTrigger or it woke from S3
2019-10-26 02:06:01.417831+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time
calculated as - [Sat Oct 26 04:02:03 2019]
2019-10-26 02:06:01.551173+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason:
Host (0x01)
2019-10-26 02:06:01.599766+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler -
Dark Wake IOPMSystemPowerStateCapabilities - Sleep
2019-10-26 02:06:01.985107+0200 localhost kernel[0]:
(AppleIntelCFLGraphicsFramebuffer) [IGFB][INFO] FB0 power state
transition Sleep to Doze
2019-10-26 02:06:02.407149+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler -

Dark Wake IOPMSYSTEMPowerStateCapabilities - Sleep
2019-10-26 02:06:02.408587+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time
calculated as - [Sat Oct 26 04:02:03 2019]
2019-10-26 02:06:02.417259+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason:
Host (0x01)
2019-10-26 02:06:08.770244+0200 localhost powerd[103]:
[powerd:sleepWake] Entering Sleep state due to 'Maintenance Sleep'
2019-10-26 02:06:08.770647+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State
changed: DarkWake -> Sleep, 0x20 < Sleep >
2019-10-26 02:06:08.770650+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: Sleep
async ack
2019-10-26 02:06:08.771379+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Network off
sleep date is not setup yet. Wake date cannot be calculated without
baseline.
2019-10-26 02:06:16.341394+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT
(Maintenance)
2019-10-26 02:06:16.341395+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT
(Maintenance)
2019-10-26 02:06:43.942912+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler -
Dark Wake IOPMSYSTEMPowerStateCapabilities - Sleep
2019-10-26 02:06:43.943739+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State
changed: Sleep -> DarkWake, 0x1 < DarkWake >
2019-10-26 02:06:43.945973+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CSHostDaemonMac
_isWakeReasonVoiceTrigger] Wake reason: <private>
2019-10-26 02:06:43.945979+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CSHostDaemonMac
_getPowerAssertionIfWakenByVoiceTriggerNotFromS3Sleep] Wake reason
is not VoiceTrigger or it woke from S3
2019-10-26 02:06:44.055583+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time
calculated as - [Sat Oct 26 04:02:03 2019]
2019-10-26 02:06:44.170100+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason:
Host (0x01)
2019-10-26 02:06:44.546577+0200 localhost kernel[0]:
(AppleIntelCFLGraphicsFramebuffer) [IGFB][INFO] FB0 power state
transition Sleep to Doze
2019-10-26 02:06:44.975591+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler -
Dark Wake IOPMSYSTEMPowerStateCapabilities - Sleep
2019-10-26 02:06:44.977042+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time

calculated as - [Sat Oct 26 04:02:03 2019]
2019-10-26 02:06:44.981992+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason:
Host (0x01)
2019-10-26 02:06:51.353626+0200 localhost powerd[103]:
[powerd:sleepWake] Entering Sleep state due to 'Maintenance Sleep'
2019-10-26 02:06:51.354188+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State
changed: DarkWake -> Sleep, 0x20 < Sleep >
2019-10-26 02:06:51.354194+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: Sleep
async ack
2019-10-26 02:06:51.355084+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Network off
sleep date is not setup yet. Wake date cannot be calculated without
baseline.
2019-10-26 02:06:58.779722+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT
(Maintenance)
2019-10-26 02:06:58.779723+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT
(Maintenance)
2019-10-26 02:07:26.368610+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State
changed: Sleep -> DarkWake, 0x1 < DarkWake >
2019-10-26 02:07:26.369835+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CSHostDaemonMac
_isWakeReasonVoiceTrigger] Wake reason: <private>
2019-10-26 02:07:26.369840+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CSHostDaemonMac
_getPowerAssertionIfWakenByVoiceTriggerNotFromS3Sleep] Wake reason
is not VoiceTrigger or it woke from S3
2019-10-26 02:07:26.389575+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler -
Dark Wake IOPMSYSTEMPowerStateCapabilities - Sleep
2019-10-26 02:07:26.395737+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time
calculated as - [Sat Oct 26 04:02:03 2019]
2019-10-26 02:07:26.574531+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason:
Host (0x01)
2019-10-26 02:07:27.024668+0200 localhost kernel[0]:
(AppleIntelCFLGraphicsFramebuffer) [IGFB][INFO] FB0 power state
transition Sleep to Doze
2019-10-26 02:07:27.450243+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler -
Dark Wake IOPMSYSTEMPowerStateCapabilities - Sleep
2019-10-26 02:07:27.451766+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time
calculated as - [Sat Oct 26 04:02:03 2019]
2019-10-26 02:07:27.456990+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]

AppleDeviceManagementHIDEventService::processWakeReason Wake reason:
Host (0x01)
2019-10-26 02:07:33.816575+0200 localhost powerd[103]:
[powerd:sleepWake] Entering Sleep state due to 'Maintenance Sleep'
2019-10-26 02:07:33.817135+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State
changed: DarkWake -> Sleep, 0x20 < Sleep >
2019-10-26 02:07:33.817140+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: Sleep
async ack
2019-10-26 02:07:33.817797+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Network off
sleep date is not setup yet. Wake date cannot be calculated without
baseline.
2019-10-26 02:07:41.157388+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT
(Maintenance)
2019-10-26 02:07:41.157388+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT
(Maintenance)
2019-10-26 02:08:08.829776+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler -
Dark Wake IOPMSYSTEMPowerStateCapabilities - Sleep
2019-10-26 02:08:08.833233+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CSHostDaemonMac
_isWakeReasonVoiceTrigger] Wake reason: <private>
2019-10-26 02:08:08.833238+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CSHostDaemonMac
_getPowerAssertionIfWakenByVoiceTriggerNotFromS3Sleep] Wake reason
is not VoiceTrigger or it woke from S3
2019-10-26 02:08:08.847024+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State
changed: Sleep -> DarkWake, 0x1 < DarkWake >
2019-10-26 02:08:08.881602+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time
calculated as - [Sat Oct 26 04:02:03 2019]
2019-10-26 02:08:08.989755+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason:
Host (0x01)
2019-10-26 02:08:09.406796+0200 localhost kernel[0]:
(AppleIntelCFLGraphicsFramebuffer) [IGFB][INFO] FB0 power state
transition Sleep to Doze
2019-10-26 02:08:09.839845+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler -
Dark Wake IOPMSYSTEMPowerStateCapabilities - Sleep
2019-10-26 02:08:09.841866+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time
calculated as - [Sat Oct 26 04:02:03 2019]
2019-10-26 02:08:09.846473+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason:
Host (0x01)
2019-10-26 02:08:16.322365+0200 localhost powerd[103]:

[powerd:sleepWake] Entering Sleep state due to 'Maintenance Sleep'
2019-10-26 02:08:16.322980+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State
changed: DarkWake -> Sleep, 0x20 < Sleep >
2019-10-26 02:08:16.322986+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: Sleep
async ack
2019-10-26 02:08:16.323484+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Network off
sleep date is not setup yet. Wake date cannot be calculated without
baseline.
2019-10-26 02:08:23.746301+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT
(Maintenance)
2019-10-26 02:08:23.746302+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT
(Maintenance)
2019-10-26 02:08:51.360717+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State
changed: Sleep -> DarkWake, 0x1 < DarkWake >
2019-10-26 02:08:51.363287+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CSHostDaemonMac
_isWakeReasonVoiceTrigger] Wake reason: <private>
2019-10-26 02:08:51.363295+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CSHostDaemonMac
_getPowerAssertionIfWakenByVoiceTriggerNotFromS3Sleep] Wake reason
is not VoiceTrigger or it woke from S3
2019-10-26 02:08:51.375398+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler -
Dark Wake IOPMSystemPowerStateCapabilities - Sleep
2019-10-26 02:08:51.414601+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time
calculated as - [Sat Oct 26 04:02:03 2019]
2019-10-26 02:08:51.633086+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason:
Host (0x01)
2019-10-26 02:08:51.974627+0200 localhost kernel[0]:
(AppleIntelCFLGraphicsFramebuffer) [IGFB][INFO] FB0 power state
transition Sleep to Doze
2019-10-26 02:08:52.393275+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler -
Dark Wake IOPMSystemPowerStateCapabilities - Sleep
2019-10-26 02:08:52.394692+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time
calculated as - [Sat Oct 26 04:02:03 2019]
2019-10-26 02:08:52.399743+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason:
Host (0x01)
2019-10-26 02:08:58.686557+0200 localhost powerd[103]:
[powerd:sleepWake] Entering Sleep state due to 'Maintenance Sleep'
2019-10-26 02:08:58.687186+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State

changed: DarkWake -> Sleep, 0x20 < Sleep >
2019-10-26 02:08:58.687192+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: Sleep
async ack
2019-10-26 02:08:58.687800+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Network off
sleep date is not setup yet. Wake date cannot be calculated without
baseline.
2019-10-26 02:09:06.147510+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT
(Maintenance)
2019-10-26 02:09:06.147510+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT
(Maintenance)
2019-10-26 02:09:33.740066+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CSHostDaemonMac
_isWakeReasonVoiceTrigger] Wake reason: <private>
2019-10-26 02:09:33.740073+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CSHostDaemonMac
_getPowerAssertionIfWakenByVoiceTriggerNotFromS3Sleep] Wake reason
is not VoiceTrigger or it woke from S3
2019-10-26 02:09:33.769308+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler -
Dark Wake IOPMSYSTEMPowerStateCapabilities - Sleep
2019-10-26 02:09:33.769350+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State
changed: Sleep -> DarkWake, 0x1 < DarkWake >
2019-10-26 02:09:33.821355+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time
calculated as - [Sat Oct 26 04:02:03 2019]
2019-10-26 02:09:33.953399+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason:
Host (0x01)
2019-10-26 02:09:34.382645+0200 localhost kernel[0]:
(AppleIntelCFLGraphicsFramebuffer) [IGFB][INFO] FB0 power state
transition Sleep to Doze
2019-10-26 02:09:34.807278+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler -
Dark Wake IOPMSYSTEMPowerStateCapabilities - Sleep
2019-10-26 02:09:34.808648+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time
calculated as - [Sat Oct 26 04:02:03 2019]
2019-10-26 02:09:34.813724+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason:
Host (0x01)
2019-10-26 02:09:41.094688+0200 localhost powerd[103]:
[powerd:sleepWake] Entering Sleep state due to 'Maintenance Sleep'
2019-10-26 02:09:41.095193+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State
changed: DarkWake -> Sleep, 0x20 < Sleep >
2019-10-26 02:09:41.095197+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: Sleep

async ack
2019-10-26 02:09:41.096416+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Network off
sleep date is not setup yet. Wake date cannot be calculated without
baseline.
2019-10-26 02:09:48.473857+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.RTC
(Alarm)
2019-10-26 02:09:48.473858+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.RTC
(Alarm)
2019-10-26 02:18:03.105744+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler -
Dark Wake IOPMSystemPowerStateCapabilities - Sleep
2019-10-26 02:18:03.107320+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State
changed: Sleep -> DarkWake, 0x1 < DarkWake >
2019-10-26 02:18:03.111603+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CSHostDaemonMac
_isWakeReasonVoiceTrigger] Wake reason: <private>
2019-10-26 02:18:03.111611+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CSHostDaemonMac
_getPowerAssertionIfWakenByVoiceTriggerNotFromS3Sleep] Wake reason
is not VoiceTrigger or it woke from S3
2019-10-26 02:18:03.128291+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time
calculated as - [Sat Oct 26 04:02:03 2019]
2019-10-26 02:18:03.308930+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason:
Host (0x01)
2019-10-26 02:18:03.731992+0200 localhost kernel[0]:
(AppleIntelCFLGraphicsFramebuffer) [IGFB][INFO] FB0 power state
transition Sleep to Doze
2019-10-26 02:18:04.155927+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler -
Dark Wake IOPMSystemPowerStateCapabilities - Sleep
2019-10-26 02:18:04.157495+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time
calculated as - [Sat Oct 26 04:02:03 2019]
2019-10-26 02:18:04.163481+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason:
Host (0x01)
2019-10-26 02:18:10.359545+0200 localhost powerd[103]:
[powerd:sleepWake] Entering Sleep state due to 'Maintenance Sleep'
2019-10-26 02:18:10.360163+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State
changed: DarkWake -> Sleep, 0x20 < Sleep >
2019-10-26 02:18:10.360168+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: Sleep
async ack
2019-10-26 02:18:10.361145+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Network off

sleep date is not setup yet. Wake date cannot be calculated without baseline.

2019-10-26 02:18:17.826386+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT (Maintenance)

2019-10-26 02:18:17.826386+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT (Maintenance)

2019-10-26 02:18:45.435184+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CSHostDaemonMac _isWakeReasonVoiceTrigger] Wake reason: <private>

2019-10-26 02:18:45.435193+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CSHostDaemonMac _getPowerAssertionIfWakenByVoiceTriggerNotFromS3Sleep] Wake reason is not VoiceTrigger or it woke from S3

2019-10-26 02:18:45.436595+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler - Dark Wake IOPMSYSTEMPowerStateCapabilities - Sleep

2019-10-26 02:18:45.438568+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State changed: Sleep -> DarkWake, 0x1 < DarkWake >

2019-10-26 02:18:45.483260+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time calculated as - [Sat Oct 26 04:02:03 2019]

2019-10-26 02:18:45.619665+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason: Host (0x01)

2019-10-26 02:18:46.073880+0200 localhost kernel[0]:
(AppleIntelCFLGraphicsFramebuffer) [IGFB] [INFO] FB0 power state transition Sleep to Doze

2019-10-26 02:18:46.496709+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler - Dark Wake IOPMSYSTEMPowerStateCapabilities - Sleep

2019-10-26 02:18:46.498305+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time calculated as - [Sat Oct 26 04:02:03 2019]

2019-10-26 02:18:46.503532+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason: Host (0x01)

2019-10-26 02:18:56.043567+0200 localhost powerd[103]:
[powerd:sleepWake] Entering Sleep state due to 'Maintenance Sleep'

2019-10-26 02:18:56.044067+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State changed: DarkWake -> Sleep, 0x20 < Sleep >

2019-10-26 02:18:56.044096+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: Sleep async ack

2019-10-26 02:18:56.044704+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Network off

sleep date is not setup yet. Wake date cannot be calculated without baseline.

2019-10-26 02:19:04.213667+0200 localhost kernel[0]:

(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT (Maintenance)
2019-10-26 02:19:04.213668+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT (Maintenance)
2019-10-26 02:19:31.826765+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler - Dark Wake IOPMSYSTEMPowerStateCapabilities - Sleep
2019-10-26 02:19:31.829929+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CSHostDaemonMac _isWakeReasonVoiceTrigger] Wake reason: <private>
2019-10-26 02:19:31.829943+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CSHostDaemonMac _getPowerAssertionIfWakenByVoiceTriggerNotFromS3Sleep] Wake reason is not VoiceTrigger or it woke from S3
2019-10-26 02:19:31.844593+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State changed: Sleep -> DarkWake, 0x1 < DarkWake >
2019-10-26 02:19:31.913996+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time calculated as - [Sat Oct 26 04:02:03 2019]
2019-10-26 02:19:32.039921+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason: Host (0x01)
2019-10-26 02:19:32.466838+0200 localhost kernel[0]:
(AppleIntelCFLGraphicsFramebuffer) [IGFB][INFO] FB0 power state transition Sleep to Doze
2019-10-26 02:19:32.888138+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler - Dark Wake IOPMSYSTEMPowerStateCapabilities - Sleep
2019-10-26 02:19:32.889362+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time calculated as - [Sat Oct 26 04:02:03 2019]
2019-10-26 02:19:32.899083+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason: Host (0x01)
2019-10-26 02:19:39.203263+0200 localhost powerd[103]:
[powerd:sleepWake] Entering Sleep state due to 'Maintenance Sleep'
2019-10-26 02:19:39.203826+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State changed: DarkWake -> Sleep, 0x20 < Sleep >
2019-10-26 02:19:39.203833+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: Sleep async ack
2019-10-26 02:19:39.205295+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Network off sleep date is not setup yet. Wake date cannot be calculated without baseline.
2019-10-26 02:19:46.694937+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT (Maintenance)
2019-10-26 02:19:46.694938+0200 localhost kernel[0]:

(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT (Maintenance)
2019-10-26 02:20:14.388199+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler - Dark Wake IOPMSystemPowerStateCapabilities - Sleep
2019-10-26 02:20:14.391412+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CShostDaemonMac _isWakeReasonVoiceTrigger] Wake reason: <private>
2019-10-26 02:20:14.391418+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CShostDaemonMac _getPowerAssertionIfWakenByVoiceTriggerNotFromS3Sleep] Wake reason is not VoiceTrigger or it woke from S3
2019-10-26 02:20:14.395953+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State changed: Sleep -> DarkWake, 0x1 < DarkWake >
2019-10-26 02:20:14.408026+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time calculated as - [Sat Oct 26 04:02:03 2019]
2019-10-26 02:20:14.570973+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason: Host (0x01)
2019-10-26 02:20:14.968526+0200 localhost kernel[0]:
(AppleIntelCFLGraphicsFramebuffer) [IGFB][INFO] FB0 power state transition Sleep to Doze
2019-10-26 02:20:15.391483+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler - Dark Wake IOPMSystemPowerStateCapabilities - Sleep
2019-10-26 02:20:15.392891+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time calculated as - [Sat Oct 26 04:02:03 2019]
2019-10-26 02:20:15.399301+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason: Host (0x01)
2019-10-26 02:20:26.043712+0200 localhost powerd[103]:
[powerd:sleepWake] Entering Sleep state due to 'Maintenance Sleep'
2019-10-26 02:20:26.044276+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State changed: DarkWake -> Sleep, 0x20 < Sleep >
2019-10-26 02:20:26.044282+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: Sleep async ack
2019-10-26 02:20:26.044906+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Network off sleep date is not setup yet. Wake date cannot be calculated without baseline.
2019-10-26 02:20:34.857274+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT (Maintenance)
2019-10-26 02:20:34.857275+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT (Maintenance)
2019-10-26 02:21:02.500094+0200 localhost bluetoothd[145]:

(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler - Dark Wake IOPMSYSTEMPowerStateCapabilities - Sleep
2019-10-26 02:21:02.513889+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State changed: Sleep -> DarkWake, 0x1 < DarkWake >
2019-10-26 02:21:02.525003+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CSHostDaemonMac _isWakeReasonVoiceTrigger] Wake reason: <private>
2019-10-26 02:21:02.525013+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CSHostDaemonMac _getPowerAssertionIfWakenByVoiceTriggerNotFromS3Sleep] Wake reason is not VoiceTrigger or it woke from S3
2019-10-26 02:21:02.572797+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time calculated as - [Sat Oct 26 04:02:03 2019]
2019-10-26 02:21:02.827085+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason: Host (0x01)
2019-10-26 02:21:03.129824+0200 localhost kernel[0]:
(AppleIntelCFLGraphicsFramebuffer) [IGFB][INFO] FB0 power state transition Sleep to Doze
2019-10-26 02:21:03.550414+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler - Dark Wake IOPMSYSTEMPowerStateCapabilities - Sleep
2019-10-26 02:21:03.551910+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time calculated as - [Sat Oct 26 04:02:03 2019]
2019-10-26 02:21:03.563239+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason: Host (0x01)
2019-10-26 02:21:09.985700+0200 localhost powerd[103]:
[powerd:sleepWake] Entering Sleep state due to 'Maintenance Sleep'
2019-10-26 02:21:09.986235+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State changed: DarkWake -> Sleep, 0x20 < Sleep >
2019-10-26 02:21:09.986272+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: Sleep async ack
2019-10-26 02:21:09.986789+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Network off sleep date is not setup yet. Wake date cannot be calculated without baseline.
2019-10-26 02:21:17.465645+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT (Maintenance)
2019-10-26 02:21:17.465645+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT (Maintenance)
2019-10-26 02:21:45.120864+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State changed: Sleep -> DarkWake, 0x1 < DarkWake >
2019-10-26 02:21:45.120908+0200 localhost bluetoothd[145]:

(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler -
Dark Wake IOPMSystemPowerStateCapabilities - Sleep
2019-10-26 02:21:45.123976+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CSHostDaemonMac
_isWakeReasonVoiceTrigger] Wake reason: <private>
2019-10-26 02:21:45.123983+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CSHostDaemonMac
_getPowerAssertionIfWakenByVoiceTriggerNotFromS3Sleep] Wake reason
is not VoiceTrigger or it woke from S3
2019-10-26 02:21:45.145915+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time
calculated as - [Sat Oct 26 04:02:03 2019]
2019-10-26 02:21:45.274622+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason:
Host (0x01)
2019-10-26 02:21:45.741248+0200 localhost kernel[0]:
(AppleIntelCFLGraphicsFramebuffer) [IGFB][INFO] FB0 power state
transition Sleep to Doze
2019-10-26 02:21:46.163278+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler -
Dark Wake IOPMSystemPowerStateCapabilities - Sleep
2019-10-26 02:21:46.164975+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time
calculated as - [Sat Oct 26 04:02:03 2019]
2019-10-26 02:21:46.169238+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason:
Host (0x01)
2019-10-26 02:21:56.044423+0200 localhost powerd[103]:
[powerd:sleepWake] Entering Sleep state due to 'Maintenance Sleep'
2019-10-26 02:21:56.044980+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State
changed: DarkWake -> Sleep, 0x20 < Sleep >
2019-10-26 02:21:56.044986+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: Sleep
async ack
2019-10-26 02:21:56.046368+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Network off
sleep date is not setup yet. Wake date cannot be calculated without
baseline.
2019-10-26 02:22:04.021215+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT
(Maintenance)
2019-10-26 02:22:04.021216+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT
(Maintenance)
2019-10-26 02:22:31.622074+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler -
Dark Wake IOPMSystemPowerStateCapabilities - Sleep
2019-10-26 02:22:31.624698+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State
changed: Sleep -> DarkWake, 0x1 < DarkWake >
2019-10-26 02:22:31.627628+0200 localhost corespeechd[443]:

[com.apple.corespeech:Framework] -[CShostDaemonMac
_isWakeReasonVoiceTrigger] Wake reason: <private>
2019-10-26 02:22:31.627636+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CShostDaemonMac
_getPowerAssertionIfWakenByVoiceTriggerNotFromS3Sleep] Wake reason
is not VoiceTrigger or it woke from S3
2019-10-26 02:22:31.673387+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time
calculated as - [Sat Oct 26 04:02:03 2019]
2019-10-26 02:22:31.941854+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason:
Host (0x01)
2019-10-26 02:22:32.254372+0200 localhost kernel[0]:
(AppleIntelCFLGraphicsFramebuffer) [IGFB][INFO] FB0 power state
transition Sleep to Doze
2019-10-26 02:22:32.677821+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler -
Dark Wake IOPMSYSTEMPowerStateCapabilities - Sleep
2019-10-26 02:22:32.679298+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time
calculated as - [Sat Oct 26 04:02:03 2019]
2019-10-26 02:22:32.685687+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason:
Host (0x01)
2019-10-26 02:22:39.066712+0200 localhost powerd[103]:
[powerd:sleepWake] Entering Sleep state due to 'Maintenance Sleep'
2019-10-26 02:22:39.067260+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State
changed: DarkWake -> Sleep, 0x20 < Sleep >
2019-10-26 02:22:39.067267+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: Sleep
async ack
2019-10-26 02:22:39.068162+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Network off
sleep date is not setup yet. Wake date cannot be calculated without
baseline.
2019-10-26 02:22:46.476863+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.RTC
(Alarm)
2019-10-26 02:22:46.476863+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.RTC
(Alarm)
2019-10-26 02:27:37.148792+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler -
Dark Wake IOPMSYSTEMPowerStateCapabilities - Sleep
2019-10-26 02:27:37.148934+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State
changed: Sleep -> DarkWake, 0x1 < DarkWake >
2019-10-26 02:27:37.150739+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CShostDaemonMac
_isWakeReasonVoiceTrigger] Wake reason: <private>
2019-10-26 02:27:37.150747+0200 localhost corespeechd[443]:

[com.apple.corespeech:Framework] -[CShostDaemonMac
_getPowerAssertionIfWakenByVoiceTriggerNotFromS3Sleep] Wake reason
is not VoiceTrigger or it woke from S3
2019-10-26 02:27:37.180282+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time
calculated as - [Sat Oct 26 04:02:03 2019]
2019-10-26 02:27:37.353776+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason:
Host (0x01)
2019-10-26 02:27:37.798454+0200 localhost kernel[0]:
(AppleIntelCFLGraphicsFramebuffer) [IGFB][INFO] FB0 power state
transition Sleep to Doze
2019-10-26 02:27:38.207249+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler -
Dark Wake IOPMSYSTEMPowerStateCapabilities - Sleep
2019-10-26 02:27:38.208723+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time
calculated as - [Sat Oct 26 04:02:03 2019]
2019-10-26 02:27:38.217623+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason:
Host (0x01)
2019-10-26 02:27:44.400485+0200 localhost powerd[103]:
[powerd:sleepWake] Entering Sleep state due to 'Maintenance Sleep'
2019-10-26 02:27:44.401062+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State
changed: DarkWake -> Sleep, 0x20 < Sleep >
2019-10-26 02:27:44.401068+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: Sleep
async ack
2019-10-26 02:27:44.401643+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Network off
sleep date is not setup yet. Wake date cannot be calculated without
baseline.
2019-10-26 02:27:51.870582+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT
(Maintenance)
2019-10-26 02:27:51.870583+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT
(Maintenance)
2019-10-26 02:28:19.506606+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler -
Dark Wake IOPMSYSTEMPowerStateCapabilities - Sleep
2019-10-26 02:28:19.508717+0200 localhost corespaced[443]:
[com.apple.corespeech:Framework] -[CShostDaemonMac
_isWakeReasonVoiceTrigger] Wake reason: <private>
2019-10-26 02:28:19.508724+0200 localhost corespaced[443]:
[com.apple.corespeech:Framework] -[CShostDaemonMac
_getPowerAssertionIfWakenByVoiceTriggerNotFromS3Sleep] Wake reason
is not VoiceTrigger or it woke from S3
2019-10-26 02:28:19.535624+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State
changed: Sleep -> DarkWake, 0x1 < DarkWake >

2019-10-26 02:28:19.679973+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason:
Host (0x01)
2019-10-26 02:28:19.712926+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time
calculated as - [Sat Oct 26 04:02:03 2019]
2019-10-26 02:28:20.128344+0200 localhost kernel[0]:
(AppleIntelCFLGraphicsFramebuffer) [IGFB][INFO] FB0 power state
transition Sleep to Doze
2019-10-26 02:28:20.550879+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler -
Dark Wake IOPMSYSTEMPowerStateCapabilities - Sleep
2019-10-26 02:28:20.552314+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time
calculated as - [Sat Oct 26 04:02:03 2019]
2019-10-26 02:28:20.558444+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason:
Host (0x01)
2019-10-26 02:28:26.894379+0200 localhost powerd[103]:
[powerd:sleepWake] Entering Sleep state due to 'Maintenance Sleep'
2019-10-26 02:28:26.895112+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State
changed: DarkWake -> Sleep, 0x20 < Sleep >
2019-10-26 02:28:26.895124+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: Sleep
async ack
2019-10-26 02:28:26.895806+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Network off
sleep date is not setup yet. Wake date cannot be calculated without
baseline.
2019-10-26 02:28:34.327603+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT
(Maintenance)
2019-10-26 02:28:34.327604+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT
(Maintenance)
2019-10-26 02:29:02.022228+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler -
Dark Wake IOPMSYSTEMPowerStateCapabilities - Sleep
2019-10-26 02:29:02.026494+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State
changed: Sleep -> DarkWake, 0x1 < DarkWake >
2019-10-26 02:29:02.028133+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CSHostDaemonMac
_isWakeReasonVoiceTrigger] Wake reason: <private>
2019-10-26 02:29:02.028138+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CSHostDaemonMac
_getPowerAssertionIfWokenByVoiceTriggerNotFromS3Sleep] Wake reason
is not VoiceTrigger or it woke from S3
2019-10-26 02:29:02.060887+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time
calculated as - [Sat Oct 26 04:02:03 2019]

2019-10-26 02:29:02.197755+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason:
Host (0x01)
2019-10-26 02:29:02.596864+0200 localhost kernel[0]:
(AppleIntelCFLGraphicsFramebuffer) [IGFB][INFO] FB0 power state
transition Sleep to Doze
2019-10-26 02:29:03.028688+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler -
Dark Wake IOPMSystemPowerStateCapabilities - Sleep
2019-10-26 02:29:03.030080+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time
calculated as - [Sat Oct 26 04:02:03 2019]
2019-10-26 02:29:03.039912+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason:
Host (0x01)
2019-10-26 02:29:09.392684+0200 localhost powerd[103]:
[powerd:sleepWake] Entering Sleep state due to 'Maintenance Sleep'
2019-10-26 02:29:09.393446+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State
changed: DarkWake -> Sleep, 0x20 < Sleep >
2019-10-26 02:29:09.393482+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: Sleep
async ack
2019-10-26 02:29:09.394332+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Network off
sleep date is not setup yet. Wake date cannot be calculated without
baseline.
2019-10-26 02:29:16.806000+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT
(Maintenance)
2019-10-26 02:29:16.806001+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT
(Maintenance)
2019-10-26 02:29:44.654466+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason:
Host (0x01)
2019-10-26 02:29:44.689158+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler -
Dark Wake IOPMSystemPowerStateCapabilities - Sleep
2019-10-26 02:29:44.689291+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State
changed: Sleep -> DarkWake, 0x1 < DarkWake >
2019-10-26 02:29:44.690905+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CSHostDaemonMac
_isWakeReasonVoiceTrigger] Wake reason: <private>
2019-10-26 02:29:44.690911+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CSHostDaemonMac
_getPowerAssertionIfWakenByVoiceTriggerNotFromS3Sleep] Wake reason
is not VoiceTrigger or it woke from S3
2019-10-26 02:29:44.710500+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time

calculated as - [Sat Oct 26 04:02:03 2019]
2019-10-26 02:29:45.083524+0200 localhost kernel[0]:
(AppleIntelCFLGraphicsFramebuffer) [IGFB][INFO] FB0 power state
transition Sleep to Doze
2019-10-26 02:29:45.506953+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler -
Dark Wake IOPMSystemPowerStateCapabilities - Sleep
2019-10-26 02:29:45.508500+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time
calculated as - [Sat Oct 26 04:02:03 2019]
2019-10-26 02:29:45.513213+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason:
Host (0x01)
2019-10-26 02:29:56.035203+0200 localhost powerd[103]:
[powerd:sleepWake] Entering Sleep state due to 'Maintenance Sleep'
2019-10-26 02:29:56.035848+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State
changed: DarkWake -> Sleep, 0x20 < Sleep >
2019-10-26 02:29:56.035880+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: Sleep
async ack
2019-10-26 02:29:56.037137+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Network off
sleep date is not setup yet. Wake date cannot be calculated without
baseline.
2019-10-26 02:30:04.955112+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT
(Maintenance)
2019-10-26 02:30:04.955113+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT
(Maintenance)
2019-10-26 02:30:32.595705+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler -
Dark Wake IOPMSystemPowerStateCapabilities - Sleep
2019-10-26 02:30:32.597890+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CSHostDaemonMac
_isWakeReasonVoiceTrigger] Wake reason: <private>
2019-10-26 02:30:32.597899+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CSHostDaemonMac
_getPowerAssertionIfWakenByVoiceTriggerNotFromS3Sleep] Wake reason
is not VoiceTrigger or it woke from S3
2019-10-26 02:30:32.598106+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State
changed: Sleep -> DarkWake, 0x1 < DarkWake >
2019-10-26 02:30:32.661325+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time
calculated as - [Sat Oct 26 04:02:03 2019]
2019-10-26 02:30:32.939541+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason:
Host (0x01)
2019-10-26 02:30:33.219591+0200 localhost kernel[0]:
(AppleIntelCFLGraphicsFramebuffer) [IGFB][INFO] FB0 power state

transition Sleep to Doze
2019-10-26 02:30:33.641814+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler -
Dark Wake IOPMSystemPowerStateCapabilities - Sleep
2019-10-26 02:30:33.643712+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time
calculated as - [Sat Oct 26 04:02:03 2019]
2019-10-26 02:30:33.648837+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason:
Host (0x01)
2019-10-26 02:30:40.129727+0200 localhost powerd[103]:
[powerd:sleepWake] Entering Sleep state due to 'Maintenance Sleep'
2019-10-26 02:30:40.130297+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State
changed: DarkWake -> Sleep, 0x20 < Sleep >
2019-10-26 02:30:40.130302+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: Sleep
async ack
2019-10-26 02:30:40.131645+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Network off
sleep date is not setup yet. Wake date cannot be calculated without
baseline.
2019-10-26 02:30:47.533077+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT
(Maintenance)
2019-10-26 02:30:47.533078+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT
(Maintenance)
2019-10-26 02:31:15.161877+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler -
Dark Wake IOPMSystemPowerStateCapabilities - Sleep
2019-10-26 02:31:15.163705+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CSHostDaemonMac
_isWakeReasonVoiceTrigger] Wake reason: <private>
2019-10-26 02:31:15.163709+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CSHostDaemonMac
_getPowerAssertionIfWakenByVoiceTriggerNotFromS3Sleep] Wake reason
is not VoiceTrigger or it woke from S3
2019-10-26 02:31:15.187110+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State
changed: Sleep -> DarkWake, 0x1 < DarkWake >
2019-10-26 02:31:15.214227+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time
calculated as - [Sat Oct 26 04:02:03 2019]
2019-10-26 02:31:15.469084+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason:
Host (0x01)
2019-10-26 02:31:15.781760+0200 localhost kernel[0]:
(AppleIntelCFLGraphicsFramebuffer) [IGFB][INFO] FB0 power state
transition Sleep to Doze
2019-10-26 02:31:16.201244+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler -

Dark Wake IOPMSYSTEMPowerStateCapabilities - Sleep
2019-10-26 02:31:16.202735+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time
calculated as - [Sat Oct 26 04:02:03 2019]
2019-10-26 02:31:16.207779+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason:
Host (0x01)
2019-10-26 02:31:26.036842+0200 localhost powerd[103]:
[powerd:sleepWake] Entering Sleep state due to 'Maintenance Sleep'
2019-10-26 02:31:26.037376+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State
changed: DarkWake -> Sleep, 0x20 < Sleep >
2019-10-26 02:31:26.037381+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: Sleep
async ack
2019-10-26 02:31:26.038004+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Network off
sleep date is not setup yet. Wake date cannot be calculated without
baseline.
2019-10-26 02:31:33.919361+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT
(Maintenance)
2019-10-26 02:31:33.919362+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT
(Maintenance)
2019-10-26 02:32:01.545217+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler -
Dark Wake IOPMSYSTEMPowerStateCapabilities - Sleep
2019-10-26 02:32:01.546328+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State
changed: Sleep -> DarkWake, 0x1 < DarkWake >
2019-10-26 02:32:01.549472+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CSHostDaemonMac
_isWakeReasonVoiceTrigger] Wake reason: <private>
2019-10-26 02:32:01.549479+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CSHostDaemonMac
_getPowerAssertionIfWakenByVoiceTriggerNotFromS3Sleep] Wake reason
is not VoiceTrigger or it woke from S3
2019-10-26 02:32:01.577157+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time
calculated as - [Sat Oct 26 04:02:03 2019]
2019-10-26 02:32:01.836117+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason:
Host (0x01)
2019-10-26 02:32:02.171895+0200 localhost kernel[0]:
(AppleIntelCFLGraphicsFramebuffer) [IGFB][INFO] FB0 power state
transition Sleep to Doze
2019-10-26 02:32:02.592260+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler -
Dark Wake IOPMSYSTEMPowerStateCapabilities - Sleep
2019-10-26 02:32:02.593551+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time

calculated as - [Sat Oct 26 04:02:03 2019]
2019-10-26 02:32:02.598980+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason:
Host (0x01)
2019-10-26 02:32:08.991278+0200 localhost powerd[103]:
[powerd:sleepWake] Entering Sleep state due to 'Maintenance Sleep'
2019-10-26 02:32:08.991779+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State
changed: DarkWake -> Sleep, 0x20 < Sleep >
2019-10-26 02:32:08.991785+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: Sleep
async ack
2019-10-26 02:32:08.992450+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Network off
sleep date is not setup yet. Wake date cannot be calculated without
baseline.
2019-10-26 02:32:16.475283+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT
(Maintenance)
2019-10-26 02:32:16.475284+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT
(Maintenance)
2019-10-26 02:32:44.142911+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler -
Dark Wake IOPMSYSTEMPowerStateCapabilities - Sleep
2019-10-26 02:32:44.143210+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CSHostDaemonMac
_isWakeReasonVoiceTrigger] Wake reason: <private>
2019-10-26 02:32:44.143215+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CSHostDaemonMac
_getPowerAssertionIfWakenByVoiceTriggerNotFromS3Sleep] Wake reason
is not VoiceTrigger or it woke from S3
2019-10-26 02:32:44.143860+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State
changed: Sleep -> DarkWake, 0x1 < DarkWake >
2019-10-26 02:32:44.307549+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time
calculated as - [Sat Oct 26 04:02:03 2019]
2019-10-26 02:32:44.456981+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason:
Host (0x01)
2019-10-26 02:32:44.767651+0200 localhost kernel[0]:
(AppleIntelCFLGraphicsFramebuffer) [IGFB][INFO] FB0 power state
transition Sleep to Doze
2019-10-26 02:32:45.182754+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler -
Dark Wake IOPMSYSTEMPowerStateCapabilities - Sleep
2019-10-26 02:32:45.184228+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time
calculated as - [Sat Oct 26 04:02:03 2019]
2019-10-26 02:32:45.188894+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]

AppleDeviceManagementHIDEventService::processWakeReason Wake reason:
Host (0x01)
2019-10-26 02:32:56.038429+0200 localhost powerd[103]:
[powerd:sleepWake] Entering Sleep state due to 'Maintenance Sleep'
2019-10-26 02:32:56.038885+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State
changed: DarkWake -> Sleep, 0x20 < Sleep >
2019-10-26 02:32:56.038896+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: Sleep
async ack
2019-10-26 02:32:56.039838+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Network off
sleep date is not setup yet. Wake date cannot be calculated without
baseline.
2019-10-26 02:33:04.668944+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT
(Maintenance)
2019-10-26 02:33:04.668944+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT
(Maintenance)
2019-10-26 02:33:32.293682+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State
changed: Sleep -> DarkWake, 0x1 < DarkWake >
2019-10-26 02:33:32.295640+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CSHostDaemonMac
_isWakeReasonVoiceTrigger] Wake reason: <private>
2019-10-26 02:33:32.295666+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CSHostDaemonMac
_getPowerAssertionIfWakenByVoiceTriggerNotFromS3Sleep] Wake reason
is not VoiceTrigger or it woke from S3
2019-10-26 02:33:32.302173+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler -
Dark Wake IOPMSYSTEMPowerStateCapabilities - Sleep
2019-10-26 02:33:32.327921+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time
calculated as - [Sat Oct 26 04:02:03 2019]
2019-10-26 02:33:32.476448+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason:
Host (0x01)
2019-10-26 02:33:32.911392+0200 localhost kernel[0]:
(AppleIntelCFLGraphicsFramebuffer) [IGFB][INFO] FB0 power state
transition Sleep to Doze
2019-10-26 02:33:33.333028+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler -
Dark Wake IOPMSYSTEMPowerStateCapabilities - Sleep
2019-10-26 02:33:33.334443+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time
calculated as - [Sat Oct 26 04:02:03 2019]
2019-10-26 02:33:33.346775+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason:
Host (0x01)
2019-10-26 02:33:39.676307+0200 localhost powerd[103]:

[powerd:sleepWake] Entering Sleep state due to 'Maintenance Sleep'
2019-10-26 02:33:39.676985+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State
changed: DarkWake -> Sleep, 0x20 < Sleep >
2019-10-26 02:33:39.676991+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: Sleep
async ack
2019-10-26 02:33:39.678403+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Network off
sleep date is not setup yet. Wake date cannot be calculated without
baseline.
2019-10-26 02:33:47.075857+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.RTC
(Alarm)
2019-10-26 02:33:47.075858+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.RTC
(Alarm)
2019-10-26 02:41:56.090142+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler -
Dark Wake IOPMSYSTEMPowerStateCapabilities - Sleep
2019-10-26 02:41:56.090930+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State
changed: Sleep -> DarkWake, 0x1 < DarkWake >
2019-10-26 02:41:56.092873+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CSHostDaemonMac
_isWakeReasonVoiceTrigger] Wake reason: <private>
2019-10-26 02:41:56.092904+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CSHostDaemonMac
_getPowerAssertionIfWakenByVoiceTriggerNotFromS3Sleep] Wake reason
is not VoiceTrigger or it woke from S3
2019-10-26 02:41:56.125165+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time
calculated as - [Sat Oct 26 04:02:03 2019]
2019-10-26 02:41:56.276051+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason:
Host (0x01)
2019-10-26 02:41:56.708676+0200 localhost kernel[0]:
(AppleIntelCFLGraphicsFramebuffer) [IGFB][INFO] FB0 power state
transition Sleep to Doze
2019-10-26 02:41:57.126256+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler -
Dark Wake IOPMSYSTEMPowerStateCapabilities - Sleep
2019-10-26 02:41:57.127989+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time
calculated as - [Sat Oct 26 04:02:03 2019]
2019-10-26 02:41:57.137019+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason:
Host (0x01)
2019-10-26 02:42:03.400127+0200 localhost powerd[103]:
[powerd:sleepWake] Entering Sleep state due to 'Maintenance Sleep'
2019-10-26 02:42:03.400660+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State

changed: DarkWake -> Sleep, 0x20 < Sleep >
2019-10-26 02:42:03.400667+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: Sleep
async ack
2019-10-26 02:42:03.401451+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Network off
sleep date is not setup yet. Wake date cannot be calculated without
baseline.
2019-10-26 02:42:10.849449+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT
(Maintenance)
2019-10-26 02:42:10.849450+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT
(Maintenance)
2019-10-26 02:42:38.485548+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CShostDaemonMac
_isWakeReasonVoiceTrigger] Wake reason: <private>
2019-10-26 02:42:38.485624+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CShostDaemonMac
_getPowerAssertionIfWakenByVoiceTriggerNotFromS3Sleep] Wake reason
is not VoiceTrigger or it woke from S3
2019-10-26 02:42:38.486237+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler -
Dark Wake IOPMSYSTEMPowerStateCapabilities - Sleep
2019-10-26 02:42:38.487018+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State
changed: Sleep -> DarkWake, 0x1 < DarkWake >
2019-10-26 02:42:38.524007+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time
calculated as - [Sat Oct 26 04:02:03 2019]
2019-10-26 02:42:38.706110+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason:
Host (0x01)
2019-10-26 02:42:39.114803+0200 localhost kernel[0]:
(AppleIntelCFLGraphicsFramebuffer) [IGFB][INFO] FB0 power state
transition Sleep to Doze
2019-10-26 02:42:39.536619+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler -
Dark Wake IOPMSYSTEMPowerStateCapabilities - Sleep
2019-10-26 02:42:39.538040+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time
calculated as - [Sat Oct 26 04:02:03 2019]
2019-10-26 02:42:39.542584+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason:
Host (0x01)
2019-10-26 02:42:45.859555+0200 localhost powerd[103]:
[powerd:sleepWake] Entering Sleep state due to 'Maintenance Sleep'
2019-10-26 02:42:45.860207+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State
changed: DarkWake -> Sleep, 0x20 < Sleep >
2019-10-26 02:42:45.860217+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: Sleep

async ack
2019-10-26 02:42:45.860764+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Network off
sleep date is not setup yet. Wake date cannot be calculated without
baseline.
2019-10-26 02:42:53.292715+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT
(Maintenance)
2019-10-26 02:42:53.292716+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT
(Maintenance)
2019-10-26 02:43:20.918954+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler -
Dark Wake IOPMSYSTEMPowerStateCapabilities - Sleep
2019-10-26 02:43:20.920501+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State
changed: Sleep -> DarkWake, 0x1 < DarkWake >
2019-10-26 02:43:20.921617+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CSHostDaemonMac
_isWakeReasonVoiceTrigger] Wake reason: <private>
2019-10-26 02:43:20.921632+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CSHostDaemonMac
_getPowerAssertionIfWakenByVoiceTriggerNotFromS3Sleep] Wake reason
is not VoiceTrigger or it woke from S3
2019-10-26 02:43:20.984283+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time
calculated as - [Sat Oct 26 04:02:03 2019]
2019-10-26 02:43:21.229415+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason:
Host (0x01)
2019-10-26 02:43:21.539745+0200 localhost kernel[0]:
(AppleIntelCFLGraphicsFramebuffer) [IGFB][INFO] FB0 power state
transition Sleep to Doze
2019-10-26 02:43:21.972644+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler -
Dark Wake IOPMSYSTEMPowerStateCapabilities - Sleep
2019-10-26 02:43:21.974070+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time
calculated as - [Sat Oct 26 04:02:03 2019]
2019-10-26 02:43:21.979797+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason:
Host (0x01)
2019-10-26 02:43:28.413452+0200 localhost powerd[103]:
[powerd:sleepWake] Entering Sleep state due to 'Maintenance Sleep'
2019-10-26 02:43:28.414016+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State
changed: DarkWake -> Sleep, 0x20 < Sleep >
2019-10-26 02:43:28.414022+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: Sleep
async ack
2019-10-26 02:43:28.414622+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Network off

sleep date is not setup yet. Wake date cannot be calculated without baseline.

2019-10-26 02:43:35.840272+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT (Maintenance)

2019-10-26 02:43:35.840273+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT (Maintenance)

2019-10-26 02:44:03.497686+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CSHostDaemonMac _isWakeReasonVoiceTrigger] Wake reason: <private>

2019-10-26 02:44:03.497696+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CSHostDaemonMac _getPowerAssertionIfWakenByVoiceTriggerNotFromS3Sleep] Wake reason is not VoiceTrigger or it woke from S3

2019-10-26 02:44:03.501573+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State changed: Sleep -> DarkWake, 0x1 < DarkWake >

2019-10-26 02:44:03.527999+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler - Dark Wake IOPMSystemPowerStateCapabilities - Sleep

2019-10-26 02:44:03.530075+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time calculated as - [Sat Oct 26 04:02:03 2019]

2019-10-26 02:44:03.687764+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason: Host (0x01)

2019-10-26 02:44:04.103736+0200 localhost kernel[0]:
(AppleIntelCFLGraphicsFramebuffer) [IGFB][INFO] FB0 power state transition Sleep to Doze

2019-10-26 02:44:04.529145+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler - Dark Wake IOPMSystemPowerStateCapabilities - Sleep

2019-10-26 02:44:04.530344+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time calculated as - [Sat Oct 26 04:02:03 2019]

2019-10-26 02:44:04.541812+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason: Host (0x01)

2019-10-26 02:44:10.919952+0200 localhost powerd[103]:
[powerd:sleepWake] Entering Sleep state due to 'Maintenance Sleep'

2019-10-26 02:44:10.920604+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State changed: DarkWake -> Sleep, 0x20 < Sleep >

2019-10-26 02:44:10.920611+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: Sleep async ack

2019-10-26 02:44:10.921291+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Network off

sleep date is not setup yet. Wake date cannot be calculated without baseline.

2019-10-26 02:44:18.258530+0200 localhost kernel[0]:

(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT
(Maintenance)
2019-10-26 02:44:18.258530+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT
(Maintenance)
2019-10-26 02:44:45.899682+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State
changed: Sleep -> DarkWake, 0x1 < DarkWake >
2019-10-26 02:44:45.902020+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler -
Dark Wake IOPMSystemPowerStateCapabilities - Sleep
2019-10-26 02:44:45.902919+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CSHostDaemonMac
_isWakeReasonVoiceTrigger] Wake reason: <private>
2019-10-26 02:44:45.902933+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CSHostDaemonMac
_getPowerAssertionIfWakenByVoiceTriggerNotFromS3Sleep] Wake reason
is not VoiceTrigger or it woke from S3
2019-10-26 02:44:45.943634+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time
calculated as - [Sat Oct 26 04:02:03 2019]
2019-10-26 02:44:46.101937+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason:
Host (0x01)
2019-10-26 02:44:46.513754+0200 localhost kernel[0]:
(AppleIntelCFLGraphicsFramebuffer) [IGFB][INFO] FB0 power state
transition Sleep to Doze
2019-10-26 02:44:46.938580+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler -
Dark Wake IOPMSystemPowerStateCapabilities - Sleep
2019-10-26 02:44:46.940106+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time
calculated as - [Sat Oct 26 04:02:03 2019]
2019-10-26 02:44:46.950432+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason:
Host (0x01)
2019-10-26 02:44:56.042829+0200 localhost powerd[103]:
[powerd:sleepWake] Entering Sleep state due to 'Maintenance Sleep'
2019-10-26 02:44:56.043372+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State
changed: DarkWake -> Sleep, 0x20 < Sleep >
2019-10-26 02:44:56.043392+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: Sleep
async ack
2019-10-26 02:44:56.043996+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Network off
sleep date is not setup yet. Wake date cannot be calculated without
baseline.
2019-10-26 02:45:03.654915+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT
(Maintenance)
2019-10-26 02:45:03.654916+0200 localhost kernel[0]:

(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT (Maintenance)
2019-10-26 02:45:31.297140+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler - Dark Wake IOPMSystemPowerStateCapabilities - Sleep
2019-10-26 02:45:31.297909+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State changed: Sleep -> DarkWake, 0x1 < DarkWake >
2019-10-26 02:45:31.299279+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CSHostDaemonMac _isWakeReasonVoiceTrigger] Wake reason: <private>
2019-10-26 02:45:31.299285+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CSHostDaemonMac _getPowerAssertionIfWakenByVoiceTriggerNotFromS3Sleep] Wake reason is not VoiceTrigger or it woke from S3
2019-10-26 02:45:31.345392+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time calculated as - [Sat Oct 26 04:02:03 2019]
2019-10-26 02:45:31.548687+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason: Host (0x01)
2019-10-26 02:45:31.927303+0200 localhost kernel[0]:
(AppleIntelCFLGraphicsFramebuffer) [IGFB][INFO] FB0 power state transition Sleep to Doze
2019-10-26 02:45:32.347493+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler - Dark Wake IOPMSystemPowerStateCapabilities - Sleep
2019-10-26 02:45:32.348767+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time calculated as - [Sat Oct 26 04:02:03 2019]
2019-10-26 02:45:32.359095+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason: Host (0x01)
2019-10-26 02:45:38.739849+0200 localhost powerd[103]:
[powerd:sleepWake] Entering Sleep state due to 'Maintenance Sleep'
2019-10-26 02:45:38.740456+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State changed: DarkWake -> Sleep, 0x20 < Sleep >
2019-10-26 02:45:38.741354+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: Sleep async ack
2019-10-26 02:45:38.741500+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Network off sleep date is not setup yet. Wake date cannot be calculated without baseline.
2019-10-26 02:45:46.117011+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT (Maintenance)
2019-10-26 02:45:46.117012+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT (Maintenance)
2019-10-26 02:46:13.848683+0200 localhost corespeechd[443]:

[com.apple.corespeech:Framework] -[CShostDaemonMac
_isWakeReasonVoiceTrigger] Wake reason: <private>
2019-10-26 02:46:13.848688+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CShostDaemonMac
_getPowerAssertionIfWakenByVoiceTriggerNotFromS3Sleep] Wake reason
is not VoiceTrigger or it woke from S3
2019-10-26 02:46:14.099145+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State
changed: Sleep -> DarkWake, 0x1 < DarkWake >
2019-10-26 02:46:14.099680+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler -
Dark Wake IOPMSYSTEMPowerStateCapabilities - Sleep
2019-10-26 02:46:14.101012+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time
calculated as - [Sat Oct 26 04:02:03 2019]
2019-10-26 02:46:14.103786+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason:
Host (0x01)
2019-10-26 02:46:14.476862+0200 localhost kernel[0]:
(AppleIntelCFLGraphicsFramebuffer) [IGFB][INFO] FB0 power state
transition Sleep to Doze
2019-10-26 02:46:14.900713+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler -
Dark Wake IOPMSYSTEMPowerStateCapabilities - Sleep
2019-10-26 02:46:14.902143+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time
calculated as - [Sat Oct 26 04:02:03 2019]
2019-10-26 02:46:14.907094+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason:
Host (0x01)
2019-10-26 02:46:26.042945+0200 localhost powerd[103]:
[powerd:sleepWake] Entering Sleep state due to 'Maintenance Sleep'
2019-10-26 02:46:26.043500+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State
changed: DarkWake -> Sleep, 0x20 < Sleep >
2019-10-26 02:46:26.043506+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: Sleep
async ack
2019-10-26 02:46:26.044974+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Network off
sleep date is not setup yet. Wake date cannot be calculated without
baseline.
2019-10-26 02:46:34.489029+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT
(Maintenance)
2019-10-26 02:46:34.489030+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT
(Maintenance)
2019-10-26 02:47:02.133998+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State
changed: Sleep -> DarkWake, 0x1 < DarkWake >
2019-10-26 02:47:02.134145+0200 localhost bluetoothd[145]:

(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler -
Dark Wake IOPMSYSTEMPowerStateCapabilities - Sleep
2019-10-26 02:47:02.135554+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CSHostDaemonMac
_isWakeReasonVoiceTrigger] Wake reason: <private>
2019-10-26 02:47:02.135561+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CSHostDaemonMac
_getPowerAssertionIfWakenByVoiceTriggerNotFromS3Sleep] Wake reason
is not VoiceTrigger or it woke from S3
2019-10-26 02:47:02.157608+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time
calculated as - [Sat Oct 26 04:02:03 2019]
2019-10-26 02:47:02.544663+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason:
Host (0x01)
2019-10-26 02:47:02.765196+0200 localhost kernel[0]:
(AppleIntelCFLGraphicsFramebuffer) [IGFB][INFO] FB0 power state
transition Sleep to Doze
2019-10-26 02:47:03.184078+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler -
Dark Wake IOPMSYSTEMPowerStateCapabilities - Sleep
2019-10-26 02:47:03.185519+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time
calculated as - [Sat Oct 26 04:02:03 2019]
2019-10-26 02:47:03.191454+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason:
Host (0x01)
2019-10-26 02:47:09.595861+0200 localhost powerd[103]:
[powerd:sleepWake] Entering Sleep state due to 'Maintenance Sleep'
2019-10-26 02:47:09.596439+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State
changed: DarkWake -> Sleep, 0x20 < Sleep >
2019-10-26 02:47:09.596450+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: Sleep
async ack
2019-10-26 02:47:09.597660+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Network off
sleep date is not setup yet. Wake date cannot be calculated without
baseline.
2019-10-26 02:47:17.118788+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.RTC
(Alarm)
2019-10-26 02:47:17.118789+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.RTC
(Alarm)
2019-10-26 02:56:10.119342+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State
changed: Sleep -> DarkWake, 0x1 < DarkWake >
2019-10-26 02:56:10.119739+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler -
Dark Wake IOPMSYSTEMPowerStateCapabilities - Sleep
2019-10-26 02:56:10.124049+0200 localhost corespeechd[443]:

[com.apple.corespeech:Framework] -[CShostDaemonMac
_isWakeReasonVoiceTrigger] Wake reason: <private>
2019-10-26 02:56:10.124055+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CShostDaemonMac
_getPowerAssertionIfWakenByVoiceTriggerNotFromS3Sleep] Wake reason
is not VoiceTrigger or it woke from S3
2019-10-26 02:56:10.140763+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time
calculated as - [Sat Oct 26 04:02:03 2019]
2019-10-26 02:56:10.313011+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason:
Host (0x01)
2019-10-26 02:56:10.753162+0200 localhost kernel[0]:
(AppleIntelCFLGraphicsFramebuffer) [IGFB][INFO] FB0 power state
transition Sleep to Doze
2019-10-26 02:56:11.168922+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler -
Dark Wake IOPMSYSTEMPowerStateCapabilities - Sleep
2019-10-26 02:56:11.170256+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time
calculated as - [Sat Oct 26 04:02:03 2019]
2019-10-26 02:56:11.175144+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason:
Host (0x01)
2019-10-26 02:56:17.499713+0200 localhost powerd[103]:
[powerd:sleepWake] Entering Sleep state due to 'Maintenance Sleep'
2019-10-26 02:56:17.500346+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State
changed: DarkWake -> Sleep, 0x20 < Sleep >
2019-10-26 02:56:17.500352+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: Sleep
async ack
2019-10-26 02:56:17.500953+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Network off
sleep date is not setup yet. Wake date cannot be calculated without
baseline.
2019-10-26 02:56:25.018496+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT
(Maintenance)
2019-10-26 02:56:25.018497+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT
(Maintenance)
2019-10-26 02:56:52.633753+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State
changed: Sleep -> DarkWake, 0x1 < DarkWake >
2019-10-26 02:56:52.634424+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler -
Dark Wake IOPMSYSTEMPowerStateCapabilities - Sleep
2019-10-26 02:56:52.635537+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CShostDaemonMac
_isWakeReasonVoiceTrigger] Wake reason: <private>
2019-10-26 02:56:52.635542+0200 localhost corespeechd[443]:

```
[com.apple.corespeech:Framework] -[CShostDaemonMac
_getPowerAssertionIfWakenByVoiceTriggerNotFromS3Sleep] Wake reason
is not VoiceTrigger or it woke from S3
2019-10-26 02:56:52.665525+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time
calculated as - [Sat Oct 26 04:02:03 2019]
2019-10-26 02:56:52.868377+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason:
Host (0x01)
2019-10-26 02:56:53.262282+0200 localhost kernel[0]:
(AppleIntelCFLGraphicsFramebuffer) [IGFB][INFO ] FB0 power state
transition Sleep to Doze
2019-10-26 02:56:53.682740+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler -
Dark Wake IOPMSystemPowerStateCapabilities - Sleep
2019-10-26 02:56:53.684093+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time
calculated as - [Sat Oct 26 04:02:03 2019]
2019-10-26 02:56:53.690090+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason:
Host (0x01)
2019-10-26 02:57:00.026047+0200 localhost powerd[103]:
[powerd:sleepWake] Entering Sleep state due to 'Maintenance Sleep'
2019-10-26 02:57:00.026595+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State
changed: DarkWake -> Sleep, 0x20 < Sleep >
2019-10-26 02:57:00.026602+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: Sleep
async ack
2019-10-26 02:57:00.027602+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Network off
sleep date is not setup yet. Wake date cannot be calculated without
baseline.
2019-10-26 02:57:07.430250+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT
(Maintenance)
2019-10-26 02:57:07.430251+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT
(Maintenance)
2019-10-26 02:57:35.153093+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler -
Dark Wake IOPMSystemPowerStateCapabilities - Sleep
2019-10-26 02:57:35.153648+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State
changed: Sleep -> DarkWake, 0x1 < DarkWake >
2019-10-26 02:57:35.157632+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CShostDaemonMac
_isWakeReasonVoiceTrigger] Wake reason: <private>
2019-10-26 02:57:35.157639+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CShostDaemonMac
_getPowerAssertionIfWakenByVoiceTriggerNotFromS3Sleep] Wake reason
is not VoiceTrigger or it woke from S3
```

2019-10-26 02:57:35.188755+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time
calculated as - [Sat Oct 26 04:02:03 2019]
2019-10-26 02:57:35.301559+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason:
Host (0x01)
2019-10-26 02:57:35.734476+0200 localhost kernel[0]:
(AppleIntelCFLGraphicsFramebuffer) [IGFB][INFO] FB0 power state
transition Sleep to Doze
2019-10-26 02:57:36.163069+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler -
Dark Wake IOPMSYSTEMPowerStateCapabilities - Sleep
2019-10-26 02:57:36.164330+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time
calculated as - [Sat Oct 26 04:02:03 2019]
2019-10-26 02:57:36.169200+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason:
Host (0x01)
2019-10-26 02:57:42.485914+0200 localhost powerd[103]:
[powerd:sleepWake] Entering Sleep state due to 'Maintenance Sleep'
2019-10-26 02:57:42.486593+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State
changed: DarkWake -> Sleep, 0x20 < Sleep >
2019-10-26 02:57:42.486619+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: Sleep
async ack
2019-10-26 02:57:42.487569+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Network off
sleep date is not setup yet. Wake date cannot be calculated without
baseline.
2019-10-26 02:57:49.858381+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT
(Maintenance)
2019-10-26 02:57:49.858381+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT
(Maintenance)
2019-10-26 02:58:17.492901+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler -
Dark Wake IOPMSYSTEMPowerStateCapabilities - Sleep
2019-10-26 02:58:17.514642+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CSHostDaemonMac
_isWakeReasonVoiceTrigger] Wake reason: <private>
2019-10-26 02:58:17.514658+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CSHostDaemonMac
_getPowerAssertionIfWakenByVoiceTriggerNotFromS3Sleep] Wake reason
is not VoiceTrigger or it woke from S3
2019-10-26 02:58:17.555479+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time
calculated as - [Sat Oct 26 04:02:03 2019]
2019-10-26 02:58:17.681491+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State
changed: Sleep -> DarkWake, 0x1 < DarkWake >

2019-10-26 02:58:17.721294+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason:
Host (0x01)
2019-10-26 02:58:18.123105+0200 localhost kernel[0]:
(AppleIntelCFLGraphicsFramebuffer) [IGFB][INFO] FB0 power state
transition Sleep to Doze
2019-10-26 02:58:18.544117+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler -
Dark Wake IOPMSystemPowerStateCapabilities - Sleep
2019-10-26 02:58:18.545584+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time
calculated as - [Sat Oct 26 04:02:03 2019]
2019-10-26 02:58:18.551533+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason:
Host (0x01)
2019-10-26 02:58:26.044745+0200 localhost powerd[103]:
[powerd:sleepWake] Entering Sleep state due to 'Maintenance Sleep'
2019-10-26 02:58:26.045348+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State
changed: DarkWake -> Sleep, 0x20 < Sleep >
2019-10-26 02:58:26.045376+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: Sleep
async ack
2019-10-26 02:58:26.046209+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Network off
sleep date is not setup yet. Wake date cannot be calculated without
baseline.
2019-10-26 02:58:33.435723+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT
(Maintenance)
2019-10-26 02:58:33.435724+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT
(Maintenance)
2019-10-26 02:59:01.060931+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler -
Dark Wake IOPMSystemPowerStateCapabilities - Sleep
2019-10-26 02:59:01.061757+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State
changed: Sleep -> DarkWake, 0x1 < DarkWake >
2019-10-26 02:59:01.063385+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CSHostDaemonMac
_isWakeReasonVoiceTrigger] Wake reason: <private>
2019-10-26 02:59:01.063395+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CSHostDaemonMac
_getPowerAssertionIfWakenByVoiceTriggerNotFromS3Sleep] Wake reason
is not VoiceTrigger or it woke from S3
2019-10-26 02:59:01.103832+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time
calculated as - [Sat Oct 26 04:02:03 2019]
2019-10-26 02:59:01.243719+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason:

Host (0x01)
2019-10-26 02:59:01.647004+0200 localhost kernel[0]:
(AppleIntelCFLGraphicsFramebuffer) [IGFB][INFO] FB0 power state
transition Sleep to Doze
2019-10-26 02:59:02.066619+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler -
Dark Wake IOPMSystemPowerStateCapabilities - Sleep
2019-10-26 02:59:02.068256+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time
calculated as - [Sat Oct 26 04:02:03 2019]
2019-10-26 02:59:02.072683+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason:
Host (0x01)
2019-10-26 02:59:08.466270+0200 localhost powerd[103]:
[powerd:sleepWake] Entering Sleep state due to 'Maintenance Sleep'
2019-10-26 02:59:08.466825+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State
changed: DarkWake -> Sleep, 0x20 < Sleep >
2019-10-26 02:59:08.466833+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: Sleep
async ack
2019-10-26 02:59:08.467771+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Network off
sleep date is not setup yet. Wake date cannot be calculated without
baseline.
2019-10-26 02:59:15.898971+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT
(Maintenance)
2019-10-26 02:59:15.898972+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT
(Maintenance)
2019-10-26 02:59:43.508813+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State
changed: Sleep -> DarkWake, 0x1 < DarkWake >
2019-10-26 02:59:43.509161+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler -
Dark Wake IOPMSystemPowerStateCapabilities - Sleep
2019-10-26 02:59:43.510509+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CSHostDaemonMac
_isWakeReasonVoiceTrigger] Wake reason: <private>
2019-10-26 02:59:43.510525+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CSHostDaemonMac
_getPowerAssertionIfWakenByVoiceTriggerNotFromS3Sleep] Wake reason
is not VoiceTrigger or it woke from S3
2019-10-26 02:59:43.543223+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time
calculated as - [Sat Oct 26 04:02:03 2019]
2019-10-26 02:59:43.873060+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason:
Host (0x01)
2019-10-26 02:59:44.132791+0200 localhost kernel[0]:
(AppleIntelCFLGraphicsFramebuffer) [IGFB][INFO] FB0 power state

transition Sleep to Doze
2019-10-26 02:59:44.556976+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler -
Dark Wake IOPMSYSTEMPowerStateCapabilities - Sleep
2019-10-26 02:59:44.558179+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time
calculated as - [Sat Oct 26 04:02:03 2019]
2019-10-26 02:59:44.564263+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason:
Host (0x01)
2019-10-26 02:59:51.023498+0200 localhost powerd[103]:
[powerd:sleepWake] Entering Sleep state due to 'Maintenance Sleep'
2019-10-26 02:59:51.023827+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State
changed: DarkWake -> Sleep, 0x20 < Sleep >
2019-10-26 02:59:51.023837+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: Sleep
async ack
2019-10-26 02:59:51.024511+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Network off
sleep date is not setup yet. Wake date cannot be calculated without
baseline.
2019-10-26 02:59:58.575283+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT
(Maintenance)
2019-10-26 02:59:58.575284+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT
(Maintenance)
2019-10-26 03:00:26.187704+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler -
Dark Wake IOPMSYSTEMPowerStateCapabilities - Sleep
2019-10-26 03:00:26.188116+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State
changed: Sleep -> DarkWake, 0x1 < DarkWake >
2019-10-26 03:00:26.189410+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CSHostDaemonMac
_isWakeReasonVoiceTrigger] Wake reason: <private>
2019-10-26 03:00:26.189415+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CSHostDaemonMac
_getPowerAssertionIfWakenByVoiceTriggerNotFromS3Sleep] Wake reason
is not VoiceTrigger or it woke from S3
2019-10-26 03:00:26.238308+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time
calculated as - [Sat Oct 26 04:02:03 2019]
2019-10-26 03:00:26.441165+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason:
Host (0x01)
2019-10-26 03:00:26.820555+0200 localhost kernel[0]:
(AppleIntelCFLGraphicsFramebuffer) [IGFB][INFO] FB0 power state
transition Sleep to Doze
2019-10-26 03:00:27.244833+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler -

Dark Wake IOPMSysPowerStateCapabilities - Sleep
2019-10-26 03:00:27.246326+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time
calculated as - [Sat Oct 26 04:02:03 2019]
2019-10-26 03:00:27.251575+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason:
Host (0x01)
2019-10-26 03:00:33.590898+0200 localhost powerd[103]:
[powerd:sleepWake] Entering Sleep state due to 'Maintenance Sleep'
2019-10-26 03:00:33.591340+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State
changed: DarkWake -> Sleep, 0x20 < Sleep >
2019-10-26 03:00:33.591347+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: Sleep
async ack
2019-10-26 03:00:33.592149+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Network off
sleep date is not setup yet. Wake date cannot be calculated without
baseline.
2019-10-26 03:00:41.030692+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT
(Maintenance)
2019-10-26 03:00:41.030692+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT
(Maintenance)
2019-10-26 03:01:08.638956+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State
changed: Sleep -> DarkWake, 0x1 < DarkWake >
2019-10-26 03:01:08.640675+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CSHostDaemonMac
_isWakeReasonVoiceTrigger] Wake reason: <private>
2019-10-26 03:01:08.640680+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CSHostDaemonMac
_getPowerAssertionIfWakenByVoiceTriggerNotFromS3Sleep] Wake reason
is not VoiceTrigger or it woke from S3
2019-10-26 03:01:08.667834+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler -
Dark Wake IOPMSysPowerStateCapabilities - Sleep
2019-10-26 03:01:08.674668+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time
calculated as - [Sat Oct 26 04:02:03 2019]
2019-10-26 03:01:08.880814+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason:
Host (0x01)
2019-10-26 03:01:09.283280+0200 localhost kernel[0]:
(AppleIntelCFLGraphicsFramebuffer) [IGFB][INFO] FB0 power state
transition Sleep to Doze
2019-10-26 03:01:09.707045+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler -
Dark Wake IOPMSysPowerStateCapabilities - Sleep
2019-10-26 03:01:09.708423+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time

calculated as - [Sat Oct 26 04:02:03 2019]
2019-10-26 03:01:09.714361+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason:
Host (0x01)
2019-10-26 03:01:16.176177+0200 localhost powerd[103]:
[powerd:sleepWake] Entering Sleep state due to 'Maintenance Sleep'
2019-10-26 03:01:16.176815+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State
changed: DarkWake -> Sleep, 0x20 < Sleep >
2019-10-26 03:01:16.176824+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: Sleep
async ack
2019-10-26 03:01:16.177941+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Network off
sleep date is not setup yet. Wake date cannot be calculated without
baseline.
2019-10-26 03:01:23.592102+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.RTC
(Alarm)
2019-10-26 03:01:23.592103+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.RTC
(Alarm)
2019-10-26 03:10:16.116526+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler -
Dark Wake IOPMSYSTEMPowerStateCapabilities - Sleep
2019-10-26 03:10:16.117095+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State
changed: Sleep -> DarkWake, 0x1 < DarkWake >
2019-10-26 03:10:16.118578+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CSHostDaemonMac
_isWakeReasonVoiceTrigger] Wake reason: <private>
2019-10-26 03:10:16.118582+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CSHostDaemonMac
_getPowerAssertionIfWokenByVoiceTriggerNotFromS3Sleep] Wake reason
is not VoiceTrigger or it woke from S3
2019-10-26 03:10:16.150564+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time
calculated as - [Sat Oct 26 04:02:03 2019]
2019-10-26 03:10:16.473745+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason:
Host (0x01)
2019-10-26 03:10:16.730762+0200 localhost kernel[0]:
(AppleIntelCFLGraphicsFramebuffer) [IGFB][INFO] FB0 power state
transition Sleep to Doze
2019-10-26 03:10:17.148832+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler -
Dark Wake IOPMSYSTEMPowerStateCapabilities - Sleep
2019-10-26 03:10:17.150262+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time
calculated as - [Sat Oct 26 04:02:03 2019]
2019-10-26 03:10:17.155212+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]

AppleDeviceManagementHIDEventService::processWakeReason Wake reason:
Host (0x01)
2019-10-26 03:10:26.045220+0200 localhost powerd[103]:
[powerd:sleepWake] Entering Sleep state due to 'Maintenance Sleep'
2019-10-26 03:10:26.045797+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State
changed: DarkWake -> Sleep, 0x20 < Sleep >
2019-10-26 03:10:26.045801+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: Sleep
async ack
2019-10-26 03:10:26.046430+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Network off
sleep date is not setup yet. Wake date cannot be calculated without
baseline.
2019-10-26 03:10:33.549809+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT
(Maintenance)
2019-10-26 03:10:33.549810+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT
(Maintenance)
2019-10-26 03:11:01.336151+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CSHostDaemonMac
_isWakeReasonVoiceTrigger] Wake reason: <private>
2019-10-26 03:11:01.336161+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CSHostDaemonMac
_getPowerAssertionIfWakenByVoiceTriggerNotFromS3Sleep] Wake reason
is not VoiceTrigger or it woke from S3
2019-10-26 03:11:01.336179+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler -
Dark Wake IOPMSYSTEMPowerStateCapabilities - Sleep
2019-10-26 03:11:01.337010+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State
changed: Sleep -> DarkWake, 0x1 < DarkWake >
2019-10-26 03:11:01.344374+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason:
Host (0x01)
2019-10-26 03:11:01.360321+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time
calculated as - [Sat Oct 26 04:02:03 2019]
2019-10-26 03:11:01.777470+0200 localhost kernel[0]:
(AppleIntelCFLGraphicsFramebuffer) [IGFB][INFO] FB0 power state
transition Sleep to Doze
2019-10-26 03:11:02.201820+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler -
Dark Wake IOPMSYSTEMPowerStateCapabilities - Sleep
2019-10-26 03:11:02.203397+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time
calculated as - [Sat Oct 26 04:02:03 2019]
2019-10-26 03:11:02.208426+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason:
Host (0x01)
2019-10-26 03:11:08.394367+0200 localhost powerd[103]:

[powerd:sleepWake] Entering Sleep state due to 'Maintenance Sleep'
2019-10-26 03:11:08.395026+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State
changed: DarkWake -> Sleep, 0x20 < Sleep >
2019-10-26 03:11:08.395031+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: Sleep
async ack
2019-10-26 03:11:08.396495+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Network off
sleep date is not setup yet. Wake date cannot be calculated without
baseline.
2019-10-26 03:11:15.808938+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT
(Maintenance)
2019-10-26 03:11:15.808939+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT
(Maintenance)
2019-10-26 03:11:43.451594+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State
changed: Sleep -> DarkWake, 0x1 < DarkWake >
2019-10-26 03:11:43.466908+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler -
Dark Wake IOPMSystemPowerStateCapabilities - Sleep
2019-10-26 03:11:43.470494+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CSHostDaemonMac
_isWakeReasonVoiceTrigger] Wake reason: <private>
2019-10-26 03:11:43.470506+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CSHostDaemonMac
_getPowerAssertionIfWakenedByVoiceTriggerNotFromS3Sleep] Wake reason
is not VoiceTrigger or it woke from S3
2019-10-26 03:11:43.477809+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time
calculated as - [Sat Oct 26 04:02:03 2019]
2019-10-26 03:11:43.652516+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason:
Host (0x01)
2019-10-26 03:11:44.071372+0200 localhost kernel[0]:
(AppleIntelCFLGraphicsFramebuffer) [IGFB][INFO] FB0 power state
transition Sleep to Doze
2019-10-26 03:11:44.487085+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler -
Dark Wake IOPMSystemPowerStateCapabilities - Sleep
2019-10-26 03:11:44.488691+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time
calculated as - [Sat Oct 26 04:02:03 2019]
2019-10-26 03:11:44.494234+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason:
Host (0x01)
2019-10-26 03:11:50.823426+0200 localhost powerd[103]:
[powerd:sleepWake] Entering Sleep state due to 'Maintenance Sleep'
2019-10-26 03:11:50.824067+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State

changed: DarkWake -> Sleep, 0x20 < Sleep >
2019-10-26 03:11:50.824095+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: Sleep
async ack
2019-10-26 03:11:50.825512+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Network off
sleep date is not setup yet. Wake date cannot be calculated without
baseline.
2019-10-26 03:11:58.241308+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT
(Maintenance)
2019-10-26 03:11:58.241309+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT
(Maintenance)
2019-10-26 03:12:25.883703+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler -
Dark Wake IOPMSYSTEMPowerStateCapabilities - Sleep
2019-10-26 03:12:25.887025+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CSHostDaemonMac
_isWakeReasonVoiceTrigger] Wake reason: <private>
2019-10-26 03:12:25.887031+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CSHostDaemonMac
_getPowerAssertionIfWakenByVoiceTriggerNotFromS3Sleep] Wake reason
is not VoiceTrigger or it woke from S3
2019-10-26 03:12:25.910476+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State
changed: Sleep -> DarkWake, 0x1 < DarkWake >
2019-10-26 03:12:25.939397+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time
calculated as - [Sat Oct 26 04:02:03 2019]
2019-10-26 03:12:26.091269+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason:
Host (0x01)
2019-10-26 03:12:26.510503+0200 localhost kernel[0]:
(AppleIntelCFLGraphicsFramebuffer) [IGFB][INFO] FB0 power state
transition Sleep to Doze
2019-10-26 03:12:26.958618+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler -
Dark Wake IOPMSYSTEMPowerStateCapabilities - Sleep
2019-10-26 03:12:26.959982+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time
calculated as - [Sat Oct 26 04:02:03 2019]
2019-10-26 03:12:26.966902+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason:
Host (0x01)
2019-10-26 03:12:33.252362+0200 localhost powerd[103]:
[powerd:sleepWake] Entering Sleep state due to 'Maintenance Sleep'
2019-10-26 03:12:33.252934+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State
changed: DarkWake -> Sleep, 0x20 < Sleep >
2019-10-26 03:12:33.252941+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: Sleep

async ack
2019-10-26 03:12:33.254110+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Network off
sleep date is not setup yet. Wake date cannot be calculated without
baseline.
2019-10-26 03:12:40.706552+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT
(Maintenance)
2019-10-26 03:12:40.706553+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT
(Maintenance)
2019-10-26 03:13:08.361832+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler -
Dark Wake IOPMSYSTEMPowerStateCapabilities - Sleep
2019-10-26 03:13:08.362729+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State
changed: Sleep -> DarkWake, 0x1 < DarkWake >
2019-10-26 03:13:08.365957+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CSHostDaemonMac
_isWakeReasonVoiceTrigger] Wake reason: <private>
2019-10-26 03:13:08.365964+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CSHostDaemonMac
_getPowerAssertionIfWakenByVoiceTriggerNotFromS3Sleep] Wake reason
is not VoiceTrigger or it woke from S3
2019-10-26 03:13:08.406328+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time
calculated as - [Sat Oct 26 04:02:03 2019]
2019-10-26 03:13:08.558965+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason:
Host (0x01)
2019-10-26 03:13:08.987910+0200 localhost kernel[0]:
(AppleIntelCFLGraphicsFramebuffer) [IGFB][INFO] FB0 power state
transition Sleep to Doze
2019-10-26 03:13:09.406443+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler -
Dark Wake IOPMSYSTEMPowerStateCapabilities - Sleep
2019-10-26 03:13:09.407897+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time
calculated as - [Sat Oct 26 04:02:03 2019]
2019-10-26 03:13:09.412593+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason:
Host (0x01)
2019-10-26 03:13:15.744634+0200 localhost powerd[103]:
[powerd:sleepWake] Entering Sleep state due to 'Maintenance Sleep'
2019-10-26 03:13:15.745180+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State
changed: DarkWake -> Sleep, 0x20 < Sleep >
2019-10-26 03:13:15.745185+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: Sleep
async ack
2019-10-26 03:13:15.746122+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Network off

sleep date is not setup yet. Wake date cannot be calculated without baseline.

2019-10-26 03:13:23.007037+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT (Maintenance)

2019-10-26 03:13:23.007038+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT (Maintenance)

2019-10-26 03:13:50.721738+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler - Dark Wake IOPMSYSTEMPowerStateCapabilities - Sleep

2019-10-26 03:13:50.722903+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State changed: Sleep -> DarkWake, 0x1 < DarkWake >

2019-10-26 03:13:50.725313+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CSHostDaemonMac _isWakeReasonVoiceTrigger] Wake reason: <private>

2019-10-26 03:13:50.725326+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CSHostDaemonMac _getPowerAssertionIfWakenByVoiceTriggerNotFromS3Sleep] Wake reason is not VoiceTrigger or it woke from S3

2019-10-26 03:13:50.757461+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time calculated as - [Sat Oct 26 04:02:03 2019]

2019-10-26 03:13:50.951471+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason: Host (0x01)

2019-10-26 03:13:51.347764+0200 localhost kernel[0]:
(AppleIntelCFLGraphicsFramebuffer) [IGFB] [INFO] FB0 power state transition Sleep to Doze

2019-10-26 03:13:51.766726+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler - Dark Wake IOPMSYSTEMPowerStateCapabilities - Sleep

2019-10-26 03:13:51.768395+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time calculated as - [Sat Oct 26 04:02:03 2019]

2019-10-26 03:13:51.773877+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason: Host (0x01)

2019-10-26 03:13:58.129107+0200 localhost powerd[103]:
[powerd:sleepWake] Entering Sleep state due to 'Maintenance Sleep'

2019-10-26 03:13:58.129633+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State changed: DarkWake -> Sleep, 0x20 < Sleep >

2019-10-26 03:13:58.129644+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: Sleep async ack

2019-10-26 03:13:58.130733+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Network off
sleep date is not setup yet. Wake date cannot be calculated without baseline.

2019-10-26 03:14:05.515760+0200 localhost kernel[0]:

(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT (Maintenance)
2019-10-26 03:14:05.515761+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT (Maintenance)
2019-10-26 03:14:33.153270+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler - Dark Wake IOPMSYSTEMPowerStateCapabilities - Sleep
2019-10-26 03:14:33.154783+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State changed: Sleep -> DarkWake, 0x1 < DarkWake >
2019-10-26 03:14:33.155031+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CSHostDaemonMac _isWakeReasonVoiceTrigger] Wake reason: <private>
2019-10-26 03:14:33.155037+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CSHostDaemonMac _getPowerAssertionIfWakenByVoiceTriggerNotFromS3Sleep] Wake reason is not VoiceTrigger or it woke from S3
2019-10-26 03:14:33.203053+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time calculated as - [Sat Oct 26 04:02:03 2019]
2019-10-26 03:14:33.386518+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason: Host (0x01)
2019-10-26 03:14:33.776885+0200 localhost kernel[0]:
(AppleIntelCFLGraphicsFramebuffer) [IGFB][INFO] FB0 power state transition Sleep to Doze
2019-10-26 03:14:34.201240+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler - Dark Wake IOPMSYSTEMPowerStateCapabilities - Sleep
2019-10-26 03:14:34.202717+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time calculated as - [Sat Oct 26 04:02:03 2019]
2019-10-26 03:14:34.207841+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason: Host (0x01)
2019-10-26 03:14:40.525146+0200 localhost powerd[103]:
[powerd:sleepWake] Entering Sleep state due to 'Maintenance Sleep'
2019-10-26 03:14:40.525728+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State changed: DarkWake -> Sleep, 0x20 < Sleep >
2019-10-26 03:14:40.525733+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: Sleep async ack
2019-10-26 03:14:40.526368+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Network off sleep date is not setup yet. Wake date cannot be calculated without baseline.
2019-10-26 03:14:47.961465+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT (Maintenance)
2019-10-26 03:14:47.961466+0200 localhost kernel[0]:

(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT (Maintenance)
2019-10-26 03:15:15.568485+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler - Dark Wake IOPMSystemPowerStateCapabilities - Sleep
2019-10-26 03:15:15.569538+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State changed: Sleep -> DarkWake, 0x1 < DarkWake >
2019-10-26 03:15:15.570108+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CSHostDaemonMac _isWakeReasonVoiceTrigger] Wake reason: <private>
2019-10-26 03:15:15.570134+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CSHostDaemonMac _getPowerAssertionIfWakenByVoiceTriggerNotFromS3Sleep] Wake reason is not VoiceTrigger or it woke from S3
2019-10-26 03:15:15.784853+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time calculated as - [Sat Oct 26 04:02:03 2019]
2019-10-26 03:15:15.806392+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason: Host (0x01)
2019-10-26 03:15:16.208311+0200 localhost kernel[0]:
(AppleIntelCFLGraphicsFramebuffer) [IGFB][INFO] FB0 power state transition Sleep to Doze
2019-10-26 03:15:16.637064+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler - Dark Wake IOPMSystemPowerStateCapabilities - Sleep
2019-10-26 03:15:16.638570+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time calculated as - [Sat Oct 26 04:02:03 2019]
2019-10-26 03:15:16.643515+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason: Host (0x01)
2019-10-26 03:15:26.042760+0200 localhost powerd[103]:
[powerd:sleepWake] Entering Sleep state due to 'Maintenance Sleep'
2019-10-26 03:15:26.043474+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State changed: DarkWake -> Sleep, 0x20 < Sleep >
2019-10-26 03:15:26.043483+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: Sleep async ack
2019-10-26 03:15:26.044218+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Network off sleep date is not setup yet. Wake date cannot be calculated without baseline.
2019-10-26 03:15:33.451974+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.RTC (Alarm)
2019-10-26 03:15:33.451974+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.RTC (Alarm)
2019-10-26 03:24:23.126193+0200 localhost bluetoothd[145]:

(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler - Dark Wake IOPMSYSTEMPowerStateCapabilities - Sleep
2019-10-26 03:24:23.126533+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State changed: Sleep -> DarkWake, 0x1 < DarkWake >
2019-10-26 03:24:23.127634+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CSHostDaemonMac _isWakeReasonVoiceTrigger] Wake reason: <private>
2019-10-26 03:24:23.127639+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CSHostDaemonMac _getPowerAssertionIfWakenByVoiceTriggerNotFromS3Sleep] Wake reason is not VoiceTrigger or it woke from S3
2019-10-26 03:24:23.357035+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time calculated as - [Sat Oct 26 04:02:03 2019]
2019-10-26 03:24:23.467478+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason: Host (0x01)
2019-10-26 03:24:23.748008+0200 localhost kernel[0]:
(AppleIntelCFLGraphicsFramebuffer) [IGFB][INFO] FB0 power state transition Sleep to Doze
2019-10-26 03:24:24.157898+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler - Dark Wake IOPMSYSTEMPowerStateCapabilities - Sleep
2019-10-26 03:24:24.159327+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time calculated as - [Sat Oct 26 04:02:03 2019]
2019-10-26 03:24:24.165526+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason: Host (0x01)
2019-10-26 03:24:30.514072+0200 localhost powerd[103]:
[powerd:sleepWake] Entering Sleep state due to 'Maintenance Sleep'
2019-10-26 03:24:30.514562+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State changed: DarkWake -> Sleep, 0x20 < Sleep >
2019-10-26 03:24:30.515620+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: Sleep async ack
2019-10-26 03:24:30.516225+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Network off sleep date is not setup yet. Wake date cannot be calculated without baseline.
2019-10-26 03:24:38.037973+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT (Maintenance)
2019-10-26 03:24:38.037974+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT (Maintenance)
2019-10-26 03:25:05.645884+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CSHostDaemonMac _isWakeReasonVoiceTrigger] Wake reason: <private>
2019-10-26 03:25:05.645911+0200 localhost corespeechd[443]:

```
[com.apple.corespeech:Framework] -[CShostDaemonMac
_getPowerAssertionIfWakenByVoiceTriggerNotFromS3Sleep] Wake reason
is not VoiceTrigger or it woke from S3
2019-10-26 03:25:05.646157+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler -
Dark Wake IOPMSystemPowerStateCapabilities - Sleep
2019-10-26 03:25:05.651276+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State
changed: Sleep -> DarkWake, 0x1 < DarkWake >
2019-10-26 03:25:05.672991+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time
calculated as - [Sat Oct 26 04:02:03 2019]
2019-10-26 03:25:05.933074+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason:
Host (0x01)
2019-10-26 03:25:06.282083+0200 localhost kernel[0]:
(AppleIntelCFLGraphicsFramebuffer) [IGFB][INFO ] FB0 power state
transition Sleep to Doze
2019-10-26 03:25:06.703232+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler -
Dark Wake IOPMSystemPowerStateCapabilities - Sleep
2019-10-26 03:25:06.704850+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time
calculated as - [Sat Oct 26 04:02:03 2019]
2019-10-26 03:25:06.709920+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason:
Host (0x01)
2019-10-26 03:25:13.057283+0200 localhost powerd[103]:
[powerd:sleepWake] Entering Sleep state due to 'Maintenance Sleep'
2019-10-26 03:25:13.057850+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State
changed: DarkWake -> Sleep, 0x20 < Sleep >
2019-10-26 03:25:13.057860+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: Sleep
async ack
2019-10-26 03:25:13.058628+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Network off
sleep date is not setup yet. Wake date cannot be calculated without
baseline.
2019-10-26 03:25:20.527998+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT
(Maintenance)
2019-10-26 03:25:20.527998+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT
(Maintenance)
2019-10-26 03:25:48.110131+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State
changed: Sleep -> DarkWake, 0x1 < DarkWake >
2019-10-26 03:25:48.111373+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CShostDaemonMac
_isWakeReasonVoiceTrigger] Wake reason: <private>
2019-10-26 03:25:48.111399+0200 localhost corespeechd[443]:
```

[com.apple.corespeech:Framework] -[CShostDaemonMac
_getPowerAssertionIfWakenByVoiceTriggerNotFromS3Sleep] Wake reason
is not VoiceTrigger or it woke from S3
2019-10-26 03:25:48.126512+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler -
Dark Wake IOPMSystemPowerStateCapabilities - Sleep
2019-10-26 03:25:48.160917+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time
calculated as - [Sat Oct 26 04:02:03 2019]
2019-10-26 03:25:48.320960+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason:
Host (0x01)
2019-10-26 03:25:48.756170+0200 localhost kernel[0]:
(AppleIntelCFLGraphicsFramebuffer) [IGFB][INFO] FB0 power state
transition Sleep to Doze
2019-10-26 03:25:49.190129+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler -
Dark Wake IOPMSystemPowerStateCapabilities - Sleep
2019-10-26 03:25:49.191339+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time
calculated as - [Sat Oct 26 04:02:03 2019]
2019-10-26 03:25:49.199527+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason:
Host (0x01)
2019-10-26 03:25:55.511708+0200 localhost powerd[103]:
[powerd:sleepWake] Entering Sleep state due to 'Maintenance Sleep'
2019-10-26 03:25:55.512281+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State
changed: DarkWake -> Sleep, 0x20 < Sleep >
2019-10-26 03:25:55.512286+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: Sleep
async ack
2019-10-26 03:25:55.513544+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Network off
sleep date is not setup yet. Wake date cannot be calculated without
baseline.
2019-10-26 03:26:02.908687+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT
(Maintenance)
2019-10-26 03:26:02.908688+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT
(Maintenance)
2019-10-26 03:26:30.527795+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler -
Dark Wake IOPMSystemPowerStateCapabilities - Sleep
2019-10-26 03:26:30.528159+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State
changed: Sleep -> DarkWake, 0x1 < DarkWake >
2019-10-26 03:26:30.529943+0200 localhost corespchd[443]:
[com.apple.corespeech:Framework] -[CShostDaemonMac
_isWakeReasonVoiceTrigger] Wake reason: <private>
2019-10-26 03:26:30.529948+0200 localhost corespchd[443]:

```
[com.apple.corespeech:Framework] -[CShostDaemonMac
_getPowerAssertionIfWakenByVoiceTriggerNotFromS3Sleep] Wake reason
is not VoiceTrigger or it woke from S3
2019-10-26 03:26:30.592327+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time
calculated as - [Sat Oct 26 04:02:03 2019]
2019-10-26 03:26:30.746585+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason:
Host (0x01)
2019-10-26 03:26:31.162504+0200 localhost kernel[0]:
(AppleIntelCFLGraphicsFramebuffer) [IGFB][INFO ] FB0 power state
transition Sleep to Doze
2019-10-26 03:26:31.580766+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler -
Dark Wake IOPMSYSTEMPowerStateCapabilities - Sleep
2019-10-26 03:26:31.581916+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time
calculated as - [Sat Oct 26 04:02:03 2019]
2019-10-26 03:26:31.587604+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason:
Host (0x01)
2019-10-26 03:26:37.930527+0200 localhost powerd[103]:
[powerd:sleepWake] Entering Sleep state due to 'Maintenance Sleep'
2019-10-26 03:26:37.931023+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State
changed: DarkWake -> Sleep, 0x20 < Sleep >
2019-10-26 03:26:37.931029+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: Sleep
async ack
2019-10-26 03:26:37.931871+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Network off
sleep date is not setup yet. Wake date cannot be calculated without
baseline.
2019-10-26 03:26:45.371004+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT
(Maintenance)
2019-10-26 03:26:45.371005+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT
(Maintenance)
2019-10-26 03:27:13.030234+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler -
Dark Wake IOPMSYSTEMPowerStateCapabilities - Sleep
2019-10-26 03:27:13.031831+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State
changed: Sleep -> DarkWake, 0x1 < DarkWake >
2019-10-26 03:27:13.033704+0200 localhost corespchd[443]:
[com.apple.corespeech:Framework] -[CShostDaemonMac
_isWakeReasonVoiceTrigger] Wake reason: <private>
2019-10-26 03:27:13.033709+0200 localhost corespchd[443]:
[com.apple.corespeech:Framework] -[CShostDaemonMac
_getPowerAssertionIfWakenByVoiceTriggerNotFromS3Sleep] Wake reason
is not VoiceTrigger or it woke from S3
```

2019-10-26 03:27:13.067246+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time
calculated as - [Sat Oct 26 04:02:03 2019]
2019-10-26 03:27:13.243416+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason:
Host (0x01)
2019-10-26 03:27:13.660331+0200 localhost kernel[0]:
(AppleIntelCFLGraphicsFramebuffer) [IGFB][INFO] FB0 power state
transition Sleep to Doze
2019-10-26 03:27:14.088036+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler -
Dark Wake IOPMSystemPowerStateCapabilities - Sleep
2019-10-26 03:27:14.089881+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time
calculated as - [Sat Oct 26 04:02:03 2019]
2019-10-26 03:27:14.097373+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason:
Host (0x01)
2019-10-26 03:27:20.427811+0200 localhost powerd[103]:
[powerd:sleepWake] Entering Sleep state due to 'Maintenance Sleep'
2019-10-26 03:27:20.428498+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State
changed: DarkWake -> Sleep, 0x20 < Sleep >
2019-10-26 03:27:20.428557+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: Sleep
async ack
2019-10-26 03:27:20.429237+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Network off
sleep date is not setup yet. Wake date cannot be calculated without
baseline.
2019-10-26 03:27:27.739454+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT
(Maintenance)
2019-10-26 03:27:27.739455+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT
(Maintenance)
2019-10-26 03:27:55.361237+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State
changed: Sleep -> DarkWake, 0x1 < DarkWake >
2019-10-26 03:27:55.371990+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CSHostDaemonMac
_isWakeReasonVoiceTrigger] Wake reason: <private>
2019-10-26 03:27:55.372001+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CSHostDaemonMac
_getPowerAssertionIfWakenByVoiceTriggerNotFromS3Sleep] Wake reason
is not VoiceTrigger or it woke from S3
2019-10-26 03:27:55.382749+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler -
Dark Wake IOPMSystemPowerStateCapabilities - Sleep
2019-10-26 03:27:55.613219+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason:

Host (0x01)
2019-10-26 03:27:55.613816+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time
calculated as - [Sat Oct 26 04:02:03 2019]
2019-10-26 03:27:56.020312+0200 localhost kernel[0]:
(AppleIntelCFLGraphicsFramebuffer) [IGFB][INFO] FB0 power state
transition Sleep to Doze
2019-10-26 03:27:56.436890+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler -
Dark Wake IOPMSYSTEMPowerStateCapabilities - Sleep
2019-10-26 03:27:56.438455+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time
calculated as - [Sat Oct 26 04:02:03 2019]
2019-10-26 03:27:56.443699+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason:
Host (0x01)
2019-10-26 03:28:02.796584+0200 localhost powerd[103]:
[powerd:sleepWake] Entering Sleep state due to 'Maintenance Sleep'
2019-10-26 03:28:02.797297+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State
changed: DarkWake -> Sleep, 0x20 < Sleep >
2019-10-26 03:28:02.797303+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: Sleep
async ack
2019-10-26 03:28:02.798023+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Network off
sleep date is not setup yet. Wake date cannot be calculated without
baseline.
2019-10-26 03:28:10.179181+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT
(Maintenance)
2019-10-26 03:28:10.179182+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT
(Maintenance)
2019-10-26 03:28:37.816663+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State
changed: Sleep -> DarkWake, 0x1 < DarkWake >
2019-10-26 03:28:37.820495+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler -
Dark Wake IOPMSYSTEMPowerStateCapabilities - Sleep
2019-10-26 03:28:37.820710+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CSHostDaemonMac
_isWakeReasonVoiceTrigger] Wake reason: <private>
2019-10-26 03:28:37.820739+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CSHostDaemonMac
_getPowerAssertionIfWakenByVoiceTriggerNotFromS3Sleep] Wake reason
is not VoiceTrigger or it woke from S3
2019-10-26 03:28:37.839795+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time
calculated as - [Sat Oct 26 04:02:03 2019]
2019-10-26 03:28:38.094765+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason:

Host (0x01)
2019-10-26 03:28:38.472410+0200 localhost kernel[0]:
(AppleIntelCFLGraphicsFramebuffer) [IGFB][INFO] FB0 power state
transition Sleep to Doze
2019-10-26 03:28:38.893665+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler -
Dark Wake IOPMSystemPowerStateCapabilities - Sleep
2019-10-26 03:28:38.895046+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time
calculated as - [Sat Oct 26 04:02:03 2019]
2019-10-26 03:28:38.903401+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason:
Host (0x01)
2019-10-26 03:28:45.242401+0200 localhost powerd[103]:
[powerd:sleepWake] Entering Sleep state due to 'Maintenance Sleep'
2019-10-26 03:28:45.242981+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State
changed: DarkWake -> Sleep, 0x20 < Sleep >
2019-10-26 03:28:45.242987+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: Sleep
async ack
2019-10-26 03:28:45.243610+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Network off
sleep date is not setup yet. Wake date cannot be calculated without
baseline.
2019-10-26 03:28:52.831195+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.RTC
(Alarm)
2019-10-26 03:28:52.831195+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.RTC
(Alarm)
2019-10-26 03:33:56.122264+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler -
Dark Wake IOPMSystemPowerStateCapabilities - Sleep
2019-10-26 03:33:56.123055+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State
changed: Sleep -> DarkWake, 0x1 < DarkWake >
2019-10-26 03:33:56.125722+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CSHostDaemonMac
_isWakeReasonVoiceTrigger] Wake reason: <private>
2019-10-26 03:33:56.125733+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CSHostDaemonMac
_getPowerAssertionIfWakenByVoiceTriggerNotFromS3Sleep] Wake reason
is not VoiceTrigger or it woke from S3
2019-10-26 03:33:56.317576+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time
calculated as - [Sat Oct 26 04:02:03 2019]
2019-10-26 03:33:56.378130+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason:
Host (0x01)
2019-10-26 03:33:56.751706+0200 localhost kernel[0]:
(AppleIntelCFLGraphicsFramebuffer) [IGFB][INFO] FB0 power state

transition Sleep to Doze
2019-10-26 03:33:57.168042+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler -
Dark Wake IOPMSystemPowerStateCapabilities - Sleep
2019-10-26 03:33:57.170163+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time
calculated as - [Sat Oct 26 04:02:03 2019]
2019-10-26 03:33:57.175850+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason:
Host (0x01)
2019-10-26 03:34:03.423898+0200 localhost powerd[103]:
[powerd:sleepWake] Entering Sleep state due to 'Maintenance Sleep'
2019-10-26 03:34:03.424485+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State
changed: DarkWake -> Sleep, 0x20 < Sleep >
2019-10-26 03:34:03.424516+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: Sleep
async ack
2019-10-26 03:34:03.425482+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Network off
sleep date is not setup yet. Wake date cannot be calculated without
baseline.
2019-10-26 03:34:10.954802+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT
(Maintenance)
2019-10-26 03:34:10.954802+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT
(Maintenance)
2019-10-26 03:34:38.549442+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CSHostDaemonMac
_isWakeReasonVoiceTrigger] Wake reason: <private>
2019-10-26 03:34:38.549481+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CSHostDaemonMac
_getPowerAssertionIfWakenByVoiceTriggerNotFromS3Sleep] Wake reason
is not VoiceTrigger or it woke from S3
2019-10-26 03:34:38.549826+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State
changed: Sleep -> DarkWake, 0x1 < DarkWake >
2019-10-26 03:34:38.578895+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler -
Dark Wake IOPMSystemPowerStateCapabilities - Sleep
2019-10-26 03:34:38.618876+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time
calculated as - [Sat Oct 26 04:02:03 2019]
2019-10-26 03:34:38.758263+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason:
Host (0x01)
2019-10-26 03:34:39.198775+0200 localhost kernel[0]:
(AppleIntelCFLGraphicsFramebuffer) [IGFB][INFO] FB0 power state
transition Sleep to Doze
2019-10-26 03:34:39.616978+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler -

Dark Wake IOPMSystemPowerStateCapabilities - Sleep
2019-10-26 03:34:39.618386+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time
calculated as - [Sat Oct 26 04:02:03 2019]
2019-10-26 03:34:39.623586+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason:
Host (0x01)
2019-10-26 03:34:45.952786+0200 localhost powerd[103]:
[powerd:sleepWake] Entering Sleep state due to 'Maintenance Sleep'
2019-10-26 03:34:45.953356+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State
changed: DarkWake -> Sleep, 0x20 < Sleep >
2019-10-26 03:34:45.953366+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: Sleep
async ack
2019-10-26 03:34:45.954415+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Network off
sleep date is not setup yet. Wake date cannot be calculated without
baseline.
2019-10-26 03:34:53.492744+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT
(Maintenance)
2019-10-26 03:34:53.492744+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT
(Maintenance)
2019-10-26 03:35:21.105419+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State
changed: Sleep -> DarkWake, 0x1 < DarkWake >
2019-10-26 03:35:21.106271+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CSHostDaemonMac
_isWakeReasonVoiceTrigger] Wake reason: <private>
2019-10-26 03:35:21.106300+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CSHostDaemonMac
_getPowerAssertionIfWakenByVoiceTriggerNotFromS3Sleep] Wake reason
is not VoiceTrigger or it woke from S3
2019-10-26 03:35:21.134609+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler -
Dark Wake IOPMSystemPowerStateCapabilities - Sleep
2019-10-26 03:35:21.188330+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time
calculated as - [Sat Oct 26 04:02:03 2019]
2019-10-26 03:35:21.370340+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason:
Host (0x01)
2019-10-26 03:35:21.748440+0200 localhost kernel[0]:
(AppleIntelCFLGraphicsFramebuffer) [IGFB][INFO] FB0 power state
transition Sleep to Doze
2019-10-26 03:35:22.170781+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler -
Dark Wake IOPMSystemPowerStateCapabilities - Sleep
2019-10-26 03:35:22.172017+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time

calculated as - [Sat Oct 26 04:02:03 2019]
2019-10-26 03:35:22.178707+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason:
Host (0x01)
2019-10-26 03:35:36.519970+0200 localhost powerd[103]:
[powerd:sleepWake] Entering Sleep state due to 'Maintenance Sleep'
2019-10-26 03:35:36.520687+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State
changed: DarkWake -> Sleep, 0x20 < Sleep >
2019-10-26 03:35:36.520693+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: Sleep
async ack
2019-10-26 03:35:36.521569+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Network off
sleep date is not setup yet. Wake date cannot be calculated without
baseline.
2019-10-26 03:35:45.060600+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT
(Maintenance)
2019-10-26 03:35:45.060600+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT
(Maintenance)
2019-10-26 03:36:12.739739+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler -
Dark Wake IOPMSYSTEMPowerStateCapabilities - Sleep
2019-10-26 03:36:12.741420+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State
changed: Sleep -> DarkWake, 0x1 < DarkWake >
2019-10-26 03:36:12.741808+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CSHostDaemonMac
_isWakeReasonVoiceTrigger] Wake reason: <private>
2019-10-26 03:36:12.741813+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CSHostDaemonMac
_getPowerAssertionIfWokenByVoiceTriggerNotFromS3Sleep] Wake reason
is not VoiceTrigger or it woke from S3
2019-10-26 03:36:12.805133+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time
calculated as - [Sat Oct 26 04:02:03 2019]
2019-10-26 03:36:13.051440+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason:
Host (0x01)
2019-10-26 03:36:13.346813+0200 localhost kernel[0]:
(AppleIntelCFLGraphicsFramebuffer) [IGFB][INFO] FB0 power state
transition Sleep to Doze
2019-10-26 03:36:13.766235+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler -
Dark Wake IOPMSYSTEMPowerStateCapabilities - Sleep
2019-10-26 03:36:13.767569+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time
calculated as - [Sat Oct 26 04:02:03 2019]
2019-10-26 03:36:13.773763+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]

AppleDeviceManagementHIDEventService::processWakeReason Wake reason:
Host (0x01)
2019-10-26 03:36:20.189364+0200 localhost powerd[103]:
[powerd:sleepWake] Entering Sleep state due to 'Maintenance Sleep'
2019-10-26 03:36:20.189957+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State
changed: DarkWake -> Sleep, 0x20 < Sleep >
2019-10-26 03:36:20.189990+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: Sleep
async ack
2019-10-26 03:36:20.190811+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Network off
sleep date is not setup yet. Wake date cannot be calculated without
baseline.
2019-10-26 03:36:27.673554+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT
(Maintenance)
2019-10-26 03:36:27.673554+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT
(Maintenance)
2019-10-26 03:36:55.274028+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler -
Dark Wake IOPMSYSTEMPowerStateCapabilities - Sleep
2019-10-26 03:36:55.275133+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State
changed: Sleep -> DarkWake, 0x1 < DarkWake >
2019-10-26 03:36:55.277028+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CSHostDaemonMac
_isWakeReasonVoiceTrigger] Wake reason: <private>
2019-10-26 03:36:55.277034+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CSHostDaemonMac
_getPowerAssertionIfWokenByVoiceTriggerNotFromS3Sleep] Wake reason
is not VoiceTrigger or it woke from S3
2019-10-26 03:36:55.305876+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time
calculated as - [Sat Oct 26 04:02:03 2019]
2019-10-26 03:36:55.552245+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason:
Host (0x01)
2019-10-26 03:36:55.900316+0200 localhost kernel[0]:
(AppleIntelCFLGraphicsFramebuffer) [IGFB][INFO] FB0 power state
transition Sleep to Doze
2019-10-26 03:36:56.326638+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler -
Dark Wake IOPMSYSTEMPowerStateCapabilities - Sleep
2019-10-26 03:36:56.328033+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time
calculated as - [Sat Oct 26 04:02:03 2019]
2019-10-26 03:36:56.334448+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason:
Host (0x01)
2019-10-26 03:37:02.674843+0200 localhost powerd[103]:

[powerd:sleepWake] Entering Sleep state due to 'Maintenance Sleep'
2019-10-26 03:37:02.675398+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State
changed: DarkWake -> Sleep, 0x20 < Sleep >
2019-10-26 03:37:02.675404+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: Sleep
async ack
2019-10-26 03:37:02.676107+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Network off
sleep date is not setup yet. Wake date cannot be calculated without
baseline.
2019-10-26 03:37:10.137065+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT
(Maintenance)
2019-10-26 03:37:10.137066+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT
(Maintenance)
2019-10-26 03:37:37.735193+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler -
Dark Wake IOPMSYSTEMPowerStateCapabilities - Sleep
2019-10-26 03:37:37.737194+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CSHostDaemonMac
_isWakeReasonVoiceTrigger] Wake reason: <private>
2019-10-26 03:37:37.737198+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CSHostDaemonMac
_getPowerAssertionIfWokenByVoiceTriggerNotFromS3Sleep] Wake reason
is not VoiceTrigger or it woke from S3
2019-10-26 03:37:37.779540+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State
changed: Sleep -> DarkWake, 0x1 < DarkWake >
2019-10-26 03:37:37.808213+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time
calculated as - [Sat Oct 26 04:02:03 2019]
2019-10-26 03:37:37.954212+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason:
Host (0x01)
2019-10-26 03:37:38.380727+0200 localhost kernel[0]:
(AppleIntelCFLGraphicsFramebuffer) [IGFB][INFO] FB0 power state
transition Sleep to Doze
2019-10-26 03:37:38.802846+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler -
Dark Wake IOPMSYSTEMPowerStateCapabilities - Sleep
2019-10-26 03:37:38.804241+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time
calculated as - [Sat Oct 26 04:02:03 2019]
2019-10-26 03:37:38.815245+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason:
Host (0x01)
2019-10-26 03:37:45.126277+0200 localhost powerd[103]:
[powerd:sleepWake] Entering Sleep state due to 'Maintenance Sleep'
2019-10-26 03:37:45.126857+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State

changed: DarkWake -> Sleep, 0x20 < Sleep >
2019-10-26 03:37:45.126870+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: Sleep
async ack
2019-10-26 03:37:45.127866+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Network off
sleep date is not setup yet. Wake date cannot be calculated without
baseline.
2019-10-26 03:37:52.586914+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT
(Maintenance)
2019-10-26 03:37:52.586915+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT
(Maintenance)
2019-10-26 03:38:20.221029+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler -
Dark Wake IOPMSYSTEMPowerStateCapabilities - Sleep
2019-10-26 03:38:20.224446+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CSHostDaemonMac
_isWakeReasonVoiceTrigger] Wake reason: <private>
2019-10-26 03:38:20.224451+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CSHostDaemonMac
_getPowerAssertionIfWakenByVoiceTriggerNotFromS3Sleep] Wake reason
is not VoiceTrigger or it woke from S3
2019-10-26 03:38:20.240163+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State
changed: Sleep -> DarkWake, 0x1 < DarkWake >
2019-10-26 03:38:20.247401+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time
calculated as - [Sat Oct 26 04:02:03 2019]
2019-10-26 03:38:20.392936+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason:
Host (0x01)
2019-10-26 03:38:20.844531+0200 localhost kernel[0]:
(AppleIntelCFLGraphicsFramebuffer) [IGFB][INFO] FB0 power state
transition Sleep to Doze
2019-10-26 03:38:21.265601+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler -
Dark Wake IOPMSYSTEMPowerStateCapabilities - Sleep
2019-10-26 03:38:21.267066+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time
calculated as - [Sat Oct 26 04:02:03 2019]
2019-10-26 03:38:21.278982+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason:
Host (0x01)
2019-10-26 03:38:27.581065+0200 localhost powerd[103]:
[powerd:sleepWake] Entering Sleep state due to 'Maintenance Sleep'
2019-10-26 03:38:27.581664+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State
changed: DarkWake -> Sleep, 0x20 < Sleep >
2019-10-26 03:38:27.581668+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: Sleep

async ack
2019-10-26 03:38:27.582760+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Network off
sleep date is not setup yet. Wake date cannot be calculated without
baseline.
2019-10-26 03:38:35.000737+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.RTC
(Alarm)
2019-10-26 03:38:35.000737+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.RTC
(Alarm)
2019-10-26 03:43:30.090096+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State
changed: Sleep -> DarkWake, 0x1 < DarkWake >
2019-10-26 03:43:30.091667+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CSHostDaemonMac
_isWakeReasonVoiceTrigger] Wake reason: <private>
2019-10-26 03:43:30.091697+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CSHostDaemonMac
_getPowerAssertionIfWakenByVoiceTriggerNotFromS3Sleep] Wake reason
is not VoiceTrigger or it woke from S3
2019-10-26 03:43:30.116425+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler -
Dark Wake IOPMSYSTEMPowerStateCapabilities - Sleep
2019-10-26 03:43:30.155288+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time
calculated as - [Sat Oct 26 04:02:03 2019]
2019-10-26 03:43:30.420294+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason:
Host (0x01)
2019-10-26 03:43:30.721633+0200 localhost kernel[0]:
(AppleIntelCFLGraphicsFramebuffer) [IGFB][INFO] FB0 power state
transition Sleep to Doze
2019-10-26 03:43:31.134813+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler -
Dark Wake IOPMSYSTEMPowerStateCapabilities - Sleep
2019-10-26 03:43:31.136167+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time
calculated as - [Sat Oct 26 04:02:03 2019]
2019-10-26 03:43:31.141726+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason:
Host (0x01)
2019-10-26 03:43:37.478287+0200 localhost powerd[103]:
[powerd:sleepWake] Entering Sleep state due to 'Maintenance Sleep'
2019-10-26 03:43:37.478976+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State
changed: DarkWake -> Sleep, 0x20 < Sleep >
2019-10-26 03:43:37.478985+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: Sleep
async ack
2019-10-26 03:43:37.479735+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Network off

sleep date is not setup yet. Wake date cannot be calculated without baseline.

2019-10-26 03:43:45.446850+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT (Maintenance)

2019-10-26 03:43:45.446851+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT (Maintenance)

2019-10-26 03:44:13.142026+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler - Dark Wake IOPMSYSTEMPowerStateCapabilities - Sleep

2019-10-26 03:44:13.144054+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State changed: Sleep -> DarkWake, 0x1 < DarkWake >

2019-10-26 03:44:13.162655+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CSHostDaemonMac _isWakeReasonVoiceTrigger] Wake reason: <private>

2019-10-26 03:44:13.162670+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CSHostDaemonMac _getPowerAssertionIfWakenByVoiceTriggerNotFromS3Sleep] Wake reason is not VoiceTrigger or it woke from S3

2019-10-26 03:44:13.165004+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time calculated as - [Sat Oct 26 04:02:03 2019]

2019-10-26 03:44:13.374320+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason: Host (0x01)

2019-10-26 03:44:13.746278+0200 localhost kernel[0]:
(AppleIntelCFLGraphicsFramebuffer) [IGFB][INFO] FB0 power state transition Sleep to Doze

2019-10-26 03:44:14.174471+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler - Dark Wake IOPMSYSTEMPowerStateCapabilities - Sleep

2019-10-26 03:44:14.175667+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time calculated as - [Sat Oct 26 04:02:03 2019]

2019-10-26 03:44:14.181337+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason: Host (0x01)

2019-10-26 03:44:20.530314+0200 localhost powerd[103]:
[powerd:sleepWake] Entering Sleep state due to 'Maintenance Sleep'

2019-10-26 03:44:20.530858+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State changed: DarkWake -> Sleep, 0x20 < Sleep >

2019-10-26 03:44:20.530864+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: Sleep async ack

2019-10-26 03:44:20.531560+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Network off
sleep date is not setup yet. Wake date cannot be calculated without baseline.

2019-10-26 03:44:28.066389+0200 localhost kernel[0]:

(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT (Maintenance)
2019-10-26 03:44:28.066389+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT (Maintenance)
2019-10-26 03:44:55.683352+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler - Dark Wake IOPMSYSTEMPowerStateCapabilities - Sleep
2019-10-26 03:44:55.686347+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State changed: Sleep -> DarkWake, 0x1 < DarkWake >
2019-10-26 03:44:55.687181+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CSHostDaemonMac _isWakeReasonVoiceTrigger] Wake reason: <private>
2019-10-26 03:44:55.687188+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CSHostDaemonMac _getPowerAssertionIfWokenByVoiceTriggerNotFromS3Sleep] Wake reason is not VoiceTrigger or it woke from S3
2019-10-26 03:44:55.729909+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time calculated as - [Sat Oct 26 04:02:03 2019]
2019-10-26 03:44:56.015042+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason: Host (0x01)
2019-10-26 03:44:56.283718+0200 localhost kernel[0]:
(AppleIntelCFLGraphicsFramebuffer) [IGFB][INFO] FB0 power state transition Sleep to Doze
2019-10-26 03:44:56.714472+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler - Dark Wake IOPMSYSTEMPowerStateCapabilities - Sleep
2019-10-26 03:44:56.716037+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time calculated as - [Sat Oct 26 04:02:03 2019]
2019-10-26 03:44:56.723591+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason: Host (0x01)
2019-10-26 03:45:03.055936+0200 localhost powerd[103]:
[powerd:sleepWake] Entering Sleep state due to 'Maintenance Sleep'
2019-10-26 03:45:03.056473+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State changed: DarkWake -> Sleep, 0x20 < Sleep >
2019-10-26 03:45:03.056480+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: Sleep async ack
2019-10-26 03:45:03.057470+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Network off sleep date is not setup yet. Wake date cannot be calculated without baseline.
2019-10-26 03:45:10.720904+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT (Maintenance)
2019-10-26 03:45:10.720905+0200 localhost kernel[0]:

(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT (Maintenance)
2019-10-26 03:45:38.379695+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler - Dark Wake IOPMSystemPowerStateCapabilities - Sleep
2019-10-26 03:45:38.381241+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CShostDaemonMac _isWakeReasonVoiceTrigger] Wake reason: <private>
2019-10-26 03:45:38.381247+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CShostDaemonMac _getPowerAssertionIfWakenByVoiceTriggerNotFromS3Sleep] Wake reason is not VoiceTrigger or it woke from S3
2019-10-26 03:45:38.392926+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State changed: Sleep -> DarkWake, 0x1 < DarkWake >
2019-10-26 03:45:38.633674+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time calculated as - [Sat Oct 26 04:02:03 2019]
2019-10-26 03:45:38.651929+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason: Host (0x01)
2019-10-26 03:45:39.018250+0200 localhost kernel[0]:
(AppleIntelCFLGraphicsFramebuffer) [IGFB][INFO] FB0 power state transition Sleep to Doze
2019-10-26 03:45:39.441296+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler - Dark Wake IOPMSystemPowerStateCapabilities - Sleep
2019-10-26 03:45:39.442919+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time calculated as - [Sat Oct 26 04:02:03 2019]
2019-10-26 03:45:39.448690+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason: Host (0x01)
2019-10-26 03:45:45.814094+0200 localhost powerd[103]:
[powerd:sleepWake] Entering Sleep state due to 'Maintenance Sleep'
2019-10-26 03:45:45.814611+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State changed: DarkWake -> Sleep, 0x20 < Sleep >
2019-10-26 03:45:45.814618+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: Sleep async ack
2019-10-26 03:45:45.815797+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Network off sleep date is not setup yet. Wake date cannot be calculated without baseline.
2019-10-26 03:45:53.234731+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT (Maintenance)
2019-10-26 03:45:53.234732+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT (Maintenance)
2019-10-26 03:46:20.921782+0200 localhost bluetoothd[145]:

(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler -
Dark Wake IOPMSYSTEMPowerStateCapabilities - Sleep
2019-10-26 03:46:20.924359+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CSHostDaemonMac
_isWakeReasonVoiceTrigger] Wake reason: <private>
2019-10-26 03:46:20.924366+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CSHostDaemonMac
_getPowerAssertionIfWokenByVoiceTriggerNotFromS3Sleep] Wake reason
is not VoiceTrigger or it woke from S3
2019-10-26 03:46:20.941667+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State
changed: Sleep -> DarkWake, 0x1 < DarkWake >
2019-10-26 03:46:20.973927+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time
calculated as - [Sat Oct 26 04:02:03 2019]
2019-10-26 03:46:21.150252+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason:
Host (0x01)
2019-10-26 03:46:21.552325+0200 localhost kernel[0]:
(AppleIntelCFLGraphicsFramebuffer) [IGFB][INFO] FB0 power state
transition Sleep to Doze
2019-10-26 03:46:21.975658+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler -
Dark Wake IOPMSYSTEMPowerStateCapabilities - Sleep
2019-10-26 03:46:21.976992+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time
calculated as - [Sat Oct 26 04:02:03 2019]
2019-10-26 03:46:21.983423+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason:
Host (0x01)
2019-10-26 03:46:28.296795+0200 localhost powerd[103]:
[powerd:sleepWake] Entering Sleep state due to 'Maintenance Sleep'
2019-10-26 03:46:28.297415+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State
changed: DarkWake -> Sleep, 0x20 < Sleep >
2019-10-26 03:46:28.297420+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: Sleep
async ack
2019-10-26 03:46:28.298030+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Network off
sleep date is not setup yet. Wake date cannot be calculated without
baseline.
2019-10-26 03:46:35.710969+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT
(Maintenance)
2019-10-26 03:46:35.710970+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT
(Maintenance)
2019-10-26 03:47:03.353178+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler -
Dark Wake IOPMSYSTEMPowerStateCapabilities - Sleep
2019-10-26 03:47:03.357078+0200 localhost rapportd[371]:

(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State changed: Sleep -> DarkWake, 0x1 < DarkWake >
2019-10-26 03:47:03.357932+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CSHostDaemonMac _isWakeReasonVoiceTrigger] Wake reason: <private>
2019-10-26 03:47:03.357941+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CSHostDaemonMac _getPowerAssertionIfWakenByVoiceTriggerNotFromS3Sleep] Wake reason is not VoiceTrigger or it woke from S3
2019-10-26 03:47:03.396165+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time calculated as - [Sat Oct 26 04:02:03 2019]
2019-10-26 03:47:03.519190+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason: Host (0x01)
2019-10-26 03:47:03.962694+0200 localhost kernel[0]:
(AppleIntelCFLGraphicsFramebuffer) [IGFB][INFO] FB0 power state transition Sleep to Doze
2019-10-26 03:47:04.382735+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler - Dark Wake IOPMSYSTEMPowerStateCapabilities - Sleep
2019-10-26 03:47:04.384317+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time calculated as - [Sat Oct 26 04:02:03 2019]
2019-10-26 03:47:04.388931+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason: Host (0x01)
2019-10-26 03:47:10.693976+0200 localhost powerd[103]:
[powerd:sleepWake] Entering Sleep state due to 'Maintenance Sleep'
2019-10-26 03:47:10.694568+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State changed: DarkWake -> Sleep, 0x20 < Sleep >
2019-10-26 03:47:10.694576+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: Sleep async ack
2019-10-26 03:47:10.695413+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Network off sleep date is not setup yet. Wake date cannot be calculated without baseline.
2019-10-26 03:47:27.449853+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT (Maintenance)
2019-10-26 03:47:27.449854+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT (Maintenance)
2019-10-26 03:47:55.127478+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler - Dark Wake IOPMSYSTEMPowerStateCapabilities - Sleep
2019-10-26 03:47:55.129684+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CSHostDaemonMac _isWakeReasonVoiceTrigger] Wake reason: <private>
2019-10-26 03:47:55.129693+0200 localhost corespeechd[443]:

[com.apple.corespeech:Framework] -[CShostDaemonMac
_getPowerAssertionIfWakenByVoiceTriggerNotFromS3Sleep] Wake reason
is not VoiceTrigger or it woke from S3
2019-10-26 03:47:55.130221+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State
changed: Sleep -> DarkWake, 0x1 < DarkWake >
2019-10-26 03:47:55.304548+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason:
Host (0x01)
2019-10-26 03:47:55.359634+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time
calculated as - [Sat Oct 26 04:02:03 2019]
2019-10-26 03:47:55.740743+0200 localhost kernel[0]:
(AppleIntelCFLGraphicsFramebuffer) [IGFB][INFO] FB0 power state
transition Sleep to Doze
2019-10-26 03:47:56.160596+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler -
Dark Wake IOPMSYSTEMPowerStateCapabilities - Sleep
2019-10-26 03:47:56.161831+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time
calculated as - [Sat Oct 26 04:02:03 2019]
2019-10-26 03:47:56.167550+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason:
Host (0x01)
2019-10-26 03:48:02.518316+0200 localhost powerd[103]:
[powerd:sleepWake] Entering Sleep state due to 'Maintenance Sleep'
2019-10-26 03:48:02.518852+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State
changed: DarkWake -> Sleep, 0x20 < Sleep >
2019-10-26 03:48:02.518862+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: Sleep
async ack
2019-10-26 03:48:02.519518+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Network off
sleep date is not setup yet. Wake date cannot be calculated without
baseline.
2019-10-26 03:48:10.162395+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.RTC
(Alarm)
2019-10-26 03:48:10.162396+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.RTC
(Alarm)
2019-10-26 03:53:04.411404+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason:
Host (0x01)
2019-10-26 03:53:04.460371+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler -
Dark Wake IOPMSYSTEMPowerStateCapabilities - Sleep
2019-10-26 03:53:04.460496+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State
changed: Sleep -> DarkWake, 0x1 < DarkWake >

2019-10-26 03:53:04.461907+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CShostDaemonMac
_isWakeReasonVoiceTrigger] Wake reason: <private>
2019-10-26 03:53:04.461912+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CShostDaemonMac
_getPowerAssertionIfWakenByVoiceTriggerNotFromS3Sleep] Wake reason
is not VoiceTrigger or it woke from S3
2019-10-26 03:53:04.477943+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time
calculated as - [Sat Oct 26 04:02:03 2019]
2019-10-26 03:53:04.781321+0200 localhost kernel[0]:
(AppleIntelCFLGraphicsFramebuffer) [IGFB][INFO] FB0 power state
transition Sleep to Doze
2019-10-26 03:53:05.203754+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler -
Dark Wake IOPMSYSTEMPowerStateCapabilities - Sleep
2019-10-26 03:53:05.205189+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time
calculated as - [Sat Oct 26 04:02:03 2019]
2019-10-26 03:53:05.212756+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason:
Host (0x01)
2019-10-26 03:53:11.453804+0200 localhost powerd[103]:
[powerd:sleepWake] Entering Sleep state due to 'Maintenance Sleep'
2019-10-26 03:53:11.454279+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State
changed: DarkWake -> Sleep, 0x20 < Sleep >
2019-10-26 03:53:11.454341+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: Sleep
async ack
2019-10-26 03:53:11.454933+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Network off
sleep date is not setup yet. Wake date cannot be calculated without
baseline.
2019-10-26 03:53:18.953369+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT
(Maintenance)
2019-10-26 03:53:18.953369+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT
(Maintenance)
2019-10-26 03:53:46.708583+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler -
Dark Wake IOPMSYSTEMPowerStateCapabilities - Sleep
2019-10-26 03:53:46.709856+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CShostDaemonMac
_isWakeReasonVoiceTrigger] Wake reason: <private>
2019-10-26 03:53:46.709862+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CShostDaemonMac
_getPowerAssertionIfWakenByVoiceTriggerNotFromS3Sleep] Wake reason
is not VoiceTrigger or it woke from S3
2019-10-26 03:53:46.710866+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State
changed: Sleep -> DarkWake, 0x1 < DarkWake >

2019-10-26 03:53:46.759018+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time
calculated as - [Sat Oct 26 04:02:03 2019]
2019-10-26 03:53:47.016401+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason:
Host (0x01)
2019-10-26 03:53:47.316901+0200 localhost kernel[0]:
(AppleIntelCFLGraphicsFramebuffer) [IGFB][INFO] FB0 power state
transition Sleep to Doze
2019-10-26 03:53:47.740546+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler -
Dark Wake IOPMSYSTEMPowerStateCapabilities - Sleep
2019-10-26 03:53:47.742055+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time
calculated as - [Sat Oct 26 04:02:03 2019]
2019-10-26 03:53:47.746924+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason:
Host (0x01)
2019-10-26 03:53:56.037469+0200 localhost powerd[103]:
[powerd:sleepWake] Entering Sleep state due to 'Maintenance Sleep'
2019-10-26 03:53:56.037973+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State
changed: DarkWake -> Sleep, 0x20 < Sleep >
2019-10-26 03:53:56.037978+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: Sleep
async ack
2019-10-26 03:53:56.038364+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Network off
sleep date is not setup yet. Wake date cannot be calculated without
baseline.
2019-10-26 03:54:03.485445+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT
(Maintenance)
2019-10-26 03:54:03.485446+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT
(Maintenance)
2019-10-26 03:54:31.144254+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler -
Dark Wake IOPMSYSTEMPowerStateCapabilities - Sleep
2019-10-26 03:54:31.144465+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State
changed: Sleep -> DarkWake, 0x1 < DarkWake >
2019-10-26 03:54:31.154418+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CSHostDaemonMac
_isWakeReasonVoiceTrigger] Wake reason: <private>
2019-10-26 03:54:31.154427+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CSHostDaemonMac
_getPowerAssertionIfWokenByVoiceTriggerNotFromS3Sleep] Wake reason
is not VoiceTrigger or it woke from S3
2019-10-26 03:54:31.163059+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time
calculated as - [Sat Oct 26 04:02:03 2019]

2019-10-26 03:54:31.388204+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason:
Host (0x01)
2019-10-26 03:54:31.740223+0200 localhost kernel[0]:
(AppleIntelCFLGraphicsFramebuffer) [IGFB][INFO] FB0 power state
transition Sleep to Doze
2019-10-26 03:54:32.165298+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler -
Dark Wake IOPMSYSTEMPowerStateCapabilities - Sleep
2019-10-26 03:54:32.167147+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time
calculated as - [Sat Oct 26 04:02:03 2019]
2019-10-26 03:54:32.172687+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason:
Host (0x01)
2019-10-26 03:54:38.541101+0200 localhost powerd[103]:
[powerd:sleepWake] Entering Sleep state due to 'Maintenance Sleep'
2019-10-26 03:54:38.541540+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State
changed: DarkWake -> Sleep, 0x20 < Sleep >
2019-10-26 03:54:38.541563+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: Sleep
async ack
2019-10-26 03:54:38.542376+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Network off
sleep date is not setup yet. Wake date cannot be calculated without
baseline.
2019-10-26 03:54:46.115654+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT
(Maintenance)
2019-10-26 03:54:46.115654+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT
(Maintenance)
2019-10-26 03:55:13.812938+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler -
Dark Wake IOPMSYSTEMPowerStateCapabilities - Sleep
2019-10-26 03:55:13.814363+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State
changed: Sleep -> DarkWake, 0x1 < DarkWake >
2019-10-26 03:55:13.815835+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CSHostDaemonMac
_isWakeReasonVoiceTrigger] Wake reason: <private>
2019-10-26 03:55:13.815852+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CSHostDaemonMac
_getPowerAssertionIfWakenByVoiceTriggerNotFromS3Sleep] Wake reason
is not VoiceTrigger or it woke from S3
2019-10-26 03:55:13.858625+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time
calculated as - [Sat Oct 26 04:02:03 2019]
2019-10-26 03:55:14.030282+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason:

Host (0x01)
2019-10-26 03:55:14.417622+0200 localhost kernel[0]:
(AppleIntelCFLGraphicsFramebuffer) [IGFB][INFO] FB0 power state
transition Sleep to Doze
2019-10-26 03:55:14.847516+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler -
Dark Wake IOPMSystemPowerStateCapabilities - Sleep
2019-10-26 03:55:14.848961+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time
calculated as - [Sat Oct 26 04:02:03 2019]
2019-10-26 03:55:14.853775+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason:
Host (0x01)
2019-10-26 03:55:26.043432+0200 localhost powerd[103]:
[powerd:sleepWake] Entering Sleep state due to 'Maintenance Sleep'
2019-10-26 03:55:26.044058+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State
changed: DarkWake -> Sleep, 0x20 < Sleep >
2019-10-26 03:55:26.044062+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: Sleep
async ack
2019-10-26 03:55:26.044940+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Network off
sleep date is not setup yet. Wake date cannot be calculated without
baseline.
2019-10-26 03:55:34.684339+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT
(Maintenance)
2019-10-26 03:55:34.684340+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT
(Maintenance)
2019-10-26 03:56:02.368875+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler -
Dark Wake IOPMSystemPowerStateCapabilities - Sleep
2019-10-26 03:56:02.370146+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State
changed: Sleep -> DarkWake, 0x1 < DarkWake >
2019-10-26 03:56:02.370983+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CSHostDaemonMac
_isWakeReasonVoiceTrigger] Wake reason: <private>
2019-10-26 03:56:02.370989+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CSHostDaemonMac
_getPowerAssertionIfWakenByVoiceTriggerNotFromS3Sleep] Wake reason
is not VoiceTrigger or it woke from S3
2019-10-26 03:56:02.547341+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time
calculated as - [Sat Oct 26 04:02:03 2019]
2019-10-26 03:56:02.664100+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason:
Host (0x01)
2019-10-26 03:56:02.982883+0200 localhost kernel[0]:
(AppleIntelCFLGraphicsFramebuffer) [IGFB][INFO] FB0 power state

transition Sleep to Doze
2019-10-26 03:56:03.408572+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler -
Dark Wake IOPMSYSTEMPowerStateCapabilities - Sleep
2019-10-26 03:56:03.410225+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time
calculated as - [Sat Oct 26 04:02:03 2019]
2019-10-26 03:56:03.416118+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason:
Host (0x01)
2019-10-26 03:56:09.832334+0200 localhost powerd[103]:
[powerd:sleepWake] Entering Sleep state due to 'Maintenance Sleep'
2019-10-26 03:56:09.832860+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State
changed: DarkWake -> Sleep, 0x20 < Sleep >
2019-10-26 03:56:09.832868+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: Sleep
async ack
2019-10-26 03:56:09.833602+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Network off
sleep date is not setup yet. Wake date cannot be calculated without
baseline.
2019-10-26 03:56:17.387404+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT
(Maintenance)
2019-10-26 03:56:17.387405+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT
(Maintenance)
2019-10-26 03:56:45.095398+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler -
Dark Wake IOPMSYSTEMPowerStateCapabilities - Sleep
2019-10-26 03:56:45.096547+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State
changed: Sleep -> DarkWake, 0x1 < DarkWake >
2019-10-26 03:56:45.098513+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CSHostDaemonMac
_isWakeReasonVoiceTrigger] Wake reason: <private>
2019-10-26 03:56:45.098518+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CSHostDaemonMac
_getPowerAssertionIfWakenByVoiceTriggerNotFromS3Sleep] Wake reason
is not VoiceTrigger or it woke from S3
2019-10-26 03:56:45.131144+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time
calculated as - [Sat Oct 26 04:02:03 2019]
2019-10-26 03:56:45.302218+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason:
Host (0x01)
2019-10-26 03:56:45.699680+0200 localhost kernel[0]:
(AppleIntelCFLGraphicsFramebuffer) [IGFB][INFO] FB0 power state
transition Sleep to Doze
2019-10-26 03:56:46.124572+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler -

Dark Wake IOPMSystemPowerStateCapabilities - Sleep
2019-10-26 03:56:46.125918+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time
calculated as - [Sat Oct 26 04:02:03 2019]
2019-10-26 03:56:46.136811+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason:
Host (0x01)
2019-10-26 03:56:56.041204+0200 localhost powerd[103]:
[powerd:sleepWake] Entering Sleep state due to 'Maintenance Sleep'
2019-10-26 03:56:56.041679+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State
changed: DarkWake -> Sleep, 0x20 < Sleep >
2019-10-26 03:56:56.041692+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: Sleep
async ack
2019-10-26 03:56:56.042373+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Network off
sleep date is not setup yet. Wake date cannot be calculated without
baseline.
2019-10-26 03:57:05.673105+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT
(Maintenance)
2019-10-26 03:57:05.673106+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT
(Maintenance)
2019-10-26 03:57:33.295677+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler -
Dark Wake IOPMSystemPowerStateCapabilities - Sleep
2019-10-26 03:57:33.296815+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State
changed: Sleep -> DarkWake, 0x1 < DarkWake >
2019-10-26 03:57:33.297622+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CSHostDaemonMac
_isWakeReasonVoiceTrigger] Wake reason: <private>
2019-10-26 03:57:33.297627+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CSHostDaemonMac
_getPowerAssertionIfWakenByVoiceTriggerNotFromS3Sleep] Wake reason
is not VoiceTrigger or it woke from S3
2019-10-26 03:57:33.500924+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason:
Host (0x01)
2019-10-26 03:57:33.530888+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time
calculated as - [Sat Oct 26 04:02:03 2019]
2019-10-26 03:57:33.934464+0200 localhost kernel[0]:
(AppleIntelCFLGraphicsFramebuffer) [IGFB][INFO] FB0 power state
transition Sleep to Doze
2019-10-26 03:57:34.356774+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler -
Dark Wake IOPMSystemPowerStateCapabilities - Sleep
2019-10-26 03:57:34.357940+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time

calculated as - [Sat Oct 26 04:02:03 2019]
2019-10-26 03:57:34.365851+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason:
Host (0x01)
2019-10-26 03:57:40.703811+0200 localhost powerd[103]:
[powerd:sleepWake] Entering Sleep state due to 'Maintenance Sleep'
2019-10-26 03:57:40.704419+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State
changed: DarkWake -> Sleep, 0x20 < Sleep >
2019-10-26 03:57:40.705331+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: Sleep
async ack
2019-10-26 03:57:40.705379+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Network off
sleep date is not setup yet. Wake date cannot be calculated without
baseline.
2019-10-26 03:57:48.078321+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.RTC
(Alarm)
2019-10-26 03:57:48.078322+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.RTC
(Alarm)
2019-10-26 04:02:38.104321+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State
changed: Sleep -> DarkWake, 0x1 < DarkWake >
2019-10-26 04:02:38.132291+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CSHostDaemonMac
_isWakeReasonVoiceTrigger] Wake reason: <private>
2019-10-26 04:02:38.132304+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CSHostDaemonMac
_getPowerAssertionIfWakenByVoiceTriggerNotFromS3Sleep] Wake reason
is not VoiceTrigger or it woke from S3
2019-10-26 04:02:38.133445+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler -
Dark Wake IOPMSYSTEMPowerStateCapabilities - Sleep
2019-10-26 04:02:38.167289+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time
calculated as - [Sat Oct 26 05:02:38 2019]
2019-10-26 04:02:38.459950+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason:
Host (0x01)
2019-10-26 04:02:38.744728+0200 localhost kernel[0]:
(AppleIntelCFLGraphicsFramebuffer) [IGFB][INFO] FB0 power state
transition Sleep to Doze
2019-10-26 04:02:39.170923+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler -
Dark Wake IOPMSYSTEMPowerStateCapabilities - Sleep
2019-10-26 04:02:39.172263+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time
calculated as - [Sat Oct 26 07:02:38 2019]
2019-10-26 04:02:39.181796+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]

AppleDeviceManagementHIDEventService::processWakeReason Wake reason:
Host (0x01)
2019-10-26 04:02:45.504020+0200 localhost powerd[103]:
[powerd:sleepWake] Entering Sleep state due to 'Maintenance Sleep'
2019-10-26 04:02:45.504654+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State
changed: DarkWake -> Sleep, 0x20 < Sleep >
2019-10-26 04:02:45.504659+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: Sleep
async ack
2019-10-26 04:02:45.505379+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Network off
sleep date is not setup yet. Wake date cannot be calculated without
baseline.
2019-10-26 04:02:53.055495+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT
(Maintenance)
2019-10-26 04:02:53.055496+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT
(Maintenance)
2019-10-26 04:03:20.688681+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler -
Dark Wake IOPMSYSTEMPowerStateCapabilities - Sleep
2019-10-26 04:03:20.689002+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CSHostDaemonMac
_isWakeReasonVoiceTrigger] Wake reason: <private>
2019-10-26 04:03:20.689019+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CSHostDaemonMac
_getPowerAssertionIfWakenByVoiceTriggerNotFromS3Sleep] Wake reason
is not VoiceTrigger or it woke from S3
2019-10-26 04:03:20.689079+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State
changed: Sleep -> DarkWake, 0x1 < DarkWake >
2019-10-26 04:03:20.742306+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time
calculated as - [Sat Oct 26 07:02:38 2019]
2019-10-26 04:03:20.962107+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason:
Host (0x01)
2019-10-26 04:03:21.336630+0200 localhost kernel[0]:
(AppleIntelCFLGraphicsFramebuffer) [IGFB][INFO] FB0 power state
transition Sleep to Doze
2019-10-26 04:03:21.758163+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler -
Dark Wake IOPMSYSTEMPowerStateCapabilities - Sleep
2019-10-26 04:03:21.759945+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time
calculated as - [Sat Oct 26 07:02:38 2019]
2019-10-26 04:03:21.765825+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason:
Host (0x01)
2019-10-26 04:03:31.398801+0200 localhost powerd[103]:

[powerd:sleepWake] Entering Sleep state due to 'Maintenance Sleep'
2019-10-26 04:03:31.399375+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State
changed: DarkWake -> Sleep, 0x20 < Sleep >
2019-10-26 04:03:31.399381+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: Sleep
async ack
2019-10-26 04:03:31.400297+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Network off
sleep date is not setup yet. Wake date cannot be calculated without
baseline.
2019-10-26 04:03:39.505677+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT
(Maintenance)
2019-10-26 04:03:39.505678+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT
(Maintenance)
2019-10-26 04:04:07.152707+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler -
Dark Wake IOPMSYSTEMPowerStateCapabilities - Sleep
2019-10-26 04:04:07.153475+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State
changed: Sleep -> DarkWake, 0x1 < DarkWake >
2019-10-26 04:04:07.154915+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CSHostDaemonMac
_isWakeReasonVoiceTrigger] Wake reason: <private>
2019-10-26 04:04:07.154920+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CSHostDaemonMac
_getPowerAssertionIfWakenByVoiceTriggerNotFromS3Sleep] Wake reason
is not VoiceTrigger or it woke from S3
2019-10-26 04:04:07.187243+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time
calculated as - [Sat Oct 26 07:02:38 2019]
2019-10-26 04:04:07.424157+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason:
Host (0x01)
2019-10-26 04:04:07.802670+0200 localhost kernel[0]:
(AppleIntelCFLGraphicsFramebuffer) [IGFB][INFO] FB0 power state
transition Sleep to Doze
2019-10-26 04:04:08.222878+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler -
Dark Wake IOPMSYSTEMPowerStateCapabilities - Sleep
2019-10-26 04:04:08.224852+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time
calculated as - [Sat Oct 26 07:02:38 2019]
2019-10-26 04:04:08.230683+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason:
Host (0x01)
2019-10-26 04:04:14.594120+0200 localhost powerd[103]:
[powerd:sleepWake] Entering Sleep state due to 'Maintenance Sleep'
2019-10-26 04:04:14.594606+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State

changed: DarkWake -> Sleep, 0x20 < Sleep >
2019-10-26 04:04:14.594632+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: Sleep
async ack
2019-10-26 04:04:14.595925+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Network off
sleep date is not setup yet. Wake date cannot be calculated without
baseline.
2019-10-26 04:04:22.039696+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT
(Maintenance)
2019-10-26 04:04:22.039697+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT
(Maintenance)
2019-10-26 04:04:49.660865+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler -
Dark Wake IOPMSYSTEMPowerStateCapabilities - Sleep
2019-10-26 04:04:49.662309+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State
changed: Sleep -> DarkWake, 0x1 < DarkWake >
2019-10-26 04:04:49.693729+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CSHostDaemonMac
_isWakeReasonVoiceTrigger] Wake reason: <private>
2019-10-26 04:04:49.693740+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CSHostDaemonMac
_getPowerAssertionIfWakenByVoiceTriggerNotFromS3Sleep] Wake reason
is not VoiceTrigger or it woke from S3
2019-10-26 04:04:49.695271+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time
calculated as - [Sat Oct 26 07:02:38 2019]
2019-10-26 04:04:49.879851+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason:
Host (0x01)
2019-10-26 04:04:50.307421+0200 localhost kernel[0]:
(AppleIntelCFLGraphicsFramebuffer) [IGFB][INFO] FB0 power state
transition Sleep to Doze
2019-10-26 04:04:50.729246+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler -
Dark Wake IOPMSYSTEMPowerStateCapabilities - Sleep
2019-10-26 04:04:50.730733+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time
calculated as - [Sat Oct 26 07:02:38 2019]
2019-10-26 04:04:50.735606+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason:
Host (0x01)
2019-10-26 04:05:01.406707+0200 localhost powerd[103]:
[powerd:sleepWake] Entering Sleep state due to 'Maintenance Sleep'
2019-10-26 04:05:01.407244+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State
changed: DarkWake -> Sleep, 0x20 < Sleep >
2019-10-26 04:05:01.407250+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: Sleep

async ack
2019-10-26 04:05:01.408348+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Network off
sleep date is not setup yet. Wake date cannot be calculated without
baseline.
2019-10-26 04:05:10.140968+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT
(Maintenance)
2019-10-26 04:05:10.140969+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT
(Maintenance)
2019-10-26 04:05:37.796137+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler -
Dark Wake IOPMSYSTEMPowerStateCapabilities - Sleep
2019-10-26 04:05:37.796942+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State
changed: Sleep -> DarkWake, 0x1 < DarkWake >
2019-10-26 04:05:37.799414+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CSHostDaemonMac
_isWakeReasonVoiceTrigger] Wake reason: <private>
2019-10-26 04:05:37.799420+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CSHostDaemonMac
_getPowerAssertionIfWakenByVoiceTriggerNotFromS3Sleep] Wake reason
is not VoiceTrigger or it woke from S3
2019-10-26 04:05:37.823141+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time
calculated as - [Sat Oct 26 07:02:38 2019]
2019-10-26 04:05:38.021648+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason:
Host (0x01)
2019-10-26 04:05:38.418349+0200 localhost kernel[0]:
(AppleIntelCFLGraphicsFramebuffer) [IGFB][INFO] FB0 power state
transition Sleep to Doze
2019-10-26 04:05:38.841270+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler -
Dark Wake IOPMSYSTEMPowerStateCapabilities - Sleep
2019-10-26 04:05:38.842775+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time
calculated as - [Sat Oct 26 07:02:38 2019]
2019-10-26 04:05:38.854042+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason:
Host (0x01)
2019-10-26 04:05:45.185708+0200 localhost powerd[103]:
[powerd:sleepWake] Entering Sleep state due to 'Maintenance Sleep'
2019-10-26 04:05:45.186159+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State
changed: DarkWake -> Sleep, 0x20 < Sleep >
2019-10-26 04:05:45.186164+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: Sleep
async ack
2019-10-26 04:05:45.186904+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Network off

sleep date is not setup yet. Wake date cannot be calculated without baseline.

2019-10-26 04:05:52.613838+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT (Maintenance)

2019-10-26 04:05:52.613839+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT (Maintenance)

2019-10-26 04:06:20.276797+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler - Dark Wake IOPMSYSTEMPowerStateCapabilities - Sleep

2019-10-26 04:06:20.277157+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State changed: Sleep -> DarkWake, 0x1 < DarkWake >

2019-10-26 04:06:20.280478+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CSHostDaemonMac _isWakeReasonVoiceTrigger] Wake reason: <private>

2019-10-26 04:06:20.280485+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CSHostDaemonMac _getPowerAssertionIfWakenByVoiceTriggerNotFromS3Sleep] Wake reason is not VoiceTrigger or it woke from S3

2019-10-26 04:06:20.295428+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time calculated as - [Sat Oct 26 07:02:38 2019]

2019-10-26 04:06:20.452781+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason: Host (0x01)

2019-10-26 04:06:20.913343+0200 localhost kernel[0]:
(AppleIntelCFLGraphicsFramebuffer) [IGFB] [INFO] FB0 power state transition Sleep to Doze

2019-10-26 04:06:21.334306+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler - Dark Wake IOPMSYSTEMPowerStateCapabilities - Sleep

2019-10-26 04:06:21.336176+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time calculated as - [Sat Oct 26 07:02:38 2019]

2019-10-26 04:06:21.344754+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason: Host (0x01)

2019-10-26 04:06:31.407876+0200 localhost powerd[103]:
[powerd:sleepWake] Entering Sleep state due to 'Maintenance Sleep'

2019-10-26 04:06:31.408386+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State changed: DarkWake -> Sleep, 0x20 < Sleep >

2019-10-26 04:06:31.408391+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: Sleep async ack

2019-10-26 04:06:31.409322+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Network off

sleep date is not setup yet. Wake date cannot be calculated without baseline.

2019-10-26 04:06:40.781422+0200 localhost kernel[0]:

(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT (Maintenance)
2019-10-26 04:06:40.781423+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT (Maintenance)
2019-10-26 04:07:08.464936+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler - Dark Wake IOPMSystemPowerStateCapabilities - Sleep
2019-10-26 04:07:08.467457+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State changed: Sleep -> DarkWake, 0x1 < DarkWake >
2019-10-26 04:07:08.491127+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time calculated as - [Sat Oct 26 07:02:38 2019]
2019-10-26 04:07:08.499992+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CSHostDaemonMac _isWakeReasonVoiceTrigger] Wake reason: <private>
2019-10-26 04:07:08.499999+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CSHostDaemonMac _getPowerAssertionIfWakenByVoiceTriggerNotFromS3Sleep] Wake reason is not VoiceTrigger or it woke from S3
2019-10-26 04:07:08.652789+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason: Host (0x01)
2019-10-26 04:07:09.033918+0200 localhost kernel[0]:
(AppleIntelCFLGraphicsFramebuffer) [IGFB][INFO] FB0 power state transition Sleep to Doze
2019-10-26 04:07:09.460303+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler - Dark Wake IOPMSystemPowerStateCapabilities - Sleep
2019-10-26 04:07:09.461692+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time calculated as - [Sat Oct 26 07:02:38 2019]
2019-10-26 04:07:09.470260+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason: Host (0x01)
2019-10-26 04:07:15.820721+0200 localhost powerd[103]:
[powerd:sleepWake] Entering Sleep state due to 'Maintenance Sleep'
2019-10-26 04:07:15.821353+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State changed: DarkWake -> Sleep, 0x20 < Sleep >
2019-10-26 04:07:15.821359+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: Sleep async ack
2019-10-26 04:07:15.822250+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Network off sleep date is not setup yet. Wake date cannot be calculated without baseline.
2019-10-26 04:07:23.304961+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.RTC (Alarm)
2019-10-26 04:07:23.304962+0200 localhost kernel[0]:

(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.RTC (Alarm)
2019-10-26 04:12:13.086552+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CShostDaemonMac _isWakeReasonVoiceTrigger] Wake reason: <private>
2019-10-26 04:12:13.086560+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CShostDaemonMac _getPowerAssertionIfWakenByVoiceTriggerNotFromS3Sleep] Wake reason is not VoiceTrigger or it woke from S3
2019-10-26 04:12:13.113171+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State changed: Sleep -> DarkWake, 0x1 < DarkWake >
2019-10-26 04:12:13.118376+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler - Dark Wake IOPMSYSTEMPowerStateCapabilities - Sleep
2019-10-26 04:12:13.321909+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time calculated as - [Sat Oct 26 07:02:38 2019]
2019-10-26 04:12:13.357447+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason: Host (0x01)
2019-10-26 04:12:13.735969+0200 localhost kernel[0]:
(AppleIntelCFLGraphicsFramebuffer) [IGFB][INFO] FB0 power state transition Sleep to Doze
2019-10-26 04:12:14.144171+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler - Dark Wake IOPMSYSTEMPowerStateCapabilities - Sleep
2019-10-26 04:12:14.145622+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time calculated as - [Sat Oct 26 07:02:38 2019]
2019-10-26 04:12:14.150927+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason: Host (0x01)
2019-10-26 04:12:20.405731+0200 localhost powerd[103]:
[powerd:sleepWake] Entering Sleep state due to 'Maintenance Sleep'
2019-10-26 04:12:20.406309+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State changed: DarkWake -> Sleep, 0x20 < Sleep >
2019-10-26 04:12:20.406314+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: Sleep async ack
2019-10-26 04:12:20.407489+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Network off sleep date is not setup yet. Wake date cannot be calculated without baseline.
2019-10-26 04:12:27.865387+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT (Maintenance)
2019-10-26 04:12:27.865388+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT (Maintenance)
2019-10-26 04:12:55.513804+0200 localhost corespeechd[443]:

[com.apple.corespeech:Framework] -[CShostDaemonMac
_isWakeReasonVoiceTrigger] Wake reason: <private>
2019-10-26 04:12:55.513854+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CShostDaemonMac
_getPowerAssertionIfWakenByVoiceTriggerNotFromS3Sleep] Wake reason
is not VoiceTrigger or it woke from S3
2019-10-26 04:12:55.514343+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler -
Dark Wake IOPMSYSTEMPowerStateCapabilities - Sleep
2019-10-26 04:12:55.515154+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State
changed: Sleep -> DarkWake, 0x1 < DarkWake >
2019-10-26 04:12:55.552596+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time
calculated as - [Sat Oct 26 07:02:38 2019]
2019-10-26 04:12:55.728280+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason:
Host (0x01)
2019-10-26 04:12:56.134242+0200 localhost kernel[0]:
(AppleIntelCFLGraphicsFramebuffer) [IGFB][INFO] FB0 power state
transition Sleep to Doze
2019-10-26 04:12:56.555413+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler -
Dark Wake IOPMSYSTEMPowerStateCapabilities - Sleep
2019-10-26 04:12:56.556649+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time
calculated as - [Sat Oct 26 07:02:38 2019]
2019-10-26 04:12:56.568315+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason:
Host (0x01)
2019-10-26 04:13:02.866969+0200 localhost powerd[103]:
[powerd:sleepWake] Entering Sleep state due to 'Maintenance Sleep'
2019-10-26 04:13:02.867592+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State
changed: DarkWake -> Sleep, 0x20 < Sleep >
2019-10-26 04:13:02.867619+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: Sleep
async ack
2019-10-26 04:13:02.868362+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Network off
sleep date is not setup yet. Wake date cannot be calculated without
baseline.
2019-10-26 04:13:10.239755+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT
(Maintenance)
2019-10-26 04:13:10.239755+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT
(Maintenance)
2019-10-26 04:13:37.890708+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State
changed: Sleep -> DarkWake, 0x1 < DarkWake >
2019-10-26 04:13:37.893850+0200 localhost corespeechd[443]:

[com.apple.corespeech:Framework] -[CShostDaemonMac
_isWakeReasonVoiceTrigger] Wake reason: <private>
2019-10-26 04:13:37.903755+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CShostDaemonMac
_getPowerAssertionIfWakenByVoiceTriggerNotFromS3Sleep] Wake reason
is not VoiceTrigger or it woke from S3
2019-10-26 04:13:37.913162+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler -
Dark Wake IOPMSYSTEMPowerStateCapabilities - Sleep
2019-10-26 04:13:37.971195+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time
calculated as - [Sat Oct 26 07:02:38 2019]
2019-10-26 04:13:38.149069+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason:
Host (0x01)
2019-10-26 04:13:38.535850+0200 localhost kernel[0]:
(AppleIntelCFLGraphicsFramebuffer) [IGFB][INFO] FB0 power state
transition Sleep to Doze
2019-10-26 04:13:38.958371+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler -
Dark Wake IOPMSYSTEMPowerStateCapabilities - Sleep
2019-10-26 04:13:38.959815+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time
calculated as - [Sat Oct 26 07:02:38 2019]
2019-10-26 04:13:38.971895+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason:
Host (0x01)
2019-10-26 04:13:45.323027+0200 localhost powerd[103]:
[powerd:sleepWake] Entering Sleep state due to 'Maintenance Sleep'
2019-10-26 04:13:45.323581+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State
changed: DarkWake -> Sleep, 0x20 < Sleep >
2019-10-26 04:13:45.323587+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: Sleep
async ack
2019-10-26 04:13:45.324218+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Network off
sleep date is not setup yet. Wake date cannot be calculated without
baseline.
2019-10-26 04:13:52.726164+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT
(Maintenance)
2019-10-26 04:13:52.726165+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT
(Maintenance)
2019-10-26 04:14:20.376288+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State
changed: Sleep -> DarkWake, 0x1 < DarkWake >
2019-10-26 04:14:20.379869+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler -
Dark Wake IOPMSYSTEMPowerStateCapabilities - Sleep
2019-10-26 04:14:20.382798+0200 localhost corespeechd[443]:

[com.apple.corespeech:Framework] -[CShostDaemonMac
_isWakeReasonVoiceTrigger] Wake reason: <private>
2019-10-26 04:14:20.382835+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CShostDaemonMac
_getPowerAssertionIfWakenByVoiceTriggerNotFromS3Sleep] Wake reason
is not VoiceTrigger or it woke from S3
2019-10-26 04:14:20.431138+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time
calculated as - [Sat Oct 26 07:02:38 2019]
2019-10-26 04:14:20.746020+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason:
Host (0x01)
2019-10-26 04:14:20.983641+0200 localhost kernel[0]:
(AppleIntelCFLGraphicsFramebuffer) [IGFB][INFO] FB0 power state
transition Sleep to Doze
2019-10-26 04:14:21.402923+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler -
Dark Wake IOPMSYSTEMPowerStateCapabilities - Sleep
2019-10-26 04:14:21.404783+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time
calculated as - [Sat Oct 26 07:02:38 2019]
2019-10-26 04:14:21.409059+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason:
Host (0x01)
2019-10-26 04:14:31.406365+0200 localhost powerd[103]:
[powerd:sleepWake] Entering Sleep state due to 'Maintenance Sleep'
2019-10-26 04:14:31.406994+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State
changed: DarkWake -> Sleep, 0x20 < Sleep >
2019-10-26 04:14:31.407026+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: Sleep
async ack
2019-10-26 04:14:31.408093+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Network off
sleep date is not setup yet. Wake date cannot be calculated without
baseline.
2019-10-26 04:14:40.800676+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT
(Maintenance)
2019-10-26 04:14:40.800677+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT
(Maintenance)
2019-10-26 04:15:08.481289+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler -
Dark Wake IOPMSYSTEMPowerStateCapabilities - Sleep
2019-10-26 04:15:08.483068+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State
changed: Sleep -> DarkWake, 0x1 < DarkWake >
2019-10-26 04:15:08.507290+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CShostDaemonMac
_isWakeReasonVoiceTrigger] Wake reason: <private>
2019-10-26 04:15:08.507294+0200 localhost corespeechd[443]:

```
[com.apple.corespeech:Framework] -[CShostDaemonMac
_getPowerAssertionIfWakenByVoiceTriggerNotFromS3Sleep] Wake reason
is not VoiceTrigger or it woke from S3
2019-10-26 04:15:08.516030+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time
calculated as - [Sat Oct 26 07:02:38 2019]
2019-10-26 04:15:08.788009+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason:
Host (0x01)
2019-10-26 04:15:09.088805+0200 localhost kernel[0]:
(AppleIntelCFLGraphicsFramebuffer) [IGFB][INFO ] FB0 power state
transition Sleep to Doze
2019-10-26 04:15:09.510628+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler -
Dark Wake IOPMSYSTEMPowerStateCapabilities - Sleep
2019-10-26 04:15:09.512095+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time
calculated as - [Sat Oct 26 07:02:38 2019]
2019-10-26 04:15:09.518151+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason:
Host (0x01)
2019-10-26 04:15:15.929732+0200 localhost powerd[103]:
[powerd:sleepWake] Entering Sleep state due to 'Maintenance Sleep'
2019-10-26 04:15:15.930249+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State
changed: DarkWake -> Sleep, 0x20 < Sleep >
2019-10-26 04:15:15.930260+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: Sleep
async ack
2019-10-26 04:15:15.930962+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Network off
sleep date is not setup yet. Wake date cannot be calculated without
baseline.
2019-10-26 04:15:23.452339+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT
(Maintenance)
2019-10-26 04:15:23.452340+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT
(Maintenance)
2019-10-26 04:15:51.106251+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler -
Dark Wake IOPMSYSTEMPowerStateCapabilities - Sleep
2019-10-26 04:15:51.107866+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State
changed: Sleep -> DarkWake, 0x1 < DarkWake >
2019-10-26 04:15:51.109663+0200 localhost corespchd[443]:
[com.apple.corespeech:Framework] -[CShostDaemonMac
_isWakeReasonVoiceTrigger] Wake reason: <private>
2019-10-26 04:15:51.109670+0200 localhost corespchd[443]:
[com.apple.corespeech:Framework] -[CShostDaemonMac
_getPowerAssertionIfWakenByVoiceTriggerNotFromS3Sleep] Wake reason
is not VoiceTrigger or it woke from S3
```

2019-10-26 04:15:51.127958+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time
calculated as - [Sat Oct 26 07:02:38 2019]
2019-10-26 04:15:51.308767+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason:
Host (0x01)
2019-10-26 04:15:51.705439+0200 localhost kernel[0]:
(AppleIntelCFLGraphicsFramebuffer) [IGFB][INFO] FB0 power state
transition Sleep to Doze
2019-10-26 04:15:52.127752+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler -
Dark Wake IOPMSYSTEMPowerStateCapabilities - Sleep
2019-10-26 04:15:52.129115+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time
calculated as - [Sat Oct 26 07:02:38 2019]
2019-10-26 04:15:52.135287+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason:
Host (0x01)
2019-10-26 04:15:58.467905+0200 localhost powerd[103]:
[powerd:sleepWake] Entering Sleep state due to 'Maintenance Sleep'
2019-10-26 04:15:58.468489+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State
changed: DarkWake -> Sleep, 0x20 < Sleep >
2019-10-26 04:15:58.468495+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: Sleep
async ack
2019-10-26 04:15:58.468930+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Network off
sleep date is not setup yet. Wake date cannot be calculated without
baseline.
2019-10-26 04:16:06.138545+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT
(Maintenance)
2019-10-26 04:16:06.138546+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT
(Maintenance)
2019-10-26 04:16:33.805905+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler -
Dark Wake IOPMSYSTEMPowerStateCapabilities - Sleep
2019-10-26 04:16:33.807931+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CSHostDaemonMac
_isWakeReasonVoiceTrigger] Wake reason: <private>
2019-10-26 04:16:33.807936+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CSHostDaemonMac
_getPowerAssertionIfWakenByVoiceTriggerNotFromS3Sleep] Wake reason
is not VoiceTrigger or it woke from S3
2019-10-26 04:16:33.813746+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State
changed: Sleep -> DarkWake, 0x1 < DarkWake >
2019-10-26 04:16:33.859208+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time
calculated as - [Sat Oct 26 07:02:38 2019]

2019-10-26 04:16:34.050319+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason:
Host (0x01)
2019-10-26 04:16:34.430777+0200 localhost kernel[0]:
(AppleIntelCFLGraphicsFramebuffer) [IGFB][INFO] FB0 power state
transition Sleep to Doze
2019-10-26 04:16:34.857438+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler -
Dark Wake IOPMSYSTEMPowerStateCapabilities - Sleep
2019-10-26 04:16:34.858775+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time
calculated as - [Sat Oct 26 07:02:38 2019]
2019-10-26 04:16:34.864927+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason:
Host (0x01)
2019-10-26 04:16:41.245588+0200 localhost powerd[103]:
[powerd:sleepWake] Entering Sleep state due to 'Maintenance Sleep'
2019-10-26 04:16:41.246073+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State
changed: DarkWake -> Sleep, 0x20 < Sleep >
2019-10-26 04:16:41.246080+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: Sleep
async ack
2019-10-26 04:16:41.247050+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Network off
sleep date is not setup yet. Wake date cannot be calculated without
baseline.
2019-10-26 04:16:48.719067+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT
(Maintenance)
2019-10-26 04:16:48.719068+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT
(Maintenance)
2019-10-26 04:17:16.393688+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CSHostDaemonMac
_isWakeReasonVoiceTrigger] Wake reason: <private>
2019-10-26 04:17:16.393714+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CSHostDaemonMac
_getPowerAssertionIfWakenByVoiceTriggerNotFromS3Sleep] Wake reason
is not VoiceTrigger or it woke from S3
2019-10-26 04:17:16.408893+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler -
Dark Wake IOPMSYSTEMPowerStateCapabilities - Sleep
2019-10-26 04:17:16.413363+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State
changed: Sleep -> DarkWake, 0x1 < DarkWake >
2019-10-26 04:17:16.439188+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time
calculated as - [Sat Oct 26 07:02:38 2019]
2019-10-26 04:17:16.773161+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason:

Host (0x01)
2019-10-26 04:17:17.037346+0200 localhost kernel[0]:
(AppleIntelCFLGraphicsFramebuffer) [IGFB][INFO] FB0 power state
transition Sleep to Doze
2019-10-26 04:17:17.454688+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler -
Dark Wake IOPMSystemPowerStateCapabilities - Sleep
2019-10-26 04:17:17.456119+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time
calculated as - [Sat Oct 26 07:02:38 2019]
2019-10-26 04:17:17.462724+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason:
Host (0x01)
2019-10-26 04:17:23.820485+0200 localhost powerd[103]:
[powerd:sleepWake] Entering Sleep state due to 'Maintenance Sleep'
2019-10-26 04:17:23.821002+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State
changed: DarkWake -> Sleep, 0x20 < Sleep >
2019-10-26 04:17:23.821007+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: Sleep
async ack
2019-10-26 04:17:23.821876+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Network off
sleep date is not setup yet. Wake date cannot be calculated without
baseline.
2019-10-26 04:17:31.218691+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.RTC
(Alarm)
2019-10-26 04:17:31.218692+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.RTC
(Alarm)
2019-10-26 04:26:24.112490+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler -
Dark Wake IOPMSystemPowerStateCapabilities - Sleep
2019-10-26 04:26:24.113506+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State
changed: Sleep -> DarkWake, 0x1 < DarkWake >
2019-10-26 04:26:24.115703+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CSHostDaemonMac
_isWakeReasonVoiceTrigger] Wake reason: <private>
2019-10-26 04:26:24.115707+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CSHostDaemonMac
_getPowerAssertionIfWakenByVoiceTriggerNotFromS3Sleep] Wake reason
is not VoiceTrigger or it woke from S3
2019-10-26 04:26:24.336347+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time
calculated as - [Sat Oct 26 07:02:38 2019]
2019-10-26 04:26:24.377125+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason:
Host (0x01)
2019-10-26 04:26:24.730815+0200 localhost kernel[0]:
(AppleIntelCFLGraphicsFramebuffer) [IGFB][INFO] FB0 power state

transition Sleep to Doze
2019-10-26 04:26:25.152692+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler -
Dark Wake IOPMSystemPowerStateCapabilities - Sleep
2019-10-26 04:26:25.154238+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time
calculated as - [Sat Oct 26 07:02:38 2019]
2019-10-26 04:26:25.159541+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason:
Host (0x01)
2019-10-26 04:26:31.503159+0200 localhost powerd[103]:
[powerd:sleepWake] Entering Sleep state due to 'Maintenance Sleep'
2019-10-26 04:26:31.503828+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State
changed: DarkWake -> Sleep, 0x20 < Sleep >
2019-10-26 04:26:31.503834+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: Sleep
async ack
2019-10-26 04:26:31.504967+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Network off
sleep date is not setup yet. Wake date cannot be calculated without
baseline.
2019-10-26 04:26:39.006894+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT
(Maintenance)
2019-10-26 04:26:39.006895+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT
(Maintenance)
2019-10-26 04:27:06.697105+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State
changed: Sleep -> DarkWake, 0x1 < DarkWake >
2019-10-26 04:27:06.697526+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler -
Dark Wake IOPMSystemPowerStateCapabilities - Sleep
2019-10-26 04:27:06.700799+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CSHostDaemonMac
_isWakeReasonVoiceTrigger] Wake reason: <private>
2019-10-26 04:27:06.700806+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CSHostDaemonMac
_getPowerAssertionIfWakenByVoiceTriggerNotFromS3Sleep] Wake reason
is not VoiceTrigger or it woke from S3
2019-10-26 04:27:06.727706+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time
calculated as - [Sat Oct 26 07:02:38 2019]
2019-10-26 04:27:06.908929+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason:
Host (0x01)
2019-10-26 04:27:07.304368+0200 localhost kernel[0]:
(AppleIntelCFLGraphicsFramebuffer) [IGFB][INFO] FB0 power state
transition Sleep to Doze
2019-10-26 04:27:07.723503+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler -

Dark Wake IOPMSYSTEMPowerStateCapabilities - Sleep
2019-10-26 04:27:07.724878+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time
calculated as - [Sat Oct 26 07:02:38 2019]
2019-10-26 04:27:07.735236+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason:
Host (0x01)
2019-10-26 04:27:14.065832+0200 localhost powerd[103]:
[powerd:sleepWake] Entering Sleep state due to 'Maintenance Sleep'
2019-10-26 04:27:14.066472+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State
changed: DarkWake -> Sleep, 0x20 < Sleep >
2019-10-26 04:27:14.066478+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: Sleep
async ack
2019-10-26 04:27:14.067376+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Network off
sleep date is not setup yet. Wake date cannot be calculated without
baseline.
2019-10-26 04:27:21.460206+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT
(Maintenance)
2019-10-26 04:27:21.460206+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT
(Maintenance)
2019-10-26 04:27:49.078861+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler -
Dark Wake IOPMSYSTEMPowerStateCapabilities - Sleep
2019-10-26 04:27:49.080457+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State
changed: Sleep -> DarkWake, 0x1 < DarkWake >
2019-10-26 04:27:49.081449+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CSHostDaemonMac
_isWakeReasonVoiceTrigger] Wake reason: <private>
2019-10-26 04:27:49.081460+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CSHostDaemonMac
_getPowerAssertionIfWakenByVoiceTriggerNotFromS3Sleep] Wake reason
is not VoiceTrigger or it woke from S3
2019-10-26 04:27:49.161290+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time
calculated as - [Sat Oct 26 07:02:38 2019]
2019-10-26 04:27:49.304608+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason:
Host (0x01)
2019-10-26 04:27:49.727615+0200 localhost kernel[0]:
(AppleIntelCFLGraphicsFramebuffer) [IGFB][INFO] FB0 power state
transition Sleep to Doze
2019-10-26 04:27:50.150719+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler -
Dark Wake IOPMSYSTEMPowerStateCapabilities - Sleep
2019-10-26 04:27:50.152166+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time

calculated as - [Sat Oct 26 07:02:38 2019]
2019-10-26 04:27:50.161792+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason:
Host (0x01)
2019-10-26 04:27:56.465714+0200 localhost powerd[103]:
[powerd:sleepWake] Entering Sleep state due to 'Maintenance Sleep'
2019-10-26 04:27:56.466248+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State
changed: DarkWake -> Sleep, 0x20 < Sleep >
2019-10-26 04:27:56.466255+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: Sleep
async ack
2019-10-26 04:27:56.467080+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Network off
sleep date is not setup yet. Wake date cannot be calculated without
baseline.
2019-10-26 04:28:04.052147+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT
(Maintenance)
2019-10-26 04:28:04.052148+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT
(Maintenance)
2019-10-26 04:28:31.665791+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler -
Dark Wake IOPMSYSTEMPowerStateCapabilities - Sleep
2019-10-26 04:28:31.666085+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State
changed: Sleep -> DarkWake, 0x1 < DarkWake >
2019-10-26 04:28:31.698372+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CSHostDaemonMac
_isWakeReasonVoiceTrigger] Wake reason: <private>
2019-10-26 04:28:31.698382+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CSHostDaemonMac
_getPowerAssertionIfWokenByVoiceTriggerNotFromS3Sleep] Wake reason
is not VoiceTrigger or it woke from S3
2019-10-26 04:28:31.718947+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time
calculated as - [Sat Oct 26 07:02:38 2019]
2019-10-26 04:28:31.915240+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason:
Host (0x01)
2019-10-26 04:28:32.281164+0200 localhost kernel[0]:
(AppleIntelCFLGraphicsFramebuffer) [IGFB][INFO] FB0 power state
transition Sleep to Doze
2019-10-26 04:28:32.699770+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler -
Dark Wake IOPMSYSTEMPowerStateCapabilities - Sleep
2019-10-26 04:28:32.701305+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time
calculated as - [Sat Oct 26 07:02:38 2019]
2019-10-26 04:28:32.706597+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]

AppleDeviceManagementHIDEventService::processWakeReason Wake reason:
Host (0x01)
2019-10-26 04:28:39.052415+0200 localhost powerd[103]:
[powerd:sleepWake] Entering Sleep state due to 'Maintenance Sleep'
2019-10-26 04:28:39.052994+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State
changed: DarkWake -> Sleep, 0x20 < Sleep >
2019-10-26 04:28:39.053043+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: Sleep
async ack
2019-10-26 04:28:39.053761+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Network off
sleep date is not setup yet. Wake date cannot be calculated without
baseline.
2019-10-26 04:28:46.513078+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT
(Maintenance)
2019-10-26 04:28:46.513079+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT
(Maintenance)
2019-10-26 04:29:14.151280+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler -
Dark Wake IOPMSYSTEMPowerStateCapabilities - Sleep
2019-10-26 04:29:14.153475+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CSHostDaemonMac
_isWakeReasonVoiceTrigger] Wake reason: <private>
2019-10-26 04:29:14.153501+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CSHostDaemonMac
_getPowerAssertionIfWakenByVoiceTriggerNotFromS3Sleep] Wake reason
is not VoiceTrigger or it woke from S3
2019-10-26 04:29:14.155375+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State
changed: Sleep -> DarkWake, 0x1 < DarkWake >
2019-10-26 04:29:14.225082+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time
calculated as - [Sat Oct 26 07:02:38 2019]
2019-10-26 04:29:14.533999+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason:
Host (0x01)
2019-10-26 04:29:14.779208+0200 localhost kernel[0]:
(AppleIntelCFLGraphicsFrameBuffer) [IGFB][INFO] FB0 power state
transition Sleep to Doze
2019-10-26 04:29:15.202522+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler -
Dark Wake IOPMSYSTEMPowerStateCapabilities - Sleep
2019-10-26 04:29:15.204243+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time
calculated as - [Sat Oct 26 07:02:38 2019]
2019-10-26 04:29:15.209538+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason:
Host (0x01)
2019-10-26 04:29:26.032457+0200 localhost powerd[103]:

[powerd:sleepWake] Entering Sleep state due to 'Maintenance Sleep'
2019-10-26 04:29:26.033036+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State
changed: DarkWake -> Sleep, 0x20 < Sleep >
2019-10-26 04:29:26.033042+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: Sleep
async ack
2019-10-26 04:29:26.033802+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Network off
sleep date is not setup yet. Wake date cannot be calculated without
baseline.
2019-10-26 04:29:34.626489+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT
(Maintenance)
2019-10-26 04:29:34.626490+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT
(Maintenance)
2019-10-26 04:30:02.279158+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State
changed: Sleep -> DarkWake, 0x1 < DarkWake >
2019-10-26 04:30:02.282079+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CSHostDaemonMac
_isWakeReasonVoiceTrigger] Wake reason: <private>
2019-10-26 04:30:02.282084+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CSHostDaemonMac
_getPowerAssertionIfWakenByVoiceTriggerNotFromS3Sleep] Wake reason
is not VoiceTrigger or it woke from S3
2019-10-26 04:30:02.303068+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler -
Dark Wake IOPMSYSTEMPowerStateCapabilities - Sleep
2019-10-26 04:30:02.314663+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time
calculated as - [Sat Oct 26 07:02:38 2019]
2019-10-26 04:30:02.521802+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason:
Host (0x01)
2019-10-26 04:30:02.892290+0200 localhost kernel[0]:
(AppleIntelCFLGraphicsFramebuffer) [IGFB][INFO] FB0 power state
transition Sleep to Doze
2019-10-26 04:30:03.312166+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler -
Dark Wake IOPMSYSTEMPowerStateCapabilities - Sleep
2019-10-26 04:30:03.313509+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time
calculated as - [Sat Oct 26 07:02:38 2019]
2019-10-26 04:30:03.320070+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason:
Host (0x01)
2019-10-26 04:30:09.661181+0200 localhost powerd[103]:
[powerd:sleepWake] Entering Sleep state due to 'Maintenance Sleep'
2019-10-26 04:30:09.661687+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State

changed: DarkWake -> Sleep, 0x20 < Sleep >
2019-10-26 04:30:09.661692+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: Sleep
async ack
2019-10-26 04:30:09.662537+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Network off
sleep date is not setup yet. Wake date cannot be calculated without
baseline.
2019-10-26 04:30:17.097208+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT
(Maintenance)
2019-10-26 04:30:17.097209+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT
(Maintenance)
2019-10-26 04:30:44.708965+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CSHostDaemonMac
_isWakeReasonVoiceTrigger] Wake reason: <private>
2019-10-26 04:30:44.708970+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CSHostDaemonMac
_getPowerAssertionIfWakenByVoiceTriggerNotFromS3Sleep] Wake reason
is not VoiceTrigger or it woke from S3
2019-10-26 04:30:44.727813+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State
changed: Sleep -> DarkWake, 0x1 < DarkWake >
2019-10-26 04:30:44.728357+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler -
Dark Wake IOPMSYSTEMPowerStateCapabilities - Sleep
2019-10-26 04:30:44.749306+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time
calculated as - [Sat Oct 26 07:02:38 2019]
2019-10-26 04:30:44.967642+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason:
Host (0x01)
2019-10-26 04:30:45.352198+0200 localhost kernel[0]:
(AppleIntelCFLGraphicsFramebuffer) [IGFB][INFO] FB0 power state
transition Sleep to Doze
2019-10-26 04:30:45.776574+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler -
Dark Wake IOPMSYSTEMPowerStateCapabilities - Sleep
2019-10-26 04:30:45.778166+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time
calculated as - [Sat Oct 26 07:02:38 2019]
2019-10-26 04:30:45.786501+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason:
Host (0x01)
2019-10-26 04:30:56.042075+0200 localhost powerd[103]:
[powerd:sleepWake] Entering Sleep state due to 'Maintenance Sleep'
2019-10-26 04:30:56.042645+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State
changed: DarkWake -> Sleep, 0x20 < Sleep >
2019-10-26 04:30:56.042649+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: Sleep

async ack
2019-10-26 04:30:56.043283+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Network off
sleep date is not setup yet. Wake date cannot be calculated without
baseline.
2019-10-26 04:31:05.244763+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT
(Maintenance)
2019-10-26 04:31:05.244764+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT
(Maintenance)
2019-10-26 04:31:32.902835+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler -
Dark Wake IOPMSYSTEMPowerStateCapabilities - Sleep
2019-10-26 04:31:32.907296+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CSHostDaemonMac
_isWakeReasonVoiceTrigger] Wake reason: <private>
2019-10-26 04:31:32.907304+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CSHostDaemonMac
_getPowerAssertionIfWakenByVoiceTriggerNotFromS3Sleep] Wake reason
is not VoiceTrigger or it woke from S3
2019-10-26 04:31:32.931082+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State
changed: Sleep -> DarkWake, 0x1 < DarkWake >
2019-10-26 04:31:32.939217+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time
calculated as - [Sat Oct 26 07:02:38 2019]
2019-10-26 04:31:33.103361+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason:
Host (0x01)
2019-10-26 04:31:33.499216+0200 localhost kernel[0]:
(AppleIntelCFLGraphicsFramebuffer) [IGFB][INFO] FB0 power state
transition Sleep to Doze
2019-10-26 04:31:33.909387+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler -
Dark Wake IOPMSYSTEMPowerStateCapabilities - Sleep
2019-10-26 04:31:33.911203+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time
calculated as - [Sat Oct 26 07:02:38 2019]
2019-10-26 04:31:33.919257+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason:
Host (0x01)
2019-10-26 04:31:40.268153+0200 localhost powerd[103]:
[powerd:sleepWake] Entering Sleep state due to 'Maintenance Sleep'
2019-10-26 04:31:40.268582+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State
changed: DarkWake -> Sleep, 0x20 < Sleep >
2019-10-26 04:31:40.268586+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: Sleep
async ack
2019-10-26 04:31:40.269466+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Network off

sleep date is not setup yet. Wake date cannot be calculated without baseline.

2019-10-26 04:31:47.747971+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.RTC (Alarm)

2019-10-26 04:31:47.747971+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.RTC (Alarm)

2019-10-26 04:40:41.114269+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler - Dark Wake IOPMSYSTEMPowerStateCapabilities - Sleep

2019-10-26 04:40:41.114891+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State changed: Sleep -> DarkWake, 0x1 < DarkWake >

2019-10-26 04:40:41.141585+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CSHostDaemonMac _isWakeReasonVoiceTrigger] Wake reason: <private>

2019-10-26 04:40:41.141595+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CSHostDaemonMac _getPowerAssertionIfWakenByVoiceTriggerNotFromS3Sleep] Wake reason is not VoiceTrigger or it woke from S3

2019-10-26 04:40:41.330811+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time calculated as - [Sat Oct 26 07:02:38 2019]

2019-10-26 04:40:41.482143+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason: Host (0x01)

2019-10-26 04:40:41.732633+0200 localhost kernel[0]:
(AppleIntelCFLGraphicsFramebuffer) [IGFB] [INFO] FB0 power state transition Sleep to Doze

2019-10-26 04:40:42.182400+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler - Dark Wake IOPMSYSTEMPowerStateCapabilities - Sleep

2019-10-26 04:40:42.184108+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time calculated as - [Sat Oct 26 07:02:38 2019]

2019-10-26 04:40:42.189997+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason: Host (0x01)

2019-10-26 04:40:48.532396+0200 localhost powerd[103]:
[powerd:sleepWake] Entering Sleep state due to 'Maintenance Sleep'

2019-10-26 04:40:48.532875+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State changed: DarkWake -> Sleep, 0x20 < Sleep >

2019-10-26 04:40:48.532884+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: Sleep async ack

2019-10-26 04:40:48.533512+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Network off

sleep date is not setup yet. Wake date cannot be calculated without baseline.

2019-10-26 04:40:56.055865+0200 localhost kernel[0]:

(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT (Maintenance)
2019-10-26 04:40:56.055866+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT (Maintenance)
2019-10-26 04:41:23.683933+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler - Dark Wake IOPMSYSTEMPowerStateCapabilities - Sleep
2019-10-26 04:41:23.684409+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State changed: Sleep -> DarkWake, 0x1 < DarkWake >
2019-10-26 04:41:23.716016+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CSHostDaemonMac _isWakeReasonVoiceTrigger] Wake reason: <private>
2019-10-26 04:41:23.716026+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CSHostDaemonMac _getPowerAssertionIfWokenByVoiceTriggerNotFromS3Sleep] Wake reason is not VoiceTrigger or it woke from S3
2019-10-26 04:41:23.738843+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time calculated as - [Sat Oct 26 07:02:38 2019]
2019-10-26 04:41:23.888459+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason: Host (0x01)
2019-10-26 04:41:24.336714+0200 localhost kernel[0]:
(AppleIntelCFLGraphicsFramebuffer) [IGFB][INFO] FB0 power state transition Sleep to Doze
2019-10-26 04:41:24.761063+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler - Dark Wake IOPMSYSTEMPowerStateCapabilities - Sleep
2019-10-26 04:41:24.762600+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time calculated as - [Sat Oct 26 07:02:38 2019]
2019-10-26 04:41:24.768763+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason: Host (0x01)
2019-10-26 04:41:31.067992+0200 localhost powerd[103]:
[powerd:sleepWake] Entering Sleep state due to 'Maintenance Sleep'
2019-10-26 04:41:31.068609+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State changed: DarkWake -> Sleep, 0x20 < Sleep >
2019-10-26 04:41:31.068619+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: Sleep async ack
2019-10-26 04:41:31.069061+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Network off sleep date is not setup yet. Wake date cannot be calculated without baseline.
2019-10-26 04:41:38.400753+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT (Maintenance)
2019-10-26 04:41:38.400753+0200 localhost kernel[0]:

(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT (Maintenance)
2019-10-26 04:42:06.030025+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State changed: Sleep -> DarkWake, 0x1 < DarkWake >
2019-10-26 04:42:06.044203+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler - Dark Wake IOPMSystemPowerStateCapabilities - Sleep
2019-10-26 04:42:06.048419+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CSHostDaemonMac _isWakeReasonVoiceTrigger] Wake reason: <private>
2019-10-26 04:42:06.048426+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CSHostDaemonMac _getPowerAssertionIfWakenByVoiceTriggerNotFromS3Sleep] Wake reason is not VoiceTrigger or it woke from S3
2019-10-26 04:42:06.071794+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time calculated as - [Sat Oct 26 07:02:38 2019]
2019-10-26 04:42:06.272978+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason: Host (0x01)
2019-10-26 04:42:06.699262+0200 localhost kernel[0]:
(AppleIntelCFLGraphicsFramebuffer) [IGFB][INFO] FB0 power state transition Sleep to Doze
2019-10-26 04:42:07.123390+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler - Dark Wake IOPMSystemPowerStateCapabilities - Sleep
2019-10-26 04:42:07.124846+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time calculated as - [Sat Oct 26 07:02:38 2019]
2019-10-26 04:42:07.134550+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason: Host (0x01)
2019-10-26 04:42:13.418018+0200 localhost powerd[103]:
[powerd:sleepWake] Entering Sleep state due to 'Maintenance Sleep'
2019-10-26 04:42:13.418576+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State changed: DarkWake -> Sleep, 0x20 < Sleep >
2019-10-26 04:42:13.418583+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: Sleep async ack
2019-10-26 04:42:13.419893+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Network off sleep date is not setup yet. Wake date cannot be calculated without baseline.
2019-10-26 04:42:20.742720+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT (Maintenance)
2019-10-26 04:42:20.742721+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT (Maintenance)
2019-10-26 04:42:48.373872+0200 localhost rapportd[371]:

(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State changed: Sleep -> DarkWake, 0x1 < DarkWake >
2019-10-26 04:42:48.378689+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CSHostDaemonMac _isWakeReasonVoiceTrigger] Wake reason: <private>
2019-10-26 04:42:48.378696+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CSHostDaemonMac _getPowerAssertionIfWakenByVoiceTriggerNotFromS3Sleep] Wake reason is not VoiceTrigger or it woke from S3
2019-10-26 04:42:48.379400+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler - Dark Wake IOPMSYSTEMPowerStateCapabilities - Sleep
2019-10-26 04:42:48.580528+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time calculated as - [Sat Oct 26 07:02:38 2019]
2019-10-26 04:42:48.625022+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason: Host (0x01)
2019-10-26 04:42:48.978229+0200 localhost kernel[0]:
(AppleIntelCFLGraphicsFramebuffer) [IGFB][INFO] FB0 power state transition Sleep to Doze
2019-10-26 04:42:49.400413+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler - Dark Wake IOPMSYSTEMPowerStateCapabilities - Sleep
2019-10-26 04:42:49.401749+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time calculated as - [Sat Oct 26 07:02:38 2019]
2019-10-26 04:42:49.406008+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason: Host (0x01)
2019-10-26 04:42:56.040803+0200 localhost powerd[103]:
[powerd:sleepWake] Entering Sleep state due to 'Maintenance Sleep'
2019-10-26 04:42:56.041344+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State changed: DarkWake -> Sleep, 0x20 < Sleep >
2019-10-26 04:42:56.041350+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: Sleep async ack
2019-10-26 04:42:56.042267+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Network off sleep date is not setup yet. Wake date cannot be calculated without baseline.
2019-10-26 04:43:03.360293+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT (Maintenance)
2019-10-26 04:43:03.360294+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT (Maintenance)
2019-10-26 04:43:30.995921+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State changed: Sleep -> DarkWake, 0x1 < DarkWake >
2019-10-26 04:43:30.997832+0200 localhost corespeechd[443]:

[com.apple.corespeech:Framework] -[CShostDaemonMac
_isWakeReasonVoiceTrigger] Wake reason: <private>
2019-10-26 04:43:30.997847+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CShostDaemonMac
_getPowerAssertionIfWakenByVoiceTriggerNotFromS3Sleep] Wake reason
is not VoiceTrigger or it woke from S3
2019-10-26 04:43:31.009424+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler -
Dark Wake IOPMSYSTEMPowerStateCapabilities - Sleep
2019-10-26 04:43:31.047749+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time
calculated as - [Sat Oct 26 07:02:38 2019]
2019-10-26 04:43:31.304100+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason:
Host (0x01)
2019-10-26 04:43:31.622190+0200 localhost kernel[0]:
(AppleIntelCFLGraphicsFramebuffer) [IGFB][INFO] FB0 power state
transition Sleep to Doze
2019-10-26 04:43:32.042725+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler -
Dark Wake IOPMSYSTEMPowerStateCapabilities - Sleep
2019-10-26 04:43:32.044155+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time
calculated as - [Sat Oct 26 07:02:38 2019]
2019-10-26 04:43:32.049429+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason:
Host (0x01)
2019-10-26 04:43:38.500738+0200 localhost powerd[103]:
[powerd:sleepWake] Entering Sleep state due to 'Maintenance Sleep'
2019-10-26 04:43:38.501311+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State
changed: DarkWake -> Sleep, 0x20 < Sleep >
2019-10-26 04:43:38.501316+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: Sleep
async ack
2019-10-26 04:43:38.502659+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Network off
sleep date is not setup yet. Wake date cannot be calculated without
baseline.
2019-10-26 04:43:45.840107+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT
(Maintenance)
2019-10-26 04:43:45.840108+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT
(Maintenance)
2019-10-26 04:44:13.530638+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler -
Dark Wake IOPMSYSTEMPowerStateCapabilities - Sleep
2019-10-26 04:44:13.530894+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State
changed: Sleep -> DarkWake, 0x1 < DarkWake >
2019-10-26 04:44:13.537356+0200 localhost corespeechd[443]:

[com.apple.corespeech:Framework] -[CShostDaemonMac
_isWakeReasonVoiceTrigger] Wake reason: <private>
2019-10-26 04:44:13.537362+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CShostDaemonMac
_getPowerAssertionIfWakenByVoiceTriggerNotFromS3Sleep] Wake reason
is not VoiceTrigger or it woke from S3
2019-10-26 04:44:13.549328+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time
calculated as - [Sat Oct 26 07:02:38 2019]
2019-10-26 04:44:13.754701+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason:
Host (0x01)
2019-10-26 04:44:14.134619+0200 localhost kernel[0]:
(AppleIntelCFLGraphicsFramebuffer) [IGFB][INFO] FB0 power state
transition Sleep to Doze
2019-10-26 04:44:14.555597+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler -
Dark Wake IOPMSYSTEMPowerStateCapabilities - Sleep
2019-10-26 04:44:14.557060+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time
calculated as - [Sat Oct 26 07:02:38 2019]
2019-10-26 04:44:14.562501+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason:
Host (0x01)
2019-10-26 04:44:20.926436+0200 localhost powerd[103]:
[powerd:sleepWake] Entering Sleep state due to 'Maintenance Sleep'
2019-10-26 04:44:20.926966+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State
changed: DarkWake -> Sleep, 0x20 < Sleep >
2019-10-26 04:44:20.926973+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: Sleep
async ack
2019-10-26 04:44:20.927752+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Network off
sleep date is not setup yet. Wake date cannot be calculated without
baseline.
2019-10-26 04:44:28.294810+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT
(Maintenance)
2019-10-26 04:44:28.294810+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT
(Maintenance)
2019-10-26 04:44:55.873976+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CShostDaemonMac
_isWakeReasonVoiceTrigger] Wake reason: <private>
2019-10-26 04:44:55.873990+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CShostDaemonMac
_getPowerAssertionIfWakenByVoiceTriggerNotFromS3Sleep] Wake reason
is not VoiceTrigger or it woke from S3
2019-10-26 04:44:55.876938+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State
changed: Sleep -> DarkWake, 0x1 < DarkWake >

2019-10-26 04:44:55.890004+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler -
Dark Wake IOPMSystemPowerStateCapabilities - Sleep
2019-10-26 04:44:55.898855+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time
calculated as - [Sat Oct 26 07:02:38 2019]
2019-10-26 04:44:56.084990+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason:
Host (0x01)
2019-10-26 04:44:56.497283+0200 localhost kernel[0]:
(AppleIntelCFLGraphicsFramebuffer) [IGFB][INFO] FB0 power state
transition Sleep to Doze
2019-10-26 04:44:56.918519+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler -
Dark Wake IOPMSystemPowerStateCapabilities - Sleep
2019-10-26 04:44:56.920069+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time
calculated as - [Sat Oct 26 07:02:38 2019]
2019-10-26 04:44:56.930571+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason:
Host (0x01)
2019-10-26 04:45:03.223246+0200 localhost powerd[103]:
[powerd:sleepWake] Entering Sleep state due to 'Maintenance Sleep'
2019-10-26 04:45:03.223886+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State
changed: DarkWake -> Sleep, 0x20 < Sleep >
2019-10-26 04:45:03.223892+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: Sleep
async ack
2019-10-26 04:45:03.224539+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Network off
sleep date is not setup yet. Wake date cannot be calculated without
baseline.
2019-10-26 04:45:10.761467+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT
(Maintenance)
2019-10-26 04:45:10.761468+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT
(Maintenance)
2019-10-26 04:45:38.412472+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State
changed: Sleep -> DarkWake, 0x1 < DarkWake >
2019-10-26 04:45:38.413944+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CSHostDaemonMac
_isWakeReasonVoiceTrigger] Wake reason: <private>
2019-10-26 04:45:38.413950+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CSHostDaemonMac
_getPowerAssertionIfWakenByVoiceTriggerNotFromS3Sleep] Wake reason
is not VoiceTrigger or it woke from S3
2019-10-26 04:45:38.439079+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler -
Dark Wake IOPMSystemPowerStateCapabilities - Sleep

2019-10-26 04:45:38.447680+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time
calculated as - [Sat Oct 26 07:02:38 2019]
2019-10-26 04:45:38.584567+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason:
Host (0x01)
2019-10-26 04:45:39.042187+0200 localhost kernel[0]:
(AppleIntelCFLGraphicsFramebuffer) [IGFB][INFO] FB0 power state
transition Sleep to Doze
2019-10-26 04:45:39.463863+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler -
Dark Wake IOPMSYSTEMPowerStateCapabilities - Sleep
2019-10-26 04:45:39.465142+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time
calculated as - [Sat Oct 26 07:02:38 2019]
2019-10-26 04:45:39.471320+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason:
Host (0x01)
2019-10-26 04:45:45.783697+0200 localhost powerd[103]:
[powerd:sleepWake] Entering Sleep state due to 'Maintenance Sleep'
2019-10-26 04:45:45.784287+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State
changed: DarkWake -> Sleep, 0x20 < Sleep >
2019-10-26 04:45:45.784294+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: Sleep
async ack
2019-10-26 04:45:45.785131+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Network off
sleep date is not setup yet. Wake date cannot be calculated without
baseline.
2019-10-26 04:45:53.168669+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT
(Maintenance)
2019-10-26 04:45:53.168670+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT
(Maintenance)
2019-10-26 04:46:20.816316+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CSHostDaemonMac
_isWakeReasonVoiceTrigger] Wake reason: <private>
2019-10-26 04:46:20.816321+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CSHostDaemonMac
_getPowerAssertionIfWakenByVoiceTriggerNotFromS3Sleep] Wake reason
is not VoiceTrigger or it woke from S3
2019-10-26 04:46:20.833834+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State
changed: Sleep -> DarkWake, 0x1 < DarkWake >
2019-10-26 04:46:20.857587+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time
calculated as - [Sat Oct 26 07:02:38 2019]
2019-10-26 04:46:21.016618+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler -
Dark Wake IOPMSYSTEMPowerStateCapabilities - Sleep

2019-10-26 04:46:21.075505+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason:
Host (0x01)
2019-10-26 04:46:21.447363+0200 localhost kernel[0]:
(AppleIntelCFLGraphicsFramebuffer) [IGFB][INFO] FB0 power state
transition Sleep to Doze
2019-10-26 04:46:21.853067+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler -
Dark Wake IOPMSYSTEMPowerStateCapabilities - Sleep
2019-10-26 04:46:21.854342+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time
calculated as - [Sat Oct 26 07:02:38 2019]
2019-10-26 04:46:21.859891+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason:
Host (0x01)
2019-10-26 04:46:31.406818+0200 localhost powerd[103]:
[powerd:sleepWake] Entering Sleep state due to 'Maintenance Sleep'
2019-10-26 04:46:31.407441+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State
changed: DarkWake -> Sleep, 0x20 < Sleep >
2019-10-26 04:46:31.407446+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: Sleep
async ack
2019-10-26 04:46:31.408166+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Network off
sleep date is not setup yet. Wake date cannot be calculated without
baseline.
2019-10-26 04:46:39.621685+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT
(Maintenance)
2019-10-26 04:46:39.621685+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT
(Maintenance)
2019-10-26 04:47:07.280406+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State
changed: Sleep -> DarkWake, 0x1 < DarkWake >
2019-10-26 04:47:07.284156+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CSHostDaemonMac
_isWakeReasonVoiceTrigger] Wake reason: <private>
2019-10-26 04:47:07.284162+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CSHostDaemonMac
_getPowerAssertionIfWakenByVoiceTriggerNotFromS3Sleep] Wake reason
is not VoiceTrigger or it woke from S3
2019-10-26 04:47:07.310531+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler -
Dark Wake IOPMSYSTEMPowerStateCapabilities - Sleep
2019-10-26 04:47:07.337393+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time
calculated as - [Sat Oct 26 07:02:38 2019]
2019-10-26 04:47:07.453139+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason:

Host (0x01)
2019-10-26 04:47:07.880604+0200 localhost kernel[0]:
(AppleIntelCFLGraphicsFramebuffer) [IGFB][INFO] FB0 power state
transition Sleep to Doze
2019-10-26 04:47:08.298388+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler -
Dark Wake IOPMSystemPowerStateCapabilities - Sleep
2019-10-26 04:47:08.299768+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time
calculated as - [Sat Oct 26 07:02:38 2019]
2019-10-26 04:47:08.305030+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason:
Host (0x01)
2019-10-26 04:47:14.612549+0200 localhost powerd[103]:
[powerd:sleepWake] Entering Sleep state due to 'Maintenance Sleep'
2019-10-26 04:47:14.613067+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State
changed: DarkWake -> Sleep, 0x20 < Sleep >
2019-10-26 04:47:14.613074+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: Sleep
async ack
2019-10-26 04:47:14.613824+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Network off
sleep date is not setup yet. Wake date cannot be calculated without
baseline.
2019-10-26 04:47:22.038736+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.RTC
(Alarm)
2019-10-26 04:47:22.038737+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.RTC
(Alarm)
2019-10-26 04:54:54.109065+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State
changed: Sleep -> DarkWake, 0x1 < DarkWake >
2019-10-26 04:54:54.111293+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CSHostDaemonMac
_isWakeReasonVoiceTrigger] Wake reason: <private>
2019-10-26 04:54:54.111321+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CSHostDaemonMac
_getPowerAssertionIfWakenByVoiceTriggerNotFromS3Sleep] Wake reason
is not VoiceTrigger or it woke from S3
2019-10-26 04:54:54.120452+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler -
Dark Wake IOPMSystemPowerStateCapabilities - Sleep
2019-10-26 04:54:54.175156+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time
calculated as - [Sat Oct 26 07:02:38 2019]
2019-10-26 04:54:54.338274+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason:
Host (0x01)
2019-10-26 04:54:54.748066+0200 localhost kernel[0]:
(AppleIntelCFLGraphicsFramebuffer) [IGFB][INFO] FB0 power state

transition Sleep to Doze
2019-10-26 04:54:55.162233+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler -
Dark Wake IOPMSystemPowerStateCapabilities - Sleep
2019-10-26 04:54:55.163594+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time
calculated as - [Sat Oct 26 07:02:38 2019]
2019-10-26 04:54:55.169419+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason:
Host (0x01)
2019-10-26 04:55:01.401700+0200 localhost powerd[103]:
[powerd:sleepWake] Entering Sleep state due to 'Maintenance Sleep'
2019-10-26 04:55:01.402191+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State
changed: DarkWake -> Sleep, 0x20 < Sleep >
2019-10-26 04:55:01.402226+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: Sleep
async ack
2019-10-26 04:55:01.402847+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Network off
sleep date is not setup yet. Wake date cannot be calculated without
baseline.
2019-10-26 04:55:08.914553+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT
(Maintenance)
2019-10-26 04:55:08.914554+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT
(Maintenance)
2019-10-26 04:55:36.580024+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CSHostDaemonMac
_isWakeReasonVoiceTrigger] Wake reason: <private>
2019-10-26 04:55:36.580047+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CSHostDaemonMac
_getPowerAssertionIfWakenByVoiceTriggerNotFromS3Sleep] Wake reason
is not VoiceTrigger or it woke from S3
2019-10-26 04:55:36.581155+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State
changed: Sleep -> DarkWake, 0x1 < DarkWake >
2019-10-26 04:55:36.597452+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler -
Dark Wake IOPMSystemPowerStateCapabilities - Sleep
2019-10-26 04:55:36.602923+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time
calculated as - [Sat Oct 26 07:02:38 2019]
2019-10-26 04:55:36.814649+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason:
Host (0x01)
2019-10-26 04:55:37.198847+0200 localhost kernel[0]:
(AppleIntelCFLGraphicsFramebuffer) [IGFB][INFO] FB0 power state
transition Sleep to Doze
2019-10-26 04:55:37.621517+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler -

Dark Wake IOPMSystemPowerStateCapabilities - Sleep
2019-10-26 04:55:37.622921+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time
calculated as - [Sat Oct 26 07:02:38 2019]
2019-10-26 04:55:37.628144+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason:
Host (0x01)
2019-10-26 04:55:44.040149+0200 localhost powerd[103]:
[powerd:sleepWake] Entering Sleep state due to 'Maintenance Sleep'
2019-10-26 04:55:44.040686+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State
changed: DarkWake -> Sleep, 0x20 < Sleep >
2019-10-26 04:55:44.040708+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: Sleep
async ack
2019-10-26 04:55:44.041359+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Network off
sleep date is not setup yet. Wake date cannot be calculated without
baseline.
2019-10-26 04:55:51.495059+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT
(Maintenance)
2019-10-26 04:55:51.495060+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT
(Maintenance)
2019-10-26 04:56:19.159486+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler -
Dark Wake IOPMSystemPowerStateCapabilities - Sleep
2019-10-26 04:56:19.160365+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State
changed: Sleep -> DarkWake, 0x1 < DarkWake >
2019-10-26 04:56:19.162629+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CSHostDaemonMac
_isWakeReasonVoiceTrigger] Wake reason: <private>
2019-10-26 04:56:19.162664+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CSHostDaemonMac
_getPowerAssertionIfWakenByVoiceTriggerNotFromS3Sleep] Wake reason
is not VoiceTrigger or it woke from S3
2019-10-26 04:56:19.198375+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time
calculated as - [Sat Oct 26 07:02:38 2019]
2019-10-26 04:56:19.380824+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason:
Host (0x01)
2019-10-26 04:56:19.782431+0200 localhost kernel[0]:
(AppleIntelCFLGraphicsFramebuffer) [IGFB][INFO] FB0 power state
transition Sleep to Doze
2019-10-26 04:56:20.200091+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler -
Dark Wake IOPMSystemPowerStateCapabilities - Sleep
2019-10-26 04:56:20.201383+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time

calculated as - [Sat Oct 26 07:02:38 2019]
2019-10-26 04:56:20.213301+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason:
Host (0x01)
2019-10-26 04:56:26.573572+0200 localhost powerd[103]:
[powerd:sleepWake] Entering Sleep state due to 'Maintenance Sleep'
2019-10-26 04:56:26.574133+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State
changed: DarkWake -> Sleep, 0x20 < Sleep >
2019-10-26 04:56:26.574138+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: Sleep
async ack
2019-10-26 04:56:26.575014+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Network off
sleep date is not setup yet. Wake date cannot be calculated without
baseline.
2019-10-26 04:56:33.947208+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT
(Maintenance)
2019-10-26 04:56:33.947209+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT
(Maintenance)
2019-10-26 04:57:01.560930+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CSHostDaemonMac
_isWakeReasonVoiceTrigger] Wake reason: <private>
2019-10-26 04:57:01.560937+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CSHostDaemonMac
_getPowerAssertionIfWakenByVoiceTriggerNotFromS3Sleep] Wake reason
is not VoiceTrigger or it woke from S3
2019-10-26 04:57:01.574757+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State
changed: Sleep -> DarkWake, 0x1 < DarkWake >
2019-10-26 04:57:01.575183+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler -
Dark Wake IOPMSYSTEMPowerStateCapabilities - Sleep
2019-10-26 04:57:01.603694+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time
calculated as - [Sat Oct 26 07:02:38 2019]
2019-10-26 04:57:01.797787+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason:
Host (0x01)
2019-10-26 04:57:02.193774+0200 localhost kernel[0]:
(AppleIntelCFLGraphicsFramebuffer) [IGFB][INFO] FB0 power state
transition Sleep to Doze
2019-10-26 04:57:02.612108+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler -
Dark Wake IOPMSYSTEMPowerStateCapabilities - Sleep
2019-10-26 04:57:02.613710+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time
calculated as - [Sat Oct 26 07:02:38 2019]
2019-10-26 04:57:02.621323+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]

AppleDeviceManagementHIDEventService::processWakeReason Wake reason:
Host (0x01)
2019-10-26 04:57:08.967675+0200 localhost powerd[103]:
[powerd:sleepWake] Entering Sleep state due to 'Maintenance Sleep'
2019-10-26 04:57:08.968286+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State
changed: DarkWake -> Sleep, 0x20 < Sleep >
2019-10-26 04:57:08.968292+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: Sleep
async ack
2019-10-26 04:57:08.969734+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Network off
sleep date is not setup yet. Wake date cannot be calculated without
baseline.
2019-10-26 04:57:16.344721+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT
(Maintenance)
2019-10-26 04:57:16.344722+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT
(Maintenance)
2019-10-26 04:57:44.025799+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler -
Dark Wake IOPMSYSTEMPowerStateCapabilities - Sleep
2019-10-26 04:57:44.026311+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State
changed: Sleep -> DarkWake, 0x1 < DarkWake >
2019-10-26 04:57:44.027860+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CSHostDaemonMac
_isWakeReasonVoiceTrigger] Wake reason: <private>
2019-10-26 04:57:44.027865+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CSHostDaemonMac
_getPowerAssertionIfWakenByVoiceTriggerNotFromS3Sleep] Wake reason
is not VoiceTrigger or it woke from S3
2019-10-26 04:57:44.087256+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time
calculated as - [Sat Oct 26 07:02:38 2019]
2019-10-26 04:57:44.247910+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason:
Host (0x01)
2019-10-26 04:57:44.647402+0200 localhost kernel[0]:
(AppleIntelCFLGraphicsFramebuffer) [IGFB][INFO] FB0 power state
transition Sleep to Doze
2019-10-26 04:57:45.065716+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler -
Dark Wake IOPMSYSTEMPowerStateCapabilities - Sleep
2019-10-26 04:57:45.067114+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time
calculated as - [Sat Oct 26 07:02:38 2019]
2019-10-26 04:57:45.072805+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason:
Host (0x01)
2019-10-26 04:57:56.033580+0200 localhost powerd[103]:

[powerd:sleepWake] Entering Sleep state due to 'Maintenance Sleep'
2019-10-26 04:57:56.034273+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State
changed: DarkWake -> Sleep, 0x20 < Sleep >
2019-10-26 04:57:56.034278+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: Sleep
async ack
2019-10-26 04:57:56.035253+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Network off
sleep date is not setup yet. Wake date cannot be calculated without
baseline.
2019-10-26 04:58:04.740729+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT
(Maintenance)
2019-10-26 04:58:04.740729+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT
(Maintenance)
2019-10-26 04:58:32.353955+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State
changed: Sleep -> DarkWake, 0x1 < DarkWake >
2019-10-26 04:58:32.355181+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler -
Dark Wake IOPMSYSTEMPowerStateCapabilities - Sleep
2019-10-26 04:58:32.374726+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CSHostDaemonMac
_isWakeReasonVoiceTrigger] Wake reason: <private>
2019-10-26 04:58:32.374738+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CSHostDaemonMac
_getPowerAssertionIfWakenByVoiceTriggerNotFromS3Sleep] Wake reason
is not VoiceTrigger or it woke from S3
2019-10-26 04:58:32.395925+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time
calculated as - [Sat Oct 26 07:02:38 2019]
2019-10-26 04:58:32.568175+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason:
Host (0x01)
2019-10-26 04:58:32.989389+0200 localhost kernel[0]:
(AppleIntelCFLGraphicsFramebuffer) [IGFB][INFO] FB0 power state
transition Sleep to Doze
2019-10-26 04:58:33.414795+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler -
Dark Wake IOPMSYSTEMPowerStateCapabilities - Sleep
2019-10-26 04:58:33.416384+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time
calculated as - [Sat Oct 26 07:02:38 2019]
2019-10-26 04:58:33.424292+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason:
Host (0x01)
2019-10-26 04:58:39.738877+0200 localhost powerd[103]:
[powerd:sleepWake] Entering Sleep state due to 'Maintenance Sleep'
2019-10-26 04:58:39.739434+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State

changed: DarkWake -> Sleep, 0x20 < Sleep >
2019-10-26 04:58:39.739464+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: Sleep
async ack
2019-10-26 04:58:39.740507+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Network off
sleep date is not setup yet. Wake date cannot be calculated without
baseline.
2019-10-26 04:58:47.205947+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT
(Maintenance)
2019-10-26 04:58:47.205948+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT
(Maintenance)
2019-10-26 04:59:14.806585+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler -
Dark Wake IOPMSYSTEMPowerStateCapabilities - Sleep
2019-10-26 04:59:14.806905+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State
changed: Sleep -> DarkWake, 0x1 < DarkWake >
2019-10-26 04:59:14.808346+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CSHostDaemonMac
_isWakeReasonVoiceTrigger] Wake reason: <private>
2019-10-26 04:59:14.808351+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CSHostDaemonMac
_getPowerAssertionIfWakenByVoiceTriggerNotFromS3Sleep] Wake reason
is not VoiceTrigger or it woke from S3
2019-10-26 04:59:14.842343+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time
calculated as - [Sat Oct 26 07:02:38 2019]
2019-10-26 04:59:14.994491+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason:
Host (0x01)
2019-10-26 04:59:15.438158+0200 localhost kernel[0]:
(AppleIntelCFLGraphicsFramebuffer) [IGFB][INFO] FB0 power state
transition Sleep to Doze
2019-10-26 04:59:15.861787+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler -
Dark Wake IOPMSYSTEMPowerStateCapabilities - Sleep
2019-10-26 04:59:15.863340+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time
calculated as - [Sat Oct 26 07:02:38 2019]
2019-10-26 04:59:15.867946+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason:
Host (0x01)
2019-10-26 04:59:26.043756+0200 localhost powerd[103]:
[powerd:sleepWake] Entering Sleep state due to 'Maintenance Sleep'
2019-10-26 04:59:26.044346+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State
changed: DarkWake -> Sleep, 0x20 < Sleep >
2019-10-26 04:59:26.044353+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: Sleep

async ack
2019-10-26 04:59:26.045135+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Network off
sleep date is not setup yet. Wake date cannot be calculated without
baseline.
2019-10-26 04:59:35.391399+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.RTC
(Alarm)
2019-10-26 04:59:35.391400+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.RTC
(Alarm)
2019-10-26 05:04:28.176762+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler -
Dark Wake IOPMSystemPowerStateCapabilities - Sleep
2019-10-26 05:04:28.178212+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State
changed: Sleep -> DarkWake, 0x1 < DarkWake >
2019-10-26 05:04:28.179415+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CSHostDaemonMac
_isWakeReasonVoiceTrigger] Wake reason: <private>
2019-10-26 05:04:28.179420+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CSHostDaemonMac
_getPowerAssertionIfWakenByVoiceTriggerNotFromS3Sleep] Wake reason
is not VoiceTrigger or it woke from S3
2019-10-26 05:04:28.213116+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time
calculated as - [Sat Oct 26 07:02:38 2019]
2019-10-26 05:04:28.377096+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason:
Host (0x01)
2019-10-26 05:04:28.764432+0200 localhost kernel[0]:
(AppleIntelCFLGraphicsFramebuffer) [IGFB][INFO] FB0 power state
transition Sleep to Doze
2019-10-26 05:04:29.178197+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler -
Dark Wake IOPMSystemPowerStateCapabilities - Sleep
2019-10-26 05:04:29.179651+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time
calculated as - [Sat Oct 26 07:02:38 2019]
2019-10-26 05:04:29.190068+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason:
Host (0x01)
2019-10-26 05:04:35.426592+0200 localhost powerd[103]:
[powerd:sleepWake] Entering Sleep state due to 'Maintenance Sleep'
2019-10-26 05:04:35.427039+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State
changed: DarkWake -> Sleep, 0x20 < Sleep >
2019-10-26 05:04:35.427088+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: Sleep
async ack
2019-10-26 05:04:35.427732+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Network off

sleep date is not setup yet. Wake date cannot be calculated without baseline.

2019-10-26 05:04:43.528429+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT (Maintenance)

2019-10-26 05:04:43.528430+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT (Maintenance)

2019-10-26 05:05:11.178785+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler - Dark Wake IOPMSYSTEMPowerStateCapabilities - Sleep

2019-10-26 05:05:11.180506+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State changed: Sleep -> DarkWake, 0x1 < DarkWake >

2019-10-26 05:05:11.181675+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CSHostDaemonMac _isWakeReasonVoiceTrigger] Wake reason: <private>

2019-10-26 05:05:11.181686+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CSHostDaemonMac _getPowerAssertionIfWakenByVoiceTriggerNotFromS3Sleep] Wake reason is not VoiceTrigger or it woke from S3

2019-10-26 05:05:11.200980+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time calculated as - [Sat Oct 26 07:02:38 2019]

2019-10-26 05:05:11.397490+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason: Host (0x01)

2019-10-26 05:05:11.810643+0200 localhost kernel[0]:
(AppleIntelCFLGraphicsFramebuffer) [IGFB] [INFO] FB0 power state transition Sleep to Doze

2019-10-26 05:05:12.224420+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler - Dark Wake IOPMSYSTEMPowerStateCapabilities - Sleep

2019-10-26 05:05:12.226183+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time calculated as - [Sat Oct 26 07:02:38 2019]

2019-10-26 05:05:12.231628+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason: Host (0x01)

2019-10-26 05:05:18.489702+0200 localhost powerd[103]:
[powerd:sleepWake] Entering Sleep state due to 'Maintenance Sleep'

2019-10-26 05:05:18.490245+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State changed: DarkWake -> Sleep, 0x20 < Sleep >

2019-10-26 05:05:18.490250+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: Sleep async ack

2019-10-26 05:05:18.491026+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Network off

sleep date is not setup yet. Wake date cannot be calculated without baseline.

2019-10-26 05:05:26.100575+0200 localhost kernel[0]:

(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT (Maintenance)
2019-10-26 05:05:26.100576+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT (Maintenance)
2019-10-26 05:05:53.708835+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler - Dark Wake IOPMSystemPowerStateCapabilities - Sleep
2019-10-26 05:05:53.708928+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State changed: Sleep -> DarkWake, 0x1 < DarkWake >
2019-10-26 05:05:53.720958+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CSHostDaemonMac _isWakeReasonVoiceTrigger] Wake reason: <private>
2019-10-26 05:05:53.720968+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CSHostDaemonMac _getPowerAssertionIfWakenByVoiceTriggerNotFromS3Sleep] Wake reason is not VoiceTrigger or it woke from S3
2019-10-26 05:05:53.727758+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time calculated as - [Sat Oct 26 07:02:38 2019]
2019-10-26 05:05:53.948421+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason: Host (0x01)
2019-10-26 05:05:54.330765+0200 localhost kernel[0]:
(AppleIntelCFLGraphicsFramebuffer) [IGFB][INFO] FB0 power state transition Sleep to Doze
2019-10-26 05:05:54.753621+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler - Dark Wake IOPMSystemPowerStateCapabilities - Sleep
2019-10-26 05:05:54.754969+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time calculated as - [Sat Oct 26 07:02:38 2019]
2019-10-26 05:05:54.761564+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason: Host (0x01)
2019-10-26 05:06:01.091678+0200 localhost powerd[103]:
[powerd:sleepWake] Entering Sleep state due to 'Maintenance Sleep'
2019-10-26 05:06:01.092294+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State changed: DarkWake -> Sleep, 0x20 < Sleep >
2019-10-26 05:06:01.092300+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: Sleep async ack
2019-10-26 05:06:01.093057+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Network off sleep date is not setup yet. Wake date cannot be calculated without baseline.
2019-10-26 05:06:08.481552+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT (Maintenance)
2019-10-26 05:06:08.481553+0200 localhost kernel[0]:

(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT (Maintenance)
2019-10-26 05:06:36.119606+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler - Dark Wake IOPMSystemPowerStateCapabilities - Sleep
2019-10-26 05:06:36.122936+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CSHostDaemonMac _isWakeReasonVoiceTrigger] Wake reason: <private>
2019-10-26 05:06:36.122941+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CSHostDaemonMac _getPowerAssertionIfWakenByVoiceTriggerNotFromS3Sleep] Wake reason is not VoiceTrigger or it woke from S3
2019-10-26 05:06:36.132905+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State changed: Sleep -> DarkWake, 0x1 < DarkWake >
2019-10-26 05:06:36.180898+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time calculated as - [Sat Oct 26 07:02:38 2019]
2019-10-26 05:06:36.342403+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason: Host (0x01)
2019-10-26 05:06:36.751779+0200 localhost kernel[0]:
(AppleIntelCFLGraphicsFramebuffer) [IGFB][INFO] FB0 power state transition Sleep to Doze
2019-10-26 05:06:37.174180+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler - Dark Wake IOPMSystemPowerStateCapabilities - Sleep
2019-10-26 05:06:37.175537+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time calculated as - [Sat Oct 26 07:02:38 2019]
2019-10-26 05:06:37.180849+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason: Host (0x01)
2019-10-26 05:06:43.523601+0200 localhost powerd[103]:
[powerd:sleepWake] Entering Sleep state due to 'Maintenance Sleep'
2019-10-26 05:06:43.524047+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State changed: DarkWake -> Sleep, 0x20 < Sleep >
2019-10-26 05:06:43.524054+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: Sleep async ack
2019-10-26 05:06:43.525764+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Network off sleep date is not setup yet. Wake date cannot be calculated without baseline.
2019-10-26 05:06:50.929696+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT (Maintenance)
2019-10-26 05:06:50.929697+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT (Maintenance)
2019-10-26 05:07:18.579725+0200 localhost bluetoothd[145]:

(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler -
Dark Wake IOPMSYSTEMPowerStateCapabilities - Sleep
2019-10-26 05:07:18.580002+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State
changed: Sleep -> DarkWake, 0x1 < DarkWake >
2019-10-26 05:07:18.582928+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CSHostDaemonMac
_isWakeReasonVoiceTrigger] Wake reason: <private>
2019-10-26 05:07:18.582934+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CSHostDaemonMac
_getPowerAssertionIfWakenByVoiceTriggerNotFromS3Sleep] Wake reason
is not VoiceTrigger or it woke from S3
2019-10-26 05:07:18.617983+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time
calculated as - [Sat Oct 26 07:02:38 2019]
2019-10-26 05:07:18.778565+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason:
Host (0x01)
2019-10-26 05:07:19.204228+0200 localhost kernel[0]:
(AppleIntelCFLGraphicsFramebuffer) [IGFB][INFO] FB0 power state
transition Sleep to Doze
2019-10-26 05:07:19.624295+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler -
Dark Wake IOPMSYSTEMPowerStateCapabilities - Sleep
2019-10-26 05:07:19.625732+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time
calculated as - [Sat Oct 26 07:02:38 2019]
2019-10-26 05:07:19.631669+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason:
Host (0x01)
2019-10-26 05:07:26.030279+0200 localhost powerd[103]:
[powerd:sleepWake] Entering Sleep state due to 'Maintenance Sleep'
2019-10-26 05:07:26.030737+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State
changed: DarkWake -> Sleep, 0x20 < Sleep >
2019-10-26 05:07:26.030810+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: Sleep
async ack
2019-10-26 05:07:26.031588+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Network off
sleep date is not setup yet. Wake date cannot be calculated without
baseline.
2019-10-26 05:07:33.408068+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT
(Maintenance)
2019-10-26 05:07:33.408069+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT
(Maintenance)
2019-10-26 05:08:01.067579+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler -
Dark Wake IOPMSYSTEMPowerStateCapabilities - Sleep
2019-10-26 05:08:01.069122+0200 localhost rapportd[371]:

(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State changed: Sleep -> DarkWake, 0x1 < DarkWake >
2019-10-26 05:08:01.070060+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CSHostDaemonMac _isWakeReasonVoiceTrigger] Wake reason: <private>
2019-10-26 05:08:01.070065+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CSHostDaemonMac _getPowerAssertionIfWakenByVoiceTriggerNotFromS3Sleep] Wake reason is not VoiceTrigger or it woke from S3
2019-10-26 05:08:01.094663+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time calculated as - [Sat Oct 26 07:02:38 2019]
2019-10-26 05:08:01.276291+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason: Host (0x01)
2019-10-26 05:08:01.718494+0200 localhost kernel[0]:
(AppleIntelCFLGraphicsFramebuffer) [IGFB][INFO] FB0 power state transition Sleep to Doze
2019-10-26 05:08:02.138020+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler - Dark Wake IOPMSYSTEMPowerStateCapabilities - Sleep
2019-10-26 05:08:02.139339+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time calculated as - [Sat Oct 26 07:02:38 2019]
2019-10-26 05:08:02.149776+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason: Host (0x01)
2019-10-26 05:08:08.412802+0200 localhost powerd[103]:
[powerd:sleepWake] Entering Sleep state due to 'Maintenance Sleep'
2019-10-26 05:08:08.413365+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State changed: DarkWake -> Sleep, 0x20 < Sleep >
2019-10-26 05:08:08.413372+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: Sleep async ack
2019-10-26 05:08:08.414395+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Network off sleep date is not setup yet. Wake date cannot be calculated without baseline.
2019-10-26 05:08:15.762929+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT (Maintenance)
2019-10-26 05:08:15.762929+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT (Maintenance)
2019-10-26 05:08:43.444634+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler - Dark Wake IOPMSYSTEMPowerStateCapabilities - Sleep
2019-10-26 05:08:43.445516+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State changed: Sleep -> DarkWake, 0x1 < DarkWake >
2019-10-26 05:08:43.447612+0200 localhost corespeechd[443]:

[com.apple.corespeech:Framework] -[CShostDaemonMac
_isWakeReasonVoiceTrigger] Wake reason: <private>
2019-10-26 05:08:43.447618+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CShostDaemonMac
_getPowerAssertionIfWakenByVoiceTriggerNotFromS3Sleep] Wake reason
is not VoiceTrigger or it woke from S3
2019-10-26 05:08:43.497842+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time
calculated as - [Sat Oct 26 07:02:38 2019]
2019-10-26 05:08:43.655784+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason:
Host (0x01)
2019-10-26 05:08:44.067210+0200 localhost kernel[0]:
(AppleIntelCFLGraphicsFramebuffer) [IGFB][INFO] FB0 power state
transition Sleep to Doze
2019-10-26 05:08:44.489102+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler -
Dark Wake IOPMSYSTEMPowerStateCapabilities - Sleep
2019-10-26 05:08:44.490418+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time
calculated as - [Sat Oct 26 07:02:38 2019]
2019-10-26 05:08:44.501855+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason:
Host (0x01)
2019-10-26 05:08:50.789406+0200 localhost powerd[103]:
[powerd:sleepWake] Entering Sleep state due to 'Maintenance Sleep'
2019-10-26 05:08:50.790066+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State
changed: DarkWake -> Sleep, 0x20 < Sleep >
2019-10-26 05:08:50.790075+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: Sleep
async ack
2019-10-26 05:08:50.790881+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Network off
sleep date is not setup yet. Wake date cannot be calculated without
baseline.
2019-10-26 05:08:58.399518+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.RTC
(Alarm)
2019-10-26 05:08:58.399519+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.RTC
(Alarm)
2019-10-26 05:14:01.136755+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler -
Dark Wake IOPMSYSTEMPowerStateCapabilities - Sleep
2019-10-26 05:14:01.137310+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State
changed: Sleep -> DarkWake, 0x1 < DarkWake >
2019-10-26 05:14:01.140231+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CShostDaemonMac
_isWakeReasonVoiceTrigger] Wake reason: <private>
2019-10-26 05:14:01.140238+0200 localhost corespeechd[443]:

[com.apple.corespeech:Framework] -[CShostDaemonMac
_getPowerAssertionIfWakenByVoiceTriggerNotFromS3Sleep] Wake reason
is not VoiceTrigger or it woke from S3
2019-10-26 05:14:01.193002+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time
calculated as - [Sat Oct 26 07:02:38 2019]
2019-10-26 05:14:01.334761+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason:
Host (0x01)
2019-10-26 05:14:01.735736+0200 localhost kernel[0]:
(AppleIntelCFLGraphicsFramebuffer) [IGFB][INFO] FB0 power state
transition Sleep to Doze
2019-10-26 05:14:02.152737+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler -
Dark Wake IOPMSYSTEMPowerStateCapabilities - Sleep
2019-10-26 05:14:02.154082+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time
calculated as - [Sat Oct 26 07:02:38 2019]
2019-10-26 05:14:02.159361+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason:
Host (0x01)
2019-10-26 05:14:08.383100+0200 localhost powerd[103]:
[powerd:sleepWake] Entering Sleep state due to 'Maintenance Sleep'
2019-10-26 05:14:08.383692+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State
changed: DarkWake -> Sleep, 0x20 < Sleep >
2019-10-26 05:14:08.383698+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: Sleep
async ack
2019-10-26 05:14:08.384409+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Network off
sleep date is not setup yet. Wake date cannot be calculated without
baseline.
2019-10-26 05:14:15.969830+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT
(Maintenance)
2019-10-26 05:14:15.969831+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT
(Maintenance)
2019-10-26 05:14:43.665743+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CShostDaemonMac
_isWakeReasonVoiceTrigger] Wake reason: <private>
2019-10-26 05:14:43.665750+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CShostDaemonMac
_getPowerAssertionIfWakenByVoiceTriggerNotFromS3Sleep] Wake reason
is not VoiceTrigger or it woke from S3
2019-10-26 05:14:43.666246+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler -
Dark Wake IOPMSYSTEMPowerStateCapabilities - Sleep
2019-10-26 05:14:43.666653+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State
changed: Sleep -> DarkWake, 0x1 < DarkWake >

2019-10-26 05:14:43.719146+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time
calculated as - [Sat Oct 26 07:02:38 2019]
2019-10-26 05:14:43.887135+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason:
Host (0x01)
2019-10-26 05:14:44.283727+0200 localhost kernel[0]:
(AppleIntelCFLGraphicsFramebuffer) [IGFB][INFO] FB0 power state
transition Sleep to Doze
2019-10-26 05:14:44.706344+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler -
Dark Wake IOPMSYSTEMPowerStateCapabilities - Sleep
2019-10-26 05:14:44.707836+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time
calculated as - [Sat Oct 26 07:02:38 2019]
2019-10-26 05:14:44.712134+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason:
Host (0x01)
2019-10-26 05:14:56.043176+0200 localhost powerd[103]:
[powerd:sleepWake] Entering Sleep state due to 'Maintenance Sleep'
2019-10-26 05:14:56.043743+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State
changed: DarkWake -> Sleep, 0x20 < Sleep >
2019-10-26 05:14:56.043765+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: Sleep
async ack
2019-10-26 05:14:56.044407+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Network off
sleep date is not setup yet. Wake date cannot be calculated without
baseline.
2019-10-26 05:15:04.612336+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT
(Maintenance)
2019-10-26 05:15:04.612337+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT
(Maintenance)
2019-10-26 05:15:32.313720+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler -
Dark Wake IOPMSYSTEMPowerStateCapabilities - Sleep
2019-10-26 05:15:32.315826+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State
changed: Sleep -> DarkWake, 0x1 < DarkWake >
2019-10-26 05:15:32.316365+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CSHostDaemonMac
_isWakeReasonVoiceTrigger] Wake reason: <private>
2019-10-26 05:15:32.316373+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CSHostDaemonMac
_getPowerAssertionIfWakenedByVoiceTriggerNotFromS3Sleep] Wake reason
is not VoiceTrigger or it woke from S3
2019-10-26 05:15:32.349493+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time
calculated as - [Sat Oct 26 07:02:38 2019]

2019-10-26 05:15:32.502387+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason:
Host (0x01)
2019-10-26 05:15:32.931226+0200 localhost kernel[0]:
(AppleIntelCFLGraphicsFramebuffer) [IGFB][INFO] FB0 power state
transition Sleep to Doze
2019-10-26 05:15:33.354592+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler -
Dark Wake IOPMSYSTEMPowerStateCapabilities - Sleep
2019-10-26 05:15:33.356107+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time
calculated as - [Sat Oct 26 07:02:38 2019]
2019-10-26 05:15:33.361300+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason:
Host (0x01)
2019-10-26 05:15:39.697443+0200 localhost powerd[103]:
[powerd:sleepWake] Entering Sleep state due to 'Maintenance Sleep'
2019-10-26 05:15:39.697995+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State
changed: DarkWake -> Sleep, 0x20 < Sleep >
2019-10-26 05:15:39.698001+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: Sleep
async ack
2019-10-26 05:15:39.699284+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Network off
sleep date is not setup yet. Wake date cannot be calculated without
baseline.
2019-10-26 05:15:47.175287+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT
(Maintenance)
2019-10-26 05:15:47.175288+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT
(Maintenance)
2019-10-26 05:16:14.807599+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler -
Dark Wake IOPMSYSTEMPowerStateCapabilities - Sleep
2019-10-26 05:16:14.807779+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State
changed: Sleep -> DarkWake, 0x1 < DarkWake >
2019-10-26 05:16:14.811922+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CSHostDaemonMac
_isWakeReasonVoiceTrigger] Wake reason: <private>
2019-10-26 05:16:14.811935+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CSHostDaemonMac
_getPowerAssertionIfWakenByVoiceTriggerNotFromS3Sleep] Wake reason
is not VoiceTrigger or it woke from S3
2019-10-26 05:16:14.830060+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time
calculated as - [Sat Oct 26 07:02:38 2019]
2019-10-26 05:16:15.117189+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason:

Host (0x01)
2019-10-26 05:16:15.448302+0200 localhost kernel[0]:
(AppleIntelCFLGraphicsFramebuffer) [IGFB][INFO] FB0 power state
transition Sleep to Doze
2019-10-26 05:16:15.868177+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler -
Dark Wake IOPMSystemPowerStateCapabilities - Sleep
2019-10-26 05:16:15.869623+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time
calculated as - [Sat Oct 26 07:02:38 2019]
2019-10-26 05:16:15.879242+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason:
Host (0x01)
2019-10-26 05:16:26.043350+0200 localhost powerd[103]:
[powerd:sleepWake] Entering Sleep state due to 'Maintenance Sleep'
2019-10-26 05:16:26.043918+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State
changed: DarkWake -> Sleep, 0x20 < Sleep >
2019-10-26 05:16:26.043929+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: Sleep
async ack
2019-10-26 05:16:26.044908+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Network off
sleep date is not setup yet. Wake date cannot be calculated without
baseline.
2019-10-26 05:16:35.367450+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT
(Maintenance)
2019-10-26 05:16:35.367451+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT
(Maintenance)
2019-10-26 05:17:03.074570+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler -
Dark Wake IOPMSystemPowerStateCapabilities - Sleep
2019-10-26 05:17:03.076664+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State
changed: Sleep -> DarkWake, 0x1 < DarkWake >
2019-10-26 05:17:03.103375+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CSHostDaemonMac
_isWakeReasonVoiceTrigger] Wake reason: <private>
2019-10-26 05:17:03.103386+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CSHostDaemonMac
_getPowerAssertionIfWakenByVoiceTriggerNotFromS3Sleep] Wake reason
is not VoiceTrigger or it woke from S3
2019-10-26 05:17:03.112833+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time
calculated as - [Sat Oct 26 07:02:38 2019]
2019-10-26 05:17:03.277240+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason:
Host (0x01)
2019-10-26 05:17:03.652414+0200 localhost kernel[0]:
(AppleIntelCFLGraphicsFramebuffer) [IGFB][INFO] FB0 power state

transition Sleep to Doze
2019-10-26 05:17:04.073094+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler -
Dark Wake IOPMSystemPowerStateCapabilities - Sleep
2019-10-26 05:17:04.074689+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time
calculated as - [Sat Oct 26 07:02:38 2019]
2019-10-26 05:17:04.079805+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason:
Host (0x01)
2019-10-26 05:17:10.423088+0200 localhost powerd[103]:
[powerd:sleepWake] Entering Sleep state due to 'Maintenance Sleep'
2019-10-26 05:17:10.423624+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State
changed: DarkWake -> Sleep, 0x20 < Sleep >
2019-10-26 05:17:10.423630+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: Sleep
async ack
2019-10-26 05:17:10.425017+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Network off
sleep date is not setup yet. Wake date cannot be calculated without
baseline.
2019-10-26 05:17:17.852024+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT
(Maintenance)
2019-10-26 05:17:17.852025+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT
(Maintenance)
2019-10-26 05:17:45.450419+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler -
Dark Wake IOPMSystemPowerStateCapabilities - Sleep
2019-10-26 05:17:45.452323+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State
changed: Sleep -> DarkWake, 0x1 < DarkWake >
2019-10-26 05:17:45.462814+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CSHostDaemonMac
_isWakeReasonVoiceTrigger] Wake reason: <private>
2019-10-26 05:17:45.462821+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CSHostDaemonMac
_getPowerAssertionIfWakenByVoiceTriggerNotFromS3Sleep] Wake reason
is not VoiceTrigger or it woke from S3
2019-10-26 05:17:45.491308+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time
calculated as - [Sat Oct 26 07:02:38 2019]
2019-10-26 05:17:45.708638+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason:
Host (0x01)
2019-10-26 05:17:46.113964+0200 localhost kernel[0]:
(AppleIntelCFLGraphicsFramebuffer) [IGFB][INFO] FB0 power state
transition Sleep to Doze
2019-10-26 05:17:46.542754+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler -

Dark Wake IOPMSYSTEMPowerStateCapabilities - Sleep
2019-10-26 05:17:46.544267+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time
calculated as - [Sat Oct 26 07:02:38 2019]
2019-10-26 05:17:46.550245+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason:
Host (0x01)
2019-10-26 05:17:56.037705+0200 localhost powerd[103]:
[powerd:sleepWake] Entering Sleep state due to 'Maintenance Sleep'
2019-10-26 05:17:56.038234+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State
changed: DarkWake -> Sleep, 0x20 < Sleep >
2019-10-26 05:17:56.038238+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: Sleep
async ack
2019-10-26 05:17:56.038857+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Network off
sleep date is not setup yet. Wake date cannot be calculated without
baseline.
2019-10-26 05:18:04.242793+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT
(Maintenance)
2019-10-26 05:18:04.242794+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT
(Maintenance)
2019-10-26 05:18:31.936400+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler -
Dark Wake IOPMSYSTEMPowerStateCapabilities - Sleep
2019-10-26 05:18:31.937614+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State
changed: Sleep -> DarkWake, 0x1 < DarkWake >
2019-10-26 05:18:31.938900+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CSHostDaemonMac
_isWakeReasonVoiceTrigger] Wake reason: <private>
2019-10-26 05:18:31.938905+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CSHostDaemonMac
_getPowerAssertionIfWakenByVoiceTriggerNotFromS3Sleep] Wake reason
is not VoiceTrigger or it woke from S3
2019-10-26 05:18:31.973651+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time
calculated as - [Sat Oct 26 07:02:38 2019]
2019-10-26 05:18:32.135151+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason:
Host (0x01)
2019-10-26 05:18:32.534359+0200 localhost kernel[0]:
(AppleIntelCFLGraphicsFramebuffer) [IGFB][INFO] FB0 power state
transition Sleep to Doze
2019-10-26 05:18:32.956484+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler -
Dark Wake IOPMSYSTEMPowerStateCapabilities - Sleep
2019-10-26 05:18:32.958067+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time

calculated as - [Sat Oct 26 07:02:38 2019]
2019-10-26 05:18:32.963698+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason:
Host (0x01)
2019-10-26 05:18:39.862201+0200 localhost powerd[103]:
[powerd:sleepWake] Entering Sleep state due to 'Maintenance Sleep'
2019-10-26 05:18:39.862704+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State
changed: DarkWake -> Sleep, 0x20 < Sleep >
2019-10-26 05:18:39.862709+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: Sleep
async ack
2019-10-26 05:18:39.863552+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Network off
sleep date is not setup yet. Wake date cannot be calculated without
baseline.
2019-10-26 05:18:47.237081+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.RTC
(Alarm)
2019-10-26 05:18:47.237082+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.RTC
(Alarm)
2019-10-26 05:23:36.143606+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler -
Dark Wake IOPMSYSTEMPowerStateCapabilities - Sleep
2019-10-26 05:23:36.144713+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State
changed: Sleep -> DarkWake, 0x1 < DarkWake >
2019-10-26 05:23:36.145768+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CSHostDaemonMac
_isWakeReasonVoiceTrigger] Wake reason: <private>
2019-10-26 05:23:36.145773+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CSHostDaemonMac
_getPowerAssertionIfWakenByVoiceTriggerNotFromS3Sleep] Wake reason
is not VoiceTrigger or it woke from S3
2019-10-26 05:23:36.178585+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time
calculated as - [Sat Oct 26 07:02:38 2019]
2019-10-26 05:23:36.366951+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason:
Host (0x01)
2019-10-26 05:23:36.742915+0200 localhost kernel[0]:
(AppleIntelCFLGraphicsFramebuffer) [IGFB][INFO] FB0 power state
transition Sleep to Doze
2019-10-26 05:23:37.158579+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler -
Dark Wake IOPMSYSTEMPowerStateCapabilities - Sleep
2019-10-26 05:23:37.159978+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time
calculated as - [Sat Oct 26 07:02:38 2019]
2019-10-26 05:23:37.165269+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]

AppleDeviceManagementHIDEventService::processWakeReason Wake reason:
Host (0x01)
2019-10-26 05:23:43.412575+0200 localhost powerd[103]:
[powerd:sleepWake] Entering Sleep state due to 'Maintenance Sleep'
2019-10-26 05:23:43.413261+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State
changed: DarkWake -> Sleep, 0x20 < Sleep >
2019-10-26 05:23:43.413316+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: Sleep
async ack
2019-10-26 05:23:43.414167+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Network off
sleep date is not setup yet. Wake date cannot be calculated without
baseline.
2019-10-26 05:23:51.091837+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT
(Maintenance)
2019-10-26 05:23:51.091838+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT
(Maintenance)
2019-10-26 05:24:18.764125+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler -
Dark Wake IOPMSYSTEMPowerStateCapabilities - Sleep
2019-10-26 05:24:18.765410+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State
changed: Sleep -> DarkWake, 0x1 < DarkWake >
2019-10-26 05:24:18.767136+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CSHostDaemonMac
_isWakeReasonVoiceTrigger] Wake reason: <private>
2019-10-26 05:24:18.767142+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CSHostDaemonMac
_getPowerAssertionIfWokenByVoiceTriggerNotFromS3Sleep] Wake reason
is not VoiceTrigger or it woke from S3
2019-10-26 05:24:18.784015+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time
calculated as - [Sat Oct 26 07:02:38 2019]
2019-10-26 05:24:18.998316+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason:
Host (0x01)
2019-10-26 05:24:19.369277+0200 localhost kernel[0]:
(AppleIntelCFLGraphicsFramebuffer) [IGFB][INFO] FB0 power state
transition Sleep to Doze
2019-10-26 05:24:19.795506+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler -
Dark Wake IOPMSYSTEMPowerStateCapabilities - Sleep
2019-10-26 05:24:19.796638+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time
calculated as - [Sat Oct 26 07:02:38 2019]
2019-10-26 05:24:19.802396+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason:
Host (0x01)
2019-10-26 05:24:26.180498+0200 localhost powerd[103]:

[powerd:sleepWake] Entering Sleep state due to 'Maintenance Sleep'
2019-10-26 05:24:26.181064+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State
changed: DarkWake -> Sleep, 0x20 < Sleep >
2019-10-26 05:24:26.182009+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: Sleep
async ack
2019-10-26 05:24:26.182189+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Network off
sleep date is not setup yet. Wake date cannot be calculated without
baseline.
2019-10-26 05:24:33.652580+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT
(Maintenance)
2019-10-26 05:24:33.652581+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT
(Maintenance)
2019-10-26 05:25:01.346048+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler -
Dark Wake IOPMSYSTEMPowerStateCapabilities - Sleep
2019-10-26 05:25:01.347427+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State
changed: Sleep -> DarkWake, 0x1 < DarkWake >
2019-10-26 05:25:01.368578+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CSHostDaemonMac
_isWakeReasonVoiceTrigger] Wake reason: <private>
2019-10-26 05:25:01.368589+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CSHostDaemonMac
_getPowerAssertionIfWakenByVoiceTriggerNotFromS3Sleep] Wake reason
is not VoiceTrigger or it woke from S3
2019-10-26 05:25:01.550911+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason:
Host (0x01)
2019-10-26 05:25:01.616987+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time
calculated as - [Sat Oct 26 07:02:38 2019]
2019-10-26 05:25:01.967340+0200 localhost kernel[0]:
(AppleIntelCFLGraphicsFramebuffer) [IGFB][INFO] FB0 power state
transition Sleep to Doze
2019-10-26 05:25:02.388106+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler -
Dark Wake IOPMSYSTEMPowerStateCapabilities - Sleep
2019-10-26 05:25:02.389433+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time
calculated as - [Sat Oct 26 07:02:38 2019]
2019-10-26 05:25:02.400876+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason:
Host (0x01)
2019-10-26 05:25:08.745128+0200 localhost powerd[103]:
[powerd:sleepWake] Entering Sleep state due to 'Maintenance Sleep'
2019-10-26 05:25:08.745759+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State

changed: DarkWake -> Sleep, 0x20 < Sleep >
2019-10-26 05:25:08.745765+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: Sleep
async ack
2019-10-26 05:25:08.746588+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Network off
sleep date is not setup yet. Wake date cannot be calculated without
baseline.
2019-10-26 05:25:16.194224+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT
(Maintenance)
2019-10-26 05:25:16.194225+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT
(Maintenance)
2019-10-26 05:25:43.857923+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler -
Dark Wake IOPMSYSTEMPowerStateCapabilities - Sleep
2019-10-26 05:25:43.858509+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State
changed: Sleep -> DarkWake, 0x1 < DarkWake >
2019-10-26 05:25:43.862984+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CSHostDaemonMac
_isWakeReasonVoiceTrigger] Wake reason: <private>
2019-10-26 05:25:43.862994+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CSHostDaemonMac
_getPowerAssertionIfWakenByVoiceTriggerNotFromS3Sleep] Wake reason
is not VoiceTrigger or it woke from S3
2019-10-26 05:25:43.898053+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time
calculated as - [Sat Oct 26 07:02:38 2019]
2019-10-26 05:25:44.110810+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason:
Host (0x01)
2019-10-26 05:25:44.485752+0200 localhost kernel[0]:
(AppleIntelCFLGraphicsFramebuffer) [IGFB][INFO] FB0 power state
transition Sleep to Doze
2019-10-26 05:25:44.910143+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler -
Dark Wake IOPMSYSTEMPowerStateCapabilities - Sleep
2019-10-26 05:25:44.911549+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time
calculated as - [Sat Oct 26 07:02:38 2019]
2019-10-26 05:25:44.917406+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason:
Host (0x01)
2019-10-26 05:25:51.286422+0200 localhost powerd[103]:
[powerd:sleepWake] Entering Sleep state due to 'Maintenance Sleep'
2019-10-26 05:25:51.286954+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State
changed: DarkWake -> Sleep, 0x20 < Sleep >
2019-10-26 05:25:51.286962+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: Sleep

async ack
2019-10-26 05:25:51.287813+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Network off
sleep date is not setup yet. Wake date cannot be calculated without
baseline.
2019-10-26 05:25:58.720708+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT
(Maintenance)
2019-10-26 05:25:58.720709+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT
(Maintenance)
2019-10-26 05:26:26.521328+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State
changed: Sleep -> DarkWake, 0x1 < DarkWake >
2019-10-26 05:26:26.522544+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CSHostDaemonMac
_isWakeReasonVoiceTrigger] Wake reason: <private>
2019-10-26 05:26:26.522588+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CSHostDaemonMac
_getPowerAssertionIfWakenByVoiceTriggerNotFromS3Sleep] Wake reason
is not VoiceTrigger or it woke from S3
2019-10-26 05:26:26.541708+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler -
Dark Wake IOPMSYSTEMPowerStateCapabilities - Sleep
2019-10-26 05:26:26.583135+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time
calculated as - [Sat Oct 26 07:02:38 2019]
2019-10-26 05:26:26.817235+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason:
Host (0x01)
2019-10-26 05:26:27.139610+0200 localhost kernel[0]:
(AppleIntelCFLGraphicsFramebuffer) [IGFB][INFO] FB0 power state
transition Sleep to Doze
2019-10-26 05:26:27.564159+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler -
Dark Wake IOPMSYSTEMPowerStateCapabilities - Sleep
2019-10-26 05:26:27.565605+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time
calculated as - [Sat Oct 26 07:02:38 2019]
2019-10-26 05:26:27.576305+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason:
Host (0x01)
2019-10-26 05:26:33.982965+0200 localhost powerd[103]:
[powerd:sleepWake] Entering Sleep state due to 'Maintenance Sleep'
2019-10-26 05:26:33.983453+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State
changed: DarkWake -> Sleep, 0x20 < Sleep >
2019-10-26 05:26:33.983458+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: Sleep
async ack
2019-10-26 05:26:33.984001+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Network off

sleep date is not setup yet. Wake date cannot be calculated without baseline.

2019-10-26 05:26:41.462285+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT (Maintenance)

2019-10-26 05:26:41.462286+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT (Maintenance)

2019-10-26 05:27:09.082170+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler - Dark Wake IOPMSYSTEMPowerStateCapabilities - Sleep

2019-10-26 05:27:09.082763+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State changed: Sleep -> DarkWake, 0x1 < DarkWake >

2019-10-26 05:27:09.083913+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CSHostDaemonMac _isWakeReasonVoiceTrigger] Wake reason: <private>

2019-10-26 05:27:09.083919+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CSHostDaemonMac _getPowerAssertionIfWokenByVoiceTriggerNotFromS3Sleep] Wake reason is not VoiceTrigger or it woke from S3

2019-10-26 05:27:09.114432+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time calculated as - [Sat Oct 26 07:02:38 2019]

2019-10-26 05:27:09.279864+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason: Host (0x01)

2019-10-26 05:27:09.732120+0200 localhost kernel[0]:
(AppleIntelCFLGraphicsFramebuffer) [IGFB] [INFO] FB0 power state transition Sleep to Doze

2019-10-26 05:27:10.153400+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler - Dark Wake IOPMSYSTEMPowerStateCapabilities - Sleep

2019-10-26 05:27:10.154953+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time calculated as - [Sat Oct 26 07:02:38 2019]

2019-10-26 05:27:10.165183+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason: Host (0x01)

2019-10-26 05:27:16.467967+0200 localhost powerd[103]:
[powerd:sleepWake] Entering Sleep state due to 'Maintenance Sleep'

2019-10-26 05:27:16.468509+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State changed: DarkWake -> Sleep, 0x20 < Sleep >

2019-10-26 05:27:16.468514+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: Sleep async ack

2019-10-26 05:27:16.469129+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Network off
sleep date is not setup yet. Wake date cannot be calculated without baseline.

2019-10-26 05:27:23.788070+0200 localhost kernel[0]:

(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT (Maintenance)
2019-10-26 05:27:23.788070+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT (Maintenance)
2019-10-26 05:27:51.449462+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State changed: Sleep -> DarkWake, 0x1 < DarkWake >
2019-10-26 05:27:51.463147+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler - Dark Wake IOPMSYSTEMPowerStateCapabilities - Sleep
2019-10-26 05:27:51.468115+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CSHostDaemonMac _isWakeReasonVoiceTrigger] Wake reason: <private>
2019-10-26 05:27:51.468120+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CSHostDaemonMac _getPowerAssertionIfWakenByVoiceTriggerNotFromS3Sleep] Wake reason is not VoiceTrigger or it woke from S3
2019-10-26 05:27:51.502452+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time calculated as - [Sat Oct 26 07:02:38 2019]
2019-10-26 05:27:51.650969+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason: Host (0x01)
2019-10-26 05:27:52.086456+0200 localhost kernel[0]:
(AppleIntelCFLGraphicsFramebuffer) [IGFB][INFO] FB0 power state transition Sleep to Doze
2019-10-26 05:27:52.507715+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler - Dark Wake IOPMSYSTEMPowerStateCapabilities - Sleep
2019-10-26 05:27:52.509370+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time calculated as - [Sat Oct 26 07:02:38 2019]
2019-10-26 05:27:52.514171+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason: Host (0x01)
2019-10-26 05:27:58.971877+0200 localhost powerd[103]:
[powerd:sleepWake] Entering Sleep state due to 'Maintenance Sleep'
2019-10-26 05:27:58.972546+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State changed: DarkWake -> Sleep, 0x20 < Sleep >
2019-10-26 05:27:58.972620+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: Sleep async ack
2019-10-26 05:27:58.974372+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Network off sleep date is not setup yet. Wake date cannot be calculated without baseline.
2019-10-26 05:28:06.287783+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.RTC (Alarm)
2019-10-26 05:28:06.287784+0200 localhost kernel[0]:

(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.RTC
(Alarm)
2019-10-26 05:33:10.138291+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler -
Dark Wake IOPMSystemPowerStateCapabilities - Sleep
2019-10-26 05:33:10.140631+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CSHostDaemonMac
_isWakeReasonVoiceTrigger] Wake reason: <private>
2019-10-26 05:33:10.140648+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CSHostDaemonMac
_getPowerAssertionIfWakenByVoiceTriggerNotFromS3Sleep] Wake reason
is not VoiceTrigger or it woke from S3
2019-10-26 05:33:10.158915+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time
calculated as - [Sat Oct 26 07:02:38 2019]
2019-10-26 05:33:10.348933+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State
changed: Sleep -> DarkWake, 0x1 < DarkWake >
2019-10-26 05:33:10.362926+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason:
Host (0x01)
2019-10-26 05:33:10.755932+0200 localhost kernel[0]:
(AppleIntelCFLGraphicsFramebuffer) [IGFB][INFO] FB0 power state
transition Sleep to Doze
2019-10-26 05:33:11.179731+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler -
Dark Wake IOPMSystemPowerStateCapabilities - Sleep
2019-10-26 05:33:11.181410+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time
calculated as - [Sat Oct 26 07:02:38 2019]
2019-10-26 05:33:11.194608+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason:
Host (0x01)
2019-10-26 05:33:17.408323+0200 localhost powerd[103]:
[powerd:sleepWake] Entering Sleep state due to 'Maintenance Sleep'
2019-10-26 05:33:17.408846+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State
changed: DarkWake -> Sleep, 0x20 < Sleep >
2019-10-26 05:33:17.408871+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: Sleep
async ack
2019-10-26 05:33:17.409515+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Network off
sleep date is not setup yet. Wake date cannot be calculated without
baseline.
2019-10-26 05:33:24.877271+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT
(Maintenance)
2019-10-26 05:33:24.877271+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT
(Maintenance)
2019-10-26 05:33:52.527669+0200 localhost rapportd[371]:

(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State changed: Sleep -> DarkWake, 0x1 < DarkWake >
2019-10-26 05:33:52.527828+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler - Dark Wake IOPMSystemPowerStateCapabilities - Sleep
2019-10-26 05:33:52.560139+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CSHostDaemonMac _isWakeReasonVoiceTrigger] Wake reason: <private>
2019-10-26 05:33:52.560162+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CSHostDaemonMac _getPowerAssertionIfWakenByVoiceTriggerNotFromS3Sleep] Wake reason is not VoiceTrigger or it woke from S3
2019-10-26 05:33:52.566199+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time calculated as - [Sat Oct 26 07:02:38 2019]
2019-10-26 05:33:52.730918+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason: Host (0x01)
2019-10-26 05:33:53.158580+0200 localhost kernel[0]:
(AppleIntelCFLGraphicsFramebuffer) [IGFB][INFO] FB0 power state transition Sleep to Doze
2019-10-26 05:33:53.576359+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler - Dark Wake IOPMSystemPowerStateCapabilities - Sleep
2019-10-26 05:33:53.577873+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time calculated as - [Sat Oct 26 07:02:38 2019]
2019-10-26 05:33:53.582591+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason: Host (0x01)
2019-10-26 05:33:59.933047+0200 localhost powerd[103]:
[powerd:sleepWake] Entering Sleep state due to 'Maintenance Sleep'
2019-10-26 05:33:59.933588+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State changed: DarkWake -> Sleep, 0x20 < Sleep >
2019-10-26 05:33:59.933596+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: Sleep async ack
2019-10-26 05:33:59.934123+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Network off sleep date is not setup yet. Wake date cannot be calculated without baseline.
2019-10-26 05:34:07.429434+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT (Maintenance)
2019-10-26 05:34:07.429435+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT (Maintenance)
2019-10-26 05:34:35.069196+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler - Dark Wake IOPMSystemPowerStateCapabilities - Sleep
2019-10-26 05:34:35.069717+0200 localhost rapportd[371]:

(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State changed: Sleep -> DarkWake, 0x1 < DarkWake >
2019-10-26 05:34:35.075322+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CSHostDaemonMac _isWakeReasonVoiceTrigger] Wake reason: <private>
2019-10-26 05:34:35.075330+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CSHostDaemonMac _getPowerAssertionIfWakenByVoiceTriggerNotFromS3Sleep] Wake reason is not VoiceTrigger or it woke from S3
2019-10-26 05:34:35.097267+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time calculated as - [Sat Oct 26 07:02:38 2019]
2019-10-26 05:34:35.305691+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason: Host (0x01)
2019-10-26 05:34:35.707596+0200 localhost kernel[0]:
(AppleIntelCFLGraphicsFramebuffer) [IGFB][INFO] FB0 power state transition Sleep to Doze
2019-10-26 05:34:36.133749+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler - Dark Wake IOPMSYSTEMPowerStateCapabilities - Sleep
2019-10-26 05:34:36.135576+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time calculated as - [Sat Oct 26 07:02:38 2019]
2019-10-26 05:34:36.145366+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason: Host (0x01)
2019-10-26 05:34:42.438718+0200 localhost powerd[103]:
[powerd:sleepWake] Entering Sleep state due to 'Maintenance Sleep'
2019-10-26 05:34:42.439270+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State changed: DarkWake -> Sleep, 0x20 < Sleep >
2019-10-26 05:34:42.439277+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: Sleep async ack
2019-10-26 05:34:42.440051+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Network off sleep date is not setup yet. Wake date cannot be calculated without baseline.
2019-10-26 05:34:50.039104+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT (Maintenance)
2019-10-26 05:34:50.039105+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT (Maintenance)
2019-10-26 05:35:17.690572+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler - Dark Wake IOPMSYSTEMPowerStateCapabilities - Sleep
2019-10-26 05:35:17.691358+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State changed: Sleep -> DarkWake, 0x1 < DarkWake >
2019-10-26 05:35:17.691567+0200 localhost corespeechd[443]:

[com.apple.corespeech:Framework] -[CShostDaemonMac
_isWakeReasonVoiceTrigger] Wake reason: <private>
2019-10-26 05:35:17.691571+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CShostDaemonMac
_getPowerAssertionIfWakenByVoiceTriggerNotFromS3Sleep] Wake reason
is not VoiceTrigger or it woke from S3
2019-10-26 05:35:17.712286+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time
calculated as - [Sat Oct 26 07:02:38 2019]
2019-10-26 05:35:17.949807+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason:
Host (0x01)
2019-10-26 05:35:18.289911+0200 localhost kernel[0]:
(AppleIntelCFLGraphicsFramebuffer) [IGFB][INFO] FB0 power state
transition Sleep to Doze
2019-10-26 05:35:18.705900+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler -
Dark Wake IOPMSYSTEMPowerStateCapabilities - Sleep
2019-10-26 05:35:18.707371+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time
calculated as - [Sat Oct 26 07:02:38 2019]
2019-10-26 05:35:18.712641+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason:
Host (0x01)
2019-10-26 05:35:25.144371+0200 localhost powerd[103]:
[powerd:sleepWake] Entering Sleep state due to 'Maintenance Sleep'
2019-10-26 05:35:25.144881+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State
changed: DarkWake -> Sleep, 0x20 < Sleep >
2019-10-26 05:35:25.144891+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: Sleep
async ack
2019-10-26 05:35:25.146097+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Network off
sleep date is not setup yet. Wake date cannot be calculated without
baseline.
2019-10-26 05:35:32.686178+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT
(Maintenance)
2019-10-26 05:35:32.686179+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT
(Maintenance)
2019-10-26 05:36:00.312922+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State
changed: Sleep -> DarkWake, 0x1 < DarkWake >
2019-10-26 05:36:00.318018+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CShostDaemonMac
_isWakeReasonVoiceTrigger] Wake reason: <private>
2019-10-26 05:36:00.318025+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CShostDaemonMac
_getPowerAssertionIfWakenByVoiceTriggerNotFromS3Sleep] Wake reason
is not VoiceTrigger or it woke from S3

2019-10-26 05:36:00.333160+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler -
Dark Wake IOPMSYSTEMPowerStateCapabilities - Sleep
2019-10-26 05:36:00.383398+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time
calculated as - [Sat Oct 26 07:02:38 2019]
2019-10-26 05:36:00.532402+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason:
Host (0x01)
2019-10-26 05:36:00.939353+0200 localhost kernel[0]:
(AppleIntelCFLGraphicsFramebuffer) [IGFB][INFO] FB0 power state
transition Sleep to Doze
2019-10-26 05:36:01.358774+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler -
Dark Wake IOPMSYSTEMPowerStateCapabilities - Sleep
2019-10-26 05:36:01.360297+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time
calculated as - [Sat Oct 26 07:02:38 2019]
2019-10-26 05:36:01.365144+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason:
Host (0x01)
2019-10-26 05:36:07.693081+0200 localhost powerd[103]:
[powerd:sleepWake] Entering Sleep state due to 'Maintenance Sleep'
2019-10-26 05:36:07.693636+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State
changed: DarkWake -> Sleep, 0x20 < Sleep >
2019-10-26 05:36:07.693641+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: Sleep
async ack
2019-10-26 05:36:07.694343+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Network off
sleep date is not setup yet. Wake date cannot be calculated without
baseline.
2019-10-26 05:36:15.218795+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT
(Maintenance)
2019-10-26 05:36:15.218796+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT
(Maintenance)
2019-10-26 05:36:42.816401+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler -
Dark Wake IOPMSYSTEMPowerStateCapabilities - Sleep
2019-10-26 05:36:42.827973+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State
changed: Sleep -> DarkWake, 0x1 < DarkWake >
2019-10-26 05:36:42.846237+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CSHostDaemonMac
_isWakeReasonVoiceTrigger] Wake reason: <private>
2019-10-26 05:36:42.846252+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CSHostDaemonMac
_getPowerAssertionIfWokenByVoiceTriggerNotFromS3Sleep] Wake reason
is not VoiceTrigger or it woke from S3

2019-10-26 05:36:42.886201+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time
calculated as - [Sat Oct 26 07:02:38 2019]
2019-10-26 05:36:43.080378+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason:
Host (0x01)
2019-10-26 05:36:43.454853+0200 localhost kernel[0]:
(AppleIntelCFLGraphicsFramebuffer) [IGFB][INFO] FB0 power state
transition Sleep to Doze
2019-10-26 05:36:43.882964+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler -
Dark Wake IOPMSYSTEMPowerStateCapabilities - Sleep
2019-10-26 05:36:43.884318+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time
calculated as - [Sat Oct 26 07:02:38 2019]
2019-10-26 05:36:43.889932+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason:
Host (0x01)
2019-10-26 05:36:50.259986+0200 localhost powerd[103]:
[powerd:sleepWake] Entering Sleep state due to 'Maintenance Sleep'
2019-10-26 05:36:50.260363+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State
changed: DarkWake -> Sleep, 0x20 < Sleep >
2019-10-26 05:36:50.260368+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: Sleep
async ack
2019-10-26 05:36:50.261101+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Network off
sleep date is not setup yet. Wake date cannot be calculated without
baseline.
2019-10-26 05:36:57.683826+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT
(Maintenance)
2019-10-26 05:36:57.683827+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT
(Maintenance)
2019-10-26 05:37:25.362306+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler -
Dark Wake IOPMSYSTEMPowerStateCapabilities - Sleep
2019-10-26 05:37:25.364210+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State
changed: Sleep -> DarkWake, 0x1 < DarkWake >
2019-10-26 05:37:25.364864+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CSHostDaemonMac
_isWakeReasonVoiceTrigger] Wake reason: <private>
2019-10-26 05:37:25.364869+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CSHostDaemonMac
_getPowerAssertionIfWakenByVoiceTriggerNotFromS3Sleep] Wake reason
is not VoiceTrigger or it woke from S3
2019-10-26 05:37:25.417079+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time
calculated as - [Sat Oct 26 07:02:38 2019]

2019-10-26 05:37:25.542601+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason:
Host (0x01)
2019-10-26 05:37:25.983768+0200 localhost kernel[0]:
(AppleIntelCFLGraphicsFramebuffer) [IGFB][INFO] FB0 power state
transition Sleep to Doze
2019-10-26 05:37:26.410161+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler -
Dark Wake IOPMSystemPowerStateCapabilities - Sleep
2019-10-26 05:37:26.411526+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time
calculated as - [Sat Oct 26 07:02:38 2019]
2019-10-26 05:37:26.416482+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason:
Host (0x01)
2019-10-26 05:37:32.845426+0200 localhost powerd[103]:
[powerd:sleepWake] Entering Sleep state due to 'Maintenance Sleep'
2019-10-26 05:37:32.846031+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State
changed: DarkWake -> Sleep, 0x20 < Sleep >
2019-10-26 05:37:32.846035+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: Sleep
async ack
2019-10-26 05:37:32.846627+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Network off
sleep date is not setup yet. Wake date cannot be calculated without
baseline.
2019-10-26 05:37:40.195813+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT
(Maintenance)
2019-10-26 05:37:40.195814+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT
(Maintenance)
2019-10-26 05:38:07.838896+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State
changed: Sleep -> DarkWake, 0x1 < DarkWake >
2019-10-26 05:38:07.838931+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler -
Dark Wake IOPMSystemPowerStateCapabilities - Sleep
2019-10-26 05:38:07.841207+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CSHostDaemonMac
_isWakeReasonVoiceTrigger] Wake reason: <private>
2019-10-26 05:38:07.841211+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CSHostDaemonMac
_getPowerAssertionIfWakenByVoiceTriggerNotFromS3Sleep] Wake reason
is not VoiceTrigger or it woke from S3
2019-10-26 05:38:07.875606+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time
calculated as - [Sat Oct 26 07:02:38 2019]
2019-10-26 05:38:08.087883+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason:

Host (0x01)
2019-10-26 05:38:08.466069+0200 localhost kernel[0]:
(AppleIntelCFLGraphicsFramebuffer) [IGFB][INFO] FB0 power state
transition Sleep to Doze
2019-10-26 05:38:08.888764+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler -
Dark Wake IOPMSystemPowerStateCapabilities - Sleep
2019-10-26 05:38:08.889846+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time
calculated as - [Sat Oct 26 07:02:38 2019]
2019-10-26 05:38:08.894875+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason:
Host (0x01)
2019-10-26 05:38:15.228543+0200 localhost powerd[103]:
[powerd:sleepWake] Entering Sleep state due to 'Maintenance Sleep'
2019-10-26 05:38:15.229133+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State
changed: DarkWake -> Sleep, 0x20 < Sleep >
2019-10-26 05:38:15.229168+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: Sleep
async ack
2019-10-26 05:38:15.229903+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Network off
sleep date is not setup yet. Wake date cannot be calculated without
baseline.
2019-10-26 05:38:22.687410+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT
(Maintenance)
2019-10-26 05:38:22.687411+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT
(Maintenance)
2019-10-26 05:38:50.300248+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler -
Dark Wake IOPMSystemPowerStateCapabilities - Sleep
2019-10-26 05:38:50.312437+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State
changed: Sleep -> DarkWake, 0x1 < DarkWake >
2019-10-26 05:38:50.318004+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CSHostDaemonMac
_isWakeReasonVoiceTrigger] Wake reason: <private>
2019-10-26 05:38:50.318023+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CSHostDaemonMac
_getPowerAssertionIfWakenByVoiceTriggerNotFromS3Sleep] Wake reason
is not VoiceTrigger or it woke from S3
2019-10-26 05:38:50.342551+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time
calculated as - [Sat Oct 26 07:02:38 2019]
2019-10-26 05:38:50.533099+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason:
Host (0x01)
2019-10-26 05:38:50.949440+0200 localhost kernel[0]:
(AppleIntelCFLGraphicsFramebuffer) [IGFB][INFO] FB0 power state

transition Sleep to Doze
2019-10-26 05:38:51.360533+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler -
Dark Wake IOPMSYSTEMPowerStateCapabilities - Sleep
2019-10-26 05:38:51.361844+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time
calculated as - [Sat Oct 26 07:02:38 2019]
2019-10-26 05:38:51.372916+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason:
Host (0x01)
2019-10-26 05:39:01.409739+0200 localhost powerd[103]:
[powerd:sleepWake] Entering Sleep state due to 'Maintenance Sleep'
2019-10-26 05:39:01.410279+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State
changed: DarkWake -> Sleep, 0x20 < Sleep >
2019-10-26 05:39:01.410286+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: Sleep
async ack
2019-10-26 05:39:01.411079+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Network off
sleep date is not setup yet. Wake date cannot be calculated without
baseline.
2019-10-26 05:39:10.929930+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.RTC
(Alarm)
2019-10-26 05:39:10.929930+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.RTC
(Alarm)
2019-10-26 05:47:20.142356+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler -
Dark Wake IOPMSYSTEMPowerStateCapabilities - Sleep
2019-10-26 05:47:20.145042+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CSHostDaemonMac
_isWakeReasonVoiceTrigger] Wake reason: <private>
2019-10-26 05:47:20.145047+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CSHostDaemonMac
_getPowerAssertionIfWakenByVoiceTriggerNotFromS3Sleep] Wake reason
is not VoiceTrigger or it woke from S3
2019-10-26 05:47:20.159832+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State
changed: Sleep -> DarkWake, 0x1 < DarkWake >
2019-10-26 05:47:20.176922+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time
calculated as - [Sat Oct 26 07:02:38 2019]
2019-10-26 05:47:20.493063+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason:
Host (0x01)
2019-10-26 05:47:20.753255+0200 localhost kernel[0]:
(AppleIntelCFLGraphicsFramebuffer) [IGFB][INFO] FB0 power state
transition Sleep to Doze
2019-10-26 05:47:21.158436+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler -

Dark Wake IOPMSysPowerStateCapabilities - Sleep
2019-10-26 05:47:21.159966+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time
calculated as - [Sat Oct 26 07:02:38 2019]
2019-10-26 05:47:21.165870+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason:
Host (0x01)
2019-10-26 05:47:27.535442+0200 localhost powerd[103]:
[powerd:sleepWake] Entering Sleep state due to 'Maintenance Sleep'
2019-10-26 05:47:27.535977+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State
changed: DarkWake -> Sleep, 0x20 < Sleep >
2019-10-26 05:47:27.536003+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: Sleep
async ack
2019-10-26 05:47:27.537082+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Network off
sleep date is not setup yet. Wake date cannot be calculated without
baseline.
2019-10-26 05:47:35.091404+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT
(Maintenance)
2019-10-26 05:47:35.091404+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT
(Maintenance)
2019-10-26 05:48:02.728903+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler -
Dark Wake IOPMSysPowerStateCapabilities - Sleep
2019-10-26 05:48:02.731030+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State
changed: Sleep -> DarkWake, 0x1 < DarkWake >
2019-10-26 05:48:02.757554+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CSHostDaemonMac
_isWakeReasonVoiceTrigger] Wake reason: <private>
2019-10-26 05:48:02.757561+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CSHostDaemonMac
_getPowerAssertionIfWakenByVoiceTriggerNotFromS3Sleep] Wake reason
is not VoiceTrigger or it woke from S3
2019-10-26 05:48:02.764011+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time
calculated as - [Sat Oct 26 07:02:38 2019]
2019-10-26 05:48:03.064447+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason:
Host (0x01)
2019-10-26 05:48:03.329139+0200 localhost kernel[0]:
(AppleIntelCFLGraphicsFramebuffer) [IGFB][INFO] FB0 power state
transition Sleep to Doze
2019-10-26 05:48:03.753553+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler -
Dark Wake IOPMSysPowerStateCapabilities - Sleep
2019-10-26 05:48:03.755106+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time

calculated as - [Sat Oct 26 07:02:38 2019]
2019-10-26 05:48:03.760131+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason:
Host (0x01)
2019-10-26 05:48:10.194399+0200 localhost powerd[103]:
[powerd:sleepWake] Entering Sleep state due to 'Maintenance Sleep'
2019-10-26 05:48:10.195021+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State
changed: DarkWake -> Sleep, 0x20 < Sleep >
2019-10-26 05:48:10.195029+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: Sleep
async ack
2019-10-26 05:48:10.195693+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Network off
sleep date is not setup yet. Wake date cannot be calculated without
baseline.
2019-10-26 05:48:17.661438+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT
(Maintenance)
2019-10-26 05:48:17.661438+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT
(Maintenance)
2019-10-26 05:48:45.295993+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler -
Dark Wake IOPMSYSTEMPowerStateCapabilities - Sleep
2019-10-26 05:48:45.297395+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CSHostDaemonMac
_isWakeReasonVoiceTrigger] Wake reason: <private>
2019-10-26 05:48:45.297405+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CSHostDaemonMac
_getPowerAssertionIfWakenByVoiceTriggerNotFromS3Sleep] Wake reason
is not VoiceTrigger or it woke from S3
2019-10-26 05:48:45.323092+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State
changed: Sleep -> DarkWake, 0x1 < DarkWake >
2019-10-26 05:48:45.376634+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time
calculated as - [Sat Oct 26 07:02:38 2019]
2019-10-26 05:48:45.487868+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason:
Host (0x01)
2019-10-26 05:48:45.915120+0200 localhost kernel[0]:
(AppleIntelCFLGraphicsFramebuffer) [IGFB][INFO] FB0 power state
transition Sleep to Doze
2019-10-26 05:48:46.334145+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler -
Dark Wake IOPMSYSTEMPowerStateCapabilities - Sleep
2019-10-26 05:48:46.335635+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time
calculated as - [Sat Oct 26 07:02:38 2019]
2019-10-26 05:48:46.340632+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]

AppleDeviceManagementHIDEventService::processWakeReason Wake reason:
Host (0x01)
2019-10-26 05:48:56.039776+0200 localhost powerd[103]:
[powerd:sleepWake] Entering Sleep state due to 'Maintenance Sleep'
2019-10-26 05:48:56.040473+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State
changed: DarkWake -> Sleep, 0x20 < Sleep >
2019-10-26 05:48:56.040506+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: Sleep
async ack
2019-10-26 05:48:56.041356+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Network off
sleep date is not setup yet. Wake date cannot be calculated without
baseline.
2019-10-26 05:49:04.142792+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT
(Maintenance)
2019-10-26 05:49:04.142793+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT
(Maintenance)
2019-10-26 05:49:31.765461+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State
changed: Sleep -> DarkWake, 0x1 < DarkWake >
2019-10-26 05:49:31.768462+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CSHostDaemonMac
_isWakeReasonVoiceTrigger] Wake reason: <private>
2019-10-26 05:49:31.768523+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CSHostDaemonMac
_getPowerAssertionIfWakenByVoiceTriggerNotFromS3Sleep] Wake reason
is not VoiceTrigger or it woke from S3
2019-10-26 05:49:31.781107+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler -
Dark Wake IOPMSYSTEMPowerStateCapabilities - Sleep
2019-10-26 05:49:31.972500+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time
calculated as - [Sat Oct 26 07:02:38 2019]
2019-10-26 05:49:32.011685+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason:
Host (0x01)
2019-10-26 05:49:32.387411+0200 localhost kernel[0]:
(AppleIntelCFLGraphicsFramebuffer) [IGFB][INFO] FB0 power state
transition Sleep to Doze
2019-10-26 05:49:32.814588+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler -
Dark Wake IOPMSYSTEMPowerStateCapabilities - Sleep
2019-10-26 05:49:32.815891+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time
calculated as - [Sat Oct 26 07:02:38 2019]
2019-10-26 05:49:32.824814+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason:
Host (0x01)
2019-10-26 05:49:39.170910+0200 localhost powerd[103]:

[powerd:sleepWake] Entering Sleep state due to 'Maintenance Sleep'
2019-10-26 05:49:39.171359+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State
changed: DarkWake -> Sleep, 0x20 < Sleep >
2019-10-26 05:49:39.171365+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: Sleep
async ack
2019-10-26 05:49:39.172125+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Network off
sleep date is not setup yet. Wake date cannot be calculated without
baseline.
2019-10-26 05:49:46.600254+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT
(Maintenance)
2019-10-26 05:49:46.600255+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT
(Maintenance)
2019-10-26 05:50:14.229728+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler -
Dark Wake IOPMSYSTEMPowerStateCapabilities - Sleep
2019-10-26 05:50:14.229896+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State
changed: Sleep -> DarkWake, 0x1 < DarkWake >
2019-10-26 05:50:14.231756+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CSHostDaemonMac
_isWakeReasonVoiceTrigger] Wake reason: <private>
2019-10-26 05:50:14.231768+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CSHostDaemonMac
_getPowerAssertionIfWakenByVoiceTriggerNotFromS3Sleep] Wake reason
is not VoiceTrigger or it woke from S3
2019-10-26 05:50:14.298814+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time
calculated as - [Sat Oct 26 07:02:38 2019]
2019-10-26 05:50:14.473553+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason:
Host (0x01)
2019-10-26 05:50:14.859958+0200 localhost kernel[0]:
(AppleIntelCFLGraphicsFramebuffer) [IGFB][INFO] FB0 power state
transition Sleep to Doze
2019-10-26 05:50:15.283090+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler -
Dark Wake IOPMSYSTEMPowerStateCapabilities - Sleep
2019-10-26 05:50:15.284591+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time
calculated as - [Sat Oct 26 07:02:38 2019]
2019-10-26 05:50:15.290760+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason:
Host (0x01)
2019-10-26 05:50:26.040963+0200 localhost powerd[103]:
[powerd:sleepWake] Entering Sleep state due to 'Maintenance Sleep'
2019-10-26 05:50:26.041603+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State

changed: DarkWake -> Sleep, 0x20 < Sleep >
2019-10-26 05:50:26.042390+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: Sleep
async ack
2019-10-26 05:50:26.042421+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Network off
sleep date is not setup yet. Wake date cannot be calculated without
baseline.
2019-10-26 05:50:34.833930+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT
(Maintenance)
2019-10-26 05:50:34.833931+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT
(Maintenance)
2019-10-26 05:51:02.438903+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler -
Dark Wake IOPMSYSTEMPowerStateCapabilities - Sleep
2019-10-26 05:51:02.440925+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State
changed: Sleep -> DarkWake, 0x1 < DarkWake >
2019-10-26 05:51:02.442810+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CSHostDaemonMac
_isWakeReasonVoiceTrigger] Wake reason: <private>
2019-10-26 05:51:02.442817+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CSHostDaemonMac
_getPowerAssertionIfWakenByVoiceTriggerNotFromS3Sleep] Wake reason
is not VoiceTrigger or it woke from S3
2019-10-26 05:51:02.791535+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time
calculated as - [Sat Oct 26 07:02:38 2019]
2019-10-26 05:51:02.903610+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason:
Host (0x01)
2019-10-26 05:51:03.059684+0200 localhost kernel[0]:
(AppleIntelCFLGraphicsFramebuffer) [IGFB][INFO] FB0 power state
transition Sleep to Doze
2019-10-26 05:51:03.484873+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler -
Dark Wake IOPMSYSTEMPowerStateCapabilities - Sleep
2019-10-26 05:51:03.486326+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time
calculated as - [Sat Oct 26 07:02:38 2019]
2019-10-26 05:51:03.492802+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason:
Host (0x01)
2019-10-26 05:51:10.070991+0200 localhost powerd[103]:
[powerd:sleepWake] Entering Sleep state due to 'Maintenance Sleep'
2019-10-26 05:51:10.071510+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State
changed: DarkWake -> Sleep, 0x20 < Sleep >
2019-10-26 05:51:10.071515+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: Sleep

async ack
2019-10-26 05:51:10.072402+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Network off
sleep date is not setup yet. Wake date cannot be calculated without
baseline.
2019-10-26 05:51:17.564519+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT
(Maintenance)
2019-10-26 05:51:17.564519+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT
(Maintenance)
2019-10-26 05:51:45.174513+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler -
Dark Wake IOPMSYSTEMPowerStateCapabilities - Sleep
2019-10-26 05:51:45.175030+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State
changed: Sleep -> DarkWake, 0x1 < DarkWake >
2019-10-26 05:51:45.182361+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CSHostDaemonMac
_isWakeReasonVoiceTrigger] Wake reason: <private>
2019-10-26 05:51:45.182366+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CSHostDaemonMac
_getPowerAssertionIfWakenByVoiceTriggerNotFromS3Sleep] Wake reason
is not VoiceTrigger or it woke from S3
2019-10-26 05:51:45.207101+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time
calculated as - [Sat Oct 26 07:02:38 2019]
2019-10-26 05:51:45.373728+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason:
Host (0x01)
2019-10-26 05:51:45.821468+0200 localhost kernel[0]:
(AppleIntelCFLGraphicsFramebuffer) [IGFB][INFO] FB0 power state
transition Sleep to Doze
2019-10-26 05:51:46.239378+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler -
Dark Wake IOPMSYSTEMPowerStateCapabilities - Sleep
2019-10-26 05:51:46.241378+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time
calculated as - [Sat Oct 26 07:02:38 2019]
2019-10-26 05:51:46.251700+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason:
Host (0x01)
2019-10-26 05:51:56.032723+0200 localhost powerd[103]:
[powerd:sleepWake] Entering Sleep state due to 'Maintenance Sleep'
2019-10-26 05:51:56.033352+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State
changed: DarkWake -> Sleep, 0x20 < Sleep >
2019-10-26 05:51:56.033361+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: Sleep
async ack
2019-10-26 05:51:56.034528+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Network off

sleep date is not setup yet. Wake date cannot be calculated without baseline.

2019-10-26 05:52:03.963387+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.RTC (Alarm)

2019-10-26 05:52:03.963420+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.RTC (Alarm)

2019-10-26 05:56:54.128801+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler - Dark Wake IOPMSYSTEMPowerStateCapabilities - Sleep

2019-10-26 05:56:54.129442+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State changed: Sleep -> DarkWake, 0x1 < DarkWake >

2019-10-26 05:56:54.130935+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CSHostDaemonMac _isWakeReasonVoiceTrigger] Wake reason: <private>

2019-10-26 05:56:54.130940+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CSHostDaemonMac _getPowerAssertionIfWakenByVoiceTriggerNotFromS3Sleep] Wake reason is not VoiceTrigger or it woke from S3

2019-10-26 05:56:54.160114+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time calculated as - [Sat Oct 26 07:02:38 2019]

2019-10-26 05:56:54.333607+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason: Host (0x01)

2019-10-26 05:56:54.744593+0200 localhost kernel[0]:
(AppleIntelCFLGraphicsFramebuffer) [IGFB] [INFO] FB0 power state transition Sleep to Doze

2019-10-26 05:56:55.163046+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler - Dark Wake IOPMSYSTEMPowerStateCapabilities - Sleep

2019-10-26 05:56:55.164452+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time calculated as - [Sat Oct 26 07:02:38 2019]

2019-10-26 05:56:55.170104+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason: Host (0x01)

2019-10-26 05:57:01.380340+0200 localhost powerd[103]:
[powerd:sleepWake] Entering Sleep state due to 'Maintenance Sleep'

2019-10-26 05:57:01.380864+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State changed: DarkWake -> Sleep, 0x20 < Sleep >

2019-10-26 05:57:01.380908+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: Sleep async ack

2019-10-26 05:57:01.381683+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Network off

sleep date is not setup yet. Wake date cannot be calculated without baseline.

2019-10-26 05:57:08.765132+0200 localhost kernel[0]:

(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT (Maintenance)
2019-10-26 05:57:08.765133+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT (Maintenance)
2019-10-26 05:57:36.463545+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CSHostDaemonMac _isWakeReasonVoiceTrigger] Wake reason: <private>
2019-10-26 05:57:36.463552+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CSHostDaemonMac _getPowerAssertionIfWakenByVoiceTriggerNotFromS3Sleep] Wake reason is not VoiceTrigger or it woke from S3
2019-10-26 05:57:36.464119+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler - Dark Wake IOPMSYSTEMPowerStateCapabilities - Sleep
2019-10-26 05:57:36.464470+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State changed: Sleep -> DarkWake, 0x1 < DarkWake >
2019-10-26 05:57:36.488916+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time calculated as - [Sat Oct 26 07:02:38 2019]
2019-10-26 05:57:36.759829+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason: Host (0x01)
2019-10-26 05:57:37.083063+0200 localhost kernel[0]:
(AppleIntelCFLGraphicsFramebuffer) [IGFB][INFO] FB0 power state transition Sleep to Doze
2019-10-26 05:57:37.505664+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler - Dark Wake IOPMSYSTEMPowerStateCapabilities - Sleep
2019-10-26 05:57:37.507306+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time calculated as - [Sat Oct 26 07:02:38 2019]
2019-10-26 05:57:37.512641+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason: Host (0x01)
2019-10-26 05:57:43.882338+0200 localhost powerd[103]:
[powerd:sleepWake] Entering Sleep state due to 'Maintenance Sleep'
2019-10-26 05:57:43.883067+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State changed: DarkWake -> Sleep, 0x20 < Sleep >
2019-10-26 05:57:43.883074+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: Sleep async ack
2019-10-26 05:57:43.883715+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Network off sleep date is not setup yet. Wake date cannot be calculated without baseline.
2019-10-26 05:57:51.244655+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT (Maintenance)
2019-10-26 05:57:51.244656+0200 localhost kernel[0]:

(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT (Maintenance)
2019-10-26 05:58:18.865294+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler - Dark Wake IOPMSystemPowerStateCapabilities - Sleep
2019-10-26 05:58:18.866894+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State changed: Sleep -> DarkWake, 0x1 < DarkWake >
2019-10-26 05:58:18.868090+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CSHostDaemonMac _isWakeReasonVoiceTrigger] Wake reason: <private>
2019-10-26 05:58:18.868101+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CSHostDaemonMac _getPowerAssertionIfWakenByVoiceTriggerNotFromS3Sleep] Wake reason is not VoiceTrigger or it woke from S3
2019-10-26 05:58:18.929019+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time calculated as - [Sat Oct 26 07:02:38 2019]
2019-10-26 05:58:19.058614+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason: Host (0x01)
2019-10-26 05:58:19.493738+0200 localhost kernel[0]:
(AppleIntelCFLGraphicsFramebuffer) [IGFB][INFO] FB0 power state transition Sleep to Doze
2019-10-26 05:58:19.913467+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler - Dark Wake IOPMSystemPowerStateCapabilities - Sleep
2019-10-26 05:58:19.914798+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time calculated as - [Sat Oct 26 07:02:38 2019]
2019-10-26 05:58:19.923792+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason: Host (0x01)
2019-10-26 05:58:26.244068+0200 localhost powerd[103]:
[powerd:sleepWake] Entering Sleep state due to 'Maintenance Sleep'
2019-10-26 05:58:26.244698+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State changed: DarkWake -> Sleep, 0x20 < Sleep >
2019-10-26 05:58:26.244704+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: Sleep async ack
2019-10-26 05:58:26.245443+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Network off sleep date is not setup yet. Wake date cannot be calculated without baseline.
2019-10-26 05:58:33.624838+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT (Maintenance)
2019-10-26 05:58:33.624838+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT (Maintenance)
2019-10-26 05:59:01.260604+0200 localhost bluetoothd[145]:

(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler -
Dark Wake IOPMSYSTEMPowerStateCapabilities - Sleep
2019-10-26 05:59:01.274498+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State
changed: Sleep -> DarkWake, 0x1 < DarkWake >
2019-10-26 05:59:01.303987+0200 localhost corespcehd[443]:
[com.apple.corespeech:Framework] -[CSHostDaemonMac
_isWakeReasonVoiceTrigger] Wake reason: <private>
2019-10-26 05:59:01.304000+0200 localhost corespcehd[443]:
[com.apple.corespeech:Framework] -[CSHostDaemonMac
_getPowerAssertionIfWakenByVoiceTriggerNotFromS3Sleep] Wake reason
is not VoiceTrigger or it woke from S3
2019-10-26 05:59:01.339339+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time
calculated as - [Sat Oct 26 07:02:38 2019]
2019-10-26 05:59:01.537470+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason:
Host (0x01)
2019-10-26 05:59:01.913198+0200 localhost kernel[0]:
(AppleIntelCFLGraphicsFramebuffer) [IGFB][INFO] FB0 power state
transition Sleep to Doze
2019-10-26 05:59:02.337150+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler -
Dark Wake IOPMSYSTEMPowerStateCapabilities - Sleep
2019-10-26 05:59:02.338562+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time
calculated as - [Sat Oct 26 07:02:38 2019]
2019-10-26 05:59:02.350404+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason:
Host (0x01)
2019-10-26 05:59:08.730965+0200 localhost powerd[103]:
[powerd:sleepWake] Entering Sleep state due to 'Maintenance Sleep'
2019-10-26 05:59:08.731546+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State
changed: DarkWake -> Sleep, 0x20 < Sleep >
2019-10-26 05:59:08.731554+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: Sleep
async ack
2019-10-26 05:59:08.732429+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Network off
sleep date is not setup yet. Wake date cannot be calculated without
baseline.
2019-10-26 05:59:16.108228+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT
(Maintenance)
2019-10-26 05:59:16.108228+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT
(Maintenance)
2019-10-26 05:59:43.780176+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler -
Dark Wake IOPMSYSTEMPowerStateCapabilities - Sleep
2019-10-26 05:59:43.780519+0200 localhost rapportd[371]:

(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State changed: Sleep -> DarkWake, 0x1 < DarkWake >
2019-10-26 05:59:43.781780+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CSHostDaemonMac _isWakeReasonVoiceTrigger] Wake reason: <private>
2019-10-26 05:59:43.781785+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CSHostDaemonMac _getPowerAssertionIfWakenByVoiceTriggerNotFromS3Sleep] Wake reason is not VoiceTrigger or it woke from S3
2019-10-26 05:59:43.822516+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time calculated as - [Sat Oct 26 07:02:38 2019]
2019-10-26 05:59:43.970521+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason: Host (0x01)
2019-10-26 05:59:44.394008+0200 localhost kernel[0]:
(AppleIntelCFLGraphicsFramebuffer) [IGFB][INFO] FB0 power state transition Sleep to Doze
2019-10-26 05:59:44.820538+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler - Dark Wake IOPMSystemPowerStateCapabilities - Sleep
2019-10-26 05:59:44.821928+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time calculated as - [Sat Oct 26 07:02:38 2019]
2019-10-26 05:59:44.827881+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason: Host (0x01)
2019-10-26 05:59:51.109094+0200 localhost powerd[103]:
[powerd:sleepWake] Entering Sleep state due to 'Maintenance Sleep'
2019-10-26 05:59:51.109713+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State changed: DarkWake -> Sleep, 0x20 < Sleep >
2019-10-26 05:59:51.109720+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: Sleep async ack
2019-10-26 05:59:51.110416+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Network off sleep date is not setup yet. Wake date cannot be calculated without baseline.
2019-10-26 05:59:58.638587+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT (Maintenance)
2019-10-26 05:59:58.638588+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT (Maintenance)
2019-10-26 06:00:26.294530+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler - Dark Wake IOPMSystemPowerStateCapabilities - Sleep
2019-10-26 06:00:26.295552+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State changed: Sleep -> DarkWake, 0x1 < DarkWake >
2019-10-26 06:00:26.296504+0200 localhost corespeechd[443]:

```
[com.apple.corespeech:Framework] -[CShostDaemonMac
_isWakeReasonVoiceTrigger] Wake reason: <private>
2019-10-26 06:00:26.296510+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CShostDaemonMac
_getPowerAssertionIfWakenByVoiceTriggerNotFromS3Sleep] Wake reason
is not VoiceTrigger or it woke from S3
2019-10-26 06:00:26.325552+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time
calculated as - [Sat Oct 26 07:02:38 2019]
2019-10-26 06:00:26.530790+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason:
Host (0x01)
2019-10-26 06:00:26.907405+0200 localhost kernel[0]:
(AppleIntelCFLGraphicsFramebuffer) [IGFB][INFO ] FB0 power state
transition Sleep to Doze
2019-10-26 06:00:27.328140+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler -
Dark Wake IOPMSYSTEMPowerStateCapabilities - Sleep
2019-10-26 06:00:27.329634+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time
calculated as - [Sat Oct 26 07:02:38 2019]
2019-10-26 06:00:27.334067+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason:
Host (0x01)
2019-10-26 06:00:33.729672+0200 localhost powerd[103]:
[powerd:sleepWake] Entering Sleep state due to 'Maintenance Sleep'
2019-10-26 06:00:33.730269+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State
changed: DarkWake -> Sleep, 0x20 < Sleep >
2019-10-26 06:00:33.730277+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: Sleep
async ack
2019-10-26 06:00:33.731352+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Network off
sleep date is not setup yet. Wake date cannot be calculated without
baseline.
2019-10-26 06:00:41.262794+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT
(Maintenance)
2019-10-26 06:00:41.262795+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT
(Maintenance)
2019-10-26 06:01:08.886874+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State
changed: Sleep -> DarkWake, 0x1 < DarkWake >
2019-10-26 06:01:08.887790+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CShostDaemonMac
_isWakeReasonVoiceTrigger] Wake reason: <private>
2019-10-26 06:01:08.887801+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CShostDaemonMac
_getPowerAssertionIfWakenByVoiceTriggerNotFromS3Sleep] Wake reason
is not VoiceTrigger or it woke from S3
```

2019-10-26 06:01:08.925463+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler -
Dark Wake IOPMSYSTEMPowerStateCapabilities - Sleep
2019-10-26 06:01:08.933964+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time
calculated as - [Sat Oct 26 07:02:38 2019]
2019-10-26 06:01:09.139499+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason:
Host (0x01)
2019-10-26 06:01:09.514147+0200 localhost kernel[0]:
(AppleIntelCFLGraphicsFramebuffer) [IGFB][INFO] FB0 power state
transition Sleep to Doze
2019-10-26 06:01:09.933327+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler -
Dark Wake IOPMSYSTEMPowerStateCapabilities - Sleep
2019-10-26 06:01:09.934849+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time
calculated as - [Sat Oct 26 07:02:38 2019]
2019-10-26 06:01:09.944802+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason:
Host (0x01)
2019-10-26 06:01:16.343377+0200 localhost powerd[103]:
[powerd:sleepWake] Entering Sleep state due to 'Maintenance Sleep'
2019-10-26 06:01:16.343941+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State
changed: DarkWake -> Sleep, 0x20 < Sleep >
2019-10-26 06:01:16.343946+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: Sleep
async ack
2019-10-26 06:01:16.345409+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Network off
sleep date is not setup yet. Wake date cannot be calculated without
baseline.
2019-10-26 06:01:23.801134+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.RTC
(Alarm)
2019-10-26 06:01:23.801135+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.RTC
(Alarm)
2019-10-26 06:06:28.126763+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler -
Dark Wake IOPMSYSTEMPowerStateCapabilities - Sleep
2019-10-26 06:06:28.128438+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CSHostDaemonMac
_isWakeReasonVoiceTrigger] Wake reason: <private>
2019-10-26 06:06:28.128445+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CSHostDaemonMac
_getPowerAssertionIfWakenedByVoiceTriggerNotFromS3Sleep] Wake reason
is not VoiceTrigger or it woke from S3
2019-10-26 06:06:28.131977+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State
changed: Sleep -> DarkWake, 0x1 < DarkWake >

2019-10-26 06:06:28.341175+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason:
Host (0x01)
2019-10-26 06:06:28.346130+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time
calculated as - [Sat Oct 26 07:02:38 2019]
2019-10-26 06:06:28.736892+0200 localhost kernel[0]:
(AppleIntelCFLGraphicsFramebuffer) [IGFB][INFO] FB0 power state
transition Sleep to Doze
2019-10-26 06:06:29.161125+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler -
Dark Wake IOPMSYSTEMPowerStateCapabilities - Sleep
2019-10-26 06:06:29.162638+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time
calculated as - [Sat Oct 26 07:02:38 2019]
2019-10-26 06:06:29.167739+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason:
Host (0x01)
2019-10-26 06:06:35.395356+0200 localhost powerd[103]:
[powerd:sleepWake] Entering Sleep state due to 'Maintenance Sleep'
2019-10-26 06:06:35.396002+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State
changed: DarkWake -> Sleep, 0x20 < Sleep >
2019-10-26 06:06:35.396008+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: Sleep
async ack
2019-10-26 06:06:35.396922+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Network off
sleep date is not setup yet. Wake date cannot be calculated without
baseline.
2019-10-26 06:06:42.758007+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT
(Maintenance)
2019-10-26 06:06:42.758008+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT
(Maintenance)
2019-10-26 06:07:10.483771+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler -
Dark Wake IOPMSYSTEMPowerStateCapabilities - Sleep
2019-10-26 06:07:10.484695+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CSHostDaemonMac
_isWakeReasonVoiceTrigger] Wake reason: <private>
2019-10-26 06:07:10.484700+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CSHostDaemonMac
_getPowerAssertionIfWakenByVoiceTriggerNotFromS3Sleep] Wake reason
is not VoiceTrigger or it woke from S3
2019-10-26 06:07:10.511951+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State
changed: Sleep -> DarkWake, 0x1 < DarkWake >
2019-10-26 06:07:10.567886+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time
calculated as - [Sat Oct 26 07:02:38 2019]

2019-10-26 06:07:10.681132+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason:
Host (0x01)
2019-10-26 06:07:11.104884+0200 localhost kernel[0]:
(AppleIntelCFLGraphicsFramebuffer) [IGFB][INFO] FB0 power state
transition Sleep to Doze
2019-10-26 06:07:11.524875+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler -
Dark Wake IOPMSYSTEMPowerStateCapabilities - Sleep
2019-10-26 06:07:11.526232+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time
calculated as - [Sat Oct 26 07:02:38 2019]
2019-10-26 06:07:11.532056+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason:
Host (0x01)
2019-10-26 06:07:17.853891+0200 localhost powerd[103]:
[powerd:sleepWake] Entering Sleep state due to 'Maintenance Sleep'
2019-10-26 06:07:17.854404+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State
changed: DarkWake -> Sleep, 0x20 < Sleep >
2019-10-26 06:07:17.854413+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: Sleep
async ack
2019-10-26 06:07:17.855088+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Network off
sleep date is not setup yet. Wake date cannot be calculated without
baseline.
2019-10-26 06:07:25.233260+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT
(Maintenance)
2019-10-26 06:07:25.233261+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT
(Maintenance)
2019-10-26 06:07:52.868352+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler -
Dark Wake IOPMSYSTEMPowerStateCapabilities - Sleep
2019-10-26 06:07:52.871457+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CSHostDaemonMac
_isWakeReasonVoiceTrigger] Wake reason: <private>
2019-10-26 06:07:52.871472+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CSHostDaemonMac
_getPowerAssertionIfWakenByVoiceTriggerNotFromS3Sleep] Wake reason
is not VoiceTrigger or it woke from S3
2019-10-26 06:07:52.875807+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State
changed: Sleep -> DarkWake, 0x1 < DarkWake >
2019-10-26 06:07:52.914985+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time
calculated as - [Sat Oct 26 07:02:38 2019]
2019-10-26 06:07:53.061992+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason:

Host (0x01)
2019-10-26 06:07:53.492194+0200 localhost kernel[0]:
(AppleIntelCFLGraphicsFramebuffer) [IGFB][INFO] FB0 power state
transition Sleep to Doze
2019-10-26 06:07:53.917115+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler -
Dark Wake IOPMSystemPowerStateCapabilities - Sleep
2019-10-26 06:07:53.918417+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time
calculated as - [Sat Oct 26 07:02:38 2019]
2019-10-26 06:07:53.922765+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason:
Host (0x01)
2019-10-26 06:08:00.239612+0200 localhost powerd[103]:
[powerd:sleepWake] Entering Sleep state due to 'Maintenance Sleep'
2019-10-26 06:08:00.240411+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State
changed: DarkWake -> Sleep, 0x20 < Sleep >
2019-10-26 06:08:00.240454+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: Sleep
async ack
2019-10-26 06:08:00.241170+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Network off
sleep date is not setup yet. Wake date cannot be calculated without
baseline.
2019-10-26 06:08:07.666377+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT
(Maintenance)
2019-10-26 06:08:07.666378+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT
(Maintenance)
2019-10-26 06:08:35.245595+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CSHostDaemonMac
_isWakeReasonVoiceTrigger] Wake reason: <private>
2019-10-26 06:08:35.251303+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CSHostDaemonMac
_getPowerAssertionIfWakenByVoiceTriggerNotFromS3Sleep] Wake reason
is not VoiceTrigger or it woke from S3
2019-10-26 06:08:35.254749+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State
changed: Sleep -> DarkWake, 0x1 < DarkWake >
2019-10-26 06:08:35.255501+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler -
Dark Wake IOPMSystemPowerStateCapabilities - Sleep
2019-10-26 06:08:35.330437+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time
calculated as - [Sat Oct 26 07:02:38 2019]
2019-10-26 06:08:35.461633+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason:
Host (0x01)
2019-10-26 06:08:35.890019+0200 localhost kernel[0]:
(AppleIntelCFLGraphicsFramebuffer) [IGFB][INFO] FB0 power state

transition Sleep to Doze
2019-10-26 06:08:36.307913+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler -
Dark Wake IOPMSYSTEMPowerStateCapabilities - Sleep
2019-10-26 06:08:36.309323+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time
calculated as - [Sat Oct 26 07:02:38 2019]
2019-10-26 06:08:36.314234+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason:
Host (0x01)
2019-10-26 06:08:42.642527+0200 localhost powerd[103]:
[powerd:sleepWake] Entering Sleep state due to 'Maintenance Sleep'
2019-10-26 06:08:42.643101+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State
changed: DarkWake -> Sleep, 0x20 < Sleep >
2019-10-26 06:08:42.643107+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: Sleep
async ack
2019-10-26 06:08:42.644019+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Network off
sleep date is not setup yet. Wake date cannot be calculated without
baseline.
2019-10-26 06:08:50.048182+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT
(Maintenance)
2019-10-26 06:08:50.048182+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT
(Maintenance)
2019-10-26 06:09:17.661092+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler -
Dark Wake IOPMSYSTEMPowerStateCapabilities - Sleep
2019-10-26 06:09:17.672990+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State
changed: Sleep -> DarkWake, 0x1 < DarkWake >
2019-10-26 06:09:17.688856+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CSHostDaemonMac
_isWakeReasonVoiceTrigger] Wake reason: <private>
2019-10-26 06:09:17.688867+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CSHostDaemonMac
_getPowerAssertionIfWakenByVoiceTriggerNotFromS3Sleep] Wake reason
is not VoiceTrigger or it woke from S3
2019-10-26 06:09:17.711729+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time
calculated as - [Sat Oct 26 07:02:38 2019]
2019-10-26 06:09:17.927550+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason:
Host (0x01)
2019-10-26 06:09:18.315138+0200 localhost kernel[0]:
(AppleIntelCFLGraphicsFramebuffer) [IGFB][INFO] FB0 power state
transition Sleep to Doze
2019-10-26 06:09:18.738389+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler -

Dark Wake IOPMSYSTEMPowerStateCapabilities - Sleep
2019-10-26 06:09:18.740547+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time
calculated as - [Sat Oct 26 07:02:38 2019]
2019-10-26 06:09:18.746523+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason:
Host (0x01)
2019-10-26 06:09:25.104283+0200 localhost powerd[103]:
[powerd:sleepWake] Entering Sleep state due to 'Maintenance Sleep'
2019-10-26 06:09:25.104673+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State
changed: DarkWake -> Sleep, 0x20 < Sleep >
2019-10-26 06:09:25.104678+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: Sleep
async ack
2019-10-26 06:09:25.105656+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Network off
sleep date is not setup yet. Wake date cannot be calculated without
baseline.
2019-10-26 06:09:32.454321+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT
(Maintenance)
2019-10-26 06:09:32.454322+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT
(Maintenance)
2019-10-26 06:10:00.081970+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler -
Dark Wake IOPMSYSTEMPowerStateCapabilities - Sleep
2019-10-26 06:10:00.082899+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State
changed: Sleep -> DarkWake, 0x1 < DarkWake >
2019-10-26 06:10:00.084410+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CSHostDaemonMac
_isWakeReasonVoiceTrigger] Wake reason: <private>
2019-10-26 06:10:00.084415+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CSHostDaemonMac
_getPowerAssertionIfWakenByVoiceTriggerNotFromS3Sleep] Wake reason
is not VoiceTrigger or it woke from S3
2019-10-26 06:10:00.151237+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time
calculated as - [Sat Oct 26 07:02:38 2019]
2019-10-26 06:10:00.313444+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason:
Host (0x01)
2019-10-26 06:10:00.709916+0200 localhost kernel[0]:
(AppleIntelCFLGraphicsFramebuffer) [IGFB][INFO] FB0 power state
transition Sleep to Doze
2019-10-26 06:10:01.133850+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler -
Dark Wake IOPMSYSTEMPowerStateCapabilities - Sleep
2019-10-26 06:10:01.135432+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time

calculated as - [Sat Oct 26 07:02:38 2019]
2019-10-26 06:10:01.140805+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason:
Host (0x01)
2019-10-26 06:10:07.424314+0200 localhost powerd[103]:
[powerd:sleepWake] Entering Sleep state due to 'Maintenance Sleep'
2019-10-26 06:10:07.424817+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State
changed: DarkWake -> Sleep, 0x20 < Sleep >
2019-10-26 06:10:07.424822+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: Sleep
async ack
2019-10-26 06:10:07.425621+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Network off
sleep date is not setup yet. Wake date cannot be calculated without
baseline.
2019-10-26 06:10:14.836464+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT
(Maintenance)
2019-10-26 06:10:14.836465+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT
(Maintenance)
2019-10-26 06:10:42.516795+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State
changed: Sleep -> DarkWake, 0x1 < DarkWake >
2019-10-26 06:10:42.519003+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CSHostDaemonMac
_isWakeReasonVoiceTrigger] Wake reason: <private>
2019-10-26 06:10:42.519010+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CSHostDaemonMac
_getPowerAssertionIfWakenByVoiceTriggerNotFromS3Sleep] Wake reason
is not VoiceTrigger or it woke from S3
2019-10-26 06:10:42.568338+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time
calculated as - [Sat Oct 26 07:02:38 2019]
2019-10-26 06:10:42.721525+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler -
Dark Wake IOPMSYSTEMPowerStateCapabilities - Sleep
2019-10-26 06:10:42.787945+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason:
Host (0x01)
2019-10-26 06:10:43.154379+0200 localhost kernel[0]:
(AppleIntelCFLGraphicsFramebuffer) [IGFB][INFO] FB0 power state
transition Sleep to Doze
2019-10-26 06:10:43.576400+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler -
Dark Wake IOPMSYSTEMPowerStateCapabilities - Sleep
2019-10-26 06:10:43.577751+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time
calculated as - [Sat Oct 26 07:02:38 2019]
2019-10-26 06:10:43.582983+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]

AppleDeviceManagementHIDEventService::processWakeReason Wake reason:
Host (0x01)
2019-10-26 06:10:49.973608+0200 localhost powerd[103]:
[powerd:sleepWake] Entering Sleep state due to 'Maintenance Sleep'
2019-10-26 06:10:49.974140+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State
changed: DarkWake -> Sleep, 0x20 < Sleep >
2019-10-26 06:10:49.974148+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: Sleep
async ack
2019-10-26 06:10:49.974946+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Network off
sleep date is not setup yet. Wake date cannot be calculated without
baseline.
2019-10-26 06:10:57.337409+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.RTC
(Alarm)
2019-10-26 06:10:57.337410+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.RTC
(Alarm)
2019-10-26 06:16:01.138788+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler -
Dark Wake IOPMSYSTEMPowerStateCapabilities - Sleep
2019-10-26 06:16:01.139379+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State
changed: Sleep -> DarkWake, 0x1 < DarkWake >
2019-10-26 06:16:01.145345+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CSHostDaemonMac
_isWakeReasonVoiceTrigger] Wake reason: <private>
2019-10-26 06:16:01.145357+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CSHostDaemonMac
_getPowerAssertionIfWakenByVoiceTriggerNotFromS3Sleep] Wake reason
is not VoiceTrigger or it woke from S3
2019-10-26 06:16:01.191628+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time
calculated as - [Sat Oct 26 07:02:38 2019]
2019-10-26 06:16:01.310403+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason:
Host (0x01)
2019-10-26 06:16:01.741701+0200 localhost kernel[0]:
(AppleIntelCFLGraphicsFramebuffer) [IGFB][INFO] FB0 power state
transition Sleep to Doze
2019-10-26 06:16:02.153634+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler -
Dark Wake IOPMSYSTEMPowerStateCapabilities - Sleep
2019-10-26 06:16:02.155013+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time
calculated as - [Sat Oct 26 07:02:38 2019]
2019-10-26 06:16:02.160584+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason:
Host (0x01)
2019-10-26 06:16:08.388389+0200 localhost powerd[103]:

[powerd:sleepWake] Entering Sleep state due to 'Maintenance Sleep'
2019-10-26 06:16:08.388926+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State
changed: DarkWake -> Sleep, 0x20 < Sleep >
2019-10-26 06:16:08.388941+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: Sleep
async ack
2019-10-26 06:16:08.389752+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Network off
sleep date is not setup yet. Wake date cannot be calculated without
baseline.
2019-10-26 06:16:16.127454+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT
(Maintenance)
2019-10-26 06:16:16.127454+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT
(Maintenance)
2019-10-26 06:16:43.797004+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State
changed: Sleep -> DarkWake, 0x1 < DarkWake >
2019-10-26 06:16:43.798720+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CSHostDaemonMac
_isWakeReasonVoiceTrigger] Wake reason: <private>
2019-10-26 06:16:43.798725+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CSHostDaemonMac
_getPowerAssertionIfWakenByVoiceTriggerNotFromS3Sleep] Wake reason
is not VoiceTrigger or it woke from S3
2019-10-26 06:16:43.804467+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler -
Dark Wake IOPMSYSTEMPowerStateCapabilities - Sleep
2019-10-26 06:16:43.865778+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time
calculated as - [Sat Oct 26 07:02:38 2019]
2019-10-26 06:16:44.001522+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason:
Host (0x01)
2019-10-26 06:16:44.405025+0200 localhost kernel[0]:
(AppleIntelCFLGraphicsFramebuffer) [IGFB][INFO] FB0 power state
transition Sleep to Doze
2019-10-26 06:16:44.834731+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler -
Dark Wake IOPMSYSTEMPowerStateCapabilities - Sleep
2019-10-26 06:16:44.836237+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time
calculated as - [Sat Oct 26 07:02:38 2019]
2019-10-26 06:16:44.842341+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason:
Host (0x01)
2019-10-26 06:16:56.033649+0200 localhost powerd[103]:
[powerd:sleepWake] Entering Sleep state due to 'Maintenance Sleep'
2019-10-26 06:16:56.034140+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State

changed: DarkWake -> Sleep, 0x20 < Sleep >
2019-10-26 06:16:56.034146+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: Sleep
async ack
2019-10-26 06:16:56.034948+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Network off
sleep date is not setup yet. Wake date cannot be calculated without
baseline.
2019-10-26 06:17:04.541258+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT
(Maintenance)
2019-10-26 06:17:04.541258+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT
(Maintenance)
2019-10-26 06:17:32.301226+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler -
Dark Wake IOPMSYSTEMPowerStateCapabilities - Sleep
2019-10-26 06:17:32.302901+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State
changed: Sleep -> DarkWake, 0x1 < DarkWake >
2019-10-26 06:17:32.304678+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CSHostDaemonMac
_isWakeReasonVoiceTrigger] Wake reason: <private>
2019-10-26 06:17:32.304684+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CSHostDaemonMac
_getPowerAssertionIfWakenByVoiceTriggerNotFromS3Sleep] Wake reason
is not VoiceTrigger or it woke from S3
2019-10-26 06:17:32.325331+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time
calculated as - [Sat Oct 26 07:02:38 2019]
2019-10-26 06:17:32.462628+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason:
Host (0x01)
2019-10-26 06:17:32.887427+0200 localhost kernel[0]:
(AppleIntelCFLGraphicsFramebuffer) [IGFB][INFO] FB0 power state
transition Sleep to Doze
2019-10-26 06:17:33.308452+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler -
Dark Wake IOPMSYSTEMPowerStateCapabilities - Sleep
2019-10-26 06:17:33.309916+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time
calculated as - [Sat Oct 26 07:02:38 2019]
2019-10-26 06:17:33.314932+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason:
Host (0x01)
2019-10-26 06:17:39.721568+0200 localhost powerd[103]:
[powerd:sleepWake] Entering Sleep state due to 'Maintenance Sleep'
2019-10-26 06:17:39.722205+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State
changed: DarkWake -> Sleep, 0x20 < Sleep >
2019-10-26 06:17:39.722272+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: Sleep

async ack
2019-10-26 06:17:39.722937+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Network off
sleep date is not setup yet. Wake date cannot be calculated without
baseline.
2019-10-26 06:17:47.170968+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT
(Maintenance)
2019-10-26 06:17:47.170969+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT
(Maintenance)
2019-10-26 06:18:14.806157+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler -
Dark Wake IOPMSYSTEMPowerStateCapabilities - Sleep
2019-10-26 06:18:14.806226+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State
changed: Sleep -> DarkWake, 0x1 < DarkWake >
2019-10-26 06:18:14.821135+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CSHostDaemonMac
_isWakeReasonVoiceTrigger] Wake reason: <private>
2019-10-26 06:18:14.821140+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CSHostDaemonMac
_getPowerAssertionIfWakenByVoiceTriggerNotFromS3Sleep] Wake reason
is not VoiceTrigger or it woke from S3
2019-10-26 06:18:14.856178+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time
calculated as - [Sat Oct 26 07:02:38 2019]
2019-10-26 06:18:15.031903+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason:
Host (0x01)
2019-10-26 06:18:15.439142+0200 localhost kernel[0]:
(AppleIntelCFLGraphicsFramebuffer) [IGFB][INFO] FB0 power state
transition Sleep to Doze
2019-10-26 06:18:15.857207+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler -
Dark Wake IOPMSYSTEMPowerStateCapabilities - Sleep
2019-10-26 06:18:15.858642+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time
calculated as - [Sat Oct 26 07:02:38 2019]
2019-10-26 06:18:15.864638+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason:
Host (0x01)
2019-10-26 06:18:26.040355+0200 localhost powerd[103]:
[powerd:sleepWake] Entering Sleep state due to 'Maintenance Sleep'
2019-10-26 06:18:26.040936+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State
changed: DarkWake -> Sleep, 0x20 < Sleep >
2019-10-26 06:18:26.040943+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: Sleep
async ack
2019-10-26 06:18:26.041561+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Network off

sleep date is not setup yet. Wake date cannot be calculated without baseline.

2019-10-26 06:18:35.416558+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT (Maintenance)

2019-10-26 06:18:35.416591+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT (Maintenance)

2019-10-26 06:19:03.088407+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State changed: Sleep -> DarkWake, 0x1 < DarkWake >

2019-10-26 06:19:03.088428+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CSHostDaemonMac _isWakeReasonVoiceTrigger] Wake reason: <private>

2019-10-26 06:19:03.088440+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CSHostDaemonMac _getPowerAssertionIfWakenByVoiceTriggerNotFromS3Sleep] Wake reason is not VoiceTrigger or it woke from S3

2019-10-26 06:19:03.116353+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler - Dark Wake IOPMSYSTEMPowerStateCapabilities - Sleep

2019-10-26 06:19:03.118768+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time calculated as - [Sat Oct 26 07:02:38 2019]

2019-10-26 06:19:03.287949+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason: Host (0x01)

2019-10-26 06:19:03.703035+0200 localhost kernel[0]:
(AppleIntelCFLGraphicsFramebuffer) [IGFB] [INFO] FB0 power state transition Sleep to Doze

2019-10-26 06:19:04.146964+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler - Dark Wake IOPMSYSTEMPowerStateCapabilities - Sleep

2019-10-26 06:19:04.148297+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time calculated as - [Sat Oct 26 07:02:38 2019]

2019-10-26 06:19:04.158976+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason: Host (0x01)

2019-10-26 06:19:10.418749+0200 localhost powerd[103]:
[powerd:sleepWake] Entering Sleep state due to 'Maintenance Sleep'

2019-10-26 06:19:10.419300+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State changed: DarkWake -> Sleep, 0x20 < Sleep >

2019-10-26 06:19:10.419307+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: Sleep async ack

2019-10-26 06:19:10.420057+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Network off

sleep date is not setup yet. Wake date cannot be calculated without baseline.

2019-10-26 06:19:17.903882+0200 localhost kernel[0]:

(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT (Maintenance)
2019-10-26 06:19:17.903883+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT (Maintenance)
2019-10-26 06:19:45.537450+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler - Dark Wake IOPMSYSTEMPowerStateCapabilities - Sleep
2019-10-26 06:19:45.540679+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CShostDaemonMac _isWakeReasonVoiceTrigger] Wake reason: <private>
2019-10-26 06:19:45.540684+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CShostDaemonMac _getPowerAssertionIfWakenByVoiceTriggerNotFromS3Sleep] Wake reason is not VoiceTrigger or it woke from S3
2019-10-26 06:19:45.553842+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State changed: Sleep -> DarkWake, 0x1 < DarkWake >
2019-10-26 06:19:45.561682+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time calculated as - [Sat Oct 26 07:02:38 2019]
2019-10-26 06:19:45.877005+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason: Host (0x01)
2019-10-26 06:19:46.163021+0200 localhost kernel[0]:
(AppleIntelCFLGraphicsFramebuffer) [IGFB][INFO] FB0 power state transition Sleep to Doze
2019-10-26 06:19:46.580318+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler - Dark Wake IOPMSYSTEMPowerStateCapabilities - Sleep
2019-10-26 06:19:46.582402+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time calculated as - [Sat Oct 26 07:02:38 2019]
2019-10-26 06:19:46.592380+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason: Host (0x01)
2019-10-26 06:19:56.032583+0200 localhost powerd[103]:
[powerd:sleepWake] Entering Sleep state due to 'Maintenance Sleep'
2019-10-26 06:19:56.033160+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State changed: DarkWake -> Sleep, 0x20 < Sleep >
2019-10-26 06:19:56.033165+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: Sleep async ack
2019-10-26 06:19:56.033855+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Network off sleep date is not setup yet. Wake date cannot be calculated without baseline.
2019-10-26 06:20:04.304915+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT (Maintenance)
2019-10-26 06:20:04.304915+0200 localhost kernel[0]:

(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT (Maintenance)
2019-10-26 06:20:31.937385+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler - Dark Wake IOPMSystemPowerStateCapabilities - Sleep
2019-10-26 06:20:31.941670+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State changed: Sleep -> DarkWake, 0x1 < DarkWake >
2019-10-26 06:20:31.960148+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time calculated as - [Sat Oct 26 07:02:38 2019]
2019-10-26 06:20:31.981886+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CSHostDaemonMac _isWakeReasonVoiceTrigger] Wake reason: <private>
2019-10-26 06:20:31.981900+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CSHostDaemonMac _getPowerAssertionIfWakenByVoiceTriggerNotFromS3Sleep] Wake reason is not VoiceTrigger or it woke from S3
2019-10-26 06:20:32.149047+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason: Host (0x01)
2019-10-26 06:20:32.523236+0200 localhost kernel[0]:
(AppleIntelCFLGraphicsFramebuffer) [IGFB][INFO] FB0 power state transition Sleep to Doze
2019-10-26 06:20:32.950141+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler - Dark Wake IOPMSystemPowerStateCapabilities - Sleep
2019-10-26 06:20:32.951730+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time calculated as - [Sat Oct 26 07:02:38 2019]
2019-10-26 06:20:32.957086+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason: Host (0x01)
2019-10-26 06:20:39.302439+0200 localhost powerd[103]:
[powerd:sleepWake] Entering Sleep state due to 'Maintenance Sleep'
2019-10-26 06:20:39.302988+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State changed: DarkWake -> Sleep, 0x20 < Sleep >
2019-10-26 06:20:39.303019+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: Sleep async ack
2019-10-26 06:20:39.304259+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Network off sleep date is not setup yet. Wake date cannot be calculated without baseline.
2019-10-26 06:20:46.721077+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.RTC (Alarm)
2019-10-26 06:20:46.721078+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.RTC (Alarm)
2019-10-26 06:25:36.153236+0200 localhost bluetoothd[145]:

(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler -
Dark Wake IOPMSYSTEMPowerStateCapabilities - Sleep
2019-10-26 06:25:36.154333+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CSHostDaemonMac
_isWakeReasonVoiceTrigger] Wake reason: <private>
2019-10-26 06:25:36.154348+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CSHostDaemonMac
_getPowerAssertionIfWakenByVoiceTriggerNotFromS3Sleep] Wake reason
is not VoiceTrigger or it woke from S3
2019-10-26 06:25:36.154956+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State
changed: Sleep -> DarkWake, 0x1 < DarkWake >
2019-10-26 06:25:36.202130+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time
calculated as - [Sat Oct 26 07:02:38 2019]
2019-10-26 06:25:36.339413+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason:
Host (0x01)
2019-10-26 06:25:36.750975+0200 localhost kernel[0]:
(AppleIntelCFLGraphicsFramebuffer) [IGFB][INFO] FB0 power state
transition Sleep to Doze
2019-10-26 06:25:37.164375+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler -
Dark Wake IOPMSYSTEMPowerStateCapabilities - Sleep
2019-10-26 06:25:37.165868+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time
calculated as - [Sat Oct 26 07:02:38 2019]
2019-10-26 06:25:37.177386+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason:
Host (0x01)
2019-10-26 06:25:43.382850+0200 localhost powerd[103]:
[powerd:sleepWake] Entering Sleep state due to 'Maintenance Sleep'
2019-10-26 06:25:43.383363+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State
changed: DarkWake -> Sleep, 0x20 < Sleep >
2019-10-26 06:25:43.383368+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: Sleep
async ack
2019-10-26 06:25:43.384139+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Network off
sleep date is not setup yet. Wake date cannot be calculated without
baseline.
2019-10-26 06:25:50.925457+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT
(Maintenance)
2019-10-26 06:25:50.925458+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT
(Maintenance)
2019-10-26 06:26:18.596474+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler -
Dark Wake IOPMSYSTEMPowerStateCapabilities - Sleep
2019-10-26 06:26:18.598478+0200 localhost rapportd[371]:

(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State changed: Sleep -> DarkWake, 0x1 < DarkWake >
2019-10-26 06:26:18.601507+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CSHostDaemonMac _isWakeReasonVoiceTrigger] Wake reason: <private>
2019-10-26 06:26:18.601518+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CSHostDaemonMac _getPowerAssertionIfWakenByVoiceTriggerNotFromS3Sleep] Wake reason is not VoiceTrigger or it woke from S3
2019-10-26 06:26:18.759809+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time calculated as - [Sat Oct 26 07:02:38 2019]
2019-10-26 06:26:18.811057+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason: Host (0x01)
2019-10-26 06:26:19.184610+0200 localhost kernel[0]:
(AppleIntelCFLGraphicsFramebuffer) [IGFB][INFO] FB0 power state transition Sleep to Doze
2019-10-26 06:26:19.602076+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler - Dark Wake IOPMSystemPowerStateCapabilities - Sleep
2019-10-26 06:26:19.603537+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time calculated as - [Sat Oct 26 07:02:38 2019]
2019-10-26 06:26:19.609038+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason: Host (0x01)
2019-10-26 06:26:25.959445+0200 localhost powerd[103]:
[powerd:sleepWake] Entering Sleep state due to 'Maintenance Sleep'
2019-10-26 06:26:25.960063+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State changed: DarkWake -> Sleep, 0x20 < Sleep >
2019-10-26 06:26:25.960068+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: Sleep async ack
2019-10-26 06:26:25.960728+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Network off sleep date is not setup yet. Wake date cannot be calculated without baseline.
2019-10-26 06:26:33.397302+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT (Maintenance)
2019-10-26 06:26:33.397303+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT (Maintenance)
2019-10-26 06:27:01.040534+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler - Dark Wake IOPMSystemPowerStateCapabilities - Sleep
2019-10-26 06:27:01.044035+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State changed: Sleep -> DarkWake, 0x1 < DarkWake >
2019-10-26 06:27:01.048586+0200 localhost corespeechd[443]:

[com.apple.corespeech:Framework] -[CShostDaemonMac
_isWakeReasonVoiceTrigger] Wake reason: <private>
2019-10-26 06:27:01.048594+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CShostDaemonMac
_getPowerAssertionIfWakenByVoiceTriggerNotFromS3Sleep] Wake reason
is not VoiceTrigger or it woke from S3
2019-10-26 06:27:01.060103+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time
calculated as - [Sat Oct 26 07:02:38 2019]
2019-10-26 06:27:01.496922+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason:
Host (0x01)
2019-10-26 06:27:01.645647+0200 localhost kernel[0]:
(AppleIntelCFLGraphicsFramebuffer) [IGFB][INFO] FB0 power state
transition Sleep to Doze
2019-10-26 06:27:02.062304+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler -
Dark Wake IOPMSYSTEMPowerStateCapabilities - Sleep
2019-10-26 06:27:02.063724+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time
calculated as - [Sat Oct 26 07:02:38 2019]
2019-10-26 06:27:02.072594+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason:
Host (0x01)
2019-10-26 06:27:08.637526+0200 localhost powerd[103]:
[powerd:sleepWake] Entering Sleep state due to 'Maintenance Sleep'
2019-10-26 06:27:08.638156+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State
changed: DarkWake -> Sleep, 0x20 < Sleep >
2019-10-26 06:27:08.638163+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: Sleep
async ack
2019-10-26 06:27:08.638884+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Network off
sleep date is not setup yet. Wake date cannot be calculated without
baseline.
2019-10-26 06:27:16.258780+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT
(Maintenance)
2019-10-26 06:27:16.258781+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT
(Maintenance)
2019-10-26 06:27:43.931644+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler -
Dark Wake IOPMSYSTEMPowerStateCapabilities - Sleep
2019-10-26 06:27:43.932706+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State
changed: Sleep -> DarkWake, 0x1 < DarkWake >
2019-10-26 06:27:43.934460+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CShostDaemonMac
_isWakeReasonVoiceTrigger] Wake reason: <private>
2019-10-26 06:27:43.934465+0200 localhost corespeechd[443]:

[com.apple.corespeech:Framework] -[CShostDaemonMac
_getPowerAssertionIfWakenByVoiceTriggerNotFromS3Sleep] Wake reason
is not VoiceTrigger or it woke from S3
2019-10-26 06:27:43.956944+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time
calculated as - [Sat Oct 26 07:02:38 2019]
2019-10-26 06:27:44.126485+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason:
Host (0x01)
2019-10-26 06:27:44.558715+0200 localhost kernel[0]:
(AppleIntelCFLGraphicsFramebuffer) [IGFB][INFO] FB0 power state
transition Sleep to Doze
2019-10-26 06:27:44.978567+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler -
Dark Wake IOPMSYSTEMPowerStateCapabilities - Sleep
2019-10-26 06:27:44.980191+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time
calculated as - [Sat Oct 26 07:02:38 2019]
2019-10-26 06:27:44.986186+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason:
Host (0x01)
2019-10-26 06:27:51.251207+0200 localhost powerd[103]:
[powerd:sleepWake] Entering Sleep state due to 'Maintenance Sleep'
2019-10-26 06:27:51.251824+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State
changed: DarkWake -> Sleep, 0x20 < Sleep >
2019-10-26 06:27:51.251830+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: Sleep
async ack
2019-10-26 06:27:51.253065+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Network off
sleep date is not setup yet. Wake date cannot be calculated without
baseline.
2019-10-26 06:27:58.655598+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT
(Maintenance)
2019-10-26 06:27:58.655599+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT
(Maintenance)
2019-10-26 06:28:26.304319+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State
changed: Sleep -> DarkWake, 0x1 < DarkWake >
2019-10-26 06:28:26.307180+0200 localhost corespcehd[443]:
[com.apple.corespeech:Framework] -[CShostDaemonMac
_isWakeReasonVoiceTrigger] Wake reason: <private>
2019-10-26 06:28:26.307192+0200 localhost corespcehd[443]:
[com.apple.corespeech:Framework] -[CShostDaemonMac
_getPowerAssertionIfWakenByVoiceTriggerNotFromS3Sleep] Wake reason
is not VoiceTrigger or it woke from S3
2019-10-26 06:28:26.318100+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler -
Dark Wake IOPMSYSTEMPowerStateCapabilities - Sleep

2019-10-26 06:28:26.324701+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time
calculated as - [Sat Oct 26 07:02:38 2019]
2019-10-26 06:28:26.602010+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason:
Host (0x01)
2019-10-26 06:28:26.946955+0200 localhost kernel[0]:
(AppleIntelCFLGraphicsFramebuffer) [IGFB][INFO] FB0 power state
transition Sleep to Doze
2019-10-26 06:28:27.369464+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler -
Dark Wake IOPMSYSTEMPowerStateCapabilities - Sleep
2019-10-26 06:28:27.370832+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time
calculated as - [Sat Oct 26 07:02:38 2019]
2019-10-26 06:28:27.380161+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason:
Host (0x01)
2019-10-26 06:28:33.772204+0200 localhost powerd[103]:
[powerd:sleepWake] Entering Sleep state due to 'Maintenance Sleep'
2019-10-26 06:28:33.772899+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State
changed: DarkWake -> Sleep, 0x20 < Sleep >
2019-10-26 06:28:33.772952+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: Sleep
async ack
2019-10-26 06:28:33.773681+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Network off
sleep date is not setup yet. Wake date cannot be calculated without
baseline.
2019-10-26 06:28:41.173061+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT
(Maintenance)
2019-10-26 06:28:41.173062+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT
(Maintenance)
2019-10-26 06:29:08.834492+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler -
Dark Wake IOPMSYSTEMPowerStateCapabilities - Sleep
2019-10-26 06:29:08.834892+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State
changed: Sleep -> DarkWake, 0x1 < DarkWake >
2019-10-26 06:29:08.836525+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CSHostDaemonMac
_isWakeReasonVoiceTrigger] Wake reason: <private>
2019-10-26 06:29:08.836530+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CSHostDaemonMac
_getPowerAssertionIfWokenByVoiceTriggerNotFromS3Sleep] Wake reason
is not VoiceTrigger or it woke from S3
2019-10-26 06:29:08.869300+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time
calculated as - [Sat Oct 26 07:02:38 2019]

2019-10-26 06:29:09.083623+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason:
Host (0x01)
2019-10-26 06:29:09.464455+0200 localhost kernel[0]:
(AppleIntelCFLGraphicsFramebuffer) [IGFB][INFO] FB0 power state
transition Sleep to Doze
2019-10-26 06:29:09.882525+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler -
Dark Wake IOPMSYSTEMPowerStateCapabilities - Sleep
2019-10-26 06:29:09.883983+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time
calculated as - [Sat Oct 26 07:02:38 2019]
2019-10-26 06:29:09.888358+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason:
Host (0x01)
2019-10-26 06:29:16.226412+0200 localhost powerd[103]:
[powerd:sleepWake] Entering Sleep state due to 'Maintenance Sleep'
2019-10-26 06:29:16.227014+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State
changed: DarkWake -> Sleep, 0x20 < Sleep >
2019-10-26 06:29:16.227020+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: Sleep
async ack
2019-10-26 06:29:16.227681+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Network off
sleep date is not setup yet. Wake date cannot be calculated without
baseline.
2019-10-26 06:29:23.611715+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT
(Maintenance)
2019-10-26 06:29:23.611716+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT
(Maintenance)
2019-10-26 06:29:51.236857+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler -
Dark Wake IOPMSYSTEMPowerStateCapabilities - Sleep
2019-10-26 06:29:51.237016+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State
changed: Sleep -> DarkWake, 0x1 < DarkWake >
2019-10-26 06:29:51.238363+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CSHostDaemonMac
_isWakeReasonVoiceTrigger] Wake reason: <private>
2019-10-26 06:29:51.238368+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CSHostDaemonMac
_getPowerAssertionIfWakenByVoiceTriggerNotFromS3Sleep] Wake reason
is not VoiceTrigger or it woke from S3
2019-10-26 06:29:51.290299+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time
calculated as - [Sat Oct 26 07:02:38 2019]
2019-10-26 06:29:51.646065+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason:

Host (0x01)
2019-10-26 06:29:51.863220+0200 localhost kernel[0]:
(AppleIntelCFLGraphicsFramebuffer) [IGFB][INFO] FB0 power state
transition Sleep to Doze
2019-10-26 06:29:52.287508+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler -
Dark Wake IOPMSystemPowerStateCapabilities - Sleep
2019-10-26 06:29:52.288758+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time
calculated as - [Sat Oct 26 07:02:38 2019]
2019-10-26 06:29:52.298998+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason:
Host (0x01)
2019-10-26 06:29:58.822480+0200 localhost powerd[103]:
[powerd:sleepWake] Entering Sleep state due to 'Maintenance Sleep'
2019-10-26 06:29:58.823017+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State
changed: DarkWake -> Sleep, 0x20 < Sleep >
2019-10-26 06:29:58.823028+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: Sleep
async ack
2019-10-26 06:29:58.823850+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Network off
sleep date is not setup yet. Wake date cannot be calculated without
baseline.
2019-10-26 06:30:06.392575+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.RTC
(Alarm)
2019-10-26 06:30:06.392576+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.RTC
(Alarm)
2019-10-26 06:35:09.171707+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler -
Dark Wake IOPMSystemPowerStateCapabilities - Sleep
2019-10-26 06:35:09.175873+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CSHostDaemonMac
_isWakeReasonVoiceTrigger] Wake reason: <private>
2019-10-26 06:35:09.175884+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CSHostDaemonMac
_getPowerAssertionIfWakenByVoiceTriggerNotFromS3Sleep] Wake reason
is not VoiceTrigger or it woke from S3
2019-10-26 06:35:09.190528+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State
changed: Sleep -> DarkWake, 0x1 < DarkWake >
2019-10-26 06:35:09.212499+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time
calculated as - [Sat Oct 26 07:02:38 2019]
2019-10-26 06:35:09.535969+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason:
Host (0x01)
2019-10-26 06:35:09.755623+0200 localhost kernel[0]:
(AppleIntelCFLGraphicsFramebuffer) [IGFB][INFO] FB0 power state

transition Sleep to Doze
2019-10-26 06:35:10.204590+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler -
Dark Wake IOPMSystemPowerStateCapabilities - Sleep
2019-10-26 06:35:10.205940+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time
calculated as - [Sat Oct 26 07:02:38 2019]
2019-10-26 06:35:10.216871+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason:
Host (0x01)
2019-10-26 06:35:16.596672+0200 localhost powerd[103]:
[powerd:sleepWake] Entering Sleep state due to 'Maintenance Sleep'
2019-10-26 06:35:16.597239+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State
changed: DarkWake -> Sleep, 0x20 < Sleep >
2019-10-26 06:35:16.597246+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: Sleep
async ack
2019-10-26 06:35:16.598124+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Network off
sleep date is not setup yet. Wake date cannot be calculated without
baseline.
2019-10-26 06:35:24.240824+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT
(Maintenance)
2019-10-26 06:35:24.240825+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT
(Maintenance)
2019-10-26 06:35:51.908945+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State
changed: Sleep -> DarkWake, 0x1 < DarkWake >
2019-10-26 06:35:51.908991+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CSHostDaemonMac
_isWakeReasonVoiceTrigger] Wake reason: <private>
2019-10-26 06:35:51.908998+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CSHostDaemonMac
_getPowerAssertionIfWakenByVoiceTriggerNotFromS3Sleep] Wake reason
is not VoiceTrigger or it woke from S3
2019-10-26 06:35:51.915251+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler -
Dark Wake IOPMSystemPowerStateCapabilities - Sleep
2019-10-26 06:35:51.929926+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time
calculated as - [Sat Oct 26 07:02:38 2019]
2019-10-26 06:35:52.100994+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason:
Host (0x01)
2019-10-26 06:35:52.495348+0200 localhost kernel[0]:
(AppleIntelCFLGraphicsFramebuffer) [IGFB][INFO] FB0 power state
transition Sleep to Doze
2019-10-26 06:35:52.916073+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler -

Dark Wake IOPMSYSTEMPowerStateCapabilities - Sleep
2019-10-26 06:35:52.917551+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time
calculated as - [Sat Oct 26 07:02:38 2019]
2019-10-26 06:35:52.923358+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason:
Host (0x01)
2019-10-26 06:35:59.218131+0200 localhost powerd[103]:
[powerd:sleepWake] Entering Sleep state due to 'Maintenance Sleep'
2019-10-26 06:35:59.218752+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State
changed: DarkWake -> Sleep, 0x20 < Sleep >
2019-10-26 06:35:59.218759+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: Sleep
async ack
2019-10-26 06:35:59.219540+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Network off
sleep date is not setup yet. Wake date cannot be calculated without
baseline.
2019-10-26 06:36:06.723114+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT
(Maintenance)
2019-10-26 06:36:06.723115+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT
(Maintenance)
2019-10-26 06:36:34.382193+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CSHostDaemonMac
_isWakeReasonVoiceTrigger] Wake reason: <private>
2019-10-26 06:36:34.382202+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CSHostDaemonMac
_getPowerAssertionIfWakenByVoiceTriggerNotFromS3Sleep] Wake reason
is not VoiceTrigger or it woke from S3
2019-10-26 06:36:34.383267+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State
changed: Sleep -> DarkWake, 0x1 < DarkWake >
2019-10-26 06:36:34.403824+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler -
Dark Wake IOPMSYSTEMPowerStateCapabilities - Sleep
2019-10-26 06:36:34.449142+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time
calculated as - [Sat Oct 26 07:02:38 2019]
2019-10-26 06:36:34.726631+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason:
Host (0x01)
2019-10-26 06:36:34.996715+0200 localhost kernel[0]:
(AppleIntelCFLGraphicsFramebuffer) [IGFB][INFO] FB0 power state
transition Sleep to Doze
2019-10-26 06:36:35.426396+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler -
Dark Wake IOPMSYSTEMPowerStateCapabilities - Sleep
2019-10-26 06:36:35.427624+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time

calculated as - [Sat Oct 26 07:02:38 2019]
2019-10-26 06:36:35.433005+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason:
Host (0x01)
2019-10-26 06:36:41.883406+0200 localhost powerd[103]:
[powerd:sleepWake] Entering Sleep state due to 'Maintenance Sleep'
2019-10-26 06:36:41.883866+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State
changed: DarkWake -> Sleep, 0x20 < Sleep >
2019-10-26 06:36:41.883965+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: Sleep
async ack
2019-10-26 06:36:41.884644+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Network off
sleep date is not setup yet. Wake date cannot be calculated without
baseline.
2019-10-26 06:36:49.259597+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT
(Maintenance)
2019-10-26 06:36:49.259598+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT
(Maintenance)
2019-10-26 06:37:16.909142+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler -
Dark Wake IOPMSYSTEMPowerStateCapabilities - Sleep
2019-10-26 06:37:16.909885+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State
changed: Sleep -> DarkWake, 0x1 < DarkWake >
2019-10-26 06:37:16.929798+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CSHostDaemonMac
_isWakeReasonVoiceTrigger] Wake reason: <private>
2019-10-26 06:37:16.929815+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CSHostDaemonMac
_getPowerAssertionIfWokenByVoiceTriggerNotFromS3Sleep] Wake reason
is not VoiceTrigger or it woke from S3
2019-10-26 06:37:16.972199+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time
calculated as - [Sat Oct 26 07:02:38 2019]
2019-10-26 06:37:17.124290+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason:
Host (0x01)
2019-10-26 06:37:17.537020+0200 localhost kernel[0]:
(AppleIntelCFLGraphicsFramebuffer) [IGFB][INFO] FB0 power state
transition Sleep to Doze
2019-10-26 06:37:17.958867+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler -
Dark Wake IOPMSYSTEMPowerStateCapabilities - Sleep
2019-10-26 06:37:17.960367+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time
calculated as - [Sat Oct 26 07:02:38 2019]
2019-10-26 06:37:17.973553+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]

AppleDeviceManagementHIDEventService::processWakeReason Wake reason:
Host (0x01)
2019-10-26 06:37:24.273654+0200 localhost powerd[103]:
[powerd:sleepWake] Entering Sleep state due to 'Maintenance Sleep'
2019-10-26 06:37:24.274206+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State
changed: DarkWake -> Sleep, 0x20 < Sleep >
2019-10-26 06:37:24.274212+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: Sleep
async ack
2019-10-26 06:37:24.275335+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Network off
sleep date is not setup yet. Wake date cannot be calculated without
baseline.
2019-10-26 06:37:31.709428+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT
(Maintenance)
2019-10-26 06:37:31.709428+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT
(Maintenance)
2019-10-26 06:37:59.401431+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CSHostDaemonMac
_isWakeReasonVoiceTrigger] Wake reason: <private>
2019-10-26 06:37:59.401459+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CSHostDaemonMac
_getPowerAssertionIfWakenByVoiceTriggerNotFromS3Sleep] Wake reason
is not VoiceTrigger or it woke from S3
2019-10-26 06:37:59.409548+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler -
Dark Wake IOPMSYSTEMPowerStateCapabilities - Sleep
2019-10-26 06:37:59.409907+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State
changed: Sleep -> DarkWake, 0x1 < DarkWake >
2019-10-26 06:37:59.614521+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason:
Host (0x01)
2019-10-26 06:37:59.641600+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time
calculated as - [Sat Oct 26 07:02:38 2019]
2019-10-26 06:38:00.030171+0200 localhost kernel[0]:
(AppleIntelCFLGraphicsFramebuffer) [IGFB][INFO] FB0 power state
transition Sleep to Doze
2019-10-26 06:38:00.456203+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler -
Dark Wake IOPMSYSTEMPowerStateCapabilities - Sleep
2019-10-26 06:38:00.457512+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time
calculated as - [Sat Oct 26 07:02:38 2019]
2019-10-26 06:38:00.462525+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason:
Host (0x01)
2019-10-26 06:38:06.759454+0200 localhost powerd[103]:

[powerd:sleepWake] Entering Sleep state due to 'Maintenance Sleep'
2019-10-26 06:38:06.760061+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State
changed: DarkWake -> Sleep, 0x20 < Sleep >
2019-10-26 06:38:06.760071+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: Sleep
async ack
2019-10-26 06:38:06.760979+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Network off
sleep date is not setup yet. Wake date cannot be calculated without
baseline.
2019-10-26 06:38:14.154205+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT
(Maintenance)
2019-10-26 06:38:14.154206+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT
(Maintenance)
2019-10-26 06:38:41.773716+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State
changed: Sleep -> DarkWake, 0x1 < DarkWake >
2019-10-26 06:38:41.775437+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CSHostDaemonMac
_isWakeReasonVoiceTrigger] Wake reason: <private>
2019-10-26 06:38:41.775448+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CSHostDaemonMac
_getPowerAssertionIfWakenByVoiceTriggerNotFromS3Sleep] Wake reason
is not VoiceTrigger or it woke from S3
2019-10-26 06:38:41.794260+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler -
Dark Wake IOPMSYSTEMPowerStateCapabilities - Sleep
2019-10-26 06:38:41.799255+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time
calculated as - [Sat Oct 26 07:02:38 2019]
2019-10-26 06:38:42.021734+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason:
Host (0x01)
2019-10-26 06:38:42.422768+0200 localhost kernel[0]:
(AppleIntelCFLGraphicsFramebuffer) [IGFB][INFO] FB0 power state
transition Sleep to Doze
2019-10-26 06:38:42.850755+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler -
Dark Wake IOPMSYSTEMPowerStateCapabilities - Sleep
2019-10-26 06:38:42.852176+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time
calculated as - [Sat Oct 26 07:02:38 2019]
2019-10-26 06:38:42.856932+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason:
Host (0x01)
2019-10-26 06:38:49.194490+0200 localhost powerd[103]:
[powerd:sleepWake] Entering Sleep state due to 'Maintenance Sleep'
2019-10-26 06:38:49.195102+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State

changed: DarkWake -> Sleep, 0x20 < Sleep >
2019-10-26 06:38:49.195108+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: Sleep
async ack
2019-10-26 06:38:49.195888+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Network off
sleep date is not setup yet. Wake date cannot be calculated without
baseline.
2019-10-26 06:38:56.623769+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT
(Maintenance)
2019-10-26 06:38:56.623770+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT
(Maintenance)
2019-10-26 06:39:24.260342+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler -
Dark Wake IOPMSYSTEMPowerStateCapabilities - Sleep
2019-10-26 06:39:24.261089+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State
changed: Sleep -> DarkWake, 0x1 < DarkWake >
2019-10-26 06:39:24.275312+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CSHostDaemonMac
_isWakeReasonVoiceTrigger] Wake reason: <private>
2019-10-26 06:39:24.275330+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CSHostDaemonMac
_getPowerAssertionIfWakenByVoiceTriggerNotFromS3Sleep] Wake reason
is not VoiceTrigger or it woke from S3
2019-10-26 06:39:24.293394+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time
calculated as - [Sat Oct 26 07:02:38 2019]
2019-10-26 06:39:24.477013+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason:
Host (0x01)
2019-10-26 06:39:24.892556+0200 localhost kernel[0]:
(AppleIntelCFLGraphicsFramebuffer) [IGFB][INFO] FB0 power state
transition Sleep to Doze
2019-10-26 06:39:25.313400+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler -
Dark Wake IOPMSYSTEMPowerStateCapabilities - Sleep
2019-10-26 06:39:25.314907+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time
calculated as - [Sat Oct 26 07:02:38 2019]
2019-10-26 06:39:25.320256+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason:
Host (0x01)
2019-10-26 06:39:31.624419+0200 localhost powerd[103]:
[powerd:sleepWake] Entering Sleep state due to 'Maintenance Sleep'
2019-10-26 06:39:31.624839+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State
changed: DarkWake -> Sleep, 0x20 < Sleep >
2019-10-26 06:39:31.624858+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: Sleep

async ack
2019-10-26 06:39:31.625582+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Network off
sleep date is not setup yet. Wake date cannot be calculated without
baseline.
2019-10-26 06:39:39.041339+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.RTC
(Alarm)
2019-10-26 06:39:39.041340+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.RTC
(Alarm)
2019-10-26 06:44:42.145248+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler -
Dark Wake IOPMSYSTEMPowerStateCapabilities - Sleep
2019-10-26 06:44:42.146181+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State
changed: Sleep -> DarkWake, 0x1 < DarkWake >
2019-10-26 06:44:42.147030+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CSHostDaemonMac
_isWakeReasonVoiceTrigger] Wake reason: <private>
2019-10-26 06:44:42.147035+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CSHostDaemonMac
_getPowerAssertionIfWakenByVoiceTriggerNotFromS3Sleep] Wake reason
is not VoiceTrigger or it woke from S3
2019-10-26 06:44:42.200492+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time
calculated as - [Sat Oct 26 07:02:38 2019]
2019-10-26 06:44:42.429405+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason:
Host (0x01)
2019-10-26 06:44:42.768391+0200 localhost kernel[0]:
(AppleIntelCFLGraphicsFramebuffer) [IGFB][INFO] FB0 power state
transition Sleep to Doze
2019-10-26 06:44:43.197669+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler -
Dark Wake IOPMSYSTEMPowerStateCapabilities - Sleep
2019-10-26 06:44:43.199106+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time
calculated as - [Sat Oct 26 07:02:38 2019]
2019-10-26 06:44:43.205330+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason:
Host (0x01)
2019-10-26 06:44:49.501738+0200 localhost powerd[103]:
[powerd:sleepWake] Entering Sleep state due to 'Maintenance Sleep'
2019-10-26 06:44:49.502235+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State
changed: DarkWake -> Sleep, 0x20 < Sleep >
2019-10-26 06:44:49.502239+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: Sleep
async ack
2019-10-26 06:44:49.502855+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Network off

sleep date is not setup yet. Wake date cannot be calculated without baseline.

2019-10-26 06:44:57.068244+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT (Maintenance)

2019-10-26 06:44:57.068245+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT (Maintenance)

2019-10-26 06:45:24.685390+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CSHostDaemonMac _isWakeReasonVoiceTrigger] Wake reason: <private>

2019-10-26 06:45:24.685395+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CSHostDaemonMac _getPowerAssertionIfWakenByVoiceTriggerNotFromS3Sleep] Wake reason is not VoiceTrigger or it woke from S3

2019-10-26 06:45:24.685532+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler - Dark Wake IOPMSYSTEMPowerStateCapabilities - Sleep

2019-10-26 06:45:24.685989+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State changed: Sleep -> DarkWake, 0x1 < DarkWake >

2019-10-26 06:45:24.741811+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time calculated as - [Sat Oct 26 07:02:38 2019]

2019-10-26 06:45:24.920353+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason: Host (0x01)

2019-10-26 06:45:25.306999+0200 localhost kernel[0]:
(AppleIntelCFLGraphicsFramebuffer) [IGFB] [INFO] FB0 power state transition Sleep to Doze

2019-10-26 06:45:25.734667+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler - Dark Wake IOPMSYSTEMPowerStateCapabilities - Sleep

2019-10-26 06:45:25.735898+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time calculated as - [Sat Oct 26 07:02:38 2019]

2019-10-26 06:45:25.741923+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason: Host (0x01)

2019-10-26 06:45:32.095328+0200 localhost powerd[103]:
[powerd:sleepWake] Entering Sleep state due to 'Maintenance Sleep'

2019-10-26 06:45:32.095898+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State changed: DarkWake -> Sleep, 0x20 < Sleep >

2019-10-26 06:45:32.095950+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: Sleep async ack

2019-10-26 06:45:32.096843+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Network off

sleep date is not setup yet. Wake date cannot be calculated without baseline.

2019-10-26 06:45:39.651517+0200 localhost kernel[0]:

(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT (Maintenance)
2019-10-26 06:45:39.651518+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT (Maintenance)
2019-10-26 06:46:07.268249+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler - Dark Wake IOPMSystemPowerStateCapabilities - Sleep
2019-10-26 06:46:07.268685+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State changed: Sleep -> DarkWake, 0x1 < DarkWake >
2019-10-26 06:46:07.270276+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CSHostDaemonMac _isWakeReasonVoiceTrigger] Wake reason: <private>
2019-10-26 06:46:07.270281+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CSHostDaemonMac _getPowerAssertionIfWakenByVoiceTriggerNotFromS3Sleep] Wake reason is not VoiceTrigger or it woke from S3
2019-10-26 06:46:07.367197+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time calculated as - [Sat Oct 26 07:02:38 2019]
2019-10-26 06:46:07.503035+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason: Host (0x01)
2019-10-26 06:46:07.918274+0200 localhost kernel[0]:
(AppleIntelCFLGraphicsFramebuffer) [IGFB][INFO] FB0 power state transition Sleep to Doze
2019-10-26 06:46:08.341543+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler - Dark Wake IOPMSystemPowerStateCapabilities - Sleep
2019-10-26 06:46:08.342922+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time calculated as - [Sat Oct 26 07:02:38 2019]
2019-10-26 06:46:08.353331+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason: Host (0x01)
2019-10-26 06:46:14.660902+0200 localhost powerd[103]:
[powerd:sleepWake] Entering Sleep state due to 'Maintenance Sleep'
2019-10-26 06:46:14.661530+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State changed: DarkWake -> Sleep, 0x20 < Sleep >
2019-10-26 06:46:14.661538+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: Sleep async ack
2019-10-26 06:46:14.663133+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Network off sleep date is not setup yet. Wake date cannot be calculated without baseline.
2019-10-26 06:46:22.176986+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT (Maintenance)
2019-10-26 06:46:22.176986+0200 localhost kernel[0]:

(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT (Maintenance)
2019-10-26 06:46:49.804375+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler - Dark Wake IOPMSystemPowerStateCapabilities - Sleep
2019-10-26 06:46:49.805029+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State changed: Sleep -> DarkWake, 0x1 < DarkWake >
2019-10-26 06:46:49.806578+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CSHostDaemonMac _isWakeReasonVoiceTrigger] Wake reason: <private>
2019-10-26 06:46:49.806583+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CSHostDaemonMac _getPowerAssertionIfWakenByVoiceTriggerNotFromS3Sleep] Wake reason is not VoiceTrigger or it woke from S3
2019-10-26 06:46:49.855062+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time calculated as - [Sat Oct 26 07:02:38 2019]
2019-10-26 06:46:50.046991+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason: Host (0x01)
2019-10-26 06:46:50.428937+0200 localhost kernel[0]:
(AppleIntelCFLGraphicsFramebuffer) [IGFB][INFO] FB0 power state transition Sleep to Doze
2019-10-26 06:46:50.853492+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler - Dark Wake IOPMSystemPowerStateCapabilities - Sleep
2019-10-26 06:46:50.854831+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time calculated as - [Sat Oct 26 07:02:38 2019]
2019-10-26 06:46:50.865545+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason: Host (0x01)
2019-10-26 06:47:01.415651+0200 localhost powerd[103]:
[powerd:sleepWake] Entering Sleep state due to 'Maintenance Sleep'
2019-10-26 06:47:01.416110+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State changed: DarkWake -> Sleep, 0x20 < Sleep >
2019-10-26 06:47:01.416136+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: Sleep async ack
2019-10-26 06:47:01.417055+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Network off sleep date is not setup yet. Wake date cannot be calculated without baseline.
2019-10-26 06:47:10.264131+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT (Maintenance)
2019-10-26 06:47:10.264132+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT (Maintenance)
2019-10-26 06:47:37.897086+0200 localhost corespeechd[443]:

[com.apple.corespeech:Framework] -[CShostDaemonMac
_isWakeReasonVoiceTrigger] Wake reason: <private>
2019-10-26 06:47:37.897092+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CShostDaemonMac
_getPowerAssertionIfWakenByVoiceTriggerNotFromS3Sleep] Wake reason
is not VoiceTrigger or it woke from S3
2019-10-26 06:47:37.910156+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State
changed: Sleep -> DarkWake, 0x1 < DarkWake >
2019-10-26 06:47:37.912160+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler -
Dark Wake IOPMSYSTEMPowerStateCapabilities - Sleep
2019-10-26 06:47:37.951475+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time
calculated as - [Sat Oct 26 07:02:38 2019]
2019-10-26 06:47:38.166666+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason:
Host (0x01)
2019-10-26 06:47:38.539905+0200 localhost kernel[0]:
(AppleIntelCFLGraphicsFramebuffer) [IGFB][INFO] FB0 power state
transition Sleep to Doze
2019-10-26 06:47:38.969709+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler -
Dark Wake IOPMSYSTEMPowerStateCapabilities - Sleep
2019-10-26 06:47:38.971121+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time
calculated as - [Sat Oct 26 07:02:38 2019]
2019-10-26 06:47:38.977132+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason:
Host (0x01)
2019-10-26 06:47:45.316155+0200 localhost powerd[103]:
[powerd:sleepWake] Entering Sleep state due to 'Maintenance Sleep'
2019-10-26 06:47:45.316725+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State
changed: DarkWake -> Sleep, 0x20 < Sleep >
2019-10-26 06:47:45.316804+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: Sleep
async ack
2019-10-26 06:47:45.317598+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Network off
sleep date is not setup yet. Wake date cannot be calculated without
baseline.
2019-10-26 06:47:52.817443+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT
(Maintenance)
2019-10-26 06:47:52.817444+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT
(Maintenance)
2019-10-26 06:48:20.492639+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler -
Dark Wake IOPMSYSTEMPowerStateCapabilities - Sleep
2019-10-26 06:48:20.493845+0200 localhost rapportd[371]:

(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State changed: Sleep -> DarkWake, 0x1 < DarkWake >
2019-10-26 06:48:20.495222+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CSHostDaemonMac _isWakeReasonVoiceTrigger] Wake reason: <private>
2019-10-26 06:48:20.495227+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CSHostDaemonMac _getPowerAssertionIfWakenByVoiceTriggerNotFromS3Sleep] Wake reason is not VoiceTrigger or it woke from S3
2019-10-26 06:48:20.527992+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time calculated as - [Sat Oct 26 07:02:38 2019]
2019-10-26 06:48:20.696779+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason: Host (0x01)
2019-10-26 06:48:21.117822+0200 localhost kernel[0]:
(AppleIntelCFLGraphicsFramebuffer) [IGFB][INFO] FB0 power state transition Sleep to Doze
2019-10-26 06:48:21.534516+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler - Dark Wake IOPMSYSTEMPowerStateCapabilities - Sleep
2019-10-26 06:48:21.536058+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time calculated as - [Sat Oct 26 07:02:38 2019]
2019-10-26 06:48:21.542283+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason: Host (0x01)
2019-10-26 06:48:31.412308+0200 localhost powerd[103]:
[powerd:sleepWake] Entering Sleep state due to 'Maintenance Sleep'
2019-10-26 06:48:31.412983+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State changed: DarkWake -> Sleep, 0x20 < Sleep >
2019-10-26 06:48:31.413009+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: Sleep async ack
2019-10-26 06:48:31.414612+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Network off sleep date is not setup yet. Wake date cannot be calculated without baseline.
2019-10-26 06:48:39.519185+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT (Maintenance)
2019-10-26 06:48:39.519186+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT (Maintenance)
2019-10-26 06:49:07.156673+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler - Dark Wake IOPMSYSTEMPowerStateCapabilities - Sleep
2019-10-26 06:49:07.160826+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State changed: Sleep -> DarkWake, 0x1 < DarkWake >
2019-10-26 06:49:07.162132+0200 localhost corespeechd[443]:

[com.apple.corespeech:Framework] -[CShostDaemonMac
_isWakeReasonVoiceTrigger] Wake reason: <private>
2019-10-26 06:49:07.162137+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CShostDaemonMac
_getPowerAssertionIfWakenByVoiceTriggerNotFromS3Sleep] Wake reason
is not VoiceTrigger or it woke from S3
2019-10-26 06:49:07.176369+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time
calculated as - [Sat Oct 26 07:02:38 2019]
2019-10-26 06:49:07.406755+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason:
Host (0x01)
2019-10-26 06:49:07.781480+0200 localhost kernel[0]:
(AppleIntelCFLGraphicsFramebuffer) [IGFB][INFO] FB0 power state
transition Sleep to Doze
2019-10-26 06:49:08.228226+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler -
Dark Wake IOPMSYSTEMPowerStateCapabilities - Sleep
2019-10-26 06:49:08.229656+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time
calculated as - [Sat Oct 26 07:02:38 2019]
2019-10-26 06:49:08.238070+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason:
Host (0x01)
2019-10-26 06:49:14.536524+0200 localhost powerd[103]:
[powerd:sleepWake] Entering Sleep state due to 'Maintenance Sleep'
2019-10-26 06:49:14.537060+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State
changed: DarkWake -> Sleep, 0x20 < Sleep >
2019-10-26 06:49:14.537067+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: Sleep
async ack
2019-10-26 06:49:14.538167+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Network off
sleep date is not setup yet. Wake date cannot be calculated without
baseline.
2019-10-26 06:49:22.193226+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.RTC
(Alarm)
2019-10-26 06:49:22.193227+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.RTC
(Alarm)
2019-10-26 06:54:16.404355+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason:
Host (0x01)
2019-10-26 06:54:16.436271+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CShostDaemonMac
_isWakeReasonVoiceTrigger] Wake reason: <private>
2019-10-26 06:54:16.436283+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CShostDaemonMac
_getPowerAssertionIfWakenByVoiceTriggerNotFromS3Sleep] Wake reason

is not VoiceTrigger or it woke from S3
2019-10-26 06:54:16.454057+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State
changed: Sleep -> DarkWake, 0x1 < DarkWake >
2019-10-26 06:54:16.454852+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time
calculated as - [Sat Oct 26 07:02:38 2019]
2019-10-26 06:54:16.454863+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler -
Dark Wake IOPMSYSTEMPowerStateCapabilities - Sleep
2019-10-26 06:54:16.797427+0200 localhost kernel[0]:
(AppleIntelCFLGraphicsFramebuffer) [IGFB][INFO] FB0 power state
transition Sleep to Doze
2019-10-26 06:54:17.222383+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler -
Dark Wake IOPMSYSTEMPowerStateCapabilities - Sleep
2019-10-26 06:54:17.223616+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time
calculated as - [Sat Oct 26 07:02:38 2019]
2019-10-26 06:54:17.236289+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason:
Host (0x01)
2019-10-26 06:54:23.462583+0200 localhost powerd[103]:
[powerd:sleepWake] Entering Sleep state due to 'Maintenance Sleep'
2019-10-26 06:54:23.463271+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State
changed: DarkWake -> Sleep, 0x20 < Sleep >
2019-10-26 06:54:23.463276+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: Sleep
async ack
2019-10-26 06:54:23.464249+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Network off
sleep date is not setup yet. Wake date cannot be calculated without
baseline.
2019-10-26 06:54:31.058134+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT
(Maintenance)
2019-10-26 06:54:31.058135+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT
(Maintenance)
2019-10-26 06:54:58.762512+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State
changed: Sleep -> DarkWake, 0x1 < DarkWake >
2019-10-26 06:54:58.767589+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CSHostDaemonMac
_isWakeReasonVoiceTrigger] Wake reason: <private>
2019-10-26 06:54:58.782468+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CSHostDaemonMac
_getPowerAssertionIfWakenByVoiceTriggerNotFromS3Sleep] Wake reason
is not VoiceTrigger or it woke from S3
2019-10-26 06:54:58.794026+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time
calculated as - [Sat Oct 26 07:02:38 2019]

2019-10-26 06:54:58.963206+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason:
Host (0x01)
2019-10-26 06:54:59.013183+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler -
Dark Wake IOPMSystemPowerStateCapabilities - Sleep
2019-10-26 06:54:59.391580+0200 localhost kernel[0]:
(AppleIntelCFLGraphicsFramebuffer) [IGFB][INFO] FB0 power state
transition Sleep to Doze
2019-10-26 06:54:59.811021+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler -
Dark Wake IOPMSystemPowerStateCapabilities - Sleep
2019-10-26 06:54:59.812393+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time
calculated as - [Sat Oct 26 07:02:38 2019]
2019-10-26 06:54:59.825754+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason:
Host (0x01)
2019-10-26 06:55:06.167552+0200 localhost powerd[103]:
[powerd:sleepWake] Entering Sleep state due to 'Maintenance Sleep'
2019-10-26 06:55:06.168082+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State
changed: DarkWake -> Sleep, 0x20 < Sleep >
2019-10-26 06:55:06.168091+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: Sleep
async ack
2019-10-26 06:55:06.169246+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Network off
sleep date is not setup yet. Wake date cannot be calculated without
baseline.
2019-10-26 06:55:13.607372+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT
(Maintenance)
2019-10-26 06:55:13.607373+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT
(Maintenance)
2019-10-26 06:55:41.234100+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State
changed: Sleep -> DarkWake, 0x1 < DarkWake >
2019-10-26 06:55:41.237644+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CSHostDaemonMac
_isWakeReasonVoiceTrigger] Wake reason: <private>
2019-10-26 06:55:41.237649+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CSHostDaemonMac
_getPowerAssertionIfWakenByVoiceTriggerNotFromS3Sleep] Wake reason
is not VoiceTrigger or it woke from S3
2019-10-26 06:55:41.239133+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler -
Dark Wake IOPMSystemPowerStateCapabilities - Sleep
2019-10-26 06:55:41.300255+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time
calculated as - [Sat Oct 26 07:02:38 2019]

2019-10-26 06:55:41.465573+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason:
Host (0x01)
2019-10-26 06:55:41.855230+0200 localhost kernel[0]:
(AppleIntelCFLGraphicsFramebuffer) [IGFB][INFO] FB0 power state
transition Sleep to Doze
2019-10-26 06:55:42.276260+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler -
Dark Wake IOPMSYSTEMPowerStateCapabilities - Sleep
2019-10-26 06:55:42.277975+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time
calculated as - [Sat Oct 26 07:02:38 2019]
2019-10-26 06:55:42.282727+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason:
Host (0x01)
2019-10-26 06:55:48.624438+0200 localhost powerd[103]:
[powerd:sleepWake] Entering Sleep state due to 'Maintenance Sleep'
2019-10-26 06:55:48.624949+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State
changed: DarkWake -> Sleep, 0x20 < Sleep >
2019-10-26 06:55:48.624976+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: Sleep
async ack
2019-10-26 06:55:48.626081+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Network off
sleep date is not setup yet. Wake date cannot be calculated without
baseline.
2019-10-26 06:55:56.000345+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT
(Maintenance)
2019-10-26 06:55:56.000345+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT
(Maintenance)
2019-10-26 06:56:23.643705+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler -
Dark Wake IOPMSYSTEMPowerStateCapabilities - Sleep
2019-10-26 06:56:23.647546+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CSHostDaemonMac
_isWakeReasonVoiceTrigger] Wake reason: <private>
2019-10-26 06:56:23.647551+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CSHostDaemonMac
_getPowerAssertionIfWakenByVoiceTriggerNotFromS3Sleep] Wake reason
is not VoiceTrigger or it woke from S3
2019-10-26 06:56:23.664405+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State
changed: Sleep -> DarkWake, 0x1 < DarkWake >
2019-10-26 06:56:23.687332+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time
calculated as - [Sat Oct 26 07:02:38 2019]
2019-10-26 06:56:23.843144+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason:

Host (0x01)
2019-10-26 06:56:24.255154+0200 localhost kernel[0]:
(AppleIntelCFLGraphicsFramebuffer) [IGFB][INFO] FB0 power state
transition Sleep to Doze
2019-10-26 06:56:24.678237+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler -
Dark Wake IOPMSystemPowerStateCapabilities - Sleep
2019-10-26 06:56:24.680210+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time
calculated as - [Sat Oct 26 07:02:38 2019]
2019-10-26 06:56:24.684508+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason:
Host (0x01)
2019-10-26 06:56:31.039576+0200 localhost powerd[103]:
[powerd:sleepWake] Entering Sleep state due to 'Maintenance Sleep'
2019-10-26 06:56:31.040138+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State
changed: DarkWake -> Sleep, 0x20 < Sleep >
2019-10-26 06:56:31.040185+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: Sleep
async ack
2019-10-26 06:56:31.041080+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Network off
sleep date is not setup yet. Wake date cannot be calculated without
baseline.
2019-10-26 06:56:38.491930+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT
(Maintenance)
2019-10-26 06:56:38.491931+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT
(Maintenance)
2019-10-26 06:57:06.135242+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler -
Dark Wake IOPMSystemPowerStateCapabilities - Sleep
2019-10-26 06:57:06.135662+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State
changed: Sleep -> DarkWake, 0x1 < DarkWake >
2019-10-26 06:57:06.138429+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CSHostDaemonMac
_isWakeReasonVoiceTrigger] Wake reason: <private>
2019-10-26 06:57:06.138442+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CSHostDaemonMac
_getPowerAssertionIfWakenByVoiceTriggerNotFromS3Sleep] Wake reason
is not VoiceTrigger or it woke from S3
2019-10-26 06:57:06.193369+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time
calculated as - [Sat Oct 26 07:02:38 2019]
2019-10-26 06:57:06.351385+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason:
Host (0x01)
2019-10-26 06:57:06.770141+0200 localhost kernel[0]:
(AppleIntelCFLGraphicsFramebuffer) [IGFB][INFO] FB0 power state

transition Sleep to Doze
2019-10-26 06:57:07.187642+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler -
Dark Wake IOPMSYSTEMPowerStateCapabilities - Sleep
2019-10-26 06:57:07.188926+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time
calculated as - [Sat Oct 26 07:02:38 2019]
2019-10-26 06:57:07.194790+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason:
Host (0x01)
2019-10-26 06:57:13.529695+0200 localhost powerd[103]:
[powerd:sleepWake] Entering Sleep state due to 'Maintenance Sleep'
2019-10-26 06:57:13.530259+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State
changed: DarkWake -> Sleep, 0x20 < Sleep >
2019-10-26 06:57:13.530265+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: Sleep
async ack
2019-10-26 06:57:13.531342+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Network off
sleep date is not setup yet. Wake date cannot be calculated without
baseline.
2019-10-26 06:57:20.939037+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT
(Maintenance)
2019-10-26 06:57:20.939037+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT
(Maintenance)
2019-10-26 06:57:48.557656+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler -
Dark Wake IOPMSYSTEMPowerStateCapabilities - Sleep
2019-10-26 06:57:48.558549+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State
changed: Sleep -> DarkWake, 0x1 < DarkWake >
2019-10-26 06:57:48.559613+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CSHostDaemonMac
_isWakeReasonVoiceTrigger] Wake reason: <private>
2019-10-26 06:57:48.559645+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CSHostDaemonMac
_getPowerAssertionIfWakenByVoiceTriggerNotFromS3Sleep] Wake reason
is not VoiceTrigger or it woke from S3
2019-10-26 06:57:48.634072+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time
calculated as - [Sat Oct 26 07:02:38 2019]
2019-10-26 06:57:48.775885+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason:
Host (0x01)
2019-10-26 06:57:49.197495+0200 localhost kernel[0]:
(AppleIntelCFLGraphicsFramebuffer) [IGFB][INFO] FB0 power state
transition Sleep to Doze
2019-10-26 06:57:49.616433+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler -

Dark Wake IOPMSYSTEMPowerStateCapabilities - Sleep
2019-10-26 06:57:49.618002+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time
calculated as - [Sat Oct 26 07:02:38 2019]
2019-10-26 06:57:49.627937+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason:
Host (0x01)
2019-10-26 06:57:55.936168+0200 localhost powerd[103]:
[powerd:sleepWake] Entering Sleep state due to 'Maintenance Sleep'
2019-10-26 06:57:55.936773+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State
changed: DarkWake -> Sleep, 0x20 < Sleep >
2019-10-26 06:57:55.936782+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: Sleep
async ack
2019-10-26 06:57:55.937903+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Network off
sleep date is not setup yet. Wake date cannot be calculated without
baseline.
2019-10-26 06:58:03.301712+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT
(Maintenance)
2019-10-26 06:58:03.301713+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT
(Maintenance)
2019-10-26 06:58:31.013039+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State
changed: Sleep -> DarkWake, 0x1 < DarkWake >
2019-10-26 06:58:31.013917+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CSHostDaemonMac
_isWakeReasonVoiceTrigger] Wake reason: <private>
2019-10-26 06:58:31.013932+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CSHostDaemonMac
_getPowerAssertionIfWakenByVoiceTriggerNotFromS3Sleep] Wake reason
is not VoiceTrigger or it woke from S3
2019-10-26 06:58:31.031934+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler -
Dark Wake IOPMSYSTEMPowerStateCapabilities - Sleep
2019-10-26 06:58:31.042594+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time
calculated as - [Sat Oct 26 07:02:38 2019]
2019-10-26 06:58:31.194360+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason:
Host (0x01)
2019-10-26 06:58:31.609185+0200 localhost kernel[0]:
(AppleIntelCFLGraphicsFramebuffer) [IGFB][INFO] FB0 power state
transition Sleep to Doze
2019-10-26 06:58:32.028375+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler -
Dark Wake IOPMSYSTEMPowerStateCapabilities - Sleep
2019-10-26 06:58:32.029832+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time

calculated as - [Sat Oct 26 07:02:38 2019]
2019-10-26 06:58:32.035508+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason:
Host (0x01)
2019-10-26 06:58:38.376075+0200 localhost powerd[103]:
[powerd:sleepWake] Entering Sleep state due to 'Maintenance Sleep'
2019-10-26 06:58:38.376591+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State
changed: DarkWake -> Sleep, 0x20 < Sleep >
2019-10-26 06:58:38.376599+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: Sleep
async ack
2019-10-26 06:58:38.377400+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Network off
sleep date is not setup yet. Wake date cannot be calculated without
baseline.
2019-10-26 06:58:45.893050+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT
(Maintenance)
2019-10-26 06:58:45.893051+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT
(Maintenance)
2019-10-26 06:59:13.574791+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State
changed: Sleep -> DarkWake, 0x1 < DarkWake >
2019-10-26 06:59:13.575420+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler -
Dark Wake IOPMSYSTEMPowerStateCapabilities - Sleep
2019-10-26 06:59:13.580506+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CSHostDaemonMac
_isWakeReasonVoiceTrigger] Wake reason: <private>
2019-10-26 06:59:13.580515+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CSHostDaemonMac
_getPowerAssertionIfWakenByVoiceTriggerNotFromS3Sleep] Wake reason
is not VoiceTrigger or it woke from S3
2019-10-26 06:59:13.625300+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time
calculated as - [Sat Oct 26 07:02:38 2019]
2019-10-26 06:59:13.757660+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason:
Host (0x01)
2019-10-26 06:59:14.177937+0200 localhost kernel[0]:
(AppleIntelCFLGraphicsFramebuffer) [IGFB][INFO] FB0 power state
transition Sleep to Doze
2019-10-26 06:59:14.597240+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler -
Dark Wake IOPMSYSTEMPowerStateCapabilities - Sleep
2019-10-26 06:59:14.599066+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time
calculated as - [Sat Oct 26 07:02:38 2019]
2019-10-26 06:59:14.609408+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]

AppleDeviceManagementHIDEventService::processWakeReason Wake reason:
Host (0x01)
2019-10-26 06:59:20.913434+0200 localhost powerd[103]:
[powerd:sleepWake] Entering Sleep state due to 'Maintenance Sleep'
2019-10-26 06:59:20.914055+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State
changed: DarkWake -> Sleep, 0x20 < Sleep >
2019-10-26 06:59:20.914061+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: Sleep
async ack
2019-10-26 06:59:20.914742+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Network off
sleep date is not setup yet. Wake date cannot be calculated without
baseline.
2019-10-26 06:59:28.471854+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT
(Maintenance)
2019-10-26 06:59:28.471855+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT
(Maintenance)
2019-10-26 06:59:56.136091+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler -
Dark Wake IOPMSYSTEMPowerStateCapabilities - Sleep
2019-10-26 06:59:56.140637+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CSHostDaemonMac
_isWakeReasonVoiceTrigger] Wake reason: <private>
2019-10-26 06:59:56.140642+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CSHostDaemonMac
_getPowerAssertionIfWakenByVoiceTriggerNotFromS3Sleep] Wake reason
is not VoiceTrigger or it woke from S3
2019-10-26 06:59:56.145009+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State
changed: Sleep -> DarkWake, 0x1 < DarkWake >
2019-10-26 06:59:56.303500+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason:
Host (0x01)
2019-10-26 06:59:56.315264+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time
calculated as - [Sat Oct 26 07:02:38 2019]
2019-10-26 06:59:56.724835+0200 localhost kernel[0]:
(AppleIntelCFLGraphicsFramebuffer) [IGFB][INFO] FB0 power state
transition Sleep to Doze
2019-10-26 06:59:57.139788+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler -
Dark Wake IOPMSYSTEMPowerStateCapabilities - Sleep
2019-10-26 06:59:57.141011+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time
calculated as - [Sat Oct 26 07:02:38 2019]
2019-10-26 06:59:57.146086+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason:
Host (0x01)
2019-10-26 07:00:03.369463+0200 localhost powerd[103]:

[powerd:sleepWake] Entering Sleep state due to 'Maintenance Sleep'
2019-10-26 07:00:03.370105+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State
changed: DarkWake -> Sleep, 0x20 < Sleep >
2019-10-26 07:00:03.370111+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: Sleep
async ack
2019-10-26 07:00:03.370539+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Network off
sleep date is not setup yet. Wake date cannot be calculated without
baseline.
2019-10-26 07:00:10.739628+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT
(Maintenance)
2019-10-26 07:00:10.739629+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT
(Maintenance)
2019-10-26 07:00:38.488115+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler -
Dark Wake IOPMSYSTEMPowerStateCapabilities - Sleep
2019-10-26 07:00:38.491467+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CSHostDaemonMac
_isWakeReasonVoiceTrigger] Wake reason: <private>
2019-10-26 07:00:38.491479+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CSHostDaemonMac
_getPowerAssertionIfWakenByVoiceTriggerNotFromS3Sleep] Wake reason
is not VoiceTrigger or it woke from S3
2019-10-26 07:00:38.505348+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State
changed: Sleep -> DarkWake, 0x1 < DarkWake >
2019-10-26 07:00:38.540967+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time
calculated as - [Sat Oct 26 07:02:38 2019]
2019-10-26 07:00:38.750398+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason:
Host (0x01)
2019-10-26 07:00:39.127556+0200 localhost kernel[0]:
(AppleIntelCFLGraphicsFramebuffer) [IGFB][INFO] FB0 power state
transition Sleep to Doze
2019-10-26 07:00:39.554235+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler -
Dark Wake IOPMSYSTEMPowerStateCapabilities - Sleep
2019-10-26 07:00:39.555800+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time
calculated as - [Sat Oct 26 07:02:38 2019]
2019-10-26 07:00:39.560600+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason:
Host (0x01)
2019-10-26 07:00:45.913222+0200 localhost powerd[103]:
[powerd:sleepWake] Entering Sleep state due to 'Maintenance Sleep'
2019-10-26 07:00:45.913881+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State

changed: DarkWake -> Sleep, 0x20 < Sleep >
2019-10-26 07:00:45.913889+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: Sleep
async ack
2019-10-26 07:00:45.914431+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Network off
sleep date is not setup yet. Wake date cannot be calculated without
baseline.
2019-10-26 07:00:53.283831+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.RTC
(Alarm)
2019-10-26 07:00:53.283832+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.RTC
(Alarm)
2019-10-26 07:08:29.111396+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler -
Dark Wake IOPMSYSTEMPowerStateCapabilities - Sleep
2019-10-26 07:08:29.135838+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State
changed: Sleep -> DarkWake, 0x1 < DarkWake >
2019-10-26 07:08:29.140727+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CSHostDaemonMac
_isWakeReasonVoiceTrigger] Wake reason: <private>
2019-10-26 07:08:29.140737+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CSHostDaemonMac
_getPowerAssertionIfWakenByVoiceTriggerNotFromS3Sleep] Wake reason
is not VoiceTrigger or it woke from S3
2019-10-26 07:08:29.142129+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time
calculated as - [Sat Oct 26 08:08:29 2019]
2019-10-26 07:08:29.362098+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason:
Host (0x01)
2019-10-26 07:08:29.758968+0200 localhost kernel[0]:
(AppleIntelCFLGraphicsFramebuffer) [IGFB][INFO] FB0 power state
transition Sleep to Doze
2019-10-26 07:08:30.174141+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler -
Dark Wake IOPMSYSTEMPowerStateCapabilities - Sleep
2019-10-26 07:08:30.175832+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time
calculated as - [Sat Oct 26 10:08:29 2019]
2019-10-26 07:08:30.180846+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason:
Host (0x01)
2019-10-26 07:08:36.410150+0200 localhost powerd[103]:
[powerd:sleepWake] Entering Sleep state due to 'Maintenance Sleep'
2019-10-26 07:08:36.410832+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State
changed: DarkWake -> Sleep, 0x20 < Sleep >
2019-10-26 07:08:36.410839+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: Sleep

async ack
2019-10-26 07:08:36.411645+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Network off
sleep date is not setup yet. Wake date cannot be calculated without
baseline.
2019-10-26 07:08:44.042026+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT
(Maintenance)
2019-10-26 07:08:44.042027+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT
(Maintenance)
2019-10-26 07:09:11.666895+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler -
Dark Wake IOPMSYSTEMPowerStateCapabilities - Sleep
2019-10-26 07:09:11.666906+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CSHostDaemonMac
_isWakeReasonVoiceTrigger] Wake reason: <private>
2019-10-26 07:09:11.666954+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CSHostDaemonMac
_getPowerAssertionIfWakenByVoiceTriggerNotFromS3Sleep] Wake reason
is not VoiceTrigger or it woke from S3
2019-10-26 07:09:11.667507+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State
changed: Sleep -> DarkWake, 0x1 < DarkWake >
2019-10-26 07:09:11.694780+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time
calculated as - [Sat Oct 26 10:08:29 2019]
2019-10-26 07:09:11.897796+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason:
Host (0x01)
2019-10-26 07:09:12.305138+0200 localhost kernel[0]:
(AppleIntelCFLGraphicsFramebuffer) [IGFB][INFO] FB0 power state
transition Sleep to Doze
2019-10-26 07:09:12.728774+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler -
Dark Wake IOPMSYSTEMPowerStateCapabilities - Sleep
2019-10-26 07:09:12.730065+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time
calculated as - [Sat Oct 26 10:08:29 2019]
2019-10-26 07:09:12.735342+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason:
Host (0x01)
2019-10-26 07:09:19.057512+0200 localhost powerd[103]:
[powerd:sleepWake] Entering Sleep state due to 'Maintenance Sleep'
2019-10-26 07:09:19.058191+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State
changed: DarkWake -> Sleep, 0x20 < Sleep >
2019-10-26 07:09:19.058198+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: Sleep
async ack
2019-10-26 07:09:19.059242+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Network off

sleep date is not setup yet. Wake date cannot be calculated without baseline.

2019-10-26 07:09:26.481804+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT (Maintenance)

2019-10-26 07:09:26.481805+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT (Maintenance)

2019-10-26 07:09:54.121971+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CSHostDaemonMac _isWakeReasonVoiceTrigger] Wake reason: <private>

2019-10-26 07:09:54.121983+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CSHostDaemonMac _getPowerAssertionIfWakenByVoiceTriggerNotFromS3Sleep] Wake reason is not VoiceTrigger or it woke from S3

2019-10-26 07:09:54.146625+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State changed: Sleep -> DarkWake, 0x1 < DarkWake >

2019-10-26 07:09:54.148728+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler - Dark Wake IOPMSystemPowerStateCapabilities - Sleep

2019-10-26 07:09:54.326727+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time calculated as - [Sat Oct 26 10:08:29 2019]

2019-10-26 07:09:54.336812+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason: Host (0x01)

2019-10-26 07:09:54.737944+0200 localhost kernel[0]:
(AppleIntelCFLGraphicsFramebuffer) [IGFB][INFO] FB0 power state transition Sleep to Doze

2019-10-26 07:09:55.161522+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler - Dark Wake IOPMSystemPowerStateCapabilities - Sleep

2019-10-26 07:09:55.162821+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time calculated as - [Sat Oct 26 10:08:29 2019]

2019-10-26 07:09:55.168551+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason: Host (0x01)

2019-10-26 07:10:01.482697+0200 localhost powerd[103]:
[powerd:sleepWake] Entering Sleep state due to 'Maintenance Sleep'

2019-10-26 07:10:01.483235+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State changed: DarkWake -> Sleep, 0x20 < Sleep >

2019-10-26 07:10:01.483245+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: Sleep async ack

2019-10-26 07:10:01.484442+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Network off

sleep date is not setup yet. Wake date cannot be calculated without baseline.

2019-10-26 07:10:08.974012+0200 localhost kernel[0]:

(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT (Maintenance)
2019-10-26 07:10:08.974012+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT (Maintenance)
2019-10-26 07:10:36.621169+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler - Dark Wake IOPMSYSTEMPowerStateCapabilities - Sleep
2019-10-26 07:10:36.624002+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CSHostDaemonMac _isWakeReasonVoiceTrigger] Wake reason: <private>
2019-10-26 07:10:36.624007+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CSHostDaemonMac _getPowerAssertionIfWakenByVoiceTriggerNotFromS3Sleep] Wake reason is not VoiceTrigger or it woke from S3
2019-10-26 07:10:36.643861+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State changed: Sleep -> DarkWake, 0x1 < DarkWake >
2019-10-26 07:10:36.680828+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time calculated as - [Sat Oct 26 10:08:29 2019]
2019-10-26 07:10:36.931270+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason: Host (0x01)
2019-10-26 07:10:37.249538+0200 localhost kernel[0]:
(AppleIntelCFLGraphicsFramebuffer) [IGFB][INFO] FB0 power state transition Sleep to Doze
2019-10-26 07:10:37.672620+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler - Dark Wake IOPMSYSTEMPowerStateCapabilities - Sleep
2019-10-26 07:10:37.673919+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time calculated as - [Sat Oct 26 10:08:29 2019]
2019-10-26 07:10:37.684340+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason: Host (0x01)
2019-10-26 07:10:44.107749+0200 localhost powerd[103]:
[powerd:sleepWake] Entering Sleep state due to 'Maintenance Sleep'
2019-10-26 07:10:44.108168+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State changed: DarkWake -> Sleep, 0x20 < Sleep >
2019-10-26 07:10:44.108172+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: Sleep async ack
2019-10-26 07:10:44.109052+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Network off sleep date is not setup yet. Wake date cannot be calculated without baseline.
2019-10-26 07:10:51.468004+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT (Maintenance)
2019-10-26 07:10:51.468004+0200 localhost kernel[0]:

(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT (Maintenance)
2019-10-26 07:11:19.112665+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler - Dark Wake IOPMSystemPowerStateCapabilities - Sleep
2019-10-26 07:11:19.113788+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State changed: Sleep -> DarkWake, 0x1 < DarkWake >
2019-10-26 07:11:19.115727+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CSHostDaemonMac _isWakeReasonVoiceTrigger] Wake reason: <private>
2019-10-26 07:11:19.115732+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CSHostDaemonMac _getPowerAssertionIfWakenByVoiceTriggerNotFromS3Sleep] Wake reason is not VoiceTrigger or it woke from S3
2019-10-26 07:11:19.142616+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time calculated as - [Sat Oct 26 10:08:29 2019]
2019-10-26 07:11:19.314933+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason: Host (0x01)
2019-10-26 07:11:19.731200+0200 localhost kernel[0]:
(AppleIntelCFLGraphicsFramebuffer) [IGFB][INFO] FB0 power state transition Sleep to Doze
2019-10-26 07:11:20.147497+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler - Dark Wake IOPMSystemPowerStateCapabilities - Sleep
2019-10-26 07:11:20.148983+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time calculated as - [Sat Oct 26 10:08:29 2019]
2019-10-26 07:11:20.154252+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason: Host (0x01)
2019-10-26 07:11:31.421486+0200 localhost powerd[103]:
[powerd:sleepWake] Entering Sleep state due to 'Maintenance Sleep'
2019-10-26 07:11:31.421997+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State changed: DarkWake -> Sleep, 0x20 < Sleep >
2019-10-26 07:11:31.422004+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: Sleep async ack
2019-10-26 07:11:31.422991+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Network off sleep date is not setup yet. Wake date cannot be calculated without baseline.
2019-10-26 07:11:39.951491+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT (Maintenance)
2019-10-26 07:11:39.951492+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT (Maintenance)
2019-10-26 07:12:07.596800+0200 localhost rapportd[371]:

(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State changed: Sleep -> DarkWake, 0x1 < DarkWake >
2019-10-26 07:12:07.597167+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler - Dark Wake IOPMSystemPowerStateCapabilities - Sleep
2019-10-26 07:12:07.598496+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CShostDaemonMac _isWakeReasonVoiceTrigger] Wake reason: <private>
2019-10-26 07:12:07.598501+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CShostDaemonMac _getPowerAssertionIfWakenByVoiceTriggerNotFromS3Sleep] Wake reason is not VoiceTrigger or it woke from S3
2019-10-26 07:12:07.629076+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time calculated as - [Sat Oct 26 10:08:29 2019]
2019-10-26 07:12:07.879988+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason: Host (0x01)
2019-10-26 07:12:08.222408+0200 localhost kernel[0]:
(AppleIntelCFLGraphicsFramebuffer) [IGFB][INFO] FB0 power state transition Sleep to Doze
2019-10-26 07:12:08.630494+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler - Dark Wake IOPMSystemPowerStateCapabilities - Sleep
2019-10-26 07:12:08.631924+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time calculated as - [Sat Oct 26 10:08:29 2019]
2019-10-26 07:12:08.636955+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason: Host (0x01)
2019-10-26 07:12:15.077604+0200 localhost powerd[103]:
[powerd:sleepWake] Entering Sleep state due to 'Maintenance Sleep'
2019-10-26 07:12:15.078074+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State changed: DarkWake -> Sleep, 0x20 < Sleep >
2019-10-26 07:12:15.078080+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: Sleep async ack
2019-10-26 07:12:15.078817+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Network off sleep date is not setup yet. Wake date cannot be calculated without baseline.
2019-10-26 07:12:22.570582+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT (Maintenance)
2019-10-26 07:12:22.570583+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT (Maintenance)
2019-10-26 07:12:50.218928+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State changed: Sleep -> DarkWake, 0x1 < DarkWake >
2019-10-26 07:12:50.219175+0200 localhost bluetoothd[145]:

(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler -
Dark Wake IOPMSystemPowerStateCapabilities - Sleep
2019-10-26 07:12:50.220770+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CSHostDaemonMac
_isWakeReasonVoiceTrigger] Wake reason: <private>
2019-10-26 07:12:50.220776+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CSHostDaemonMac
_getPowerAssertionIfWakenByVoiceTriggerNotFromS3Sleep] Wake reason
is not VoiceTrigger or it woke from S3
2019-10-26 07:12:50.260587+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time
calculated as - [Sat Oct 26 10:08:29 2019]
2019-10-26 07:12:50.376705+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason:
Host (0x01)
2019-10-26 07:12:50.821168+0200 localhost kernel[0]:
(AppleIntelCFLGraphicsFramebuffer) [IGFB][INFO] FB0 power state
transition Sleep to Doze
2019-10-26 07:12:51.244306+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler -
Dark Wake IOPMSystemPowerStateCapabilities - Sleep
2019-10-26 07:12:51.245922+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time
calculated as - [Sat Oct 26 10:08:29 2019]
2019-10-26 07:12:51.251286+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason:
Host (0x01)
2019-10-26 07:13:01.420340+0200 localhost powerd[103]:
[powerd:sleepWake] Entering Sleep state due to 'Maintenance Sleep'
2019-10-26 07:13:01.420943+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State
changed: DarkWake -> Sleep, 0x20 < Sleep >
2019-10-26 07:13:01.420949+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: Sleep
async ack
2019-10-26 07:13:01.422406+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Network off
sleep date is not setup yet. Wake date cannot be calculated without
baseline.
2019-10-26 07:13:10.754819+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.RTC
(Alarm)
2019-10-26 07:13:10.754820+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.RTC
(Alarm)
2019-10-26 07:18:03.145307+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler -
Dark Wake IOPMSystemPowerStateCapabilities - Sleep
2019-10-26 07:18:03.146447+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State
changed: Sleep -> DarkWake, 0x1 < DarkWake >
2019-10-26 07:18:03.148823+0200 localhost corespeechd[443]:

[com.apple.corespeech:Framework] -[CShostDaemonMac
_isWakeReasonVoiceTrigger] Wake reason: <private>
2019-10-26 07:18:03.148835+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CShostDaemonMac
_getPowerAssertionIfWakenByVoiceTriggerNotFromS3Sleep] Wake reason
is not VoiceTrigger or it woke from S3
2019-10-26 07:18:03.189361+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time
calculated as - [Sat Oct 26 10:08:29 2019]
2019-10-26 07:18:03.361653+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason:
Host (0x01)
2019-10-26 07:18:03.773657+0200 localhost kernel[0]:
(AppleIntelCFLGraphicsFramebuffer) [IGFB][INFO] FB0 power state
transition Sleep to Doze
2019-10-26 07:18:04.201936+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler -
Dark Wake IOPMSYSTEMPowerStateCapabilities - Sleep
2019-10-26 07:18:04.203417+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time
calculated as - [Sat Oct 26 10:08:29 2019]
2019-10-26 07:18:04.208629+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason:
Host (0x01)
2019-10-26 07:18:10.421896+0200 localhost powerd[103]:
[powerd:sleepWake] Entering Sleep state due to 'Maintenance Sleep'
2019-10-26 07:18:10.422531+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State
changed: DarkWake -> Sleep, 0x20 < Sleep >
2019-10-26 07:18:10.422543+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: Sleep
async ack
2019-10-26 07:18:10.423211+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Network off
sleep date is not setup yet. Wake date cannot be calculated without
baseline.
2019-10-26 07:18:17.951958+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT
(Maintenance)
2019-10-26 07:18:17.951959+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT
(Maintenance)
2019-10-26 07:18:45.597716+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CShostDaemonMac
_isWakeReasonVoiceTrigger] Wake reason: <private>
2019-10-26 07:18:45.597721+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CShostDaemonMac
_getPowerAssertionIfWakenByVoiceTriggerNotFromS3Sleep] Wake reason
is not VoiceTrigger or it woke from S3
2019-10-26 07:18:45.598102+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler -
Dark Wake IOPMSYSTEMPowerStateCapabilities - Sleep

2019-10-26 07:18:45.621674+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time
calculated as - [Sat Oct 26 10:08:29 2019]
2019-10-26 07:18:45.626603+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State
changed: Sleep -> DarkWake, 0x1 < DarkWake >
2019-10-26 07:18:45.798492+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason:
Host (0x01)
2019-10-26 07:18:46.219528+0200 localhost kernel[0]:
(AppleIntelCFLGraphicsFramebuffer) [IGFB][INFO] FB0 power state
transition Sleep to Doze
2019-10-26 07:18:46.639348+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler -
Dark Wake IOPMSYSTEMPowerStateCapabilities - Sleep
2019-10-26 07:18:46.640803+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time
calculated as - [Sat Oct 26 10:08:29 2019]
2019-10-26 07:18:46.645596+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason:
Host (0x01)
2019-10-26 07:18:52.939537+0200 localhost powerd[103]:
[powerd:sleepWake] Entering Sleep state due to 'Maintenance Sleep'
2019-10-26 07:18:52.940156+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State
changed: DarkWake -> Sleep, 0x20 < Sleep >
2019-10-26 07:18:52.940164+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: Sleep
async ack
2019-10-26 07:18:52.941013+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Network off
sleep date is not setup yet. Wake date cannot be calculated without
baseline.
2019-10-26 07:19:00.472325+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT
(Maintenance)
2019-10-26 07:19:00.472325+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT
(Maintenance)
2019-10-26 07:19:28.114473+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler -
Dark Wake IOPMSYSTEMPowerStateCapabilities - Sleep
2019-10-26 07:19:28.114606+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State
changed: Sleep -> DarkWake, 0x1 < DarkWake >
2019-10-26 07:19:28.124892+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CSHostDaemonMac
_isWakeReasonVoiceTrigger] Wake reason: <private>
2019-10-26 07:19:28.124907+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CSHostDaemonMac
_getPowerAssertionIfWakenByVoiceTriggerNotFromS3Sleep] Wake reason
is not VoiceTrigger or it woke from S3

2019-10-26 07:19:28.328055+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time
calculated as - [Sat Oct 26 10:08:29 2019]
2019-10-26 07:19:28.465298+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason:
Host (0x01)
2019-10-26 07:19:28.734922+0200 localhost kernel[0]:
(AppleIntelCFLGraphicsFramebuffer) [IGFB][INFO] FB0 power state
transition Sleep to Doze
2019-10-26 07:19:29.158629+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler -
Dark Wake IOPMSYSTEMPowerStateCapabilities - Sleep
2019-10-26 07:19:29.160052+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time
calculated as - [Sat Oct 26 10:08:29 2019]
2019-10-26 07:19:29.165779+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason:
Host (0x01)
2019-10-26 07:19:35.603881+0200 localhost powerd[103]:
[powerd:sleepWake] Entering Sleep state due to 'Maintenance Sleep'
2019-10-26 07:19:35.604445+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State
changed: DarkWake -> Sleep, 0x20 < Sleep >
2019-10-26 07:19:35.604455+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: Sleep
async ack
2019-10-26 07:19:35.605154+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Network off
sleep date is not setup yet. Wake date cannot be calculated without
baseline.
2019-10-26 07:19:43.027800+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT
(Maintenance)
2019-10-26 07:19:43.027801+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT
(Maintenance)
2019-10-26 07:20:10.693046+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler -
Dark Wake IOPMSYSTEMPowerStateCapabilities - Sleep
2019-10-26 07:20:10.696365+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CSHostDaemonMac
_isWakeReasonVoiceTrigger] Wake reason: <private>
2019-10-26 07:20:10.696372+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CSHostDaemonMac
_getPowerAssertionIfWakenByVoiceTriggerNotFromS3Sleep] Wake reason
is not VoiceTrigger or it woke from S3
2019-10-26 07:20:10.719304+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State
changed: Sleep -> DarkWake, 0x1 < DarkWake >
2019-10-26 07:20:10.767171+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time
calculated as - [Sat Oct 26 10:08:29 2019]

2019-10-26 07:20:10.893974+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason:
Host (0x01)
2019-10-26 07:20:11.319957+0200 localhost kernel[0]:
(AppleIntelCFLGraphicsFramebuffer) [IGFB][INFO] FB0 power state
transition Sleep to Doze
2019-10-26 07:20:11.744191+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler -
Dark Wake IOPMSystemPowerStateCapabilities - Sleep
2019-10-26 07:20:11.745829+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time
calculated as - [Sat Oct 26 10:08:29 2019]
2019-10-26 07:20:11.754850+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason:
Host (0x01)
2019-10-26 07:20:18.036059+0200 localhost powerd[103]:
[powerd:sleepWake] Entering Sleep state due to 'Maintenance Sleep'
2019-10-26 07:20:18.036676+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State
changed: DarkWake -> Sleep, 0x20 < Sleep >
2019-10-26 07:20:18.036683+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: Sleep
async ack
2019-10-26 07:20:18.037471+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Network off
sleep date is not setup yet. Wake date cannot be calculated without
baseline.
2019-10-26 07:20:25.425056+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT
(Maintenance)
2019-10-26 07:20:25.425057+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT
(Maintenance)
2019-10-26 07:20:53.062271+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State
changed: Sleep -> DarkWake, 0x1 < DarkWake >
2019-10-26 07:20:53.063475+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CSHostDaemonMac
_isWakeReasonVoiceTrigger] Wake reason: <private>
2019-10-26 07:20:53.063510+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CSHostDaemonMac
_getPowerAssertionIfWakenByVoiceTriggerNotFromS3Sleep] Wake reason
is not VoiceTrigger or it woke from S3
2019-10-26 07:20:53.079714+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler -
Dark Wake IOPMSystemPowerStateCapabilities - Sleep
2019-10-26 07:20:53.102903+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time
calculated as - [Sat Oct 26 10:08:29 2019]
2019-10-26 07:20:53.284068+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason:

Host (0x01)
2019-10-26 07:20:53.717785+0200 localhost kernel[0]:
(AppleIntelCFLGraphicsFramebuffer) [IGFB][INFO] FB0 power state
transition Sleep to Doze
2019-10-26 07:20:54.143377+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler -
Dark Wake IOPMSystemPowerStateCapabilities - Sleep
2019-10-26 07:20:54.144845+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time
calculated as - [Sat Oct 26 10:08:29 2019]
2019-10-26 07:20:54.150027+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason:
Host (0x01)
2019-10-26 07:21:00.466410+0200 localhost powerd[103]:
[powerd:sleepWake] Entering Sleep state due to 'Maintenance Sleep'
2019-10-26 07:21:00.467051+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State
changed: DarkWake -> Sleep, 0x20 < Sleep >
2019-10-26 07:21:00.467880+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: Sleep
async ack
2019-10-26 07:21:00.467928+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Network off
sleep date is not setup yet. Wake date cannot be calculated without
baseline.
2019-10-26 07:21:07.872578+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT
(Maintenance)
2019-10-26 07:21:07.872579+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT
(Maintenance)
2019-10-26 07:21:35.496607+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler -
Dark Wake IOPMSystemPowerStateCapabilities - Sleep
2019-10-26 07:21:35.498646+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CSHostDaemonMac
_isWakeReasonVoiceTrigger] Wake reason: <private>
2019-10-26 07:21:35.498662+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CSHostDaemonMac
_getPowerAssertionIfWakenByVoiceTriggerNotFromS3Sleep] Wake reason
is not VoiceTrigger or it woke from S3
2019-10-26 07:21:35.516482+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State
changed: Sleep -> DarkWake, 0x1 < DarkWake >
2019-10-26 07:21:35.558163+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time
calculated as - [Sat Oct 26 10:08:29 2019]
2019-10-26 07:21:35.795642+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason:
Host (0x01)
2019-10-26 07:21:36.113390+0200 localhost kernel[0]:
(AppleIntelCFLGraphicsFramebuffer) [IGFB][INFO] FB0 power state

transition Sleep to Doze
2019-10-26 07:21:36.532443+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler -
Dark Wake IOPMSYSTEMPowerStateCapabilities - Sleep
2019-10-26 07:21:36.533857+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time
calculated as - [Sat Oct 26 10:08:29 2019]
2019-10-26 07:21:36.545548+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason:
Host (0x01)
2019-10-26 07:21:42.973072+0200 localhost powerd[103]:
[powerd:sleepWake] Entering Sleep state due to 'Maintenance Sleep'
2019-10-26 07:21:42.973647+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State
changed: DarkWake -> Sleep, 0x20 < Sleep >
2019-10-26 07:21:42.973653+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: Sleep
async ack
2019-10-26 07:21:42.974594+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Network off
sleep date is not setup yet. Wake date cannot be calculated without
baseline.
2019-10-26 07:21:50.353764+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT
(Maintenance)
2019-10-26 07:21:50.353765+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT
(Maintenance)
2019-10-26 07:22:17.989038+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler -
Dark Wake IOPMSYSTEMPowerStateCapabilities - Sleep
2019-10-26 07:22:17.989935+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State
changed: Sleep -> DarkWake, 0x1 < DarkWake >
2019-10-26 07:22:17.990280+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CSHostDaemonMac
_isWakeReasonVoiceTrigger] Wake reason: <private>
2019-10-26 07:22:17.990285+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CSHostDaemonMac
_getPowerAssertionIfWakenByVoiceTriggerNotFromS3Sleep] Wake reason
is not VoiceTrigger or it woke from S3
2019-10-26 07:22:18.018805+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time
calculated as - [Sat Oct 26 10:08:29 2019]
2019-10-26 07:22:18.225551+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason:
Host (0x01)
2019-10-26 07:22:18.625923+0200 localhost kernel[0]:
(AppleIntelCFLGraphicsFramebuffer) [IGFB][INFO] FB0 power state
transition Sleep to Doze
2019-10-26 07:22:19.047108+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler -

Dark Wake IOPMSysPowerStateCapabilities - Sleep
2019-10-26 07:22:19.048813+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time
calculated as - [Sat Oct 26 10:08:29 2019]
2019-10-26 07:22:19.057159+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason:
Host (0x01)
2019-10-26 07:22:25.406891+0200 localhost powerd[103]:
[powerd:sleepWake] Entering Sleep state due to 'Maintenance Sleep'
2019-10-26 07:22:25.407662+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State
changed: DarkWake -> Sleep, 0x20 < Sleep >
2019-10-26 07:22:25.407668+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: Sleep
async ack
2019-10-26 07:22:25.409030+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Network off
sleep date is not setup yet. Wake date cannot be calculated without
baseline.
2019-10-26 07:22:32.824393+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.RTC
(Alarm)
2019-10-26 07:22:32.824394+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.RTC
(Alarm)
2019-10-26 07:27:37.138576+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler -
Dark Wake IOPMSysPowerStateCapabilities - Sleep
2019-10-26 07:27:37.139808+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State
changed: Sleep -> DarkWake, 0x1 < DarkWake >
2019-10-26 07:27:37.141611+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CSHostDaemonMac
_isWakeReasonVoiceTrigger] Wake reason: <private>
2019-10-26 07:27:37.141626+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CSHostDaemonMac
_getPowerAssertionIfWakenByVoiceTriggerNotFromS3Sleep] Wake reason
is not VoiceTrigger or it woke from S3
2019-10-26 07:27:37.331501+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time
calculated as - [Sat Oct 26 10:08:29 2019]
2019-10-26 07:27:37.334333+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason:
Host (0x01)
2019-10-26 07:27:37.755827+0200 localhost kernel[0]:
(AppleIntelCFLGraphicsFramebuffer) [IGFB][INFO] FB0 power state
transition Sleep to Doze
2019-10-26 07:27:38.180829+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler -
Dark Wake IOPMSysPowerStateCapabilities - Sleep
2019-10-26 07:27:38.182306+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time

calculated as - [Sat Oct 26 10:08:29 2019]
2019-10-26 07:27:38.189358+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason:
Host (0x01)
2019-10-26 07:27:44.384235+0200 localhost powerd[103]:
[powerd:sleepWake] Entering Sleep state due to 'Maintenance Sleep'
2019-10-26 07:27:44.384873+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State
changed: DarkWake -> Sleep, 0x20 < Sleep >
2019-10-26 07:27:44.384885+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: Sleep
async ack
2019-10-26 07:27:44.385573+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Network off
sleep date is not setup yet. Wake date cannot be calculated without
baseline.
2019-10-26 07:27:52.166209+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT
(Maintenance)
2019-10-26 07:27:52.166209+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT
(Maintenance)
2019-10-26 07:28:19.797880+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler -
Dark Wake IOPMSYSTEMPowerStateCapabilities - Sleep
2019-10-26 07:28:19.797973+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State
changed: Sleep -> DarkWake, 0x1 < DarkWake >
2019-10-26 07:28:19.800070+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CSHostDaemonMac
_isWakeReasonVoiceTrigger] Wake reason: <private>
2019-10-26 07:28:19.800081+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CSHostDaemonMac
_getPowerAssertionIfWokenByVoiceTriggerNotFromS3Sleep] Wake reason
is not VoiceTrigger or it woke from S3
2019-10-26 07:28:19.823587+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time
calculated as - [Sat Oct 26 10:08:29 2019]
2019-10-26 07:28:20.127509+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason:
Host (0x01)
2019-10-26 07:28:20.418528+0200 localhost kernel[0]:
(AppleIntelCFLGraphicsFramebuffer) [IGFB][INFO] FB0 power state
transition Sleep to Doze
2019-10-26 07:28:20.853339+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler -
Dark Wake IOPMSYSTEMPowerStateCapabilities - Sleep
2019-10-26 07:28:20.854716+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time
calculated as - [Sat Oct 26 10:08:29 2019]
2019-10-26 07:28:20.862489+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]

AppleDeviceManagementHIDEventService::processWakeReason Wake reason:
Host (0x01)
2019-10-26 07:28:31.421374+0200 localhost powerd[103]:
[powerd:sleepWake] Entering Sleep state due to 'Maintenance Sleep'
2019-10-26 07:28:31.422009+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State
changed: DarkWake -> Sleep, 0x20 < Sleep >
2019-10-26 07:28:31.422038+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: Sleep
async ack
2019-10-26 07:28:31.422818+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Network off
sleep date is not setup yet. Wake date cannot be calculated without
baseline.
2019-10-26 07:28:40.422417+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT
(Maintenance)
2019-10-26 07:28:40.422418+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT
(Maintenance)
2019-10-26 07:29:08.075099+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler -
Dark Wake IOPMSYSTEMPowerStateCapabilities - Sleep
2019-10-26 07:29:08.075777+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State
changed: Sleep -> DarkWake, 0x1 < DarkWake >
2019-10-26 07:29:08.106400+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time
calculated as - [Sat Oct 26 10:08:29 2019]
2019-10-26 07:29:08.132389+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CSHostDaemonMac
_isWakeReasonVoiceTrigger] Wake reason: <private>
2019-10-26 07:29:08.132394+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CSHostDaemonMac
_getPowerAssertionIfWokenByVoiceTriggerNotFromS3Sleep] Wake reason
is not VoiceTrigger or it woke from S3
2019-10-26 07:29:08.307310+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason:
Host (0x01)
2019-10-26 07:29:08.684123+0200 localhost kernel[0]:
(AppleIntelCFLGraphicsFramebuffer) [IGFB][INFO] FB0 power state
transition Sleep to Doze
2019-10-26 07:29:09.109589+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler -
Dark Wake IOPMSYSTEMPowerStateCapabilities - Sleep
2019-10-26 07:29:09.110950+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time
calculated as - [Sat Oct 26 10:08:29 2019]
2019-10-26 07:29:09.116120+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason:
Host (0x01)
2019-10-26 07:29:15.467756+0200 localhost powerd[103]:

[powerd:sleepWake] Entering Sleep state due to 'Maintenance Sleep'
2019-10-26 07:29:15.468264+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State
changed: DarkWake -> Sleep, 0x20 < Sleep >
2019-10-26 07:29:15.468269+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: Sleep
async ack
2019-10-26 07:29:15.468998+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Network off
sleep date is not setup yet. Wake date cannot be calculated without
baseline.
2019-10-26 07:29:23.029906+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT
(Maintenance)
2019-10-26 07:29:23.029907+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT
(Maintenance)
2019-10-26 07:29:50.677516+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler -
Dark Wake IOPMSYSTEMPowerStateCapabilities - Sleep
2019-10-26 07:29:50.678065+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State
changed: Sleep -> DarkWake, 0x1 < DarkWake >
2019-10-26 07:29:50.680560+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CSHostDaemonMac
_isWakeReasonVoiceTrigger] Wake reason: <private>
2019-10-26 07:29:50.680566+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CSHostDaemonMac
_getPowerAssertionIfWakenByVoiceTriggerNotFromS3Sleep] Wake reason
is not VoiceTrigger or it woke from S3
2019-10-26 07:29:50.849705+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time
calculated as - [Sat Oct 26 10:08:29 2019]
2019-10-26 07:29:50.870316+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason:
Host (0x01)
2019-10-26 07:29:51.281765+0200 localhost kernel[0]:
(AppleIntelCFLGraphicsFramebuffer) [IGFB][INFO] FB0 power state
transition Sleep to Doze
2019-10-26 07:29:51.705745+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler -
Dark Wake IOPMSYSTEMPowerStateCapabilities - Sleep
2019-10-26 07:29:51.707089+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time
calculated as - [Sat Oct 26 10:08:29 2019]
2019-10-26 07:29:51.717239+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason:
Host (0x01)
2019-10-26 07:30:01.421440+0200 localhost powerd[103]:
[powerd:sleepWake] Entering Sleep state due to 'Maintenance Sleep'
2019-10-26 07:30:01.422001+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State

changed: DarkWake -> Sleep, 0x20 < Sleep >
2019-10-26 07:30:01.422040+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: Sleep
async ack
2019-10-26 07:30:01.422670+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Network off
sleep date is not setup yet. Wake date cannot be calculated without
baseline.
2019-10-26 07:30:09.569425+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT
(Maintenance)
2019-10-26 07:30:09.569426+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT
(Maintenance)
2019-10-26 07:30:37.266711+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State
changed: Sleep -> DarkWake, 0x1 < DarkWake >
2019-10-26 07:30:37.266746+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler -
Dark Wake IOPMSYSTEMPowerStateCapabilities - Sleep
2019-10-26 07:30:37.268472+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CSHostDaemonMac
_isWakeReasonVoiceTrigger] Wake reason: <private>
2019-10-26 07:30:37.268479+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CSHostDaemonMac
_getPowerAssertionIfWakenByVoiceTriggerNotFromS3Sleep] Wake reason
is not VoiceTrigger or it woke from S3
2019-10-26 07:30:37.295134+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time
calculated as - [Sat Oct 26 10:08:29 2019]
2019-10-26 07:30:37.455020+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason:
Host (0x01)
2019-10-26 07:30:37.890079+0200 localhost kernel[0]:
(AppleIntelCFLGraphicsFramebuffer) [IGFB][INFO] FB0 power state
transition Sleep to Doze
2019-10-26 07:30:38.310580+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler -
Dark Wake IOPMSYSTEMPowerStateCapabilities - Sleep
2019-10-26 07:30:38.311975+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time
calculated as - [Sat Oct 26 10:08:29 2019]
2019-10-26 07:30:38.316948+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason:
Host (0x01)
2019-10-26 07:30:44.640645+0200 localhost powerd[103]:
[powerd:sleepWake] Entering Sleep state due to 'Maintenance Sleep'
2019-10-26 07:30:44.641177+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State
changed: DarkWake -> Sleep, 0x20 < Sleep >
2019-10-26 07:30:44.641182+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: Sleep

async ack
2019-10-26 07:30:44.641953+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Network off
sleep date is not setup yet. Wake date cannot be calculated without
baseline.
2019-10-26 07:30:52.049833+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT
(Maintenance)
2019-10-26 07:30:52.049834+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT
(Maintenance)
2019-10-26 07:31:19.660605+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler -
Dark Wake IOPMSYSTEMPowerStateCapabilities - Sleep
2019-10-26 07:31:19.663192+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State
changed: Sleep -> DarkWake, 0x1 < DarkWake >
2019-10-26 07:31:19.665321+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CSHostDaemonMac
_isWakeReasonVoiceTrigger] Wake reason: <private>
2019-10-26 07:31:19.665326+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CSHostDaemonMac
_getPowerAssertionIfWakenByVoiceTriggerNotFromS3Sleep] Wake reason
is not VoiceTrigger or it woke from S3
2019-10-26 07:31:19.741894+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time
calculated as - [Sat Oct 26 10:08:29 2019]
2019-10-26 07:31:19.857900+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason:
Host (0x01)
2019-10-26 07:31:20.287569+0200 localhost kernel[0]:
(AppleIntelCFLGraphicsFramebuffer) [IGFB][INFO] FB0 power state
transition Sleep to Doze
2019-10-26 07:31:20.708794+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler -
Dark Wake IOPMSYSTEMPowerStateCapabilities - Sleep
2019-10-26 07:31:20.710187+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time
calculated as - [Sat Oct 26 10:08:29 2019]
2019-10-26 07:31:20.715250+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason:
Host (0x01)
2019-10-26 07:31:31.421755+0200 localhost powerd[103]:
[powerd:sleepWake] Entering Sleep state due to 'Maintenance Sleep'
2019-10-26 07:31:31.422152+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State
changed: DarkWake -> Sleep, 0x20 < Sleep >
2019-10-26 07:31:31.422195+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: Sleep
async ack
2019-10-26 07:31:31.423013+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Network off

sleep date is not setup yet. Wake date cannot be calculated without baseline.

2019-10-26 07:31:40.126132+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT (Maintenance)

2019-10-26 07:31:40.126132+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT (Maintenance)

2019-10-26 07:32:07.777006+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler - Dark Wake IOPMSYSTEMPowerStateCapabilities - Sleep

2019-10-26 07:32:07.778186+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State changed: Sleep -> DarkWake, 0x1 < DarkWake >

2019-10-26 07:32:07.779330+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CSHostDaemonMac _isWakeReasonVoiceTrigger] Wake reason: <private>

2019-10-26 07:32:07.779336+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CSHostDaemonMac _getPowerAssertionIfWakenByVoiceTriggerNotFromS3Sleep] Wake reason is not VoiceTrigger or it woke from S3

2019-10-26 07:32:07.830754+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time calculated as - [Sat Oct 26 10:08:29 2019]

2019-10-26 07:32:07.975431+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason: Host (0x01)

2019-10-26 07:32:08.391390+0200 localhost kernel[0]:
(AppleIntelCFLGraphicsFramebuffer) [IGFB] [INFO] FB0 power state transition Sleep to Doze

2019-10-26 07:32:08.820375+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler - Dark Wake IOPMSYSTEMPowerStateCapabilities - Sleep

2019-10-26 07:32:08.821960+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time calculated as - [Sat Oct 26 10:08:29 2019]

2019-10-26 07:32:08.826814+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason: Host (0x01)

2019-10-26 07:32:15.120872+0200 localhost powerd[103]:
[powerd:sleepWake] Entering Sleep state due to 'Maintenance Sleep'

2019-10-26 07:32:15.121301+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State changed: DarkWake -> Sleep, 0x20 < Sleep >

2019-10-26 07:32:15.121306+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: Sleep async ack

2019-10-26 07:32:15.122134+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Network off
sleep date is not setup yet. Wake date cannot be calculated without baseline.

2019-10-26 07:32:22.501136+0200 localhost kernel[0]:

(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.RTC
(Alarm)
2019-10-26 07:32:22.501137+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.RTC
(Alarm)
2019-10-26 07:37:12.121714+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State
changed: Sleep -> DarkWake, 0x1 < DarkWake >
2019-10-26 07:37:12.124414+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CSHostDaemonMac
_isWakeReasonVoiceTrigger] Wake reason: <private>
2019-10-26 07:37:12.124419+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CSHostDaemonMac
_getPowerAssertionIfWakenByVoiceTriggerNotFromS3Sleep] Wake reason
is not VoiceTrigger or it woke from S3
2019-10-26 07:37:12.145999+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler -
Dark Wake IOPMSYSTEMPowerStateCapabilities - Sleep
2019-10-26 07:37:12.154843+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time
calculated as - [Sat Oct 26 10:08:29 2019]
2019-10-26 07:37:12.389149+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason:
Host (0x01)
2019-10-26 07:37:12.776041+0200 localhost kernel[0]:
(AppleIntelCFLGraphicsFramebuffer) [IGFB][INFO] FB0 power state
transition Sleep to Doze
2019-10-26 07:37:13.194696+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler -
Dark Wake IOPMSYSTEMPowerStateCapabilities - Sleep
2019-10-26 07:37:13.196183+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time
calculated as - [Sat Oct 26 10:08:29 2019]
2019-10-26 07:37:13.201726+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason:
Host (0x01)
2019-10-26 07:37:19.956803+0200 localhost powerd[103]:
[powerd:sleepWake] Entering Sleep state due to 'Maintenance Sleep'
2019-10-26 07:37:19.957538+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State
changed: DarkWake -> Sleep, 0x20 < Sleep >
2019-10-26 07:37:19.957545+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: Sleep
async ack
2019-10-26 07:37:19.958448+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Network off
sleep date is not setup yet. Wake date cannot be calculated without
baseline.
2019-10-26 07:37:27.439635+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT
(Maintenance)
2019-10-26 07:37:27.439635+0200 localhost kernel[0]:

(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT (Maintenance)
2019-10-26 07:37:55.087074+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CShostDaemonMac _isWakeReasonVoiceTrigger] Wake reason: <private>
2019-10-26 07:37:55.087082+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CShostDaemonMac _getPowerAssertionIfWakenByVoiceTriggerNotFromS3Sleep] Wake reason is not VoiceTrigger or it woke from S3
2019-10-26 07:37:55.102700+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State changed: Sleep -> DarkWake, 0x1 < DarkWake >
2019-10-26 07:37:55.104470+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler - Dark Wake IOPMSYSTEMPowerStateCapabilities - Sleep
2019-10-26 07:37:55.141534+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time calculated as - [Sat Oct 26 10:08:29 2019]
2019-10-26 07:37:55.319916+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason: Host (0x01)
2019-10-26 07:37:55.735478+0200 localhost kernel[0]:
(AppleIntelCFLGraphicsFramebuffer) [IGFB][INFO] FB0 power state transition Sleep to Doze
2019-10-26 07:37:56.155579+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler - Dark Wake IOPMSYSTEMPowerStateCapabilities - Sleep
2019-10-26 07:37:56.156807+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time calculated as - [Sat Oct 26 10:08:29 2019]
2019-10-26 07:37:56.161807+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason: Host (0x01)
2019-10-26 07:38:02.533109+0200 localhost powerd[103]:
[powerd:sleepWake] Entering Sleep state due to 'Maintenance Sleep'
2019-10-26 07:38:02.533726+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State changed: DarkWake -> Sleep, 0x20 < Sleep >
2019-10-26 07:38:02.533749+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: Sleep async ack
2019-10-26 07:38:02.534479+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Network off sleep date is not setup yet. Wake date cannot be calculated without baseline.
2019-10-26 07:38:10.110251+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT (Maintenance)
2019-10-26 07:38:10.110251+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT (Maintenance)
2019-10-26 07:38:37.700443+0200 localhost corespeechd[443]:

[com.apple.corespeech:Framework] -[CShostDaemonMac
_isWakeReasonVoiceTrigger] Wake reason: <private>
2019-10-26 07:38:37.700454+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CShostDaemonMac
_getPowerAssertionIfWakenByVoiceTriggerNotFromS3Sleep] Wake reason
is not VoiceTrigger or it woke from S3
2019-10-26 07:38:37.706045+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State
changed: Sleep -> DarkWake, 0x1 < DarkWake >
2019-10-26 07:38:37.722843+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler -
Dark Wake IOPMSYSTEMPowerStateCapabilities - Sleep
2019-10-26 07:38:37.760273+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time
calculated as - [Sat Oct 26 10:08:29 2019]
2019-10-26 07:38:37.909250+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason:
Host (0x01)
2019-10-26 07:38:38.344159+0200 localhost kernel[0]:
(AppleIntelCFLGraphicsFramebuffer) [IGFB][INFO] FB0 power state
transition Sleep to Doze
2019-10-26 07:38:38.761639+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler -
Dark Wake IOPMSYSTEMPowerStateCapabilities - Sleep
2019-10-26 07:38:38.763076+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time
calculated as - [Sat Oct 26 10:08:29 2019]
2019-10-26 07:38:38.767970+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason:
Host (0x01)
2019-10-26 07:38:45.115400+0200 localhost powerd[103]:
[powerd:sleepWake] Entering Sleep state due to 'Maintenance Sleep'
2019-10-26 07:38:45.115966+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State
changed: DarkWake -> Sleep, 0x20 < Sleep >
2019-10-26 07:38:45.115979+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: Sleep
async ack
2019-10-26 07:38:45.116618+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Network off
sleep date is not setup yet. Wake date cannot be calculated without
baseline.
2019-10-26 07:38:52.638423+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT
(Maintenance)
2019-10-26 07:38:52.638424+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT
(Maintenance)
2019-10-26 07:39:20.255143+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler -
Dark Wake IOPMSYSTEMPowerStateCapabilities - Sleep
2019-10-26 07:39:20.255641+0200 localhost rapportd[371]:

(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State changed: Sleep -> DarkWake, 0x1 < DarkWake >
2019-10-26 07:39:20.257130+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CSHostDaemonMac _isWakeReasonVoiceTrigger] Wake reason: <private>
2019-10-26 07:39:20.257136+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CSHostDaemonMac _getPowerAssertionIfWakenByVoiceTriggerNotFromS3Sleep] Wake reason is not VoiceTrigger or it woke from S3
2019-10-26 07:39:20.338418+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time calculated as - [Sat Oct 26 10:08:29 2019]
2019-10-26 07:39:20.590114+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason: Host (0x01)
2019-10-26 07:39:20.893804+0200 localhost kernel[0]:
(AppleIntelCFLGraphicsFramebuffer) [IGFB][INFO] FB0 power state transition Sleep to Doze
2019-10-26 07:39:21.312518+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler - Dark Wake IOPMSYSTEMPowerStateCapabilities - Sleep
2019-10-26 07:39:21.313935+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time calculated as - [Sat Oct 26 10:08:29 2019]
2019-10-26 07:39:21.319077+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason: Host (0x01)
2019-10-26 07:39:31.420148+0200 localhost powerd[103]:
[powerd:sleepWake] Entering Sleep state due to 'Maintenance Sleep'
2019-10-26 07:39:31.420725+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State changed: DarkWake -> Sleep, 0x20 < Sleep >
2019-10-26 07:39:31.420732+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: Sleep async ack
2019-10-26 07:39:31.422054+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Network off sleep date is not setup yet. Wake date cannot be calculated without baseline.
2019-10-26 07:39:40.722484+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT (Maintenance)
2019-10-26 07:39:40.722485+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT (Maintenance)
2019-10-26 07:40:08.360163+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler - Dark Wake IOPMSYSTEMPowerStateCapabilities - Sleep
2019-10-26 07:40:08.361562+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State changed: Sleep -> DarkWake, 0x1 < DarkWake >
2019-10-26 07:40:08.377209+0200 localhost corespeechd[443]:

[com.apple.corespeech:Framework] -[CShostDaemonMac
_isWakeReasonVoiceTrigger] Wake reason: <private>
2019-10-26 07:40:08.377228+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CShostDaemonMac
_getPowerAssertionIfWakenByVoiceTriggerNotFromS3Sleep] Wake reason
is not VoiceTrigger or it woke from S3
2019-10-26 07:40:08.384135+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time
calculated as - [Sat Oct 26 10:08:29 2019]
2019-10-26 07:40:08.557305+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason:
Host (0x01)
2019-10-26 07:40:08.987585+0200 localhost kernel[0]:
(AppleIntelCFLGraphicsFramebuffer) [IGFB][INFO] FB0 power state
transition Sleep to Doze
2019-10-26 07:40:09.413493+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler -
Dark Wake IOPMSYSTEMPowerStateCapabilities - Sleep
2019-10-26 07:40:09.415461+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time
calculated as - [Sat Oct 26 10:08:29 2019]
2019-10-26 07:40:09.420917+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason:
Host (0x01)
2019-10-26 07:40:15.709503+0200 localhost powerd[103]:
[powerd:sleepWake] Entering Sleep state due to 'Maintenance Sleep'
2019-10-26 07:40:15.710014+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State
changed: DarkWake -> Sleep, 0x20 < Sleep >
2019-10-26 07:40:15.710020+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: Sleep
async ack
2019-10-26 07:40:15.711052+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Network off
sleep date is not setup yet. Wake date cannot be calculated without
baseline.
2019-10-26 07:40:23.103215+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT
(Maintenance)
2019-10-26 07:40:23.103216+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT
(Maintenance)
2019-10-26 07:40:50.713639+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler -
Dark Wake IOPMSYSTEMPowerStateCapabilities - Sleep
2019-10-26 07:40:50.714193+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State
changed: Sleep -> DarkWake, 0x1 < DarkWake >
2019-10-26 07:40:50.718048+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CShostDaemonMac
_isWakeReasonVoiceTrigger] Wake reason: <private>
2019-10-26 07:40:50.718062+0200 localhost corespeechd[443]:

```
[com.apple.corespeech:Framework] -[CShostDaemonMac
_getPowerAssertionIfWakenByVoiceTriggerNotFromS3Sleep] Wake reason
is not VoiceTrigger or it woke from S3
2019-10-26 07:40:50.734936+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time
calculated as - [Sat Oct 26 10:08:29 2019]
2019-10-26 07:40:50.906562+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason:
Host (0x01)
2019-10-26 07:40:51.328813+0200 localhost kernel[0]:
(AppleIntelCFLGraphicsFramebuffer) [IGFB][INFO ] FB0 power state
transition Sleep to Doze
2019-10-26 07:40:51.747653+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler -
Dark Wake IOPMSYSTEMPowerStateCapabilities - Sleep
2019-10-26 07:40:51.748978+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time
calculated as - [Sat Oct 26 10:08:29 2019]
2019-10-26 07:40:51.754085+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason:
Host (0x01)
2019-10-26 07:41:01.421455+0200 localhost powerd[103]:
[powerd:sleepWake] Entering Sleep state due to 'Maintenance Sleep'
2019-10-26 07:41:01.421972+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State
changed: DarkWake -> Sleep, 0x20 < Sleep >
2019-10-26 07:41:01.421981+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: Sleep
async ack
2019-10-26 07:41:01.422533+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Network off
sleep date is not setup yet. Wake date cannot be calculated without
baseline.
2019-10-26 07:41:09.526207+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT
(Maintenance)
2019-10-26 07:41:09.526208+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT
(Maintenance)
2019-10-26 07:41:37.267039+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State
changed: Sleep -> DarkWake, 0x1 < DarkWake >
2019-10-26 07:41:37.267233+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler -
Dark Wake IOPMSYSTEMPowerStateCapabilities - Sleep
2019-10-26 07:41:37.269752+0200 localhost corespchd[443]:
[com.apple.corespeech:Framework] -[CShostDaemonMac
_isWakeReasonVoiceTrigger] Wake reason: <private>
2019-10-26 07:41:37.269758+0200 localhost corespchd[443]:
[com.apple.corespeech:Framework] -[CShostDaemonMac
_getPowerAssertionIfWakenByVoiceTriggerNotFromS3Sleep] Wake reason
is not VoiceTrigger or it woke from S3
```

2019-10-26 07:41:37.305666+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time
calculated as - [Sat Oct 26 10:08:29 2019]
2019-10-26 07:41:37.481300+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason:
Host (0x01)
2019-10-26 07:41:37.882423+0200 localhost kernel[0]:
(AppleIntelCFLGraphicsFramebuffer) [IGFB][INFO] FB0 power state
transition Sleep to Doze
2019-10-26 07:41:38.304388+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler -
Dark Wake IOPMSYSTEMPowerStateCapabilities - Sleep
2019-10-26 07:41:38.305847+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time
calculated as - [Sat Oct 26 10:08:29 2019]
2019-10-26 07:41:38.316028+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason:
Host (0x01)
2019-10-26 07:41:44.622210+0200 localhost powerd[103]:
[powerd:sleepWake] Entering Sleep state due to 'Maintenance Sleep'
2019-10-26 07:41:44.622672+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State
changed: DarkWake -> Sleep, 0x20 < Sleep >
2019-10-26 07:41:44.622696+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: Sleep
async ack
2019-10-26 07:41:44.623393+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Network off
sleep date is not setup yet. Wake date cannot be calculated without
baseline.
2019-10-26 07:41:52.024727+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT
(Maintenance)
2019-10-26 07:41:52.024728+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT
(Maintenance)
2019-10-26 07:42:19.686596+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler -
Dark Wake IOPMSYSTEMPowerStateCapabilities - Sleep
2019-10-26 07:42:19.687295+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State
changed: Sleep -> DarkWake, 0x1 < DarkWake >
2019-10-26 07:42:19.688584+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CSHostDaemonMac
_isWakeReasonVoiceTrigger] Wake reason: <private>
2019-10-26 07:42:19.688596+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CSHostDaemonMac
_getPowerAssertionIfWakenByVoiceTriggerNotFromS3Sleep] Wake reason
is not VoiceTrigger or it woke from S3
2019-10-26 07:42:19.736350+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time
calculated as - [Sat Oct 26 10:08:29 2019]

2019-10-26 07:42:19.885683+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason:
Host (0x01)
2019-10-26 07:42:20.307915+0200 localhost kernel[0]:
(AppleIntelCFLGraphicsFramebuffer) [IGFB][INFO] FB0 power state
transition Sleep to Doze
2019-10-26 07:42:20.725332+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler -
Dark Wake IOPMSYSTEMPowerStateCapabilities - Sleep
2019-10-26 07:42:20.726743+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time
calculated as - [Sat Oct 26 10:08:29 2019]
2019-10-26 07:42:20.731651+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason:
Host (0x01)
2019-10-26 07:42:31.421430+0200 localhost powerd[103]:
[powerd:sleepWake] Entering Sleep state due to 'Maintenance Sleep'
2019-10-26 07:42:31.421934+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State
changed: DarkWake -> Sleep, 0x20 < Sleep >
2019-10-26 07:42:31.421941+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: Sleep
async ack
2019-10-26 07:42:31.423348+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Network off
sleep date is not setup yet. Wake date cannot be calculated without
baseline.
2019-10-26 07:42:40.171905+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.RTC
(Alarm)
2019-10-26 07:42:40.171906+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.RTC
(Alarm)
2019-10-26 07:51:27.149591+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler -
Dark Wake IOPMSYSTEMPowerStateCapabilities - Sleep
2019-10-26 07:51:27.150015+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State
changed: Sleep -> DarkWake, 0x1 < DarkWake >
2019-10-26 07:51:27.151736+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CSHostDaemonMac
_isWakeReasonVoiceTrigger] Wake reason: <private>
2019-10-26 07:51:27.151743+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CSHostDaemonMac
_getPowerAssertionIfWakenByVoiceTriggerNotFromS3Sleep] Wake reason
is not VoiceTrigger or it woke from S3
2019-10-26 07:51:27.205774+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time
calculated as - [Sat Oct 26 10:08:29 2019]
2019-10-26 07:51:27.317459+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason:

Host (0x01)
2019-10-26 07:51:27.763594+0200 localhost kernel[0]:
(AppleIntelCFLGraphicsFramebuffer) [IGFB][INFO] FB0 power state
transition Sleep to Doze
2019-10-26 07:51:28.183402+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler -
Dark Wake IOPMSystemPowerStateCapabilities - Sleep
2019-10-26 07:51:28.185350+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time
calculated as - [Sat Oct 26 10:08:29 2019]
2019-10-26 07:51:28.192809+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason:
Host (0x01)
2019-10-26 07:51:34.361997+0200 localhost powerd[103]:
[powerd:sleepWake] Entering Sleep state due to 'Maintenance Sleep'
2019-10-26 07:51:34.362608+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State
changed: DarkWake -> Sleep, 0x20 < Sleep >
2019-10-26 07:51:34.362616+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: Sleep
async ack
2019-10-26 07:51:34.363419+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Network off
sleep date is not setup yet. Wake date cannot be calculated without
baseline.
2019-10-26 07:51:55.821501+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.RTC
(Alarm)
2019-10-26 07:51:55.821502+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.RTC
(Alarm)
2019-10-26 08:00:34.181377+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CSHostDaemonMac
_isWakeReasonVoiceTrigger] Wake reason: <private>
2019-10-26 08:00:34.181382+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CSHostDaemonMac
_getPowerAssertionIfWakenByVoiceTriggerNotFromS3Sleep] Wake reason
is not VoiceTrigger or it woke from S3
2019-10-26 08:00:34.181519+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State
changed: Sleep -> DarkWake, 0x1 < DarkWake >
2019-10-26 08:00:34.190468+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler -
Dark Wake IOPMSystemPowerStateCapabilities - Sleep
2019-10-26 08:00:34.224651+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time
calculated as - [Sat Oct 26 10:08:29 2019]
2019-10-26 08:00:34.549745+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason:
Host (0x01)
2019-10-26 08:00:34.810770+0200 localhost kernel[0]:
(AppleIntelCFLGraphicsFramebuffer) [IGFB][INFO] FB0 power state

transition Sleep to Doze
2019-10-26 08:00:35.235826+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler -
Dark Wake IOPMSYSTEMPowerStateCapabilities - Sleep
2019-10-26 08:00:35.237344+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time
calculated as - [Sat Oct 26 10:08:29 2019]
2019-10-26 08:00:35.243101+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason:
Host (0x01)
2019-10-26 08:00:41.586018+0200 localhost powerd[103]:
[powerd:sleepWake] Entering Sleep state due to 'Maintenance Sleep'
2019-10-26 08:00:41.586810+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State
changed: DarkWake -> Sleep, 0x20 < Sleep >
2019-10-26 08:00:41.586868+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: Sleep
async ack
2019-10-26 08:00:41.587405+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Network off
sleep date is not setup yet. Wake date cannot be calculated without
baseline.
2019-10-26 08:00:49.274397+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT
(Maintenance)
2019-10-26 08:00:49.274398+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT
(Maintenance)
2019-10-26 08:01:16.990308+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler -
Dark Wake IOPMSYSTEMPowerStateCapabilities - Sleep
2019-10-26 08:01:16.992164+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CSHostDaemonMac
_isWakeReasonVoiceTrigger] Wake reason: <private>
2019-10-26 08:01:16.992169+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CSHostDaemonMac
_getPowerAssertionIfWakenByVoiceTriggerNotFromS3Sleep] Wake reason
is not VoiceTrigger or it woke from S3
2019-10-26 08:01:17.007026+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State
changed: Sleep -> DarkWake, 0x1 < DarkWake >
2019-10-26 08:01:17.212820+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time
calculated as - [Sat Oct 26 10:08:29 2019]
2019-10-26 08:01:17.259358+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason:
Host (0x01)
2019-10-26 08:01:17.606928+0200 localhost kernel[0]:
(AppleIntelCFLGraphicsFramebuffer) [IGFB][INFO] FB0 power state
transition Sleep to Doze
2019-10-26 08:01:18.031865+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler -

Dark Wake IOPMSystemPowerStateCapabilities - Sleep
2019-10-26 08:01:18.033266+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time
calculated as - [Sat Oct 26 10:08:29 2019]
2019-10-26 08:01:18.038093+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason:
Host (0x01)
2019-10-26 08:01:26.045271+0200 localhost powerd[103]:
[powerd:sleepWake] Entering Sleep state due to 'Maintenance Sleep'
2019-10-26 08:01:26.045805+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State
changed: DarkWake -> Sleep, 0x20 < Sleep >
2019-10-26 08:01:26.045812+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: Sleep
async ack
2019-10-26 08:01:26.046346+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Network off
sleep date is not setup yet. Wake date cannot be calculated without
baseline.
2019-10-26 08:01:33.610475+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT
(Maintenance)
2019-10-26 08:01:33.610476+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT
(Maintenance)
2019-10-26 08:02:01.311923+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler -
Dark Wake IOPMSystemPowerStateCapabilities - Sleep
2019-10-26 08:02:01.329486+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CSHostDaemonMac
_isWakeReasonVoiceTrigger] Wake reason: <private>
2019-10-26 08:02:01.329495+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CSHostDaemonMac
_getPowerAssertionIfWakenByVoiceTriggerNotFromS3Sleep] Wake reason
is not VoiceTrigger or it woke from S3
2019-10-26 08:02:01.330588+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time
calculated as - [Sat Oct 26 10:08:29 2019]
2019-10-26 08:02:01.508289+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason:
Host (0x01)
2019-10-26 08:02:01.548545+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State
changed: Sleep -> DarkWake, 0x1 < DarkWake >
2019-10-26 08:02:01.904224+0200 localhost kernel[0]:
(AppleIntelCFLGraphicsFramebuffer) [IGFB][INFO] FB0 power state
transition Sleep to Doze
2019-10-26 08:02:02.311859+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler -
Dark Wake IOPMSystemPowerStateCapabilities - Sleep
2019-10-26 08:02:02.313366+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time

calculated as - [Sat Oct 26 10:08:29 2019]
2019-10-26 08:02:02.319634+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason:
Host (0x01)
2019-10-26 08:02:08.606213+0200 localhost powerd[103]:
[powerd:sleepWake] Entering Sleep state due to 'Maintenance Sleep'
2019-10-26 08:02:08.606699+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State
changed: DarkWake -> Sleep, 0x20 < Sleep >
2019-10-26 08:02:08.606746+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: Sleep
async ack
2019-10-26 08:02:08.607861+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Network off
sleep date is not setup yet. Wake date cannot be calculated without
baseline.
2019-10-26 08:02:16.115531+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT
(Maintenance)
2019-10-26 08:02:16.115532+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT
(Maintenance)
2019-10-26 08:02:43.749796+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CSHostDaemonMac
_isWakeReasonVoiceTrigger] Wake reason: <private>
2019-10-26 08:02:43.749804+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CSHostDaemonMac
_getPowerAssertionIfWakenByVoiceTriggerNotFromS3Sleep] Wake reason
is not VoiceTrigger or it woke from S3
2019-10-26 08:02:43.749804+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State
changed: Sleep -> DarkWake, 0x1 < DarkWake >
2019-10-26 08:02:43.749847+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler -
Dark Wake IOPMSYSTEMPowerStateCapabilities - Sleep
2019-10-26 08:02:43.818336+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time
calculated as - [Sat Oct 26 10:08:29 2019]
2019-10-26 08:02:43.965284+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason:
Host (0x01)
2019-10-26 08:02:44.376403+0200 localhost kernel[0]:
(AppleIntelCFLGraphicsFramebuffer) [IGFB][INFO] FB0 power state
transition Sleep to Doze
2019-10-26 08:02:44.798637+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler -
Dark Wake IOPMSYSTEMPowerStateCapabilities - Sleep
2019-10-26 08:02:44.800075+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time
calculated as - [Sat Oct 26 10:08:29 2019]
2019-10-26 08:02:44.806672+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]

AppleDeviceManagementHIDEventService::processWakeReason Wake reason:
Host (0x01)
2019-10-26 08:02:56.045411+0200 localhost powerd[103]:
[powerd:sleepWake] Entering Sleep state due to 'Maintenance Sleep'
2019-10-26 08:02:56.046016+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State
changed: DarkWake -> Sleep, 0x20 < Sleep >
2019-10-26 08:02:56.046028+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: Sleep
async ack
2019-10-26 08:02:56.046756+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Network off
sleep date is not setup yet. Wake date cannot be calculated without
baseline.
2019-10-26 08:03:04.605914+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT
(Maintenance)
2019-10-26 08:03:04.605915+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT
(Maintenance)
2019-10-26 08:03:32.244861+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler -
Dark Wake IOPMSYSTEMPowerStateCapabilities - Sleep
2019-10-26 08:03:32.245583+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State
changed: Sleep -> DarkWake, 0x1 < DarkWake >
2019-10-26 08:03:32.247402+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CSHostDaemonMac
_isWakeReasonVoiceTrigger] Wake reason: <private>
2019-10-26 08:03:32.247406+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CSHostDaemonMac
_getPowerAssertionIfWokenByVoiceTriggerNotFromS3Sleep] Wake reason
is not VoiceTrigger or it woke from S3
2019-10-26 08:03:32.289085+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time
calculated as - [Sat Oct 26 10:08:29 2019]
2019-10-26 08:03:32.483923+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason:
Host (0x01)
2019-10-26 08:03:32.879762+0200 localhost kernel[0]:
(AppleIntelCFLGraphicsFramebuffer) [IGFB][INFO] FB0 power state
transition Sleep to Doze
2019-10-26 08:03:33.304438+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler -
Dark Wake IOPMSYSTEMPowerStateCapabilities - Sleep
2019-10-26 08:03:33.305875+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time
calculated as - [Sat Oct 26 10:08:29 2019]
2019-10-26 08:03:33.317838+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason:
Host (0x01)
2019-10-26 08:03:39.670059+0200 localhost powerd[103]:

[powerd:sleepWake] Entering Sleep state due to 'Maintenance Sleep'
2019-10-26 08:03:39.670690+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State
changed: DarkWake -> Sleep, 0x20 < Sleep >
2019-10-26 08:03:39.670695+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: Sleep
async ack
2019-10-26 08:03:39.671432+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Network off
sleep date is not setup yet. Wake date cannot be calculated without
baseline.
2019-10-26 08:03:47.161195+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT
(Maintenance)
2019-10-26 08:03:47.161196+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT
(Maintenance)
2019-10-26 08:04:14.803008+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler -
Dark Wake IOPMSYSTEMPowerStateCapabilities - Sleep
2019-10-26 08:04:14.806851+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CSHostDaemonMac
_isWakeReasonVoiceTrigger] Wake reason: <private>
2019-10-26 08:04:14.806857+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CSHostDaemonMac
_getPowerAssertionIfWakenByVoiceTriggerNotFromS3Sleep] Wake reason
is not VoiceTrigger or it woke from S3
2019-10-26 08:04:14.829026+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State
changed: Sleep -> DarkWake, 0x1 < DarkWake >
2019-10-26 08:04:14.857711+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time
calculated as - [Sat Oct 26 10:08:29 2019]
2019-10-26 08:04:15.211477+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason:
Host (0x01)
2019-10-26 08:04:15.433061+0200 localhost kernel[0]:
(AppleIntelCFLGraphicsFramebuffer) [IGFB][INFO] FB0 power state
transition Sleep to Doze
2019-10-26 08:04:15.856314+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler -
Dark Wake IOPMSYSTEMPowerStateCapabilities - Sleep
2019-10-26 08:04:15.857795+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time
calculated as - [Sat Oct 26 10:08:29 2019]
2019-10-26 08:04:15.863795+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason:
Host (0x01)
2019-10-26 08:04:26.039671+0200 localhost powerd[103]:
[powerd:sleepWake] Entering Sleep state due to 'Maintenance Sleep'
2019-10-26 08:04:26.040322+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State

changed: DarkWake -> Sleep, 0x20 < Sleep >
2019-10-26 08:04:26.040327+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: Sleep
async ack
2019-10-26 08:04:26.041120+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Network off
sleep date is not setup yet. Wake date cannot be calculated without
baseline.
2019-10-26 08:04:35.354295+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT
(Maintenance)
2019-10-26 08:04:35.354296+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT
(Maintenance)
2019-10-26 08:05:03.028943+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CShostDaemonMac
_isWakeReasonVoiceTrigger] Wake reason: <private>
2019-10-26 08:05:03.028970+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CShostDaemonMac
_getPowerAssertionIfWakenByVoiceTriggerNotFromS3Sleep] Wake reason
is not VoiceTrigger or it woke from S3
2019-10-26 08:05:03.035242+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State
changed: Sleep -> DarkWake, 0x1 < DarkWake >
2019-10-26 08:05:03.035494+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler -
Dark Wake IOPMSystemPowerStateCapabilities - Sleep
2019-10-26 08:05:03.074182+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time
calculated as - [Sat Oct 26 10:08:29 2019]
2019-10-26 08:05:03.238851+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason:
Host (0x01)
2019-10-26 08:05:03.632040+0200 localhost kernel[0]:
(AppleIntelCFLGraphicsFramebuffer) [IGFB][INFO] FB0 power state
transition Sleep to Doze
2019-10-26 08:05:04.068010+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler -
Dark Wake IOPMSystemPowerStateCapabilities - Sleep
2019-10-26 08:05:04.069458+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time
calculated as - [Sat Oct 26 10:08:29 2019]
2019-10-26 08:05:04.078491+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason:
Host (0x01)
2019-10-26 08:05:10.414036+0200 localhost powerd[103]:
[powerd:sleepWake] Entering Sleep state due to 'Maintenance Sleep'
2019-10-26 08:05:10.414725+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State
changed: DarkWake -> Sleep, 0x20 < Sleep >
2019-10-26 08:05:10.414730+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: Sleep

async ack
2019-10-26 08:05:10.415489+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Network off
sleep date is not setup yet. Wake date cannot be calculated without
baseline.
2019-10-26 08:05:17.850724+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.RTC
(Alarm)
2019-10-26 08:05:17.850725+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.RTC
(Alarm)
2019-10-26 08:10:09.161136+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CSHostDaemonMac
_isWakeReasonVoiceTrigger] Wake reason: <private>
2019-10-26 08:10:09.161143+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CSHostDaemonMac
_getPowerAssertionIfWakenByVoiceTriggerNotFromS3Sleep] Wake reason
is not VoiceTrigger or it woke from S3
2019-10-26 08:10:09.166367+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler -
Dark Wake IOPMSYSTEMPowerStateCapabilities - Sleep
2019-10-26 08:10:09.175827+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State
changed: Sleep -> DarkWake, 0x1 < DarkWake >
2019-10-26 08:10:09.211905+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time
calculated as - [Sat Oct 26 10:08:29 2019]
2019-10-26 08:10:09.378032+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason:
Host (0x01)
2019-10-26 08:10:09.787733+0200 localhost kernel[0]:
(AppleIntelCFLGraphicsFramebuffer) [IGFB][INFO] FB0 power state
transition Sleep to Doze
2019-10-26 08:10:10.201060+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler -
Dark Wake IOPMSYSTEMPowerStateCapabilities - Sleep
2019-10-26 08:10:10.202595+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time
calculated as - [Sat Oct 26 10:08:29 2019]
2019-10-26 08:10:10.207499+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason:
Host (0x01)
2019-10-26 08:10:16.440386+0200 localhost powerd[103]:
[powerd:sleepWake] Entering Sleep state due to 'Maintenance Sleep'
2019-10-26 08:10:16.440906+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State
changed: DarkWake -> Sleep, 0x20 < Sleep >
2019-10-26 08:10:16.440912+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: Sleep
async ack
2019-10-26 08:10:16.441757+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Network off

sleep date is not setup yet. Wake date cannot be calculated without baseline.

2019-10-26 08:10:23.999923+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT (Maintenance)

2019-10-26 08:10:23.999924+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT (Maintenance)

2019-10-26 08:10:51.633783+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CSHostDaemonMac _isWakeReasonVoiceTrigger] Wake reason: <private>

2019-10-26 08:10:51.633789+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CSHostDaemonMac _getPowerAssertionIfWakenByVoiceTriggerNotFromS3Sleep] Wake reason is not VoiceTrigger or it woke from S3

2019-10-26 08:10:51.642377+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State changed: Sleep -> DarkWake, 0x1 < DarkWake >

2019-10-26 08:10:51.643013+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler - Dark Wake IOPMSystemPowerStateCapabilities - Sleep

2019-10-26 08:10:51.685494+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time calculated as - [Sat Oct 26 10:08:29 2019]

2019-10-26 08:10:51.849603+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason: Host (0x01)

2019-10-26 08:10:52.258362+0200 localhost kernel[0]:
(AppleIntelCFLGraphicsFramebuffer) [IGFB][INFO] FB0 power state transition Sleep to Doze

2019-10-26 08:10:52.690473+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler - Dark Wake IOPMSystemPowerStateCapabilities - Sleep

2019-10-26 08:10:52.691797+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time calculated as - [Sat Oct 26 10:08:29 2019]

2019-10-26 08:10:52.698880+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason: Host (0x01)

2019-10-26 08:10:59.006663+0200 localhost powerd[103]:
[powerd:sleepWake] Entering Sleep state due to 'Maintenance Sleep'

2019-10-26 08:10:59.007318+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State changed: DarkWake -> Sleep, 0x20 < Sleep >

2019-10-26 08:10:59.007353+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: Sleep async ack

2019-10-26 08:10:59.008367+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Network off

sleep date is not setup yet. Wake date cannot be calculated without baseline.

2019-10-26 08:11:06.485391+0200 localhost kernel[0]:

(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT (Maintenance)
2019-10-26 08:11:06.485392+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT (Maintenance)
2019-10-26 08:11:34.158273+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler - Dark Wake IOPMSystemPowerStateCapabilities - Sleep
2019-10-26 08:11:34.161902+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CSHostDaemonMac _isWakeReasonVoiceTrigger] Wake reason: <private>
2019-10-26 08:11:34.161907+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CSHostDaemonMac _getPowerAssertionIfWakenByVoiceTriggerNotFromS3Sleep] Wake reason is not VoiceTrigger or it woke from S3
2019-10-26 08:11:34.177323+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State changed: Sleep -> DarkWake, 0x1 < DarkWake >
2019-10-26 08:11:34.206722+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time calculated as - [Sat Oct 26 10:08:29 2019]
2019-10-26 08:11:34.452605+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason: Host (0x01)
2019-10-26 08:11:34.753736+0200 localhost kernel[0]:
(AppleIntelCFLGraphicsFramebuffer) [IGFB][INFO] FB0 power state transition Sleep to Doze
2019-10-26 08:11:35.173500+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler - Dark Wake IOPMSystemPowerStateCapabilities - Sleep
2019-10-26 08:11:35.174738+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time calculated as - [Sat Oct 26 10:08:29 2019]
2019-10-26 08:11:35.184138+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason: Host (0x01)
2019-10-26 08:11:41.594580+0200 localhost powerd[103]:
[powerd:sleepWake] Entering Sleep state due to 'Maintenance Sleep'
2019-10-26 08:11:41.595069+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State changed: DarkWake -> Sleep, 0x20 < Sleep >
2019-10-26 08:11:41.595074+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: Sleep async ack
2019-10-26 08:11:41.595822+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Network off sleep date is not setup yet. Wake date cannot be calculated without baseline.
2019-10-26 08:11:49.040760+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT (Maintenance)
2019-10-26 08:11:49.040761+0200 localhost kernel[0]:

(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT (Maintenance)
2019-10-26 08:12:16.686161+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State changed: Sleep -> DarkWake, 0x1 < DarkWake >
2019-10-26 08:12:16.687580+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler - Dark Wake IOPMSystemPowerStateCapabilities - Sleep
2019-10-26 08:12:16.691844+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CSHostDaemonMac _isWakeReasonVoiceTrigger] Wake reason: <private>
2019-10-26 08:12:16.691850+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CSHostDaemonMac _getPowerAssertionIfWakenByVoiceTriggerNotFromS3Sleep] Wake reason is not VoiceTrigger or it woke from S3
2019-10-26 08:12:16.862821+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time calculated as - [Sat Oct 26 10:08:29 2019]
2019-10-26 08:12:16.873562+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason: Host (0x01)
2019-10-26 08:12:17.282202+0200 localhost kernel[0]:
(AppleIntelCFLGraphicsFramebuffer) [IGFB][INFO] FB0 power state transition Sleep to Doze
2019-10-26 08:12:17.703280+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler - Dark Wake IOPMSystemPowerStateCapabilities - Sleep
2019-10-26 08:12:17.704667+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time calculated as - [Sat Oct 26 10:08:29 2019]
2019-10-26 08:12:17.711562+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason: Host (0x01)
2019-10-26 08:12:24.036936+0200 localhost powerd[103]:
[powerd:sleepWake] Entering Sleep state due to 'Maintenance Sleep'
2019-10-26 08:12:24.037510+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State changed: DarkWake -> Sleep, 0x20 < Sleep >
2019-10-26 08:12:24.037543+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: Sleep async ack
2019-10-26 08:12:24.038400+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Network off sleep date is not setup yet. Wake date cannot be calculated without baseline.
2019-10-26 08:12:31.497338+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT (Maintenance)
2019-10-26 08:12:31.497339+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT (Maintenance)
2019-10-26 08:12:59.198311+0200 localhost bluetoothd[145]:

(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler -
Dark Wake IOPMSYSTEMPowerStateCapabilities - Sleep
2019-10-26 08:12:59.201609+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State
changed: Sleep -> DarkWake, 0x1 < DarkWake >
2019-10-26 08:12:59.206306+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CSHostDaemonMac
_isWakeReasonVoiceTrigger] Wake reason: <private>
2019-10-26 08:12:59.206321+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CSHostDaemonMac
_getPowerAssertionIfWakenByVoiceTriggerNotFromS3Sleep] Wake reason
is not VoiceTrigger or it woke from S3
2019-10-26 08:12:59.234414+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time
calculated as - [Sat Oct 26 10:08:29 2019]
2019-10-26 08:12:59.369472+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason:
Host (0x01)
2019-10-26 08:12:59.797414+0200 localhost kernel[0]:
(AppleIntelCFLGraphicsFramebuffer) [IGFB][INFO] FB0 power state
transition Sleep to Doze
2019-10-26 08:13:00.223321+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler -
Dark Wake IOPMSYSTEMPowerStateCapabilities - Sleep
2019-10-26 08:13:00.224989+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time
calculated as - [Sat Oct 26 10:08:29 2019]
2019-10-26 08:13:00.229440+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason:
Host (0x01)
2019-10-26 08:13:06.558338+0200 localhost powerd[103]:
[powerd:sleepWake] Entering Sleep state due to 'Maintenance Sleep'
2019-10-26 08:13:06.558822+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State
changed: DarkWake -> Sleep, 0x20 < Sleep >
2019-10-26 08:13:06.558882+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: Sleep
async ack
2019-10-26 08:13:06.559406+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Network off
sleep date is not setup yet. Wake date cannot be calculated without
baseline.
2019-10-26 08:13:13.958384+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT
(Maintenance)
2019-10-26 08:13:13.958385+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT
(Maintenance)
2019-10-26 08:13:41.612513+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler -
Dark Wake IOPMSYSTEMPowerStateCapabilities - Sleep
2019-10-26 08:13:41.612888+0200 localhost rapportd[371]:

(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State changed: Sleep -> DarkWake, 0x1 < DarkWake >
2019-10-26 08:13:41.644952+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CSHostDaemonMac _isWakeReasonVoiceTrigger] Wake reason: <private>
2019-10-26 08:13:41.644969+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CSHostDaemonMac _getPowerAssertionIfWakenByVoiceTriggerNotFromS3Sleep] Wake reason is not VoiceTrigger or it woke from S3
2019-10-26 08:13:41.648429+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time calculated as - [Sat Oct 26 10:08:29 2019]
2019-10-26 08:13:41.846594+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason: Host (0x01)
2019-10-26 08:13:42.241167+0200 localhost kernel[0]:
(AppleIntelCFLGraphicsFramebuffer) [IGFB][INFO] FB0 power state transition Sleep to Doze
2019-10-26 08:13:42.664091+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler - Dark Wake IOPMSYSTEMPowerStateCapabilities - Sleep
2019-10-26 08:13:42.665582+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time calculated as - [Sat Oct 26 10:08:29 2019]
2019-10-26 08:13:42.674760+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason: Host (0x01)
2019-10-26 08:13:49.017801+0200 localhost powerd[103]:
[powerd:sleepWake] Entering Sleep state due to 'Maintenance Sleep'
2019-10-26 08:13:49.018326+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State changed: DarkWake -> Sleep, 0x20 < Sleep >
2019-10-26 08:13:49.018330+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: Sleep async ack
2019-10-26 08:13:49.018887+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Network off sleep date is not setup yet. Wake date cannot be calculated without baseline.
2019-10-26 08:13:56.397197+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT (Maintenance)
2019-10-26 08:13:56.397198+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.ARPT (Maintenance)
2019-10-26 08:14:24.023413+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CSHostDaemonMac _isWakeReasonVoiceTrigger] Wake reason: <private>
2019-10-26 08:14:24.023441+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CSHostDaemonMac _getPowerAssertionIfWakenByVoiceTriggerNotFromS3Sleep] Wake reason is not VoiceTrigger or it woke from S3

2019-10-26 08:14:24.052198+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler -
Dark Wake IOPMSYSTEMPowerStateCapabilities - Sleep
2019-10-26 08:14:24.053250+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State
changed: Sleep -> DarkWake, 0x1 < DarkWake >
2019-10-26 08:14:24.060598+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time
calculated as - [Sat Oct 26 10:08:29 2019]
2019-10-26 08:14:24.237902+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason:
Host (0x01)
2019-10-26 08:14:24.653071+0200 localhost kernel[0]:
(AppleIntelCFLGraphicsFramebuffer) [IGFB][INFO] FB0 power state
transition Sleep to Doze
2019-10-26 08:14:25.075462+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler -
Dark Wake IOPMSYSTEMPowerStateCapabilities - Sleep
2019-10-26 08:14:25.076923+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Wake time
calculated as - [Sat Oct 26 10:08:29 2019]
2019-10-26 08:14:25.085807+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason:
Host (0x01)
2019-10-26 08:14:31.376970+0200 localhost powerd[103]:
[powerd:sleepWake] Entering Sleep state due to 'Maintenance Sleep'
2019-10-26 08:14:31.377495+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State
changed: DarkWake -> Sleep, 0x20 < Sleep >
2019-10-26 08:14:31.377504+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: Sleep
async ack
2019-10-26 08:14:31.378187+0200 localhost bluetoothd[145]:
(SPOwner) [com.apple.icloud.SPOwner:powerManagement] Network off
sleep date is not setup yet. Wake date cannot be calculated without
baseline.
2019-10-26 08:14:38.809402+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.LidOpen
(User)
2019-10-26 08:14:38.809403+0200 localhost kernel[0]:
(AppleACPIPlatform) AppleACPIPlatformPower Wake reason: EC.LidOpen
(User)
2019-10-26 08:18:49.981420+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason:
Host (0x01)
2019-10-26 08:18:50.070427+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CSHostDaemonMac
_isWakeReasonVoiceTrigger] Wake reason: <private>
2019-10-26 08:18:50.072659+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler -
Full Wake IOPMSYSTEMPowerStateCapabilities - Sleep

2019-10-26 08:18:50.073012+0200 localhost rapportd[371]:
(CoreUtils) [com.apple.CoreUtils:CUSleepWakeMonitor] CLink: State
changed: Sleep -> FullWake, 0x10 < UserWake >
2019-10-26 08:18:50.094709+0200 localhost corespeechd[443]:
[com.apple.corespeech:Framework] -[CSHostDaemonMac
_getPowerAssertionIfWakenByVoiceTriggerNotFromS3Sleep] Wake reason
is not VoiceTrigger or it woke from S3
2019-10-26 08:18:50.098405+0200 localhost contextstored[226]:
(KnowledgeMonitor) [com.apple.coreduet.context:] Idle Sleep
Preventers Count: 1
2019-10-26 08:18:50.098584+0200 localhost contextstored[226]:
(KnowledgeMonitor) [com.apple.coreduet.context:] Idle Sleep
Preventers: <private>
2019-10-26 08:18:50.098673+0200 localhost contextstored[226]:
(KnowledgeMonitor) [com.apple.coreduet.context:] Idle Sleep
Preventers Count: 1
2019-10-26 08:18:50.098890+0200 localhost contextstored[226]:
(KnowledgeMonitor) [com.apple.coreduet.context:] Idle Sleep
Preventers: <private>
2019-10-26 08:18:50.099082+0200 localhost contextstored[226]:
(KnowledgeMonitor) [com.apple.coreduet.context:] Idle Sleep
Preventers Count: 1
2019-10-26 08:18:50.099534+0200 localhost contextstored[226]:
(KnowledgeMonitor) [com.apple.coreduet.context:] Idle Sleep
Preventers: <private>
2019-10-26 08:18:50.099622+0200 localhost contextstored[226]:
(KnowledgeMonitor) [com.apple.coreduet.context:] Idle Sleep
Preventers Count: 1
2019-10-26 08:18:50.099680+0200 localhost contextstored[226]:
(KnowledgeMonitor) [com.apple.coreduet.context:] Idle Sleep
Preventers: <private>
2019-10-26 08:18:50.099757+0200 localhost contextstored[226]:
(KnowledgeMonitor) [com.apple.coreduet.context:] Idle Sleep
Preventers Count: 1
2019-10-26 08:18:50.099865+0200 localhost contextstored[226]:
(KnowledgeMonitor) [com.apple.coreduet.context:] Idle Sleep
Preventers: <private>
2019-10-26 08:18:50.099952+0200 localhost contextstored[226]:
(KnowledgeMonitor) [com.apple.coreduet.context:] Idle Sleep
Preventers Count: 1
2019-10-26 08:18:50.100223+0200 localhost contextstored[226]:
(KnowledgeMonitor) [com.apple.coreduet.context:] Idle Sleep
Preventers: <private>
2019-10-26 08:18:50.100332+0200 localhost contextstored[226]:
(KnowledgeMonitor) [com.apple.coreduet.context:] Idle Sleep
Preventers Count: 1
2019-10-26 08:18:50.100514+0200 localhost contextstored[226]:
(KnowledgeMonitor) [com.apple.coreduet.context:] Idle Sleep
Preventers: <private>
2019-10-26 08:18:50.100616+0200 localhost contextstored[226]:
(KnowledgeMonitor) [com.apple.coreduet.context:] Idle Sleep
Preventers Count: 1
2019-10-26 08:18:50.100765+0200 localhost contextstored[226]:
(KnowledgeMonitor) [com.apple.coreduet.context:] Idle Sleep


```
Preventers: <private>
2019-10-26 08:18:50.100849+0200 localhost contextstored[226]:
(KnowledgeMonitor) [com.apple.coreduet.context:] Idle Sleep
Preventers Count: 1
2019-10-26 08:18:50.100990+0200 localhost contextstored[226]:
(KnowledgeMonitor) [com.apple.coreduet.context:] Idle Sleep
Preventers: <private>
2019-10-26 08:18:50.257811+0200 localhost kernel[0]:
(AppleIntelCFLGraphicsFramebuffer) [IGFB][INFO ] FB0 power state
transition Sleep to Wake
2019-10-26 08:18:50.656020+0200 localhost contextstored[226]:
(KnowledgeMonitor) [com.apple.coreduet.context:] Idle Sleep
Preventers Count: 1
2019-10-26 08:18:50.656085+0200 localhost contextstored[226]:
(KnowledgeMonitor) [com.apple.coreduet.context:] Idle Sleep
Preventers: <private>
2019-10-26 08:18:50.922152+0200 localhost powerd[103]:
[powerd:sleepWake] Wake from Standby [CDNVA] : due to EC.LidOpen/Lid
Open
2019-10-26 08:18:50.922783+0200 localhost bluetoothd[145]:
(IOBluetooth) [com.apple.bluetooth:CBPower] PMConnectionHandler -
Full Wake IOPMSYSTEMPowerStateCapabilities -Sleep
2019-10-26 08:18:50.936623+0200 localhost kernel[0]:
(AppleTopCaseHIDEventDriver) [HID] [ATC]
AppleDeviceManagementHIDEventService::processWakeReason Wake reason:
Host (0x01)
2019-10-26 08:18:50.963901+0200 localhost VDCAssistant[291]:
[com.apple.VDCAssistant:device] [guid:0x8020000005ac8514] Sleep ->
ClamshellClosed on event kSystemWake
2019-10-26 08:18:50.968418+0200 localhost loginwindow[171]:
[com.apple.loginwindow.logging:Standard] logWakeIntervals | Wake
details:
2019-10-26 08:19:44.077037+0200 localhost powerd[103]:
[powerd:assertions] Process Google Chrome.480 Created
NoDisplaySleepAssertion "Video Wake Lock" age:00:00:00
id:21474878276 [System: PrevIdle PrevDisp DeclUser kDisp]
2019-10-26 08:19:52.338272+0200 localhost powerd[103]:
[powerd:assertions] Process Google Chrome.480 Released
NoDisplaySleepAssertion "Video Wake Lock" age:00:00:08
id:21474878276 [System: PrevIdle DeclUser IntPrevDisp kDisp]
2019-10-26 08:19:53.265559+0200 localhost powerd[103]:
[powerd:assertions] Process Google Chrome.480 Created
NoDisplaySleepAssertion "Video Wake Lock" age:00:00:00
id:21474878330 [System: PrevIdle PrevDisp DeclUser IntPrevDisp
kDisp]
2019-10-26 08:21:41.596620+0200 localhost powerd[103]:
[powerd:assertions] Process Google Chrome.480 Released
NoDisplaySleepAssertion "Video Wake Lock" age:00:01:48
id:21474878330 [System: PrevIdle DeclUser IntPrevDisp kDisp]
MacBook-Pro:~ BBere$
```